

Hiromi Rakugi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/721758/publications.pdf>

Version: 2024-02-01

388
papers

21,092
citations

13827

67
h-index

14156

128
g-index

400
all docs

400
docs citations

400
times ranked

27484
citing authors

#	ARTICLE	IF	CITATIONS
1	The Japanese Society of Hypertension Guidelines for the Management of Hypertension (JSH 2019). Hypertension Research, 2019, 42, 1235-1481.	1.5	1,047
2	The Japanese Society of Hypertension Guidelines for the Management of Hypertension (JSH 2014). Hypertension Research, 2014, 37, 253-253.	1.5	962
3	Hypoadiponectinemia Is an Independent Risk Factor for Hypertension. Hypertension, 2004, 43, 1318-1323.	1.3	558
4	Japan Atherosclerosis Society (JAS) Guidelines for Prevention of Atherosclerotic Cardiovascular Diseases 2017. Journal of Atherosclerosis and Thrombosis, 2018, 25, 846-984.	0.9	541
5	Association of Hypoadiponectinemia With Impaired Vasoreactivity. Hypertension, 2003, 42, 231-234.	1.3	535
6	Diabetes-accelerated memory dysfunction via cerebrovascular inflammation and A β deposition in an Alzheimer mouse model with diabetes. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 7036-7041.	3.3	460
7	The Japanese Society of Hypertension Guidelines for the Management of Hypertension (JSH 2009). Hypertension Research, 2009, 32, 3-107.	1.5	455
8	Autophagy Protects the Proximal Tubule from Degeneration and Acute Ischemic Injury. Journal of the American Society of Nephrology: JASN, 2011, 22, 902-913.	3.0	388
9	Target Blood Pressure for Treatment of Isolated Systolic Hypertension in the Elderly. Hypertension, 2010, 56, 196-202.	1.3	334
10	Redefining the elderly as aged 75 years and older: Proposal from the Joint Committee of Japan Gerontological Society and the Japan Geriatrics Society. Geriatrics and Gerontology International, 2017, 17, 1045-1047.	0.7	326
11	Deletion of Angiotensin-Converting Enzyme 2 Accelerates Pressure Overload-Induced Cardiac Dysfunction by Increasing Local Angiotensin II. Hypertension, 2006, 47, 718-726.	1.3	304
12	Genetic variants at the 9p21 locus contribute to atherosclerosis through modulation of ANRIL and CDKN2A/B. Atherosclerosis, 2012, 220, 449-455.	0.4	299
13	Malt1-Induced Cleavage of Regnase-1 in CD4+ Helper T Cells Regulates Immune Activation. Cell, 2013, 153, 1036-1049.	13.5	296
14	Trans-ancestry genome-wide association study identifies 12 genetic loci influencing blood pressure and implicates a role for DNA methylation. Nature Genetics, 2015, 47, 1282-1293.	9.4	294
15	Japan as the front-runner of super-aged societies: Perspectives from medicine and medical care in Japan. Geriatrics and Gerontology International, 2015, 15, 673-687.	0.7	290
16	Source of Chronic Inflammation in Aging. Frontiers in Cardiovascular Medicine, 2018, 5, 12.	1.1	267
17	Pathological grading for predicting metastasis in pheochromocytoma and paraganglioma. Endocrine-Related Cancer, 2014, 21, 405-414.	1.6	259
18	Prevalence of frailty in Japan: A systematic review and meta-analysis. Journal of Epidemiology, 2017, 27, 347-353.	1.1	246

#	ARTICLE	IF	CITATIONS
19	Hypomagnesemia is a significant predictor of cardiovascular and non-cardiovascular mortality in patients undergoing hemodialysis. <i>Kidney International</i> , 2014, 85, 174-181.	2.6	235
20	Klotho suppresses TNF- α -induced expression of adhesion molecules in the endothelium and attenuates NF- κ B activation. <i>Endocrine</i> , 2009, 35, 341-346.	1.1	216
21	Autophagy Guards Against Cisplatin-Induced Acute Kidney Injury. <i>American Journal of Pathology</i> , 2012, 180, 517-525.	1.9	215
22	ANRIL: Molecular Mechanisms and Implications in Human Health. <i>International Journal of Molecular Sciences</i> , 2013, 14, 1278-1292.	1.8	212
23	Nifedipine controlled-release 40mg b.i.d. in Japanese patients with essential hypertension who responded insufficiently to nifedipine controlled-release 40mg q.d.: a phase III, randomized, double-blind and parallel-group study. <i>Hypertension Research</i> , 2014, 37, 69-75.	1.5	205
24	Anti-apoptotic and anti-senescence effects of Klotho on vascular endothelial cells. <i>Biochemical and Biophysical Research Communications</i> , 2006, 339, 827-832.	1.0	200
25	Adiponectin I164T mutation is associated with the metabolic syndrome and coronary artery disease. <i>Journal of the American College of Cardiology</i> , 2004, 43, 1195-1200.	1.2	182
26	Estrogen Inhibits Vascular Calcification via Vascular RANKL System. <i>Circulation Research</i> , 2010, 107, 466-475.	2.0	173
27	Salt Sensitivity of Japanese from the Viewpoint of Gene Polymorphism. <i>Hypertension Research</i> , 2003, 26, 521-525.	1.5	167
28	Chiral amino acid metabolomics for novel biomarker screening in the prognosis of chronic kidney disease. <i>Scientific Reports</i> , 2016, 6, 26137.	1.6	162
29	Genome-wide association study of coronary artery disease in the Japanese. <i>European Journal of Human Genetics</i> , 2012, 20, 333-340.	1.4	156
30	A potent genetic risk factor for restenosis. <i>Nature Genetics</i> , 1993, 5, 324-325.	9.4	144
31	Angiotensin Receptor Blocker Prevented β -Amyloid-Induced Cognitive Impairment Associated With Recovery of Neurovascular Coupling. <i>Hypertension</i> , 2009, 54, 1345-1352.	1.3	144
32	Modified forelimb grip strength test detects aging-associated physiological decline in skeletal muscle function in male mice. <i>Scientific Reports</i> , 2017, 7, 42323.	1.6	144
33	Ezetimibe Lipid-Lowering Trial on Prevention of Atherosclerotic Cardiovascular Disease in 75 or Older (EWTOPIA 75). <i>Circulation</i> , 2019, 140, 992-1003.	1.6	132
34	Molecular mechanisms linking diabetes mellitus and Alzheimer disease: beta-amyloid peptide, insulin signaling, and neuronal function. <i>Molecular BioSystems</i> , 2011, 7, 1822.	2.9	129
35	Rationale, study design and implementation of the COLM study: the combination of OLMesartan and calcium channel blocker or diuretic in high-risk elderly hypertensive patients. <i>Hypertension Research</i> , 2009, 32, 163-167.	1.5	127
36	Screening Tool for Older Persons TM Appropriate Prescriptions for Japanese: Report of the Japan Geriatrics Society Working Group on "Guidelines for medical treatment and its safety in the elderly". <i>Geriatrics and Gerontology International</i> , 2016, 16, 983-1001.	0.7	125

#	ARTICLE	IF	CITATIONS
37	CVD-associated non-coding RNA, ANRIL, modulates expression of atherogenic pathways in VSMC. <i>Biochemical and Biophysical Research Communications</i> , 2012, 419, 612-616.	1.0	122
38	Association of Hypoadiponectinemia With Smoking Habit in Men. <i>Hypertension</i> , 2005, 45, 1094-1100.	1.3	120
39	Fully phosphorylated fetuin-A forms a mineral complex in the serum of rats with adenine-induced renal failure. <i>Kidney International</i> , 2009, 75, 915-928.	2.6	117
40	Febuxostat suppressed renal ischemia-reperfusion injury via reduced oxidative stress. <i>Biochemical and Biophysical Research Communications</i> , 2012, 427, 266-272.	1.0	113
41	Combined Use of Vitamin D Status and FGF23 for Risk Stratification of Renal Outcome. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012, 7, 810-819.	2.2	110
42	Effect of Standard vs Intensive Blood Pressure Control on the Risk of Recurrent Stroke. <i>JAMA Neurology</i> , 2019, 76, 1309.	4.5	109
43	High Prevalence of Obstructive Sleep Apnea and Its Association with Renal Function among Nondialysis Chronic Kidney Disease Patients in Japan. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 995-1000.	2.2	108
44	Double-Blind Randomized Phase 3 Study Comparing Esaxerenone (CS-3150) and Eplerenone in Patients With Essential Hypertension (ESAX-HTN Study). <i>Hypertension</i> , 2020, 75, 51-58.	1.3	107
45	Comparison of the efficacy and safety of azilsartan with that of candesartan cilexetil in Japanese patients with grade I-II essential hypertension: a randomized, double-blind clinical study. <i>Hypertension Research</i> , 2012, 35, 552-558.	1.5	103
46	Hypomagnesemia in Type 2 Diabetic Nephropathy. <i>Diabetes Care</i> , 2012, 35, 1591-1597.	4.3	103
47	Increased blood-brain barrier vulnerability to systemic inflammation in an Alzheimer disease mouse model. <i>Neurobiology of Aging</i> , 2013, 34, 2064-2070.	1.5	101
48	A Randomized Trial of Magnesium Oxide and Oral Carbon Adsorbent for Coronary Artery Calcification in Predialysis CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2019, 30, 1073-1085.	3.0	98
49	Loss of ACE2 Exaggerates High-Calorie Diet-Induced Insulin Resistance by Reduction of GLUT4 in Mice. <i>Diabetes</i> , 2013, 62, 223-233.	0.3	96
50	Reduction of Brain β -Amyloid ($A\beta$) by Fluvastatin, a Hydroxymethylglutaryl-CoA Reductase Inhibitor, through Increase in Degradation of Amyloid Precursor Protein C-terminal Fragments (APP-CTFs) and $A\beta$ Clearance. <i>Journal of Biological Chemistry</i> , 2010, 285, 22091-22102.	1.6	95
51	Enhanced expression of angiotensin-converting enzyme is associated with progression of coronary atherosclerosis in humans. <i>Journal of Hypertension</i> , 1997, 15, 1295-1302.	0.3	94
52	The renin-angiotensin and adrenergic nervous system in cardiac hypertrophy in fructose-fed rats. <i>American Journal of Hypertension</i> , 2002, 15, 66-71.	1.0	93
53	Prevention of cardiovascular events with calcium channel blocker-based combination therapies in patients with hypertension. <i>Journal of Hypertension</i> , 2011, 29, 1649-1659.	0.3	91
54	Hyperglycemia in non-obese patients with type 2 diabetes is associated with low muscle mass: The Multicenter Study for Clarifying Evidence for Sarcopenia in Patients with Diabetes Mellitus. <i>Journal of Diabetes Investigation</i> , 2019, 10, 1471-1479.	1.1	91

#	ARTICLE	IF	CITATIONS
55	Association of a polymorphic variant of the Werner helicase gene with myocardial infarction in a Japanese population. , 1997, 68, 494-498.		90
56	Anti-oxidative effect of Klotho on endothelial cells through cAMP activation. Endocrine, 2007, 31, 82-87.	2.2	90
57	Enhanced Predictability of Myocardial Infarction in Japanese by Combined Genotype Analysis. Hypertension, 1995, 25, 950-953.	1.3	90
58	The impact of visit-to-visit variability in blood pressure on renal function. Hypertension Research, 2012, 35, 239-243.	1.5	89
59	Hepatocyte Growth Factor Reduces Cardiac Fibrosis by Inhibiting Endothelial-Mesenchymal Transition. Hypertension, 2012, 59, 958-965.	1.3	85
60	Time-dependent dysregulation of autophagy: Implications in aging and mitochondrial homeostasis in the kidney proximal tubule. Autophagy, 2016, 12, 801-813.	4.3	85
61	Cigarette Smoking and Progression of IgA Nephropathy. American Journal of Kidney Diseases, 2010, 56, 313-324.	2.1	84
62	Use of xanthine oxidase inhibitor febuxostat inhibits renal interstitial inflammation and fibrosis in unilateral ureteral obstructive nephropathy. Clinical and Experimental Nephrology, 2012, 16, 549-556.	0.7	84
63	Magnesium Modifies the Cardiovascular Mortality Risk Associated with Hyperphosphatemia in Patients Undergoing Hemodialysis: A Cohort Study. PLoS ONE, 2014, 9, e116273.	1.1	81
64	Intact fibroblast growth factor 23 levels predict incident cardiovascular event before but not after the start of dialysis. Bone, 2012, 50, 1266-1274.	1.4	76
65	Comparison of Arterial Functional Evaluations as a Predictor of Cardiovascular Events in Hypertensive Patients: The Non-Invasive Atherosclerotic Evaluation in Hypertension (NOAH) Study. Hypertension Research, 2008, 31, 1135-1145.	1.5	75
66	Interethnic analyses of blood pressure loci in populations of East Asian and European descent. Nature Communications, 2018, 9, 5052.	5.8	75
67	Klotho Protein Promotes Adipocyte Differentiation. Endocrinology, 2006, 147, 3835-3842.	1.4	73
68	Self-reported Sleep Duration and Prediction of Proteinuria: A Retrospective Cohort Study. American Journal of Kidney Diseases, 2012, 59, 343-355.	2.1	73
69	Novel Method for Rapid Assessment of Cognitive Impairment Using High-Performance Eye-Tracking Technology. Scientific Reports, 2019, 9, 12932.	1.6	73
70	Japan Endocrine Society clinical practice guideline for the diagnosis and management of primary aldosteronism 2021. Endocrine Journal, 2022, 69, 327-359.	0.7	67
71	Ubiquitin Carboxyl-Terminal Hydrolase L1, a Novel Deubiquitinating Enzyme in the Vasculature, Attenuates NF- κ B Activation. Arteriosclerosis, Thrombosis, and Vascular Biology, 2007, 27, 2184-2190.	1.1	66
72	Association between dietary patterns and cognitive function among 70-year-old Japanese elderly: a cross-sectional analysis of the SONIC study. Nutrition Journal, 2017, 16, 56.	1.5	64

#	ARTICLE	IF	CITATIONS
73	The CD153 vaccine is a senotherapeutic option for preventing the accumulation of senescent T cells in mice. <i>Nature Communications</i> , 2020, 11, 2482.	5.8	64
74	Klotho protein diminishes endothelial apoptosis and senescence via a mitogen-activated kinase pathway. <i>Geriatrics and Gerontology International</i> , 2011, 11, 510-516.	0.7	62
75	Serum hepcidin-25 levels and anemia in non-dialysis chronic kidney disease patients: a cross-sectional study. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 1076-1083.	0.4	62
76	Cut-Off Value of Brachial-Ankle Pulse Wave Velocity to Predict Cardiovascular Disease in Hypertensive Patients: A Cohort Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2013, 20, 391-400.	0.9	60
77	Prevention of osteoporosis by angiotensin-converting enzyme inhibitor in spontaneous hypertensive rats. <i>Hypertension Research</i> , 2009, 32, 786-790.	1.5	59
78	Upregulation of Angiotensin-Converting Enzyme During the Healing Process After Injury at the Site of Percutaneous Transluminal Coronary Angioplasty in Humans. <i>Circulation</i> , 1997, 96, 3328-3337.	1.6	58
79	Role of Insulin Signaling in the Interaction Between Alzheimer Disease and Diabetes Mellitus: A Missing Link to Therapeutic Potential. <i>Current Aging Science</i> , 2011, 4, 118-127.	0.4	57
80	The impact of diabetes mellitus on vitamin D metabolism in predialysis patients. <i>Bone</i> , 2009, 45, 949-955.	1.4	56
81	Magnesium modifies the association between serum phosphate and the risk of progression to end-stage kidney disease in patients with non-diabetic chronic kidney disease. <i>Kidney International</i> , 2015, 88, 833-842.	2.6	56
82	Selective Blockade of Periostin Exon 17 Preserves Cardiac Performance in Acute Myocardial Infarction. <i>Hypertension</i> , 2016, 67, 356-361.	1.3	56
83	The Prevalence of Frailty and its Associated Factors in Japanese Hemodialysis Patients. , 2018, 9, 192.		55
84	Impact of Age and Overt Proteinuria on Outcomes of Stage 3 to 5 Chronic Kidney Disease in a Referred Cohort. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2010, 5, 1558-1565.	2.2	54
85	Usefulness of the resistive index in renal Doppler ultrasonography as an indicator of vascular damage in patients with risks of atherosclerosis. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 3256-3262.	0.4	54
86	Cigarette smoking and chronic kidney diseases. <i>Hypertension Research</i> , 2012, 35, 261-265.	1.5	54
87	Systemic hemodynamic atherothrombotic syndrome (SHATS) – Coupling vascular disease and blood pressure variability: Proposed concept from pulse of Asia. <i>Progress in Cardiovascular Diseases</i> , 2020, 63, 22-32.	1.6	54
88	The Combination Therapy of Hypertension to Prevent Cardiovascular Events (COPE) Trial: Rationale and Design. <i>Hypertension Research</i> , 2005, 28, 331-338.	1.5	53
89	Active vitamin D and its analogue, 22-oxacalcitriol, ameliorate puromycin aminonucleoside-induced nephrosis in rats. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 2354-2361.	0.4	53
90	Hepatocyte growth factor attenuates renal fibrosis through TGF- β 1 suppression by apoptosis of myofibroblasts. <i>Journal of Hypertension</i> , 2010, 28, 2454-2461.	0.3	53

#	ARTICLE	IF	CITATIONS
91	Cross-Talk of Receptor Activator of Nuclear Factor- κ B Ligand Signaling With Renin-Angiotensin System in Vascular Calcification. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013, 33, 1287-1296.	1.1	53
92	Association of Nocturnal Hypoxemia with Progression of CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013, 8, 1502-1507.	2.2	52
93	Vitamin D Deficiency Predicts Decline in Kidney Allograft Function: A Prospective Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 527-535.	1.8	52
94	Involvement of microsomal triglyceride transfer protein in nonalcoholic steatohepatitis in novel spontaneous mouse model. <i>Journal of Hepatology</i> , 2010, 52, 903-912.	1.8	51
95	Serum uric acid is an independent risk factor for cardiovascular disease and mortality in hypertensive patients. <i>Hypertension Research</i> , 2012, 35, 1087-1092.	1.5	50
96	Identification of biomarkers for development of end-stage kidney disease in chronic kidney disease by metabolomic profiling. <i>Scientific Reports</i> , 2016, 6, 26138.	1.6	50
97	Efficacy and Safety of Sacubitril/Valsartan (LCZ696) Compared With Olmesartan in Elderly Asian Patients (≥ 65 Years) With Systolic Hypertension. <i>American Journal of Hypertension</i> , 2017, 30, 1163-1169.	1.0	49
98	Long-term phase 3 study of esaxerenone as mono or combination therapy with other antihypertensive drugs in patients with essential hypertension. <i>Hypertension Research</i> , 2019, 42, 1932-1941.	1.5	49
99	Role of serotonin in angiogenesis: Induction of angiogenesis by sarpogrelate via endothelial 5-HT1B/Akt/eNOS pathway in diabetic mice. <i>Atherosclerosis</i> , 2012, 220, 337-342.	0.4	48
100	Glycemic Control and Insulin Improve Muscle Mass and Gait Speed in Type 2 Diabetes: The MUSCLES-DM Study. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 834-838.e1.	1.2	48
101	Dietary L-Lysine Prevents Arterial Calcification in Adenine-Induced Uremic Rats. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 1954-1965.	3.0	47
102	Autophagic Clearance of Mitochondria in the Kidney Copes with Metabolic Acidosis. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 2254-2266.	3.0	47
103	Loss of ACE2 accelerates time-dependent glomerular and tubulointerstitial damage in streptozotocin-induced diabetic mice. <i>Hypertension Research</i> , 2010, 33, 298-307.	1.5	46
104	Autophagy protects kidney proximal tubule epithelial cells from mitochondrial metabolic stress. <i>Autophagy</i> , 2013, 9, 1876-1886.	4.3	46
105	Efficacy and safety of esaxerenone (CS-3150) for the treatment of essential hypertension: a phase 2 randomized, placebo-controlled, double-blind study. <i>Journal of Human Hypertension</i> , 2019, 33, 542-551.	1.0	46
106	Development of vaccine for dyslipidemia targeted to a proprotein convertase subtilisin/kexin type 9 (PCSK9) epitope in mice. <i>PLoS ONE</i> , 2018, 13, e0191895.	1.1	46
107	Occlusal force is correlated with cognitive function directly as well as indirectly via food intake in community-dwelling older Japanese: From the SONIC study. <i>PLoS ONE</i> , 2018, 13, e0190741.	1.1	45
108	Klotho Protein Activates the PKC Pathway in the Kidney and Testis and Suppresses 25-Hydroxyvitamin D ₃ -Hydroxylase Gene Expression. <i>Endocrine</i> , 2004, 25, 229-234.	2.2	44

#	ARTICLE	IF	CITATIONS
109	Telmisartan Exerts Renoprotective Actions via Peroxisome Proliferator-Activated Receptor- β /Hepatocyte Growth Factor Pathway Independent of Angiotensin II Type 1 Receptor Blockade. <i>Hypertension</i> , 2012, 59, 308-316.	1.3	44
110	Combinations of olmesartan and a calcium channel blocker or a diuretic in elderly hypertensive patients. <i>Journal of Hypertension</i> , 2014, 32, 2054-2063.	0.3	44
111	Oxidized LDL (oxLDL) activates the angiotensin II type 1 receptor by binding to the lectin-like oxLDL receptor. <i>FASEB Journal</i> , 2015, 29, 3342-3356.	0.2	44
112	Decrease in Blood Pressure and Regression of Cardiovascular Complications by Angiotensin II Vaccine in Mice. <i>PLoS ONE</i> , 2013, 8, e60493.	1.1	44
113	Serum 25-hydroxyvitamin D as an independent determinant of 1-84 PTH and bone mineral density in non-diabetic predialysis CKD patients. <i>Bone</i> , 2009, 44, 678-683.	1.4	43
114	Differences between daytime and nighttime blood pressure variability regarding systemic atherosclerotic change and renal function. <i>Hypertension Research</i> , 2013, 36, 232-239.	1.5	43
115	Possible modification of Alzheimer's disease by statins in midlife: interactions with genetic and non-genetic risk factors. <i>Frontiers in Aging Neuroscience</i> , 2014, 6, 71.	1.7	43
116	Association of Genetic Variants Influencing Lipid Levels with Coronary Artery Disease in Japanese Individuals. <i>PLoS ONE</i> , 2012, 7, e46385.	1.1	43
117	Association between Density of Coronary Artery Calcification and Serum Magnesium Levels among Patients with Chronic Kidney Disease. <i>PLoS ONE</i> , 2016, 11, e0163673.	1.1	42
118	Efficacy and safety of dosage-escalation of low-dosage esaxerenone added to a RAS inhibitor in hypertensive patients with type 2 diabetes and albuminuria: a single-arm, open-label study. <i>Hypertension Research</i> , 2019, 42, 1572-1581.	1.5	41
119	Upregulation of cAMP is a new functional signal pathway of Klotho in endothelial cells. <i>Biochemical and Biophysical Research Communications</i> , 2003, 301, 424-429.	1.0	40
120	Variations of the angiotensin II type 1 receptor gene are associated with extreme human longevity. <i>Age</i> , 2013, 35, 993-1005.	3.0	40
121	Carotid plaque score and intima media thickness as predictors of stroke and mortality in hypertensive patients. <i>Hypertension Research</i> , 2013, 36, 902-909.	1.5	40
122	Alteration of vascular function is an important factor in the correlation between visit-to-visit blood pressure variability and cardiovascular disease. <i>Journal of Hypertension</i> , 2013, 31, 1387-1395.	0.3	40
123	Analysis of hepatic gene expression profile in a spontaneous mouse model of type 2 diabetes under a high sucrose diet. <i>Endocrine Journal</i> , 2013, 60, 261-274.	0.7	40
124	Therapeutic vaccine against DPP4 improves glucose metabolism in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E1256-63.	3.3	39
125	mTOR Complex Signaling through the SEMA4A-Plexin B2 Axis Is Required for Optimal Activation and Differentiation of CD8+ T Cells. <i>Journal of Immunology</i> , 2015, 195, 934-943.	0.4	39
126	Antihypertensive effects and safety of esaxerenone in patients with moderate kidney dysfunction. <i>Hypertension Research</i> , 2021, 44, 489-497.	1.5	39

#	ARTICLE	IF	CITATIONS
127	ACE2, angiotensin 1-7 and skeletal muscle: review in the era of COVID-19. <i>Clinical Science</i> , 2020, 134, 3047-3062.	1.8	38
128	Accumulation of common polymorphisms is associated with development of hypertension: a 12-year follow-up from the Ohasama study. <i>Hypertension Research</i> , 2010, 33, 129-134.	1.5	37
129	Maxacalcitol ameliorates tubulointerstitial fibrosis in obstructed kidneys by recruiting PPM1A/VDR complex to pSmad3. <i>Laboratory Investigation</i> , 2012, 92, 1686-1697.	1.7	37
130	Long-Term Reduction of High Blood Pressure by Angiotensin II DNA Vaccine in Spontaneously Hypertensive Rats. <i>Hypertension</i> , 2015, 66, 167-174.	1.3	37
131	Angiotensin-converting enzyme 2 deficiency accelerates and angiotensin 1-7 restores age-related muscle weakness in mice. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2018, 9, 975-986.	2.9	37
132	Telmisartan-Induced Inhibition of Vascular Cell Proliferation Beyond Angiotensin Receptor Blockade and Peroxisome Proliferator-Activated Receptor- β Activation. <i>Hypertension</i> , 2009, 54, 1353-1359.	1.3	36
133	Plasma B-type natriuretic peptide level predicts kidney prognosis in patients with predialysis chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 3885-3891.	0.4	36
134	Genome-wide response to antihypertensive medication using home blood pressure measurements: a pilot study nested within the HOMED-BP study. <i>Pharmacogenomics</i> , 2013, 14, 1709-1721.	0.6	36
135	Low alpha-synuclein levels in the blood are associated with insulin resistance. <i>Scientific Reports</i> , 2015, 5, 12081.	1.6	36
136	Periodontal Disease Bacteria Specific to Tonsil in IgA Nephropathy Patients Predicts the Remission by the Treatment. <i>PLoS ONE</i> , 2014, 9, e81636.	1.1	35
137	Local Production of Activated Factor X in Atherosclerotic Plaque Induced Vascular Smooth Muscle Cell Senescence. <i>Scientific Reports</i> , 2017, 7, 17172.	1.6	35
138	Double deletion of tetraspanins CD9 and CD81 in mice leads to a syndrome resembling accelerated aging. <i>Scientific Reports</i> , 2018, 8, 5145.	1.6	35
139	Potential Role of CYLD (Cylindromatosis) as a Deubiquitinating Enzyme in Vascular Cells. <i>American Journal of Pathology</i> , 2008, 172, 818-829.	1.9	34
140	Combination therapy for hypertension in the elderly: a sub-analysis of the Combination Therapy of Hypertension to Prevent Cardiovascular Events (COPE) Trial. <i>Hypertension Research</i> , 2012, 35, 441-448.	1.5	34
141	Cardiac and Renal Protective Effects of Irbesartan via Peroxisome Proliferator-Activated Receptor- β Hepatocyte Growth Factor Pathway Independent of Angiotensin II Type 1a Receptor Blockade in Mouse Model of Salt-Sensitive Hypertension. <i>Journal of the American Heart Association</i> , 2013, 2, e000103.	1.6	34
142	The influence of aging on the diagnosis of primary aldosteronism. <i>Hypertension Research</i> , 2014, 37, 1062-1067.	1.5	34
143	Serum hepatocyte growth factor concentration is correlated with the forearm vasodilator response in hypertensive patients. <i>American Journal of Hypertension</i> , 2002, 15, 499-506.	1.0	33
144	Clinical Usefulness and Limitations of Brachial-Ankle Pulse Wave Velocity in the Evaluation of Cardiovascular Complications in Hypertensive Patients. <i>Hypertension Research</i> , 2006, 29, 989-995.	1.5	33

#	ARTICLE	IF	CITATIONS
145	On-Treatment Blood Pressure and Cardiovascular Outcomes in Older Adults With Isolated Systolic Hypertension. <i>Hypertension</i> , 2017, 69, 220-227.	1.3	33
146	Clinical Characteristics and Postoperative Outcomes of Primary Aldosteronism in the Elderly. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 3620-3629.	1.8	33
147	IGF Binding Protein-5 Induces Cell Senescence. <i>Frontiers in Endocrinology</i> , 2018, 9, 53.	1.5	33
148	Roles of vascular risk factors in the pathogenesis of dementia. <i>Hypertension Research</i> , 2020, 43, 162-167.	1.5	33
149	Insulin-mediated regulation of the endothelial renin-angiotensin system and vascular cell growth. <i>Journal of Hypertension</i> , 2004, 22, 121-127.	0.3	32
150	Retention of fetuin-A in renal tubular lumen protects the kidney from nephrocalcinosis in rats. <i>American Journal of Physiology - Renal Physiology</i> , 2013, 304, F751-F760.	1.3	32
151	Anti-inflammatory effects of hepatocyte growth factor on the vicious cycle of macrophages and adipocytes. <i>Hypertension Research</i> , 2014, 37, 500-506.	1.5	32
152	Development of the Dementia Assessment Sheet for Community-based Integrated Care System 8-items, a short version of the Dementia Assessment Sheet for Community-based Integrated Care System 21-items, for the assessment of cognitive and daily functions. <i>Geriatrics and Gerontology International</i> , 2018, 18, 1458-1462.	0.7	32
153	Efficacy of sacubitril/valsartan versus olmesartan in Japanese patients with essential hypertension: a randomized, double-blind, multicenter study. <i>Hypertension Research</i> , 2022, 45, 824-833.	1.5	32
154	Prediction of Postoperative Complications Following Elective Surgery in Elderly Patients with Colorectal Cancer Using the Comprehensive Geriatric Assessment. <i>Digestive Surgery</i> , 2016, 33, 470-477.	0.6	31
155	Induction of Angiogenesis by a Type III Phosphodiesterase Inhibitor, Cilostazol, Through Activation of Peroxisome Proliferator-Activated Receptor- β and cAMP Pathways in Vascular Cells. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016, 36, 545-552.	1.1	31
156	Overexpression of Interleukin-15 exhibits improved glucose tolerance and promotes GLUT4 translocation via AMP-Activated protein kinase pathway in skeletal muscle. <i>Biochemical and Biophysical Research Communications</i> , 2019, 509, 994-1000.	1.0	31
157	The Usefulness of an Alternative Diagnostic Method for Sarcopenia Using Thickness and Echo Intensity of Lower Leg Muscles in Older Males. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 1185.e1-1185.e8.	1.2	31
158	Low-Dose Doxazosin Improved Aortic Stiffness and Endothelial Dysfunction as Measured by Noninvasive Evaluation. <i>Hypertension Research</i> , 2002, 25, 5-10.	1.5	31
159	Angiotensin (1-7) and other Angiotensin Peptides. <i>Current Pharmaceutical Design</i> , 2013, 19, 3060-3064.	0.9	30
160	Relationship between the achieved blood pressure and the incidence of cardiovascular events in Japanese hypertensive patients with complications: a sub-analysis of the CASE-J trial. <i>Hypertension Research</i> , 2009, 32, 248-254.	1.5	29
161	Prognostic impact of regional arterial stiffness in hypertensive patients. <i>Heart and Vessels</i> , 2015, 30, 338-346.	0.5	29
162	Comprehensive Geriatric Assessment is a useful predictive tool for postoperative delirium after gastrointestinal surgery in old-old adults. <i>Geriatrics and Gerontology International</i> , 2016, 16, 1036-1042.	0.7	29

#	ARTICLE	IF	CITATIONS
163	Risk Evaluation of Postoperative Delirium Using Comprehensive Geriatric Assessment in Elderly Patients with Esophageal Cancer. <i>World Journal of Surgery</i> , 2016, 40, 2705-2712.	0.8	29
164	Angiotensin 1-7 alleviates aging-associated muscle weakness and bone loss, but is not associated with accelerated aging in ACE2-knockout mice. <i>Clinical Science</i> , 2019, 133, 2005-2018.	1.8	29
165	Efficacy and safety of esaxerenone (CS-3150), a newly available nonsteroidal mineralocorticoid receptor blocker, in hypertensive patients with primary aldosteronism. <i>Hypertension Research</i> , 2021, 44, 464-472.	1.5	29
166	Plasma β -amyloid as potential biomarker of Alzheimer disease: possibility of diagnostic tool for Alzheimer disease. <i>Molecular BioSystems</i> , 2010, 6, 1760.	2.9	28
167	Preferable effects of olmesartan/calcium channel blocker to olmesartan/diuretic on blood pressure variability in very elderly hypertension. <i>Journal of Hypertension</i> , 2015, 33, 2165-2172.	0.3	28
168	A Novel Therapeutic Peptide as a Partial Agonist of RANKL in Ischemic Stroke. <i>Scientific Reports</i> , 2016, 6, 38062.	1.6	28
169	Factors associated with the severity of obstructive sleep apnea in older adults. <i>Geriatrics and Gerontology International</i> , 2017, 17, 614-621.	0.7	28
170	Hepatocyte Growth Factor Prevented High-Fat Diet-Induced Obesity and Improved Insulin Resistance in Mice. <i>Scientific Reports</i> , 2017, 7, 130.	1.6	28
171	Association of carotid atherosclerosis with genetic polymorphisms of the klotho gene in patients with hypertension. <i>Geriatrics and Gerontology International</i> , 2010, 10, 311-318.	0.7	27
172	Visualization of kidney fibrosis in diabetic nephropathy by long diffusion tensor imaging MRI with spin-echo sequence. <i>Scientific Reports</i> , 2017, 7, 5731.	1.6	27
173	Preventive effects of low-intensity exercise on cancer cachexia-induced muscle atrophy. <i>FASEB Journal</i> , 2019, 33, 7852-7862.	0.2	27
174	Effects of Angiotensin II Type 1 Receptor Gene Polymorphisms on Insulin Resistance in a Japanese General Population: The Tanno-Sobetsu Study. <i>Hypertension Research</i> , 2006, 29, 961-967.	1.5	26
175	Hepatocyte Growth Factor Attenuates Transforming Growth Factor- β -Angiotensin II Crosstalk Through Inhibition of the PTEN/Akt Pathway. <i>Hypertension</i> , 2011, 58, 190-196.	1.3	26
176	The combination of chronic kidney disease and increased arterial stiffness is a predictor for stroke and cardiovascular disease in hypertensive patients. <i>Hypertension Research</i> , 2011, 34, 1209-1215.	1.5	26
177	Hepatocyte Growth Factor Inhibits Lipopolysaccharide-Induced Oxidative Stress via Epithelial Growth Factor Receptor Degradation. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012, 32, 2687-2693.	1.1	26
178	Combination therapy of hypertension in the elderly: a subgroup analysis of the Combination of OLMesartan and a calcium channel blocker or diuretic in Japanese elderly hypertensive patients trial. <i>Hypertension Research</i> , 2015, 38, 89-96.	1.5	26
179	Effects of calcium channel blocker-based combinations on intra-individual blood pressure variability: post hoc analysis of the COPE trial. <i>Hypertension Research</i> , 2016, 39, 46-53.	1.5	26
180	Sex Difference in the Association Between Subtype Distribution and Age at Diagnosis in Patients With Primary Aldosteronism. <i>Hypertension</i> , 2019, 74, 368-374.	1.3	26

#	ARTICLE	IF	CITATIONS
181	Vascular signaling pathways in the metabolic syndrome. <i>Current Hypertension Reports</i> , 2002, 4, 105-111.	1.5	25
182	The metabolic syndrome in the Asian population. <i>Current Hypertension Reports</i> , 2005, 7, 103-109.	1.5	25
183	Excess 25-hydroxyvitamin D3 exacerbates tubulointerstitial injury in mice by modulating macrophage phenotype. <i>Kidney International</i> , 2015, 88, 1013-1029.	2.6	25
184	Effect of kihito extract granules on cognitive function in patients with Alzheimer's disease type dementia. <i>Geriatrics and Gerontology International</i> , 2007, 7, 245-251.	0.7	24
185	Elevation of plasma β -amyloid level by glucose loading in Alzheimer mouse models. <i>Biochemical and Biophysical Research Communications</i> , 2009, 385, 193-197.	1.0	24
186	Therapeutic Option of Plasmid-DNA Based Gene Transfer. <i>Current Topics in Medicinal Chemistry</i> , 2012, 12, 1630-1637.	1.0	24
187	Combination therapy for hypertension in patients with CKD: a subanalysis of the Combination Therapy of Hypertension to Prevent Cardiovascular Events trial. <i>Hypertension Research</i> , 2013, 36, 947-958.	1.5	24
188	Gene therapy in peripheral artery disease. <i>Expert Opinion on Biological Therapy</i> , 2015, 15, 381-390.	1.4	24
189	Activated Factor X Induces Endothelial Cell Senescence Through IGFBP-5. <i>Scientific Reports</i> , 2016, 6, 35580.	1.6	24
190	Estrogen attenuates vascular remodeling in Lp(a) transgenic mice. <i>Atherosclerosis</i> , 2010, 211, 41-47.	0.4	23
191	Comparison of strict- and mild-blood pressure control in elderly hypertensive patients: a per-protocol analysis of JATOS. <i>Hypertension Research</i> , 2010, 33, 1124-1128.	1.5	23
192	Angiotensin-converting enzyme single nucleotide polymorphism is a genetic risk factor for cardiovascular disease: a cohort study of hypertensive patients. <i>Hypertension Research</i> , 2011, 34, 728-734.	1.5	23
193	Oral Glucose Loading Modulates Plasma β -Amyloid Level in Alzheimer's Disease Patients: Potential Diagnostic Method for Alzheimer's Disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2012, 34, 25-30.	0.7	23
194	Influence of lack of posterior occlusal support on cognitive decline among 80-year-old Japanese people in a 3-year prospective study. <i>Geriatrics and Gerontology International</i> , 2018, 18, 1439-1446.	0.7	23
195	Comparison of blood pressure values self-measured at home, measured at an unattended office, and measured at a conventional attended office. <i>Hypertension Research</i> , 2019, 42, 1726-1737.	1.5	23
196	Risk factors for adverse drug reactions in older inpatients of geriatric wards at admission: Multicenter study. <i>Geriatrics and Gerontology International</i> , 2020, 20, 144-149.	0.7	23
197	Management of hyperkalemia during treatment with mineralocorticoid receptor blockers: findings from esaxerenone. <i>Hypertension Research</i> , 2021, 44, 371-385.	1.5	23
198	Tissue Inhibitor of Metalloproteinase-3 Plays Important Roles in the Kidney Following Unilateral Ureteral Obstruction. <i>Hypertension Research</i> , 2006, 29, 285-294.	1.5	22

#	ARTICLE	IF	CITATIONS
199	High plasma adiponectin levels are associated with frailty in a general old population: The Septuagenarians, Octogenarians, Nonagenarians Investigation with Centenarians study. <i>Geriatrics and Gerontology International</i> , 2018, 18, 839-846.	0.7	22
200	2022 World Hypertension League, Resolve To Save Lives and International Society of Hypertension dietary sodium (salt) global call to action. <i>Journal of Human Hypertension</i> , 2023, 37, 428-437.	1.0	22
201	Cilnidipine, but not amlodipine, ameliorates osteoporosis in ovariectomized hypertensive rats through inhibition of the N-type calcium channel. <i>Hypertension Research</i> , 2012, 35, 77-81.	1.5	21
202	Dialysis vintage and parathyroid hormone level, not fibroblast growth factor-23, determines chronic-phase phosphate wasting after renal transplantation. <i>Bone</i> , 2012, 51, 729-736.	1.4	21
203	Age and prediction of remission and relapse of proteinuria and corticosteroid-related adverse events in adult-onset minimal-change disease: a retrospective cohort study. <i>Clinical and Experimental Nephrology</i> , 2013, 17, 839-847.	0.7	21
204	Novel effect of ezetimibe to inhibit the development of nonalcoholic fatty liver disease in <i>attyliver</i> mouse. <i>Hepatology Research</i> , 2014, 44, 102-113.	1.8	21
205	Differences in the association between high blood pressure and cognitive functioning among the general Japanese population aged 70 and 80 years: The SONIC study. <i>Hypertension Research</i> , 2016, 39, 557-563.	1.5	21
206	Association Analysis of <i>FOXO3</i> Longevity Variants With Blood Pressure and Essential Hypertension. <i>American Journal of Hypertension</i> , 2016, 29, 1292-1300.	1.0	21
207	Practitioner's Trial on the Efficacy of Antihypertensive Treatment in Elderly Patients with Hypertension II (PATE-Hypertension II study) in Japan. <i>Geriatrics and Gerontology International</i> , 2011, 11, 414-421.	0.7	20
208	Fibroblast growth factor 23 and 25-hydroxyvitamin D levels are associated with estimated glomerular filtration rate decline. <i>Kidney International Supplements</i> , 2013, 3, 469-475.	4.6	20
209	Genetic Impact on Uric Acid Concentration and Hyperuricemia in the Japanese Population. <i>Journal of Atherosclerosis and Thrombosis</i> , 2013, 20, 351-367.	0.9	20
210	Diabetic nephropathy is associated with frailty in patients with chronic hemodialysis. <i>Geriatrics and Gerontology International</i> , 2018, 18, 1597-1602.	0.7	20
211	The Japanese Society of Hypertension "Digest of plan for the future. <i>Hypertension Research</i> , 2018, 41, 989-990.	1.5	20
212	Serum albumin/globulin ratio is associated with cognitive function in community-dwelling older people: The Septuagenarians, Octogenarians, Nonagenarians Investigation with Centenarians study. <i>Geriatrics and Gerontology International</i> , 2019, 19, 967-971.	0.7	20
213	Adiponectin Single Nucleotide Polymorphism is a Genetic Risk Factor for Stroke Through High Pulse Wave Pressure: A Cohort Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2013, 20, 152-160.	0.9	20
214	Effect of esaxerenone on nocturnal blood pressure and natriuretic peptide in different dipping phenotypes. <i>Hypertension Research</i> , 2022, 45, 97-105.	1.5	20
215	Insulin Resistance Is Related to Silent Cerebral Infarction in Patients With Essential Hypertension. <i>American Journal of Hypertension</i> , 1997, 10, 1245-1249.	1.0	19
216	Role of endothelin-1 induced by insulin in the regulation of vascular cell growth. <i>American Journal of Hypertension</i> , 2003, 16, 223-228.	1.0	19

#	ARTICLE	IF	CITATIONS
217	<i>Klotho</i> gene delivery suppresses oxidative stress <i>in vivo</i> . <i>Geriatrics and Gerontology International</i> , 2007, 7, 293-299.	0.7	19
218	A candidate gene approach to genetic prognostic factors of IgA nephropathy--a result of Polymorphism REsearch to Distinguish genetic factors Contributing To progression of IgA Nephropathy (PREDICT-IgAN). <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 3686-3694.	0.4	19
219	Quantitative change of IgA hinge O-glycan composition is a novel marker of therapeutic responses of IgA nephropathy. <i>Biochemical and Biophysical Research Communications</i> , 2012, 428, 339-342.	1.0	19
220	A single daily dose enhances the adherence to immunosuppressive treatment in kidney transplant recipients: a cross-sectional study. <i>Clinical and Experimental Nephrology</i> , 2013, 17, 310-315.	0.7	19
221	Effect of azilsartan versus candesartan on nocturnal blood pressure variation in Japanese patients with essential hypertension. <i>Blood Pressure</i> , 2013, 22, 22-28.	0.7	19
222	The association of blood pressure with physical frailty and cognitive function in community-dwelling septuagenarians, octogenarians, and nonagenarians: the SONIC study. <i>Hypertension Research</i> , 2020, 43, 1421-1429.	1.5	19
223	Angiotensin receptor-neprilysin inhibitors: Comprehensive review and implications in hypertension treatment. <i>Hypertension Research</i> , 2021, 44, 1239-1250.	1.5	19
224	Comparison of olmesartan combined with a calcium channel blocker or a diuretic in elderly hypertensive patients (COLM Study): safety and tolerability. <i>Hypertension Research</i> , 2015, 38, 132-136.	1.5	18
225	Longitudinal association of hypertension and diabetes mellitus with cognitive functioning in a general 70-year-old population: the SONIC study. <i>Hypertension Research</i> , 2017, 40, 665-670.	1.5	18
226	Gene-Therapeutic Strategies Targeting Angiogenesis in Peripheral Artery Disease. <i>Medicines (Basel)</i> , 2020, 9, 1075.	0.7	18
227	Fall-related mortality trends in older Japanese adults aged ≥65 years: a nationwide observational study. <i>BMJ Open</i> , 2019, 9, e033462.	0.8	18
228	Genetic Influences of β_1 -Adrenoceptor Polymorphisms on Arterial Functional Changes and Cardiac Remodeling in Hypertensive Patients. <i>Hypertension Research</i> , 2006, 29, 875-881.	1.5	17
229	Orally Active Vitamin D for Potential Chemoprevention of Posttransplant Malignancy. <i>Cancer Prevention Research</i> , 2012, 5, 1229-1235.	0.7	17
230	A candidate gene approach to genetic contributors to the development of IgA nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 1020-1030.	0.4	17
231	Therapeutic Effect of Ribbon-Type Nuclear Factor- κ B Decoy Oligonucleotides in a Rat Model of Inflammatory Bowel Disease. <i>Current Gene Therapy</i> , 2012, 12, 484-492.	0.9	17
232	Peripheral artery disease is associated with frailty in chronic hemodialysis patients. <i>Vascular</i> , 2018, 26, 425-431.	0.4	17
233	Day-to-day blood pressure variability is associated with lower cognitive performance among the Japanese community-dwelling oldest-old population: the SONIC study. <i>Hypertension Research</i> , 2020, 43, 404-411.	1.5	17
234	Microarray analysis of tonsils in immunoglobulin A nephropathy patients. <i>Biochemical and Biophysical Research Communications</i> , 2010, 393, 565-570.	1.0	16

#	ARTICLE	IF	CITATIONS
235	A nonerythropoietic derivative of erythropoietin inhibits tubulointerstitial fibrosis in remnant kidney. <i>Clinical and Experimental Nephrology</i> , 2012, 16, 852-862.	0.7	16
236	Multidetector-row computed tomography is useful to evaluate the therapeutic effects of bisphosphonates in glucocorticoid-induced osteoporosis. <i>Journal of Bone and Mineral Metabolism</i> , 2014, 32, 271-280.	1.3	16
237	Glial fibrillary acidic protein (GFAP) is a novel biomarker for the prediction of autoimmune diabetes. <i>FASEB Journal</i> , 2017, 31, 4053-4063.	0.2	16
238	Clinical benefits of single-incision laparoscopic surgery for postoperative delirium in elderly colon cancer patients. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018, 32, 1434-1440.	1.3	16
239	Plasmid DNA-based Gene Transfer with Ultrasound and Microbubbles. <i>Current Gene Therapy</i> , 2011, 11, 485-490.	0.9	16
240	The Japan Geriatrics Society consensus statement "recommendations for older persons to receive the best medical and long-term care during the COVID-19 outbreak" considering the timing of advance care planning implementation. <i>Geriatrics and Gerontology International</i> , 2020, 20, 1112-1119.	0.7	15
241	Japan Geriatrics Society "Recommendations for the Promotion of Advance Care Planning" <scp>End of Life</scp> Issues Subcommittee consensus statement. <i>Geriatrics and Gerontology International</i> , 2020, 20, 1024-1028.	0.7	15
242	Serum hepcidin-25 levels predict the progression of renal anemia in patients with non-dialysis chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 4378-4385.	0.4	14
243	Relationship between renal hemodynamic status and aging in patients without diabetes evaluated by renal Doppler ultrasonography. <i>Clinical and Experimental Nephrology</i> , 2012, 16, 786-791.	0.7	14
244	Telmisartan modulates mitochondrial function in vascular smooth muscle cells. <i>Hypertension Research</i> , 2013, 36, 433-439.	1.5	14
245	Urine Osmolarity Predicts the Body Weight-Reduction Response to Tolvaptan in Chronic Kidney Disease Patients: A Retrospective, Observational Study. <i>Nephron</i> , 2015, 130, 8-12.	0.9	14
246	From mercury sphygmomanometer to electric device on blood pressure measurement: correspondence of Minamata Convention on Mercury. <i>Hypertension Research</i> , 2016, 39, 179-182.	1.5	14
247	Occlusal force predicted cognitive decline among 70- and 80-year-old Japanese: A 3-year prospective cohort study. <i>Journal of Prosthodontic Research</i> , 2020, 64, 175-181.	1.1	14
248	Different effects of the deletion of angiotensin converting enzyme 2 and chronic activation of the renin-angiotensin system on muscle weakness in middle-aged mice. <i>Hypertension Research</i> , 2020, 43, 296-304.	1.5	14
249	Combined Analysis of Clinical Data on HGF Gene Therapy to Treat Critical Limb Ischemia in Japan. <i>Current Gene Therapy</i> , 2020, 20, 25-35.	0.9	14
250	Therapeutic Angiogenesis Using HGF Plasmid. <i>Annals of Vascular Diseases</i> , 2020, 13, 109-115.	0.2	14
251	Effects of chronic kidney disease and post-angiographic acute kidney injury on long-term prognosis after coronary artery angiography. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 1838-1846.	0.4	13
252	Guideline "Practice Gap in the Management of Predialysis Chronic Kidney Disease Mineral Bone Disorder in Japan. <i>Therapeutic Apheresis and Dialysis</i> , 2011, 15, 2-8.	0.4	13

#	ARTICLE	IF	CITATIONS
253	Gene polymorphisms contributing to hypertension in immunoglobulin A nephropathy. <i>Clinical and Experimental Nephrology</i> , 2012, 16, 250-258.	0.7	13
254	Effect of tablets with a combination of telmisartan and amlodipine on patients with hypertension: the Cotalo study. <i>Hypertension Research</i> , 2013, 36, 620-626.	1.5	13
255	Therapeutic Angiogenesis by Gene Therapy for Critical Limb Ischemia: Choice of Biological Agent. <i>Immunology, Endocrine and Metabolic Agents in Medicinal Chemistry</i> , 2014, 14, 32-39.	0.5	13
256	Awareness of the Japanese Society of Hypertension Guidelines for the Management of Hypertension and their use in clinical practices: 2009 survey results. <i>Hypertension Research</i> , 2015, 38, 400-404.	1.5	13
257	CD16+CD56+ cells are a potential culprit for hematuria in IgA nephropathy. <i>Clinical and Experimental Nephrology</i> , 2015, 19, 216-224.	0.7	13
258	The importance of stroke as a risk factor of cognitive decline in community dwelling older and oldest peoples: the SONIC study. <i>BMC Geriatrics</i> , 2020, 20, 24.	1.1	13
259	Azilsartan Improves Salt Sensitivity by Modulating the Proximal Tubular Na ⁺ -H ⁺ Exchanger-3 in Mice. <i>PLoS ONE</i> , 2016, 11, e0147786.	1.1	13
260	Relationship between atherosclerosis and occlusal support of natural teeth with mediating effect of atheroprotective nutrients: From the SONIC study. <i>PLoS ONE</i> , 2017, 12, e0182563.	1.1	13
261	Effects of ipragliflozin on left ventricular diastolic function in patients with type 2 diabetes and heart failure with preserved ejection fraction: The <sc>EXCEED</sc> randomized controlled multicenter study. <i>Geriatrics and Gerontology International</i> , 2022, 22, 298-304.	0.7	13
262	Inhibition of Lp(a)-induced functional impairment of endothelial cells and endothelial progenitor cells by hepatocyte growth factor. <i>Biochemical and Biophysical Research Communications</i> , 2012, 423, 79-84.	1.0	12
263	Effect of azilsartan versus candesartan on morning blood pressure surges in Japanese patients with essential hypertension. <i>Blood Pressure Monitoring</i> , 2014, 19, 164-169.	0.4	12
264	<i>ACE</i> insertion/deletion polymorphism (rs1799752) modifies the renoprotective effect of renin-angiotensin system blockade in patients with IgA nephropathy. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2015, 16, 633-641.	1.0	12
265	Intravenous Vitamin B6 Increases Resistance to Erythropoiesis-Stimulating Agents in Hemodialysis Patients: A Randomized Controlled Trial. , 2016, 26, 380-390.		12
266	Promoter Polymorphism of RGS2 Gene Is Associated with Change of Blood Pressure in Subjects with Antihypertensive Treatment: The Azelnidipine and Temocapril in Hypertensive Patients with Type 2 Diabetes Study. <i>International Journal of Hypertension</i> , 2010, 2010, 1-7.	0.5	11
267	Effects of a benidipine-based combination therapy on the risk of stroke according to stroke subtype: the COPE trial. <i>Hypertension Research</i> , 2013, 36, 1088-1095.	1.5	11
268	Evaluation of the Efficacy and Tolerability of Fixed-Dose Combination Therapy of Azilsartan and Amlodipine Besylate in Japanese Patients With Grade I to II Essential Hypertension. <i>Clinical Therapeutics</i> , 2014, 36, 711-721.	1.1	11
269	Add-on effect of hydrochlorothiazide 12.5â€‰mg in Japanese subjects with essential hypertension uncontrolled with losartan 50â€‰mg and amlodipine 5â€‰mg. <i>Hypertension Research</i> , 2015, 38, 329-335.	1.5	11
270	Histochemical and immunoelectron microscopic analysis of ganglioside GM3 in human kidney. <i>Clinical and Experimental Nephrology</i> , 2015, 19, 403-410.	0.7	11

#	ARTICLE	IF	CITATIONS
271	Development of a Geriatric Prognostic Scoring System for Predicting Survival After Surgery for Elderly Patients With Gastrointestinal Cancer. <i>Annals of Surgical Oncology</i> , 2019, 26, 3644-3651.	0.7	11
272	A Promoter Polymorphism of Lamin A/C Gene is an Independent Genetic Predisposition to Arterial Stiffness in a Japanese General Population (The Tanno and Sobetsu Study). <i>Journal of Atherosclerosis and Thrombosis</i> , 2009, 16, 404-409.	0.9	10
273	â€“374 T/A Polymorphism in <i>RAGE</i> Gene is Associated with Onset of Diabetes Mellitus, Atherosclerosis, and Renal Dysfunction in Patients with Hypertension. <i>Clinical and Experimental Hypertension</i> , 2013, 35, 236-241.	0.5	10
274	Effects of calcium channel blocker benidipine-based combination therapy on target blood pressure control and cardiovascular outcome: a sub-analysis of the COPE trial. <i>Hypertension Research</i> , 2017, 40, 376-384.	1.5	10
275	Preventative effects of the partial RANKL peptide MHP1-AcN in a mouse model of imiquimod-induced psoriasis. <i>Scientific Reports</i> , 2019, 9, 15434.	1.6	10
276	Differential effects of pre-exercise on cancer cachexia-induced muscle atrophy in fast- and slow-twitch muscles. <i>FASEB Journal</i> , 2020, 34, 14389-14406.	0.2	10
277	The endocytosis of oxidized LDL via the activation of the angiotensin II type 1 receptor. <i>IScience</i> , 2021, 24, 102076.	1.9	10
278	Prognostic significance of left ventricular hypertrophy observed at dialysis initiation depends on the pre-dialysis use of erythropoiesis-stimulating agents. <i>Clinical and Experimental Nephrology</i> , 2013, 17, 294-303.	0.7	9
279	Disease-associated polymorphisms in 9p21 are not associated with extreme longevity. <i>Geriatrics and Gerontology International</i> , 2015, 15, 797-803.	0.7	9
280	Comparison between L-type and N/L-type calcium channel blockers in the regulation of home blood-pressure variability in elderly hypertensive patients. <i>Hypertension Research</i> , 2018, 41, 290-298.	1.5	9
281	A klotho gene single nucleotide polymorphism is associated with the onset of stroke and plasma klotho concentration. <i>Aging</i> , 2018, 11, 104-114.	1.4	9
282	Influence of antihypertensive drugs in the subtype diagnosis of primary aldosteronism by adrenal venous sampling. <i>Journal of Hypertension</i> , 2019, 37, 1493-1499.	0.3	9
283	Clinical characteristics of older adults with hypertension and unrecognized cognitive impairment. <i>Hypertension Research</i> , 2022, 45, 612-619.	1.5	9
284	A Novel Mouse Model for Type 2 Diabetes and Non-alcoholic Fatty Liver Disease: Spontaneous Amelioration of Diabetes by Augmented Beta Cell Mass. <i>Endocrine Journal</i> , 2009, 56, 227-234.	0.7	8
285	Pharmacogenomic approaches to study the effects of antihypertensive drugs. <i>Hypertension Research</i> , 2012, 35, 796-799.	1.5	8
286	Human mannose-binding lectin 2 is directly regulated by peroxisome proliferator-activated receptors via a peroxisome proliferator responsive element. <i>Journal of Biochemistry</i> , 2013, 154, 265-273.	0.9	8
287	Comparison of the Antialbuminuric Effects of Benidipine and Hydrochlorothiazide in Renin-Angiotensin System (RAS) Inhibitor-Treated Hypertensive Patients with Albuminuria: the COSMO-CKD (Combination Strategy on Renal Function of Benidipine or Diuretics) Trial. <i>Journal of Hypertension</i> , 2014, 32, 1434-1441.	0.78	14
288	Efficacy and safety of fixed-dose losartan/hydrochlorothiazide/amlodipine combination versus losartan/hydrochlorothiazide combination in Japanese patients with essential hypertension. <i>Clinical and Experimental Hypertension</i> , 2015, 37, 260-266.	0.5	8

#	ARTICLE	IF	CITATIONS
289	Laparoscopy Reveals a Diversity of Peritoneal Change in Patients with Long-Term Vintage of Peritoneal Dialysis. <i>Blood Purification</i> , 2016, 41, 48-54.	0.9	8
290	Physician-initiated clinical study of limb ulcers treated with a functional peptide, SR-0379: from discovery to a randomized, double-blind, placebo-controlled trial. <i>Npj Aging and Mechanisms of Disease</i> , 2018, 4, 2.	4.5	8
291	Hardness of the habitual diet and its relationship with cognitive function among 70-year-old Japanese elderly: Findings from the SONIC Study. <i>Journal of Oral Rehabilitation</i> , 2019, 46, 151-160.	1.3	8
292	Sex Differences in Renal Outcomes After Medical Treatment for Bilateral Primary Aldosteronism. <i>Hypertension</i> , 2021, 77, 537-545.	1.3	8
293	RAGE ligands stimulate angiotensin II type I receptor (AT1) via RAGE/AT1 complex on the cell membrane. <i>Scientific Reports</i> , 2021, 11, 5759.	1.6	8
294	Further promotion of the JSH plan for the future-conscious of new normal after/with COVID-19: message from the new president of the Japanese Society of Hypertension. <i>Hypertension Research</i> , 2021, 44, 4-6.	1.5	8
295	Adrenal Venous Sampling for Subtype Diagnosis of Primary Hyperaldosteronism. <i>Endocrinology and Metabolism</i> , 2021, 36, 965-973.	1.3	8
296	The Combination of High Levels of Adiponectin and Insulin Resistance Are Affected by Aging in Non-Obese Old Peoples. <i>Frontiers in Endocrinology</i> , 2021, 12, 805244.	1.5	8
297	Association of cardiovascular disease risk and changes in renin levels by mineralocorticoid receptor antagonists in patients with primary aldosteronism. <i>Hypertension Research</i> , 2022, 45, 1476-1485.	1.5	8
298	Evaluation of the Efficacy and Tolerability of Combination Therapy With Candesartan Cilexetil and Amlodipine Besilate Compared With Candesartan Cilexetil Monotherapy and Amlodipine Besilate Monotherapy in Japanese Patients With Mild-to-Moderate Essential Hypertension: A Multicenter, 12-Week, Randomized, Double-Blind, Placebo-Controlled, Parallel-Group Study. <i>Clinical Therapeutics</i> , 2012, 34, 838-848.	1.1	7
299	Improvement of metabolic syndrome by irbesartan via the PPAR β /HGF pathway in apolipoprotein E knockout mice. <i>Biomedical Reports</i> , 2013, 1, 65-70.	0.9	7
300	Non-Invasive Magnetic Resonance Imaging in Rats for Prediction of the Fate of Grafted Kidneys from Cardiac Death Donors. <i>PLoS ONE</i> , 2013, 8, e63573.	1.1	7
301	Early Nephrology Referral 6 Months Before Dialysis Initiation Can Reduce Early Death But Does Not Improve Long-Term Cardiovascular Outcome on Dialysis. <i>Circulation Journal</i> , 2016, 80, 1008-1016.	0.7	7
302	A phase III, open-label, multicenter study to evaluate the safety and efficacy of long-term triple combination therapy with azilsartan, amlodipine, and hydrochlorothiazide in patients with essential hypertension. <i>Blood Pressure</i> , 2018, 27, 125-133.	0.7	7
303	Factors associated with changes of care needs level in disabled older adults receiving home medical care: Prospective observational study by Osaka Home Care Registry (OHCARE). <i>Geriatrics and Gerontology International</i> , 2019, 19, 1198-1205.	0.7	7
304	Therapeutic vaccine for chronic diseases after the COVID-19 Era. <i>Hypertension Research</i> , 2021, 44, 1047-1053.	1.5	7
305	Association between protein intake and changes in renal function among Japanese community-dwelling older people: The SONIC study. <i>Geriatrics and Gerontology International</i> , 2022, 22, 286-291.	0.7	7
306	Poor glycemic control rather than types of diabetes is a risk factor for sarcopenia in diabetes mellitus: The MUSCLES-DM study. <i>Journal of Diabetes Investigation</i> , 2022, 13, 1881-1888.	1.1	7

#	ARTICLE	IF	CITATIONS
307	Effects of nicorandil on the reduction of BNP levels in patients with chronic kidney disease. <i>Clinical and Experimental Nephrology</i> , 2011, 15, 854-860.	0.7	6
308	Influence of Renin Angiotensin System Gene Polymorphisms on Visit-to-Visit Blood Pressure Variability in Hypertensive Patients. <i>American Journal of Hypertension</i> , 2012, 25, 1249-55.	1.0	6
309	Tissue Inhibitor of Metalloproteinase-3 Knockout Mice Exhibit Enhanced Energy Expenditure through Thermogenesis. <i>PLoS ONE</i> , 2014, 9, e94930.	1.1	6
310	Cardiac troponin T elevation at dialysis initiation is associated with all-cause and cardiovascular mortality on dialysis in patients without diabetic nephropathy. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 333-341.	0.7	6
311	Physician-initiated first-in-human clinical study using a novel angiogenic peptide, AG30/5C, for patients with severe limb ulcers. <i>Geriatrics and Gerontology International</i> , 2017, 17, 2150-2156.	0.7	6
312	JSH Statement: Kyoto declaration on hypertension research in Asia. <i>Hypertension Research</i> , 2019, 42, 759-760.	1.5	6
313	Effects of Low-Dose Sacubitril/Valsartan on Different Stages of Cardiac Hypertrophy in Salt-Loaded Hypertensive Rats. <i>Journal of Cardiovascular Pharmacology</i> , 2019, 73, 282-289.	0.8	6
314	Association between physical function and long-term care in community-dwelling older and oldest people: the SONIC study. <i>Environmental Health and Preventive Medicine</i> , 2020, 25, 46.	1.4	6
315	Association between heart diseases, social factors and physical frailty in community-dwelling older populations: The septuagenarians, octogenarians, nonagenarians investigation with centenarians study. <i>Geriatrics and Gerontology International</i> , 2020, 20, 974-979.	0.7	6
316	Association of anemia and SRH in older people: the SONIC study. <i>Geriatrics and Gerontology International</i> , 2020, 20, 720-726.	0.7	6
317	Age-stratified comparison of clinical outcomes between medical and surgical treatments in patients with unilateral primary aldosteronism. <i>Scientific Reports</i> , 2021, 11, 6925.	1.6	6
318	Periostin Short Fragment with Exon 17 via Aberrant Alternative Splicing Is Required for Breast Cancer Growth and Metastasis. <i>Cells</i> , 2021, 10, 892.	1.8	6
319	Investigator-initiated clinical study of a functional peptide, SR0379, for limb ulcers of patients with Werner syndrome as a pilot study. <i>Geriatrics and Gerontology International</i> , 2019, 19, 1118-1123.	0.7	6
320	Genetic basis of hypertension for the development of tailored medicine. <i>Hypertension Research</i> , 2009, 32, 643-648.	1.5	5
321	Links Between Hypertension and Osteoporosis: Benidipine Ameliorates Osteoporosis in Ovariectomized Hypertensive Rats Through Promotion of Osteoblast Proliferation and Inhibition of Osteoclast Differentiation. <i>Current Cardiovascular Risk Reports</i> , 2012, 6, 274-280.	0.8	5
322	Rhabdomyolysis caused by peripheral T-cell lymphoma in skeletal muscle. <i>American Journal of Emergency Medicine</i> , 2013, 31, 1537.e3-1537.e5.	0.7	5
323	An association between serum \hat{I}^3 -glutamyltransferase and proteinuria in drinkers and non-drinkers: a Japanese nationwide cross-sectional survey. <i>Clinical and Experimental Nephrology</i> , 2014, 18, 899-910.	0.7	5
324	Evaluating the potential of the GFAP-KLH immune-tolerizing vaccine for type 1 diabetes in mice. <i>FEBS Letters</i> , 2017, 591, 129-136.	1.3	5

#	ARTICLE	IF	CITATIONS
325	Genetic factors associated with elevation of uric acid after treatment with thiazide-like diuretic in patients with essential hypertension. <i>Hypertension Research</i> , 2020, 43, 220-226.	1.5	5
326	Association between uric acid and atherosclerosis in community-dwelling older people: The SONIC study. <i>Geriatrics and Gerontology International</i> , 2021, 21, 94-101.	0.7	5
327	Associations of blood pressure levels with clinical events in older patients receiving home medical care. <i>Hypertension Research</i> , 2021, 44, 197-205.	1.5	5
328	Prevention of Acute Lung Injury by a Novel CD14-Inhibitory Receptor Activator of the NF- κ B Ligand Peptide in Mice. <i>ImmunoHorizons</i> , 2021, 5, 438-447.	0.8	5
329	The Association Between Longevity-Associated <i>FOXO3</i> Allele and Heart Disease in Septuagenarians and Octogenarians: The SONIC Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2022, 77, 1542-1548.	1.7	5
330	Step for breaking free from clinical inertia. <i>Hypertension Research</i> , 2021, , .	1.5	5
331	Direct comparison of the reproducibility of in-office and self-measured home blood pressures. <i>Journal of Hypertension</i> , 2022, 40, 398-407.	0.3	5
332	Future Directions of Therapeutic Vaccines for Chronic Diseases. <i>Circulation Journal</i> , 2020, 84, 1895-1902.	0.7	5
333	Differential Regulation of Amyloid Precursor Protein/Presenilin 1 Interaction during Ab40/42 Production Detected Using Fusion Constructs. <i>PLoS ONE</i> , 2012, 7, e48551.	1.1	4
334	Chapter 4 Frailty and specific diseases. <i>Geriatrics and Gerontology International</i> , 2020, 20, 25-37.	0.7	4
335	Development of an IL-17A DNA Vaccine to Treat Systemic Lupus Erythematosus in Mice. <i>Vaccines</i> , 2020, 8, 83.	2.1	4
336	A Randomized Trial of Home Blood-Pressure Reduction by Alcohol Guidance During Outpatient Visits: OSAKE Study. <i>American Journal of Hypertension</i> , 2021, 34, 1108-1115.	1.0	4
337	Association between physical function and onset of coronary heart disease in a cohort of community-dwelling older populations: The SONIC study. <i>Archives of Gerontology and Geriatrics</i> , 2021, 95, 104386.	1.4	4
338	Double Deletion of Angiotensin II Type 2 and Mas Receptors Accelerates Aging-Related Muscle Weakness in Male Mice. <i>Journal of the American Heart Association</i> , 2021, 10, e021030.	1.6	4
339	Grip strength as a predictor of postoperative delirium in patients with colorectal cancers. <i>Annals of Gastroenterological Surgery</i> , 2022, 6, 265-272.	1.2	4
340	Interleukin-15 receptor subunit alpha regulates interleukin-15 localization and protein expression in skeletal muscle cells. <i>Experimental Physiology</i> , 2022, 107, 222-232.	0.9	4
341	A novel chronic dural port platform for continuous collection of cerebrospinal fluid and intrathecal drug delivery in free-moving mice. <i>Fluids and Barriers of the CNS</i> , 2022, 19, 31.	2.4	4
342	ANG II inhibits insulin-mediated production of PI 3,4,5-trisphosphates via a Ca ²⁺ -dependent but PKC-independent pathway in the cardiomyocytes. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010, 299, H680-H689.	1.5	3

#	ARTICLE	IF	CITATIONS
343	<i>ACE</i> Insertion/Deletion Polymorphism and Cardiovascular Effect of Hypercholesterolemia. <i>Journal of Atherosclerosis and Thrombosis</i> , 2015, 22, 338-341.	0.9	3
344	A pilot study of the effects of eplerenone add-on therapy in patients taking renin-angiotensin system blockers. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2015, 16, 360-365.	1.0	3
345	Effects of triple combination therapy with azilsartan/amlodipine/hydrochlorothiazide on office/home blood pressure. <i>Blood Pressure Monitoring</i> , 2018, 23, 91-102.	0.4	3
346	Effects of Calcium-Channel Blocker Benidipine-Based Combination Therapy on Cardiac Events—Subanalysis of the COPE Trial. <i>Circulation Journal</i> , 2018, 82, 457-463.	0.7	3
347	Severity of obstructive sleep apnea is associated with the nocturnal fluctuation of pulse rate, but not with that of blood pressure, in older hypertensive patients receiving calcium channel blockers. <i>Geriatrics and Gerontology International</i> , 2019, 19, 604-610.	0.7	3
348	Novel properties of myoferlin in glucose metabolism via pathways involving modulation of adipose functions. <i>FASEB Journal</i> , 2020, 34, 2792-2811.	0.2	3
349	A novel angiotensin II peptide vaccine without an adjuvant in mice. <i>Journal of Hypertension</i> , 2021, 39, 181-189.	0.3	3
350	Periostin Exon-21 Antibody Neutralization of Triple-Negative Breast Cancer Cell-Derived Periostin Regulates Tumor-Associated Macrophage Polarization and Angiogenesis. <i>Cancers</i> , 2021, 13, 5072.	1.7	3
351	Alcohol drinking patterns have a positive association with cognitive function among older people: a cross-sectional study. <i>BMC Geriatrics</i> , 2022, 22, 158.	1.1	3
352	Factors Related to Preventive Behaviors against a Decline in Physical Fitness among Community-Dwelling Older Adults during the COVID-19 Pandemic: A Qualitative Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 6008.	1.2	3
353	High blood pressure worsens age-related increases in arterial stiffness evaluated by pulse wave velocity in subjects with lifestyle-related diseases. <i>Geriatrics and Gerontology International</i> , 2007, 7, 54-60.	0.7	2
354	Reply to "FGF23 adds value to risk prediction in patients with chronic kidney disease". <i>Bone</i> , 2012, 51, 832-833.	1.4	2
355	Efficacy and safety of losartan 100mg/hydrochlorothiazide 12.5mg in Japanese subjects with essential hypertension: two randomized, controlled trials. <i>Hypertension Research</i> , 2014, 37, 1042-1049.	1.5	2
356	Does Hypomagnesemia Predict Faster Progression of Nondiabetic Chronic Kidney Disease?. <i>American Journal of Medicine</i> , 2014, 127, e13.	0.6	2
357	Minimal Change Nephrotic Syndrome Which Was Most Likely Caused by Chronic Sinusitis. <i>Internal Medicine</i> , 2015, 54, 2373-2375.	0.3	2
358	Genome-wide association study for white coat effect in Japanese middle-aged to elderly people: The HOMED-BP study. <i>Clinical and Experimental Hypertension</i> , 2018, 40, 363-369.	0.5	2
359	Clinical impact of extended blood culture examination: Too much of a good thing. <i>Journal of Infection and Chemotherapy</i> , 2019, 25, 559-562.	0.8	2
360	AJP001, a novel helper T cell epitope, induces a humoral immune response with activation of innate immunity when included in a peptide vaccine. <i>FASEB BioAdvances</i> , 2019, 1, 760-772.	1.3	2

#	ARTICLE	IF	CITATIONS
361	Pathophysiological significance of cylindromatosis in the vascular endothelium and macrophages for the initiation of age-related atherogenesis. <i>Biochemical and Biophysical Research Communications</i> , 2019, 508, 1168-1174.	1.0	2
362	The HGF/c-Met Receptor System Under Pathological Conditions. <i>Immunology, Endocrine and Metabolic Agents in Medicinal Chemistry</i> , 2012, 12, 122-129.	0.5	2
363	The utility of the ultrasonographic assessment of the lower leg muscles to evaluate sarcopenia and muscle quality in older adults. <i>JCSM Clinical Reports</i> , 2021, 6, 53-61.	0.5	2
364	A live-imaging protocol for tracking receptor dynamics in single cells. <i>STAR Protocols</i> , 2022, 3, 101347.	0.5	2
365	Oxidative stress inhibits insulin signal transduction in cultured human vascular smooth muscle cells: a possible contribution to mechanism of insulin resistance. <i>American Journal of Hypertension</i> , 2001, 14, A25.	1.0	1
366	Earlier management of subjects who are prone to hypertension and diabetes mellitus. <i>Current Diabetes Reports</i> , 2004, 4, 77-78.	1.7	1
367	Which Indexes Are the Most Important Risk Factor for Cardiorenal Events in Type 2 Diabetic Patients?. <i>Circulation Journal</i> , 2013, 77, 2700-2701.	0.7	1
368	Association of periodontal disease with atherosclerosis in 70-year-old Japanese older adults. <i>Odontology / the Society of the Nippon Dental University</i> , 2021, 109, 506-513.	0.9	1
369	Clinical studies on pharmacological treatment of hypertension in Japan. <i>Journal of Human Hypertension</i> , 2021, , .	1.0	1
370	Prologue: Special Spotlight Issue on Japan. <i>Journal of Human Hypertension</i> , 2021, , .	1.0	1
371	Carotenemia induced by iron deficiency. <i>BMJ Case Reports</i> , 2021, 14, e236597.	0.2	1
372	HGF Gene Therapy for Therapeutic Angiogenesis in Peripheral Artery Disease. , 2017, , 133-144.		1
373	Anti-Apoptotic Effect of Human Telomerase Reverse Transcriptase on Endothelial Cells under Oxidative Stress, Independent of Telomere Elongation and Telomerase Activity. <i>Immunology, Endocrine and Metabolic Agents in Medicinal Chemistry</i> , 2013, 13, 112-121.	0.5	1
374	Self-Monitoring Home Blood Pressure in Community-Dwelling Older People: Age Differences in White-Coat and Masked Phenomena and Related Factorsâ€”The SONIC Study. <i>International Journal of Hypertension</i> , 2022, 2022, 1-9.	0.5	1
375	Response to Hepatocyte Growth Factor and Cardiomyopathy in Dialysis Patients. <i>Hypertension</i> , 2012, 60, .	1.3	0
376	Response to Comment on: Takeda et al. Loss of ACE2 Exaggerates High-Calorie Diet-Induced Insulin Resistance by Reduction of GLUT4 in Mice. <i>Diabetes</i> 2013;62:223-233. <i>Diabetes</i> , 2013, 62, e10-e10.	0.3	0
377	The Authors Reply:. <i>Kidney International</i> , 2014, 86, 212-213.	2.6	0
378	The Authors Reply:. <i>Kidney International</i> , 2014, 86, 856-857.	2.6	0

#	ARTICLE	IF	CITATIONS
379	Sarcopenia in Diabetes Mellitus. , 2016, , 237-252.		0
380	Reply to “Differences in the association between high blood pressure and cognitive functioning among the general Japanese population aged 70 and 80 years”™. Hypertension Research, 2017, 40, 302-303.	1.5	0
381	Swollen Extraocular Muscle and Tingling Extremities. American Journal of Medicine, 2018, 131, e492-e493.	0.6	0
382	Effects of an Antihypertensive Combination in Japanese Hypertensive Outpatients Based on the Long-acting Calcium Channel Blocker Benidipine on Vascular and Renal Events: A Sub-analysis of the COPE Trial. Current Hypertension Reviews, 2021, 16, 238-245.	0.5	0
383	Study protocol for a randomized, open-label, non-controlled Phase I/II Study to assess safety and immunogenicity of twice or three times dosing of intramuscular COVID-19 DNA vaccine in healthy adults. Translational and Regulatory Sciences, 2021, , .	0.2	0
384	Impact of Microsomal Triglyceride Transfer Protein (MTP) in Preventing Hepatic Apoptosis. Immunology, Endocrine and Metabolic Agents in Medicinal Chemistry, 2013, 13, 68-76.	0.5	0
385	Role of Serotonin in Angiogenesis in Diabetes. , 2013, , 225-238.		0
386	Personalized Medicine for Hypertension. Japanese Journal of Clinical Pharmacology and Therapeutics, 2013, 44, 427-428.	0.1	0
387	Inhibition of Renal Fibrosis and Glomerular Injury by Sacubitril/Valsartan, a Combination Angiotensin Receptor Blocker and Nephrylsin Inhibitor, in a Salt-Sensitive Hypertensive Model Using Angiotensin 1 Receptor Knockout Mice: The Contribution of Non-Angiotensin Blocking Effects to Renal Protection. Open Medicine Journal, 2018, 5, 108-118.	0.5	0
388	Statement on falls in long-term care facilities by the Japan Geriatrics Society and the Japan Association of Geriatric Health Services Facilities. Geriatrics and Gerontology International, 2022, 22, 193-205.	0.7	0