

Michael A Rogers

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7218909/michael-a-rogers-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

106
papers

3,088
citations

31
h-index

53
g-index

117
ext. papers

3,441
ext. citations

5.3
avg, IF

5.69
L-index

#	Paper	IF	Citations
106	Lipid crystallinity of oil-in-water emulsions alters in vitro.. <i>Food Chemistry</i> , 2022 , 382, 132326	8.5	0
105	Sliced versus formulated potato chips [Does food structure alter lipid digestion?. <i>Food Structure</i> , 2022 , 32, 100272	4.3	0
104	Lipid digestibility and bioaccessibility of a high dairy fat meal is altered when consumed with whole apples: Investigations using static and dynamic in vitro digestion models. <i>Food Structure</i> , 2021 , 28, 100191	4.3	2
103	Supramolecular Fractal Growth of Self-Assembled Fibrillar Networks. <i>Gels</i> , 2021 , 7,	4.2	1
102	Cook Temperature Alters the Physical Structure and Lipid Bioaccessibility of Beef Muscle in TIM-1. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 8394-8402	5.7	0
101	Construction of Foam-Templated Oleogels based on Rice Bran Protein. <i>Food Hydrocolloids</i> , 2021 , 124, 107245	10.6	4
100	Chemical hardening of gliadin nanoparticles alters their oil-water interfacial behaviour. <i>Food Structure</i> , 2021 , 30, 100218	4.3	0
99	Luminescence Spectroscopy [a Useful Tool in Real-Time Monitoring of Viscosity during In-Vitro Digestion. <i>Food Biophysics</i> , 2021 , 16, 181-190	3.2	2
98	Hansen Solubility Parameters Clarify the Role of the Primary and Secondary Hydroxyl Groups on the Remarkable Self-Assembly of 1:3,2:4-Dibenzylidene Sorbitol. <i>Journal of Physical Chemistry C</i> , 2020 , 124, 26455-26466	3.8	3
97	Engineering water-induced ceramide/lecithin oleogels: understanding the influence of water added upon pre- and post-nucleation. <i>Food and Function</i> , 2020 , 11, 2048-2057	6.1	6
96	Effect of carrier oil on Tocopherol encapsulation in ora-pro-nobis (<i>Pereskia aculeata</i> Miller) mucilage-whey protein isolate microparticles. <i>Food Hydrocolloids</i> , 2020 , 105, 105716	10.6	14
95	Avocado-derived polyols for use as novel co-surfactants in low energy self-emulsifying microemulsions. <i>Scientific Reports</i> , 2020 , 10, 5566	4.9	8
94	The curious case of 12-hydroxystearic acid [The Dr. Jekyll & Mr. Hyde of molecular gelators. <i>Current Opinion in Colloid and Interface Science</i> , 2020 , 45, 68-82	7.6	12
93	Comparison of methodologies used to define the protein quality of human foods and support regulatory claims. <i>Applied Physiology, Nutrition and Metabolism</i> , 2020 , 45, 917-926	3	6
92	Assembly pattern of multicomponent supramolecular oleogel composed of ceramide and lecithin in sunflower oil: self-assembly or self-sorting?. <i>Food and Function</i> , 2020 , 11, 7651-7660	6.1	6
91	gastrointestinal digestibility of phytosterol oleogels: influence of self-assembled microstructures on emulsification efficiency and lipase activity. <i>Food and Function</i> , 2020 , 11, 9503-9513	6.1	7
90	Water-induced self-assembly of mixed gelator system (ceramide and lecithin) for edible oil structuring. <i>Food and Function</i> , 2019 , 10, 3923-3933	6.1	13

89	Investigating the Phospholipid Effect on the Bioaccessibility of Rosmarinic Acid-Phospholipid Complex through a Dynamic Gastrointestinal in Vitro Model. <i>Pharmaceutics</i> , 2019 , 11,	6.4	11
88	A comprehensive perspective of food nanomaterials. <i>Advances in Food and Nutrition Research</i> , 2019 , 88, 1-45	6	5
87	Opportunities and challenges in developing orally administered cannabis edibles. <i>Current Opinion in Food Science</i> , 2019 , 28, 7-13	9.8	8
86	Surfactants 2019 , 276-282		4
85	Lipid-Based Nanosystems Production 2019 , 53-73		
84	Lipid digestion of oil-in-water emulsions stabilized with low molecular weight surfactants. <i>Food and Function</i> , 2019 , 10, 8195-8207	6.1	8
83	Molecular motifs encoding self-assembly of peptide fibers into molecular gels. <i>Soft Matter</i> , 2019 , 15, 9205-9214	3.6	5
82	Encyclopedia of Food Chemistry: Water 2019 , 297-304		0
81	Encyclopedia of Food Chemistry: Fat replacers 2019 , 96-100		2
80	The influence of dietary fat and intestinal pH on calcium bioaccessibility: an in vitro study. <i>Food and Function</i> , 2018 , 9, 1809-1815	6.1	10
79	Hansen Solubility Parameters as a Tool in the Quest for New Edible Oleogels. <i>JAOCs, Journal of the American Oil Chemists Society</i> , 2018 , 95, 393-405	1.8	8
78	Effects of a wax organogel and alginate gel complex on holy basil (<i>Ocimum sanctum</i>) in vitro ruminal dry matter disappearance and gas production. <i>Journal of the Science of Food and Agriculture</i> , 2018 , 98, 4488-4494	4.3	
77	Potential applications of luminescent molecular rotors in food science and engineering. <i>Critical Reviews in Food Science and Nutrition</i> , 2018 , 58, 1902-1916	11.5	9
76	12-Hydroxystearic Acid Oleogels 2018 , 85-102		2
75	Ceramide Oleogels 2018 , 235-248		3
74	Gastric viscosity and sugar bioaccessibility of instant and steel cut oat/milk protein blends. <i>Food Hydrocolloids</i> , 2018 , 82, 424-433	10.6	8
73	Advances in edible oleogel technologies - A decade in review. <i>Food Research International</i> , 2017 , 97, 307-317		111
72	In vitro measurements of luminal viscosity and glucose/maltose bioaccessibility for oat bran, instant oats, and steel cut oats. <i>Food Hydrocolloids</i> , 2017 , 70, 293-303	10.6	14

71	Solvent induced supramolecular anisotropy in molecular gels. <i>Materials Chemistry and Physics</i> , 2017 , 194, 224-230	4.4	5
70	Molecular Nuances Governing the Self-Assembly of 1,3:2,4-Dibenzylidene-d-sorbitol. <i>Langmuir</i> , 2017 , 33, 10907-10916	4	14
69	Surfactant concentration and type affects the removal of Escherichia coli from pig skin during a simulated hand wash. <i>Letters in Applied Microbiology</i> , 2017 , 65, 292-297	2.9	1
68	A potential bioactive hard-stock fat replacer comprised of a molecular gel. <i>Food Science and Nutrition</i> , 2017 , 5, 579-587	3.2	14
67	Crystallization of Fats and Fatty Acids in Edible Oils and Structure Determination 2017 , 541-559		2
66	Naturally occurring nanoparticles in food. <i>Current Opinion in Food Science</i> , 2016 , 7, 14-19	9.8	26
65	Kinetics of 12-Hydroxyoctadecanoic Acid SAFIN Crystallization Rationalized Using Hansen Solubility Parameters. <i>Langmuir</i> , 2016 , 32, 12833-12841	4	14
64	Investigations of in vitro bioaccessibility from interesterified stearic and oleic acid-rich blends. <i>Food and Function</i> , 2016 , 7, 1932-40	6.1	12
63	Self-assembled fibrillar networks comprised of a naturally-occurring cyclic peptide OB3. <i>RSC Advances</i> , 2016 , 6, 40765-40776	3.7	8
62	Simplifying Hansen Solubility Parameters for Complex Edible Fats and Oils. <i>Food Biophysics</i> , 2016 , 11, 283-291	3.2	30
61	Molecular gels: improving selection and design through computational methods. <i>Current Opinion in Food Science</i> , 2016 , 9, 84-92	9.8	5
60	Self-assembly of 12-hydroxystearic acid molecular gels in mixed solvent systems rationalized using Hansen solubility parameters. <i>Colloid and Polymer Science</i> , 2015 , 293, 975-983	2.4	17
59	To gel or not to gel: correlating molecular gelation with solvent parameters. <i>Chemical Society Reviews</i> , 2015 , 44, 6035-58	58.5	226
58	Biophysical Aspects of Lipid Digestion in Human Breast Milk and Similac Infant Formulas. <i>Food Biophysics</i> , 2015 , 10, 282-291	3.2	27
57	Biomimicry An approach to engineering oils into solid fats. <i>Lipid Technology</i> , 2015 , 27, 175-178		7
56	12-Hydroxystearic acid SAFINs in aliphatic diols A molecular oddity. <i>CrystEngComm</i> , 2015 , 17, 8031-8038	3.3	18
55	Viscoelastic Emulsion Improved the Bioaccessibility and Oral Bioavailability of Crystalline Compound: A Mechanistic Study Using in Vitro and in Vivo Models. <i>Molecular Pharmaceutics</i> , 2015 , 12, 2229-36	5.6	41
54	Dissecting kinetic pathways to formation of the fibrillar objects in molecular gels using synchrotron FT-IR. <i>CrystEngComm</i> , 2015 , 17, 8085-8092	3.3	3

53	Systematic modifications of alkane-based molecular gelators and the consequences to the structures and properties of their gels. <i>New Journal of Chemistry</i> , 2015 , 39, 785-799	3.6	36
52	The Higher Calcium Absorption Associated with a High Fat Diet is Not Due to Intestinal Calcium Availability. <i>FASEB Journal</i> , 2015 , 29, 760.2	0.9	
51	Food as a drug. <i>Oncoscience</i> , 2015 , 2, 801-2	0.8	
50	Measurement of nanomaterials in foods: integrative consideration of challenges and future prospects. <i>ACS Nano</i> , 2014 , 8, 3128-35	16.7	96
49	Comparing and correlating solubility parameters governing the self-assembly of molecular gels using 1,3:2,4-dibenzylidene sorbitol as the gelator. <i>Langmuir</i> , 2014 , 30, 14128-42	4	83
48	Micro-viscosity of liquid oil confined in colloidal fat crystal networks. <i>Soft Matter</i> , 2014 , 10, 8652-8	3.6	23
47	Do Molecular Gelators Cluster in Hansen Space?. <i>Crystal Growth and Design</i> , 2014 , 14, 4811-4818	3.5	20
46	Salicylic acid (SA) bioaccessibility from SA-based poly(anhydride-ester). <i>Biomacromolecules</i> , 2014 , 15, 3406-11	6.9	12
45	Edible oleogels in molecular gastronomy. <i>International Journal of Gastronomy and Food Science</i> , 2014 , 2, 22-31	2.8	65
44	Ternary Phase Diagram of β -sitosterol β -oryzanol β -anola Oil. <i>JAOCS, Journal of the American Oil Chemistssociety</i> , 2013 , 90, 1533-1540	1.8	25
43	Nanoscale and microscale structural changes alter the critical gelator concentration of self-assembled fibrillar networks. <i>CrystEngComm</i> , 2013 , 15, 4507	3.3	41
42	Phase-selective sorbent xerogels as reclamation agents for oil spills. <i>Langmuir</i> , 2013 , 29, 5617-21	4	40
41	Influence of emulsifier structure on lipid bioaccessibility in oil-water nanoemulsions. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 6505-15	5.7	56
40	Influence of solvent on the supramolecular architectures in molecular gels. <i>Soft Matter</i> , 2013 , 9, 5942	3.6	56
39	Comparison of dipolar, H-bonding, and dispersive interactions on gelation efficiency of positional isomers of keto and hydroxy substituted octadecanoic acids. <i>Langmuir</i> , 2013 , 29, 6467-75	4	28
38	Solvent-Induced Polymorphic Nanoscale Transitions for 12-Hydroxyoctadecanoic Acid Molecular Gels. <i>Crystal Growth and Design</i> , 2013 , 13, 1360-1366	3.5	45
37	Benzoyl peroxide formulated polycarbophil/carbopol 934P hydrogel with selective antimicrobial activity, potentially beneficial for treatment and prevention of bacterial vaginosis. <i>Infectious Diseases in Obstetrics and Gynecology</i> , 2013 , 2013, 909354	2.4	12
36	Harnessing Hansen solubility parameters to predict organogel formation. <i>Journal of Materials Chemistry</i> , 2012 , 22, 12651		107

35	Influence of positional isomers on the macroscale and nanoscale architectures of aggregates of racemic hydroxyoctadecanoic acids in their molecular gel, dispersion, and solid states. <i>Langmuir</i> , 2012 , 28, 4955-64	4	52
34	Influence of the Hydroxyl Position in Racemic Hydroxyoctadecanoic Acids on the Crystallization Kinetics and Activation Energies of Gels and Dispersions in Mineral Oil. <i>Crystal Growth and Design</i> , 2012 , 12, 5497-5504	3.5	17
33	Effect of calcium source and exposure-time on basic caviar spherification using sodium alginate. <i>International Journal of Gastronomy and Food Science</i> , 2012 , 1, 96-100	2.8	48
32	Temperature Dependence of Relaxation Spectra for Self-Assembled Fibrillar Networks of 12-Hydroxystearic Acid in Canola Oil Organogels. <i>Food Biophysics</i> , 2012 , 7, 132-137	3.2	5
31	Influence of chirality on the modes of self-assembly of 12-hydroxystearic acid in molecular gels of mineral oil. <i>Soft Matter</i> , 2011 , 7, 7359	3.6	50
30	Experimental validation of the modified Avrami model for non-isothermal crystallization conditions. <i>CrystEngComm</i> , 2011 , 13, 866-875	3.3	36
29	Rheological assessment of the sol/gel transition for self-assembling low molecular weight gelators. <i>Food Research International</i> , 2011 , 44, 1447-1451	7	15
28	Hydroxystearic Acid Oleogels 2011 , 101-118		1
27	Novel Lipid Substitutes 2011 , 603-616		2
26	Ceramide Oleogels 2011 , 221-234		4
25	Co-operative self-assembly of cholesterol and β-oryzanol composite crystals. <i>CrystEngComm</i> , 2011 , 13, 7049	3.3	7
24	Activation Energy of Crystallization for Trihydroxystearin, Stearic Acid, and 12-Hydroxystearic Acid under Nonisothermal Cooling Conditions. <i>Crystal Growth and Design</i> , 2011 , 11, 3593-3599	3.5	21
23	Dependence of liquid crystal morphology on phospholipid hydrocarbon length. <i>Colloids and Surfaces B: Biointerfaces</i> , 2011 , 87, 116-21	6	2
22	THE EFFECT OF PHASE SEPARATION ON ENZYME KINETICS IN FROZEN SUGAR SOLUTIONS CONTAINING PROTEIN AND POLYSACCHARIDE. <i>Journal of Food Biochemistry</i> , 2010 , 34, 283-294	3.3	
21	Multicomponent hollow tubules formed using phytosterol and gamma-oryzanol-based compounds: an understanding of their molecular embrace. <i>Journal of Physical Chemistry A</i> , 2010 , 114, 8278-85	2.8	42
20	A molecular insight into the nature of crystallographic mismatches in self-assembled fibrillar networks under non-isothermal crystallization conditions. <i>Soft Matter</i> , 2010 , 6, 404-408	3.6	66
19	Functional Foods 2010 , 1-4		
18	Nanostructuring fiber morphology and solvent inclusions in 12-hydroxystearic acid / canola oil organogels. <i>Current Opinion in Colloid and Interface Science</i> , 2009 , 14, 33-42	7.6	109

17	Thermo-mechanical method for the determination of the fractal dimension of fat crystal networks. <i>Journal of Thermal Analysis and Calorimetry</i> , 2009 , 98, 7-12	4.1	7
16	Hydrogen-Bonding Density of Supramolecular Self-Assembled Fibrillar Networks Probed Using Synchrotron Infrared Spectromicroscopy. <i>Crystal Growth and Design</i> , 2009 , 9, 3621-3625	3.5	22
15	Solvent-modulated nucleation and crystallization kinetics of 12-hydroxystearic acid: a nonisothermal approach. <i>Langmuir</i> , 2009 , 25, 8556-66	4	86
14	Novel structuring strategies for unsaturated fats [Meeting the zero-trans, zero-saturated fat challenge: A review. <i>Food Research International</i> , 2009 , 42, 747-753	7	150
13	Potential food applications of edible oil organogels. <i>Trends in Food Science and Technology</i> , 2009 , 20, 470-480	15.3	206
12	Oil organogels: the fat of the future?. <i>Soft Matter</i> , 2009 , 5, 1594	3.6	117
11	Crystalline stability of self-assembled fibrillar networks of 12-hydroxystearic acid in edible oils. <i>Food Research International</i> , 2008 , 41, 1026-1034	7	47
10	Engineering the oil binding capacity and crystallinity of self-assembled fibrillar networks of in edible oils. <i>Soft Matter</i> , 2008 , 4, 1483-1490	3.6	97
9	Non-Isothermal Nucleation and Crystallization of 12-Hydroxystearic Acid in Vegetable Oils. <i>Crystal Growth and Design</i> , 2008 , 8, 4596-4601	3.5	87
8	Post-crystallization increases in the mechanical strength of self-assembled fibrillar networks is due to an increase in network supramolecular ordering. <i>Journal Physics D: Applied Physics</i> , 2008 , 41, 215501	3	20
7	Fat Crystal Networks 2008 , 369-414		4
6	Thellungiella: an Arabidopsis-related model plant adapted to cold temperatures. <i>Plant, Cell and Environment</i> , 2007 , 30, 529-38	8.4	58
5	A Novel Cryo-SEM Technique for Imaging Vegetable Oil Based Organogels. <i>JAOCS, Journal of the American Oil ChemistssSociety</i> , 2007 , 84, 899-906	1.8	44
4	Microstructure of fat crystallizing on a collagenous surface. <i>European Journal of Lipid Science and Technology</i> , 2005 , 107, 684-688	3	3
3	Scaling Behavior of the Elastic Modulus in Colloidal Networks of Fat Crystals. <i>Journal of Physical Chemistry B</i> , 2004 , 108, 171-179	3.4	69
2	Structural basis for the yield stress in plastic disperse systems. <i>Applied Physics Letters</i> , 2003 , 82, 3239-3241	3.1	78
1	Structural Properties of Egg Yolks Modify In-vitro Lipid Digestion. <i>Food Biophysics</i> , 2011 , 1, 1-11	3.2	0