

# Mahmood Tavallaie

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7219386/mahmood-tavallaie-publications-by-year.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

41  
papers

616  
citations

16  
h-index

23  
g-index

42  
ext. papers

720  
ext. citations

3.3  
avg, IF

3.81  
L-index

#	Paper	IF	Citations
41	Recent innovations and in-depth aspects of post-genome wide association study (Post-GWAS) to understand the genetic basis of complex phenotypes. <i>Heredity</i> , <b>2021</b> , 127, 485-497	3.6	0
40	Comparison of oncolytic virotherapy and nanotherapy as two new miRNA delivery approaches in lung cancer. <i>Biomedicine and Pharmacotherapy</i> , <b>2021</b> , 140, 111755	7.5	2
39	Alteration of TGFB1, GDF9, and BMP2 gene expression in preantral follicles of an estradiol valerate-induced polycystic ovary mouse model can lead to anovulation, polycystic morphology, obesity, and absence of hyperandrogenism. <i>Clinical and Experimental Reproductive Medicine</i> , <b>2021</b> , 48, 245-254	2.2	1
38	LncRNA HSPC324 plays role in lung development and tumorigenesis. <i>Genomics</i> , <b>2020</b> , 112, 2615-2622	4.3	9
37	miR-9: From function to therapeutic potential in cancer. <i>Journal of Cellular Physiology</i> , <b>2019</b> , 234, 14651-7	7	21
36	Imatinib independent aberrant methylation of NOV/CCN3 in chronic myelogenous leukemia patients: a mechanism upstream of BCR-ABL1 function?. <i>Cell Communication and Signaling</i> , <b>2019</b> , 17, 38	7.5	4
35	Considering smoking status, coexpression network analysis of non-small cell lung cancer at different cancer stages, exhibits important genes and pathways. <i>Journal of Cellular Biochemistry</i> , <b>2019</b> , 120, 19172-19185	4.7	2
34	miR-21-5p, miR-141-3p, and miR-205-5p levels in urine-promising biomarkers for the identification of prostate and bladder cancer. <i>Prostate</i> , <b>2019</b> , 79, 88-95	4.2	47
33	A panel of noncoding RNAs in non-small-cell lung cancer. <i>Journal of Cellular Biochemistry</i> , <b>2018</b> , 120, 8280	4.7	26
32	A Predicted Molecular Model for Development of Human Intelligence. <i>Neurochemical Journal</i> , <b>2018</b> , 12, 210-221	0.5	
31	Exogenous Expression of Nt-3 and TrkC Genes in Bone Marrow Stromal Cells Elevated the Survival Rate of the Cells in the Course of Neural Differentiation. <i>Cellular and Molecular Neurobiology</i> , <b>2017</b> , 37, 1187-1194	4.6	4
30	The functional significance of 14-3-3 proteins in cancer: focus on lung cancer. <i>Hormone Molecular Biology and Clinical Investigation</i> , <b>2017</b> , 32,	1.3	16
29	Altered miR-223 Expression in Sputum for Diagnosis of Non-Small Cell Lung Cancer. <i>Avicenna Journal of Medical Biotechnology</i> , <b>2017</b> , 9, 189-195	1.4	21
28	A systems biology approach for miRNA-mRNA expression patterns analysis in non-small cell lung cancer. <i>Cancer Biomarkers</i> , <b>2016</b> , 16, 31-45	3.8	7
27	Two lung development-related microRNAs, miR-134 and miR-187, are differentially expressed in lung tumors. <i>Gene</i> , <b>2016</b> , 577, 221-6	3.8	18
26	Aberrant Expression of Breast Development-Related MicroRNAs, miR-22, miR-132, and miR-212, in Breast Tumor Tissues. <i>Journal of Breast Cancer</i> , <b>2016</b> , 19, 148-55	3	35
25	Up-regulation of MSH2, XRCC1 and ATM genes in patients with type 2 diabetes and coronary artery disease. <i>Diabetes Research and Clinical Practice</i> , <b>2015</b> , 109, 500-6	7.4	16

24	Down-regulation of TGF- $\beta$ 1, TGF- $\beta$ receptor 2, and TGF- $\beta$ -associated microRNAs, miR-20a and miR-21, in skin lesions of sulfur mustard-exposed Iranian war veterans. <i>Journal of Receptor and Signal Transduction Research</i> , <b>2015</b> , 35, 634-9	2.6	6
23	Decreased expression of miR-20a and miR-92a in the serum from sulfur mustard-exposed patients during the chronic phase of resulting illness. <i>Inhalation Toxicology</i> , <b>2015</b> , 27, 682-8	2.7	2
22	Evaluation of miR-9 and miR-143 expression in urine specimens of sulfur mustard exposed patients. <i>Interdisciplinary Toxicology</i> , <b>2015</b> , 8, 169-74	2.3	7
21	Selection of DNA aptamers against Human Cardiac Troponin I for colorimetric sensor based dot blot application. <i>Journal of Biotechnology</i> , <b>2015</b> , 208, 80-6	3.7	42
20	Identification of Reliable Reference Genes for Quantification of MicroRNAs in Serum Samples of Sulfur Mustard-Exposed Veterans. <i>Cell Journal</i> , <b>2015</b> , 17, 494-501	2.4	25
19	MiRNA molecular profiles in human medical conditions: connecting lung cancer and lung development phenomena. <i>Asian Pacific Journal of Cancer Prevention</i> , <b>2014</b> , 15, 9557-65	1.7	21
18	Normalization of miRNA qPCR high-throughput data: a comparison of methods. <i>Biotechnology Letters</i> , <b>2013</b> , 35, 843-51	3	9
17	Co-regulated expression of TGF- $\beta$ variants and miR-21 in bladder cancer. <i>Urology Journal</i> , <b>2013</b> , 10, 981-7	0.9	7
16	Correlation of major histocompatibility complex class I related A (MICA) polymorphism with the risk of developing breast cancer. <i>Medical Oncology</i> , <b>2012</b> , 29, 5-9	3.7	10
15	High level expression of recombinant BoNT/A-Hc by high cell density cultivation of Escherichia coli. <i>Bioprocess and Biosystems Engineering</i> , <b>2012</b> , 35, 407-14	3.7	15
14	A plausible anti-apoptotic role of up-regulated OCT4B1 in bladder tumors. <i>Urology Journal</i> , <b>2012</b> , 9, 574-80	8.0	16
13	OCT4B1, a novel spliced variant of OCT4, generates a stable truncated protein with a potential role in stress response. <i>Cancer Letters</i> , <b>2011</b> , 309, 170-5	9.9	39
12	p75NTR suppression in rat bone marrow stromal stem cells significantly reduced their rate of apoptosis during neural differentiation. <i>Neuroscience Letters</i> , <b>2011</b> , 498, 15-9	3.3	14
11	Optimization of the BoNT/A-Hc expression in recombinant Escherichia coli using the Taguchi statistical method. <i>Biotechnology and Applied Biochemistry</i> , <b>2010</b> , 56, 35-42	2.8	15
10	Overexpression of transforming growth factor (TGF)- $\beta$ 1 and TGF- $\beta$ 3 genes in lung of toxic-inhaled patients. <i>Experimental Lung Research</i> , <b>2010</b> , 36, 284-91	2.3	26
9	Site-directed mutagenesis enhances the activity of NADH-FMN oxidoreductase (DszD) activity of Rhodococcus erythropolis. <i>Biotechnology Letters</i> , <b>2010</b> , 32, 921-7	3	18
8	Differential gene expression and alternative splicing of survivin following mouse sciatic nerve injury. <i>Spinal Cord</i> , <b>2009</b> , 47, 739-44	2.7	8
7	Neurogenic and mitotic effects of dehydroepiandrosterone on neuronal-competent marrow mesenchymal stem cells. <i>International Journal of Developmental Biology</i> , <b>2009</b> , 53, 579-84	1.9	5

6	Identification of a molten globule like state in HC-N fragment of botulinum neurotoxin A: shedding light on the poorly-known features of a conserved sub-domain. <i>Protein and Peptide Letters</i> , <b>2009</b> , 16, 660-3	1.9	1
5	Gene expression alterations of neurotrophins, their receptors and prohormone convertases in a rat model of spinal cord contusion. <i>Neuroscience Letters</i> , <b>2008</b> , 441, 261-6	3.3	27
4	Proprotein convertases 1 and 2 (PC1 and PC2) are expressed in neurally differentiated rat bone marrow stromal stem cells (BMSCs). <i>Neuroscience Letters</i> , <b>2007</b> , 420, 198-203	3.3	10
3	Interaction between the two subdomains of the C-terminal part of the botulinum neurotoxin A is essential for the generation of protective antibodies. <i>FEBS Letters</i> , <b>2004</b> , 572, 299-306	3.8	60
2	Evaluation of the Epigenetic Biomarker Bone Morphogenic Protein 3 for Colorectal Cancer Diagnosis. <i>Journal of Clinical and Diagnostic Research JCDR</i> ,	0	2
1	Clinical population genetic analysis of variants in the SARS-CoV-2 receptor ACE2		2