

Oren Shibolet

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7219871/oren-shibolet-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| | | | |
|-------------------|-------------------------|----------------|-----------------|
| 75 papers | 4,353 citations | 26 h-index | 65 g-index |
| 86 ext. papers | 5,942 ext. citations | 8.6 avg, IF | 5.57 L-index |

| # | Paper | IF | Citations |
|----|--|------|-----------|
| 75 | Acute Liver Failure following a Single Dose of Atezolizumab, as Assessed for Causality Using the Updated RUCAM.. <i>Case Reports in Gastrointestinal Medicine</i> , 2022 , 2022, 5090200 | 0.6 | |
| 74 | Effectiveness of SARS-CoV-2 vaccination in liver transplanted patients: Time for comprehensive data analysis. <i>Journal of Hepatology</i> , 2021 , | 13.4 | 1 |
| 73 | Hepatitis C related cognitive impairment: Impact of viral and host factors and response to therapy. <i>Journal of Viral Hepatitis</i> , 2021 , 28, 870-877 | 3.4 | 1 |
| 72 | Reduced humoral response to mRNA SARS-CoV-2 BNT162b2 vaccine in kidney transplant recipients without prior exposure to the virus. <i>American Journal of Transplantation</i> , 2021 , 21, 2719-2726 | 8.7 | 131 |
| 71 | Ultra-processed food is associated with features of metabolic syndrome and non-alcoholic fatty liver disease. <i>Liver International</i> , 2021 , 41, 2635-2645 | 7.9 | 6 |
| 70 | A model based on routine liver tests can reliably exclude intrahepatic cholestasis of pregnancy. <i>European Journal of Internal Medicine</i> , 2021 , 90, 66-70 | 3.9 | 2 |
| 69 | Low immunogenicity to SARS-CoV-2 vaccination among liver transplant recipients. <i>Journal of Hepatology</i> , 2021 , 75, 435-438 | 13.4 | 126 |
| 68 | Effect of ingesting a meal and orthostasis on the regulation of splanchnic and systemic hemodynamics and the responsiveness of cardiovascular α -adrenoceptors. <i>American Journal of Physiology - Renal Physiology</i> , 2021 , 321, G513-G526 | 5.1 | 0 |
| 67 | Kidney transplant recipients vaccinated before transplantation maintain superior humoral response to SARS-CoV-2 vaccine. <i>Clinical Transplantation</i> , 2021 , e14478 | 3.8 | 8 |
| 66 | Repetitive amiodarone administration causes liver damage via adipose tissue ER stress-dependent lipolysis, leading to hepatotoxic free fatty acid accumulation. <i>American Journal of Physiology - Renal Physiology</i> , 2021 , 321, G298-G307 | 5.1 | 1 |
| 65 | Lifestyle and Hepatocellular Carcinoma What Is the Evidence and Prevention Recommendations.. <i>Cancers</i> , 2021 , 14, | 6.6 | 1 |
| 64 | Higher phenolic acid intake independently associates with lower prevalence of insulin resistance and non-alcoholic fatty liver disease. <i>JHEP Reports</i> , 2020 , 2, 100069 | 10.3 | 21 |
| 63 | Autophagy alleviates amiodarone-induced hepatotoxicity. <i>Archives of Toxicology</i> , 2020 , 94, 3527-3539 | 5.8 | 4 |
| 62 | Serum Malondialdehyde is Associated with Non-Alcoholic Fatty Liver and Related Liver Damage Differentially in Men and Women. <i>Antioxidants</i> , 2020 , 9, | 7.1 | 12 |
| 61 | Effects of Tumor Necrosis Factor Antagonists in Patients With Primary Sclerosing Cholangitis. <i>Clinical Gastroenterology and Hepatology</i> , 2020 , 18, 2295-2304.e2 | 6.9 | 5 |
| 60 | Ombitasvir/paritaprevir/ritonavir & dasabuvir \square ribavirin following protease inhibitors failure - a prospective multi-centre trial. <i>BMC Infectious Diseases</i> , 2020 , 20, 264 | 4 | 4 |
| 59 | Effect of liver fibrosis on survival in patients with intrahepatic cholangiocarcinoma: a SEER population-based study. <i>Oncotarget</i> , 2020 , 11, 4438-4447 | 3.3 | 2 |

| | | | |
|----|--|------|-----|
| 58 | Longitudinal decrease in platelet counts as a surrogate marker of liver fibrosis. <i>World Journal of Gastroenterology</i> , 2020 , 26, 5849-5862 | 5.6 | 3 |
| 57 | Older age, longer procedures and tandem endoscopic-ultrasound as risk factors for post-endoscopic retrograde cholangiopancreatography bacteremia. <i>World Journal of Gastroenterology</i> , 2020 , 26, 6402-6413 | 5.6 | 2 |
| 56 | Emergency department targeted screening for hepatitis C does not improve linkage to care. <i>World Journal of Gastroenterology</i> , 2020 , 26, 4878-4888 | 5.6 | 0 |
| 55 | High Intake of Phenolic Acids Is Associated With Reduced Risk of Colorectal Adenomas Among Smokers. <i>Clinical Gastroenterology and Hepatology</i> , 2020 , 18, 1893-1895.e3 | 6.9 | 1 |
| 54 | Evaluation of muscarinic acetylcholine receptor type β gene polymorphisms in patients with primary biliary cholangitis and primary sclerosing cholangitis. <i>Hepatology Research</i> , 2020 , 50, 321-329 | 5.1 | 2 |
| 53 | Ultra-Processed Food Intake and Smoking Interact in Relation with Colorectal Adenomas. <i>Nutrients</i> , 2020 , 12, | 6.7 | 7 |
| 52 | Identification and Characterization of Nonalcoholic Fatty Liver Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2020 , 18, 1887-1889 | 6.9 | 2 |
| 51 | A healthy lifestyle pattern has a protective association with colorectal polyps. <i>European Journal of Clinical Nutrition</i> , 2020 , 74, 328-337 | 5.2 | 2 |
| 50 | Efficacy and Safety of Elbasvir/Grazoprevir in Hepatitis C Virus GT1- and GT4-Infected People Aged 65 Years or Older. <i>Gerontology and Geriatric Medicine</i> , 2019 , 5, 2333721418817398 | 2.3 | 2 |
| 49 | Low serum vitamin D is independently associated with unexplained elevated ALT only among non-obese men in the general population. <i>Annals of Hepatology</i> , 2019 , 18, 578-584 | 3.1 | 5 |
| 48 | High frequency of multiclass HCV resistance-associated mutations in patients failing direct-acting antivirals: real-life data. <i>Antiviral Therapy</i> , 2019 , 24, 221-228 | 1.6 | 5 |
| 47 | Ga-PSMA is a novel PET-CT tracer for imaging of hepatocellular carcinoma: A prospective pilot study. <i>Journal of Nuclear Medicine</i> , 2019 , 60, 185-191 | 8.9 | 46 |
| 46 | Resection vs Transplant Listing for Hepatocellular Carcinoma: An Intention-to-Treat Analysis. <i>Transplantation Proceedings</i> , 2019 , 51, 1867-1873 | 1.1 | 2 |
| 45 | Prospective Longitudinal Trends in Body Composition and Clinical Outcomes 3Years Following Sleeve Gastrectomy. <i>Obesity Surgery</i> , 2019 , 29, 3833-3841 | 3.7 | 10 |
| 44 | Dietary vitamin E and C intake is inversely associated with the severity of nonalcoholic fatty liver disease. <i>Digestive and Liver Disease</i> , 2019 , 51, 1698-1705 | 3.3 | 26 |
| 43 | Lipid-Associated Macrophages Control Metabolic Homeostasis in a Trem2-Dependent Manner. <i>Cell</i> , 2019 , 178, 686-698.e14 | 56.2 | 291 |
| 42 | Hepatocellular carcinoma in the post-hepatitis C virus era: Should we change the paradigm?. <i>World Journal of Gastroenterology</i> , 2019 , 25, 3929-3940 | 5.6 | 20 |
| 41 | Serum Soluble Receptor for AGE (sRAGE) Levels Are Associated With Unhealthy Lifestyle and Nonalcoholic Fatty Liver Disease. <i>Clinical and Translational Gastroenterology</i> , 2019 , 10, 1-10 | 4.2 | 6 |

| | | | |
|----|--|------|-----|
| 40 | The role of the microbiome in NAFLD and NASH. <i>EMBO Molecular Medicine</i> , 2019 , 11, | 12 | 185 |
| 39 | Circulating Endocannabinoids Are Reduced Following Bariatric Surgery and Associated with Improved Metabolic Homeostasis in Humans. <i>Obesity Surgery</i> , 2019 , 29, 268-276 | 3.7 | 15 |
| 38 | Obesity-related acetylcholinesterase elevation is reversed following laparoscopic sleeve gastrectomy. <i>International Journal of Obesity</i> , 2019 , 43, 297-305 | 5.5 | 5 |
| 37 | Progression and new onset of nonalcoholic fatty liver disease in living kidney donors compared to healthy controls. <i>Clinical Transplantation</i> , 2018 , 32, e13240 | 3.8 | 1 |
| 36 | High red and processed meat consumption is associated with non-alcoholic fatty liver disease and insulin resistance. <i>Journal of Hepatology</i> , 2018 , 68, 1239-1246 | 13.4 | 109 |
| 35 | Are transient and shear wave elastography useful tools in Gaucher disease?. <i>Blood Cells, Molecules, and Diseases</i> , 2018 , 68, 143-147 | 2.1 | 12 |
| 34 | Effects of Mild to Severe Hepatic Impairment on the Pharmacokinetics of Sonidegib: A Multicenter, Open-Label, Parallel-Group Study. <i>Clinical Pharmacokinetics</i> , 2018 , 57, 345-354 | 6.2 | 15 |
| 33 | Analysis of aggressiveness factors in hepatocellular carcinoma patients undergoing transarterial chemoembolization. <i>World Journal of Gastroenterology</i> , 2018 , 24, 1641-1649 | 5.6 | 6 |
| 32 | Personalized Gut Mucosal Colonization Resistance to Empiric Probiotics Is Associated with Unique Host and Microbiome Features. <i>Cell</i> , 2018 , 174, 1388-1405.e21 | 56.2 | 628 |
| 31 | Post-Antibiotic Gut Mucosal Microbiome Reconstitution Is Impaired by Probiotics and Improved by Autologous FMT. <i>Cell</i> , 2018 , 174, 1406-1423.e16 | 56.2 | 475 |
| 30 | The Critical Role of Chemokine (C-C Motif) Receptor 2-Positive Monocytes in Autoimmune Cholangitis. <i>Frontiers in Immunology</i> , 2018 , 9, 1852 | 8.4 | 5 |
| 29 | POLD1 and POLE Gene Mutations in Jewish Cohorts of Early-Onset Colorectal Cancer and of Multiple Colorectal Adenomas. <i>Diseases of the Colon and Rectum</i> , 2018 , 61, 1073-1079 | 3.1 | 12 |
| 28 | Crohn's Disease Behavior and Location is Altered when Associated with Primary Sclerosing Cholangitis. <i>Israel Medical Association Journal</i> , 2018 , 20, 25-29 | 0.9 | 5 |
| 27 | Protective role of soluble receptor for advanced glycation end-products in patients with non-alcoholic fatty liver disease. <i>Digestive and Liver Disease</i> , 2017 , 49, 523-529 | 3.3 | 7 |
| 26 | HCV genotype-1 subtypes and resistance-associated substitutions in drug-naïve and in direct-acting antiviral treatment failure patients. <i>Antiviral Therapy</i> , 2017 , 22, 431-441 | 1.6 | 8 |
| 25 | Do Bariatric Patients Follow Dietary and Lifestyle Recommendations during the First Postoperative Year?. <i>Obesity Surgery</i> , 2017 , 27, 2258-2271 | 3.7 | 30 |
| 24 | Distinct Metabolic Profiles are Associated with Colorectal Adenomas and Serrated Polyps. <i>Obesity</i> , 2017 , 25 Suppl 2, S72-S80 | 8 | 13 |
| 23 | Role of illness perception and self-efficacy in lifestyle modification among non-alcoholic fatty liver disease patients. <i>World Journal of Gastroenterology</i> , 2017 , 23, 1881-1890 | 5.6 | 32 |

| | | | |
|----|---|------|-----|
| 22 | Hepatic Amiodarone Lipotoxicity Is Ameliorated by Genetic and Pharmacological Inhibition of Endoplasmatic Reticulum Stress. <i>Toxicological Sciences</i> , 2017 , 159, 402-412 | 4.4 | 8 |
| 21 | Sortilin Deficiency Reduces Ductular Reaction, Hepatocyte Apoptosis, and Liver Fibrosis in Cholestatic-Induced Liver Injury. <i>American Journal of Pathology</i> , 2017 , 187, 122-133 | 5.8 | 14 |
| 20 | Serum levels of endocannabinoids are independently associated with nonalcoholic fatty liver disease. <i>Obesity</i> , 2017 , 25, 94-101 | 8 | 25 |
| 19 | Inadequate protein intake after laparoscopic sleeve gastrectomy surgery is associated with a greater fat free mass loss. <i>Surgery for Obesity and Related Diseases</i> , 2017 , 13, 101-109 | 3 | 27 |
| 18 | Non-alcoholic fatty liver disease is not associated with a lower health perception. <i>World Journal of Gastroenterology</i> , 2016 , 22, 4362-72 | 5.6 | 16 |
| 17 | Clinical management of acute liver failure: Results of an international multi-center survey. <i>World Journal of Gastroenterology</i> , 2016 , 22, 7595-603 | 5.6 | 29 |
| 16 | Response to The relationship between serum uric acid levels and NAFLD. <i>Liver International</i> , 2016 , 36, 769-70 | 7.9 | 1 |
| 15 | Microbiota Diurnal Rhythmicity Programs Host Transcriptome Oscillations. <i>Cell</i> , 2016 , 167, 1495-1510.e13-2 | 13.2 | 410 |
| 14 | Elbasvir-Grazoprevir to Treat Hepatitis C Virus Infection in Persons Receiving Opioid Agonist Therapy: A Randomized Trial. <i>Annals of Internal Medicine</i> , 2016 , 165, 625-634 | 8 | 260 |
| 13 | Nutritional Status Prior to Laparoscopic Sleeve Gastrectomy Surgery. <i>Obesity Surgery</i> , 2016 , 26, 2119-2137 | 3.7 | 32 |
| 12 | Nuclear receptors control pro-viral and antiviral metabolic responses to hepatitis C virus infection. <i>Nature Chemical Biology</i> , 2016 , 12, 1037-1045 | 11.7 | 32 |
| 11 | Non-alcoholic fatty liver and the gut microbiota. <i>Molecular Metabolism</i> , 2016 , 5, 782-94 | 8.8 | 140 |
| 10 | Long-term culture and expansion of primary human hepatocytes. <i>Nature Biotechnology</i> , 2015 , 33, 1264-1271 | 17.1 | 100 |
| 9 | Efficacy and safety of 8 weeks versus 12 weeks of treatment with grazoprevir (MK-5172) and elbasvir (MK-8742) with or without ribavirin in patients with hepatitis C virus genotype 1 mono-infection and HIV/hepatitis C virus co-infection (C-WORTHY): a randomised, open-label phase 2 trial. <i>Lancet, The</i> , 2015 , 385, 1887-97 | 40 | 239 |
| 8 | Coffee consumption and nonalcoholic fatty liver onset: a prospective study in the general population. <i>Translational Research</i> , 2015 , 165, 428-36 | 11 | 47 |
| 7 | The association between the serum levels of uric acid and alanine aminotransferase in a population-based cohort. <i>Liver International</i> , 2015 , 35, 2408-15 | 7.9 | 16 |
| 6 | Drug Induced Steatohepatitis: An Uncommon Culprit of a Common Disease. <i>BioMed Research International</i> , 2015 , 2015, 168905 | 3 | 68 |
| 5 | Treatment of hepatocellular carcinoma: Steps forward but still a long way to go. <i>World Journal of Hepatology</i> , 2015 , 7, 566-74 | 3.4 | 38 |

| | | | |
|---|---|------|-----|
| 4 | Human and mouse VEGFA-amplified hepatocellular carcinomas are highly sensitive to sorafenib treatment. <i>Cancer Discovery</i> , 2014 , 4, 730-43 | 24.4 | 137 |
| 3 | The combination of MK-5172, peginterferon, and ribavirin is effective in treatment-naive patients with hepatitis C virus genotype 1 infection without cirrhosis. <i>Gastroenterology</i> , 2014 , 147, 366-76.e6 | 13.3 | 37 |
| 2 | Infiltrating monocyte-derived macrophages and resident kupffer cells display different ontogeny and functions in acute liver injury. <i>Journal of Immunology</i> , 2014 , 193, 344-53 | 5.3 | 277 |
| 1 | Effect of resistance training on non-alcoholic fatty-liver disease a randomized-clinical trial. <i>World Journal of Gastroenterology</i> , 2014 , 20, 4382-92 | 5.6 | 77 |