
## Karen Watanabe Duffy

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7220242/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The outcomes of juvenile idiopathic arthritis in children managed with contemporary treatments: results from the ReACCh-Out cohort. Annals of the Rheumatic Diseases, 2015, 74, 1854-1860.	0.9	192
2	The risk and nature of flares in juvenile idiopathic arthritis: results from the ReACCh-Out cohort. Annals of the Rheumatic Diseases, 2016, 75, 1092-1098.	0.9	72
3	Healthâ€Related Quality of Life in an Inception Cohort of Children With Juvenile Idiopathic Arthritis: A Longitudinal Analysis. Arthritis Care and Research, 2018, 70, 134-144.	3.4	50
4	Growth and weight gain in children with juvenile idiopathic arthritis: results from the ReACCh-Out cohort. Pediatric Rheumatology, 2017, 15, 68.	2.1	39
5	Trajectories of pain severity in juvenile idiopathic arthritis: results from the Research in Arthritis in Canadian Children Emphasizing Outcomes cohort. Pain, 2018, 159, 57-66.	4.2	29
6	Prospective Determination of the Incidence and Risk Factors of Newâ€Onset Uveitis in Juvenile Idiopathic Arthritis: The Research in Arthritis in Canadian Children Emphasizing Outcomes Cohort. Arthritis Care and Research, 2019, 71, 1436-1443.	3.4	26
7	Predicting Which Children with Juvenile Idiopathic Arthritis Will Not Attain Early Remission with Conventional Treatment: Results from the ReACCh-Out Cohort. Journal of Rheumatology, 2019, 46, 628-635.	2.0	24
8	Imaging findings of sterile pyogenic arthritis, pyoderma gangrenosum and acne (PAPA) syndrome: differential diagnosis and review of the literature. Pediatric Radiology, 2019, 49, 23-36.	2.0	21
9	Realâ€World Effectiveness of Common Treatment Strategies for Juvenile Idiopathic Arthritis: Results From a Canadian Cohort. Arthritis Care and Research, 2020, 72, 897-906.	3.4	14
10	Clinical and associated inflammatory biomarker features predictive of short-term outcomes in non-systemic juvenile idiopathic arthritis. Rheumatology, 2020, 59, 2402-2411.	1.9	11
11	Associations of clinical and inflammatory biomarker clusters with juvenile idiopathic arthritis categories. Rheumatology, 2020, 59, 1066-1075.	1.9	9
12	Clinical and psychosocial stress factors are associated with decline in physical activity over time in children with juvenile idiopathic arthritis. Pediatric Rheumatology, 2021, 19, 97.	2.1	8
13	Higher concentrations of vitamin D in Canadian children with juvenile idiopathic arthritis compared to healthy controls are associated with more frequent use of vitamin D supplements and season of birth. Nutrition Research, 2021, 92, 139-149.	2.9	5
14	Development and validation of the RACER (Readiness for Adult Care in Rheumatology) transition instrument in youth with juvenile idiopathic arthritis. Pediatric Rheumatology, 2021, 19, 83.	2.1	4
15	Mononeuritis multiplex associated with minocycline in an adolescent. Muscle and Nerve, 2017, 56, E33-E35.	2.2	3
16	A64: Patient-Reported Side Effects with Weekly Injections of Methotrexate in Tertiary Care Rheumatology Clinic. Arthritis and Rheumatology, 2014, 66, S94-S94.	5.6	1
17	Sensitivity, specificity, and reliability of the Get Active Questionnaire for identifying children with medically necessary special considerations for physical activity. Applied Physiology, Nutrition and Metabolism, 2019, 44, 736-743.	1.9	1
18	A65: Procedural Pain with Weekly Injections of Subcutaneous Methotrexate in Children with Rheumatic Disorders. Arthritis and Rheumatology, 2014, 66, S95-S95.	5.6	0

#	Article	IF	CITATIONS
19	Soluble Low-density Lipoprotein Receptor-related Protein 1 in Juvenile Idiopathic Arthritis. Journal of Rheumatology, 2021, 48, 760-766.	2.0	Ο