Richard C Gershon

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7221588/publications.pdf

Version: 2024-02-01

80 papers

12,328 citations

66343 42 h-index 79 g-index

83 all docs 83 docs citations

times ranked

83

15154 citing authors

#	Article	IF	CITATIONS
1	ARMADA: Assessing reliable measurement in Alzheimer's disease and cognitive aging project methods. Alzheimer's and Dementia, 2022, 18, 1449-1460.	0.8	9
2	Lessons from Detecting Cognitive Impairment Including Dementia (DetectCID) in Primary Care. Journal of Alzheimer's Disease, 2022, 86, 655-665.	2.6	5
3	Youth Well-being During the COVID-19 Pandemic. Pediatrics, 2022, 149, .	2.1	23
4	New complementary perspectives for inpatient physical function assessment: matched clinician-report and patient-report short form measures from the PROMIS adult physical function item bank. Quality of Life Research, 2022, , 1.	3.1	0
5	Challenges in Participant Engagement and Retention Using Mobile Health Apps: Literature Review. Journal of Medical Internet Research, 2022, 24, e35120.	4.3	91
6	The Mobile Toolbox for monitoring cognitive function. Lancet Neurology, The, 2022, 21, 589-590.	10.2	10
7	Reliability and Validity of the Spanish-Language Version of the NIH Toolbox. Assessment, 2021, 28, 457-471.	3.1	12
8	Recommendations for Assessment of Social, Emotional, and Behavioral Health for the National Children's Study. Frontiers in Pediatrics, 2021, 9, 624524.	1.9	3
9	Developing a common metric for depression across adulthood: Linking PROMIS depression with the Edinburgh Postnatal Depression Scale Psychological Assessment, 2021, 33, 610-618.	1.5	16
10	Validation of the NIH Toolbox Cognitive Battery in intellectual disability. Neurology, 2020, 94, e1229-e1240.	1.1	44
11	The NIH Toolbox: Overview of Development for Use with Hispanic Populations. Journal of the International Neuropsychological Society, 2020, 26, 567-575.	1.8	12
12	PROMIS® Adult Health Profiles: Efficient Short-Form Measures of Seven Health Domains. Value in Health, 2019, 22, 537-544.	0.3	335
13	Validation of PROMIS Physical Function Instruments in Patients With an Orthopaedic Trauma to a Lower Extremity. Journal of Orthopaedic Trauma, 2019, 33, 377-383.	1.4	47
14	Linking the Child Behavior Checklist (CBCL) with the Multidimensional Assessment Profile of Disruptive Behavior (MAP-DB): Advancing a Dimensional Spectrum Approach to Disruptive Behavior. Journal of Child and Family Studies, 2019, 28, 343-353.	1.3	23
15	The expansion and validation of a new upper extremity item bank for the Patient-Reported Outcomes Measurement Information System® (PROMIS). Journal of Patient-Reported Outcomes, 2019, 3, 69.	1.9	31
16	AO Patient Outcomes Center: Design, Implementation, and Evaluation of a Software Application for the Collection of Patient-Reported Outcome Measures in Orthopedic Outpatient Clinics. JMIR Formative Research, 2019, 3, e10880.	1.4	8
17	Measurement framework for the Environmental influences on Child Health Outcomes research program. Current Opinion in Pediatrics, 2018, 30, 276-284.	2.0	28
18	Normative Two-Minute Walk Test Distances for Boys and Girls 3 to 17ÂYears of Age. Physical and Occupational Therapy in Pediatrics, 2018, 38, 39-45.	1.3	22

#	Article	IF	CITATIONS
19	Grooming a CAT: customizing CAT administration rules to increase response efficiency in specific research and clinical settings. Quality of Life Research, 2018, 27, 2403-2413.	3.1	5
20	Patient-reported outcome measures in Huntington disease: Quality of life in neurological disorders (Neuro-QoL) social functioning measures Psychological Assessment, 2018, 30, 450-458.	1.5	9
21	Performance of Hispanics and Non-Hispanic Whites on the NIH Toolbox Cognition Battery: the roles of ethnicity and language backgrounds. Clinical Neuropsychologist, 2017, 31, 783-797.	2.3	37
22	Longitudinal Validation of the PROMIS Physical Function Item Bank in Upper Extremity Trauma. Journal of Orthopaedic Trauma, 2017, 31, e321-e326.	1.4	43
23	Handgrip Strength: A Population-Based Study of Norms and Age Trajectories for 3- to 17-Year-Olds. Pediatric Physical Therapy, 2017, 29, 118-123.	0.6	55
24	Interpreting Patterns of Low Scores on the NIH Toolbox Cognition Battery. Archives of Clinical Neuropsychology, 2017, 32, 574-584.	0.5	45
25	Motor-free composites from the National Institutes of Health Toolbox Cognition Battery (NIHTB-CB) for people with disabilities Rehabilitation Psychology, 2017, 62, 464-473.	1.3	9
26	Construct validity of the NIH Toolbox Cognition Battery in individuals with stroke Rehabilitation Psychology, 2017, 62, 443-454.	1.3	40
27	NIH toolbox premorbid ability adjustments: Application in a traumatic brain injury sample Rehabilitation Psychology, 2017, 62, 496-508.	1.3	10
28	TBI-QOL. Journal of Head Trauma Rehabilitation, 2016, 31, 40-51.	1.7	127
29	Hand-related physical function in rheumatic hand conditions: a protocol for developing a patient-reported outcome measurement instrument: TableÂ1. BMJ Open, 2016, 6, e011174.	1.9	2
30	Demographically Corrected Normative Standards for the Spanish Language Version of the NIH Toolbox Cognition Battery. Journal of the International Neuropsychological Society, 2016, 22, 364-374.	1.8	47
31	The NIH Toolbox Cognitive Battery for intellectual disabilities: three preliminary studies and future directions. Journal of Neurodevelopmental Disorders, 2016, 8, 35.	3.1	96
32	The NIH Toolbox Pattern Comparison Processing Speed Test: Normative Data. Archives of Clinical Neuropsychology, 2015, 30, 359-368.	0.5	71
33	Demographically Corrected Normative Standards for the English Version of the NIH Toolbox Cognition Battery. Journal of the International Neuropsychological Society, 2015, 21, 378-391.	1.8	185
34	Overview of the Spinal Cord Injury – Quality of Life (SCI-QOL) measurement system. Journal of Spinal Cord Medicine, 2015, 38, 257-269.	1.4	127
35	Methodology for the development and calibration of the SCI-QOL item banks. Journal of Spinal Cord Medicine, 2015, 38, 270-287.	1.4	41
36	Two-Minute Walk Test Performance by Adults 18 to 85 Years: Normative Values, Reliability, andÂResponsiveness. Archives of Physical Medicine and Rehabilitation, 2015, 96, 472-477.	0.9	156

3

#	Article	IF	CITATIONS
37	Bringing <scp>PROMIS</scp> to practice: Brief and precise symptom screening in ambulatory cancer care. Cancer, 2015, 121, 927-934.	4.1	179
38	Dexterity as measured with the 9-Hole Peg Test (9-HPT) across the age span. Journal of Hand Therapy, 2015, 28, 53-60.	1.5	101
39	Self-Efficacy Buffers the Relationship between Educational Disadvantage and Executive Functioning. Journal of the International Neuropsychological Society, 2015, 21, 297-304.	1.8	25
40	Measuring Episodic Memory Across the Lifespan: NIH Toolbox Picture Sequence Memory Test. Journal of the International Neuropsychological Society, 2014, 20, 611-619.	1.8	99
41	PASTOR/PROMIS (sup > \hat{A}^{\otimes} (sup > pain outcomes system: what does it mean to pain specialists?. Pain Management, 2014, 4, 277-283.	1.5	36
42	NIH Toolbox Cognition Battery (NIHTB-CB): List Sorting Test to Measure Working Memory. Journal of the International Neuropsychological Society, 2014, 20, 599-610.	1.8	121
43	Depressive Symptoms Are More Strongly Related to Executive Functioning and Episodic Memory Among African American compared with Non-Hispanic White Older Adults. Archives of Clinical Neuropsychology, 2014, 29, 663-669.	0.5	25
44	Which Psychosocial Factors Best Predict Cognitive Performance in Older Adults?. Journal of the International Neuropsychological Society, 2014, 20, 487-495.	1.8	49
45	Reliability and Validity of Composite Scores from the NIH Toolbox Cognition Battery in Adults. Journal of the International Neuropsychological Society, 2014, 20, 588-598.	1.8	303
46	Factor Structure, Convergent Validity, and Discriminant Validity of the NIH Toolbox Cognitive Health Battery (NIHTB-CHB) in Adults. Journal of the International Neuropsychological Society, 2014, 20, 579-587.	1.8	71
47	Language Measures of the NIH Toolbox Cognition Battery. Journal of the International Neuropsychological Society, 2014, 20, 642-651.	1.8	114
48	NIH Toolbox Cognitive Battery (NIHTB-CB): The NIHTB Pattern Comparison Processing Speed Test. Journal of the International Neuropsychological Society, 2014, 20, 630-641.	1.8	70
49	The Cognition Battery of the NIH Toolbox for Assessment of Neurological and Behavioral Function: Validation in an Adult Sample. Journal of the International Neuropsychological Society, 2014, 20, 567-578.	1.8	241
50	NIH Toolbox Cognition Battery (CB): Validation of Executive Function Measures in Adults. Journal of the International Neuropsychological Society, 2014, 20, 620-629.	1.8	206
51	Setting standards for severity of common symptoms in oncology using the PROMIS item banks and expert judgment. Quality of Life Research, 2014, 23, 2651-2661.	3.1	141
52	Development of a vision-targeted health-related quality of life item measure. Quality of Life Research, 2013, 22, 2477-2487.	3.1	19
53	ISOQOL recommends minimum standards for patient-reported outcome measures used in patient-centered outcomes and comparative effectiveness research. Quality of Life Research, 2013, 22, 1889-1905.	3.1	613
54	Cognition assessment using the NIH Toolbox. Neurology, 2013, 80, S54-64.	1.1	907

#	Article	IF	CITATIONS
55	Motor assessment using the NIH Toolbox. Neurology, 2013, 80, S65-75.	1.1	167
56	NIH Toolbox for Assessment of Neurological and Behavioral Function. Neurology, 2013, 80, S2-6.	1.1	612
57	VII. NIH TOOLBOX COGNITION BATTERY (CB): FACTOR STRUCTURE FOR 3 TO 15 YEAR OLDS. Monographs of the Society for Research in Child Development, 2013, 78, 103-118.	6.8	50
58	VIII. NIH TOOLBOX COGNITION BATTERY (CB): COMPOSITE SCORES OF CRYSTALLIZED, FLUID, AND OVERALL COGNITION. Monographs of the Society for Research in Child Development, 2013, 78, 119-132.	6.8	194
59	IV. NIH TOOLBOX COGNITION BATTERY (CB): MEASURING LANGUAGE (VOCABULARY COMPREHENSION AND) T	j ETQq1 1	0.784314 rg
60	Norming plans for the NIH Toolbox. Neurology, 2013, 80, S87-92.	1.1	84
61	Pain assessment using the NIH Toolbox. Neurology, 2013, 80, S49-53.	1.1	104
62	Grip and Knee extension muscle strength reflect a common construct among adults. Muscle and Nerve, 2012, 46, 555-558.	2.2	202
63	Feasibility and Construct Validity of PROMIS and "Legacy―Instruments in an Academic Scleroderma Clinic. Value in Health, 2012, 15, 128-134.	0.3	70
64	Neuro-QOL: quality of life item banks for adults with neurological disorders: item development and calibrations based upon clinical and general population testing. Quality of Life Research, 2012, 21, 475-486.	3.1	270
65	How Item Banks and Their Application Can Influence Measurement Practice in Rehabilitation Medicine: A PROMIS Fatigue Item Bank Example. Archives of Physical Medicine and Rehabilitation, 2011, 92, S20-S27.	0.9	258
66	Testing of knee extension muscle strength: A comparison of two portable alternatives for the NIH toolbox study. Isokinetics and Exercise Science, 2011, 19, 163-168.	0.4	8
67	Use of Computer Adaptive Testing in the Development of Machine Learning Algorithms: Table 1. Pain Medicine, 2011, 12, 1450-1452.	1.9	9
68	Assessing Dexterity Function: A Comparison of Two Alternatives for the NIH Toolbox. Journal of Hand Therapy, 2011, 24, 313-321.	1.5	154
69	Sit-to-stand test: Performance and determinants across the age-span. Isokinetics and Exercise Science, 2010, 18, 235-240.	0.4	215
70	The development of a clinical outcomes survey research application: Assessment CenterSM. Quality of Life Research, 2010, 19, 677-685.	3.1	147
71	The impact of next and back buttons on time to complete and measurement reliability in computer-based surveys. Quality of Life Research, 2010, 19, 1181-1184.	3.1	19
72	Representativeness of the Patient-Reported Outcomes Measurement Information System Internet panel. Journal of Clinical Epidemiology, 2010, 63, 1169-1178.	5.0	383

#	Article	IF	CITATION
73	The Patient-Reported Outcomes Measurement Information System (PROMIS) developed and tested its first wave of adult self-reported health outcome item banks: 2005–2008. Journal of Clinical Epidemiology, 2010, 63, 1179-1194.	5.0	3,521
74	The use of PROMIS and assessment center to deliver patient-reported outcome measures in clinical research. Journal of Applied Measurement, 2010, 11, 304-14.	0.3	164
7 5	Article 7: Filling the National Institutes of Health's Toolbox: Defining Priorities and Selecting Measures for a Uniform Assessment Battery of Neurologic and Behavioral Function. Archives of Physical Medicine and Rehabilitation, 2008, 89, e2-e3.	0.9	O
76	Developing patient-reported outcome measures for pain clinical trials: IMMPACT recommendations. Pain, 2006, 125, 208-215.	4.2	255
77	Procedures for the Analysis of Differential Item Functioning (DIF) for Small Sample Sizes. Evaluation and the Health Professions, 2005, 28, 283-294.	1.9	67
78	An item bank was created to improve the measurement of cancer-related fatigue. Journal of Clinical Epidemiology, 2005, 58, 190-197.	5.0	68
79	Item response theory and health-related quality of life in cancer. Expert Review of Pharmacoeconomics and Outcomes Research, 2003, 3, 783-791.	1.4	23
80	Altering the Level of Difficulty in Computer Adaptive Testing. Applied Measurement in Education, 1992, 5, 137-149.	1.1	29