

# Josã© Jãºlio Costa Sidrim

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7222120/publications.pdf>

Version: 2024-02-01

90  
papers

1,666  
citations

257101

24  
h-index

377514

34  
g-index

90  
all docs

90  
docs citations

90  
times ranked

1923  
citing authors

#	ARTICLE	IF	CITATIONS
1	Collateral consequences of agricultural fungicides on pathogenic yeasts: A One Health perspective to tackle azole resistance. <i>Mycoses</i> , 2022, 65, 303-311.	1.8	18
2	Inhibitory effect of proteinase K against dermatophyte biofilms: an alternative for increasing the antifungal effects of terbinafine and griseofulvin. <i>Biofouling</i> , 2022, 38, 286-297.	0.8	4
3	Biofilm formation on cat claws by <i>Sporothrix</i> species: An ex vivo model. <i>Microbial Pathogenesis</i> , 2021, 150, 104670.	1.3	11
4	Essential oils encapsulated in chitosan microparticles against <i>Candida albicans</i> biofilms. <i>International Journal of Biological Macromolecules</i> , 2021, 166, 621-632.	3.6	30
5	Antifungal activity of deferiprone and EDTA against <i>Sporothrix</i> spp.: Effect on planktonic growth and biofilm formation. <i>Medical Mycology</i> , 2021, 59, 537-544.	0.3	1
6	Antifungal effect of anthraquinones against <i>Cryptococcus neoformans</i> : detection of synergism with amphotericin B. <i>Medical Mycology</i> , 2021, 59, 564-570.	0.3	8
7	Yeast microbiota of free-ranging amphibians and reptiles from Caatinga biome in Ceará State, Northeast Brazil: High pathogenic potential of <i>Candida famata</i> . <i>Ciência Rural</i> , 2021, 51, .	0.3	1
8	Vancomycin enhances growth and virulence of <i>Trichosporon</i> spp. planktonic cells and biofilms. <i>Medical Mycology</i> , 2021, 59, 793-801.	0.3	1
9	Atypical chlamydoconidium-producing <i>Trichophyton tonsurans</i> strains from Ceará State, Northeast Brazil: investigation of taxonomy by phylogenetic analysis and biofilm susceptibility. <i>Microbiology (United Kingdom)</i> , 2021, 167, .	0.7	2
10	Azole-Resilient Biofilms and Non-wild Type <i>C. albicans</i> Among <i>Candida</i> Species Isolated from Agricultural Soils Cultivated with Azole Fungicides: an Environmental Issue?. <i>Microbial Ecology</i> , 2021, 82, 1080-1083.	1.4	4
11	<i>Trichosporon asahii</i> and <i>Trichosporon inkin</i> Biofilms Produce Antifungal-Tolerant Persister Cells. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021, 11, 645812.	1.8	7
12	Inhibitory effect of Brazilian red propolis on planktonic and biofilm forms of <i>Clostridioides difficile</i> . <i>Anaerobe</i> , 2021, 69, 102322.	1.0	6
13	Anthraquinones from <i>Aloe</i> spp. inhibit <i>Cryptococcus neoformans sensu stricto</i> : effects against growing and mature biofilms. <i>Biofouling</i> , 2021, 37, 809-817.	0.8	1
14	One Health Implications of Antimicrobial Resistance in Bacteria from Amazon River Dolphins. <i>EcoHealth</i> , 2021, 18, 383-396.	0.9	5
15	Antifungal activity of different molecular weight chitosans against planktonic cells and biofilm of <i>Sporothrix brasiliensis</i> . <i>International Journal of Biological Macromolecules</i> , 2020, 143, 341-348.	3.6	23
16	Exogenous fungal quorum sensing molecules inhibit planktonic cell growth and modulate filamentation and biofilm formation in the <i>Sporothrix schenckii</i> complex. <i>Biofouling</i> , 2020, 36, 909-921.	0.8	7
17	<i>In vitro</i> and <i>ex vivo</i> biofilms of dermatophytes: a new panorama for the study of antifungal drugs. <i>Biofouling</i> , 2020, 36, 783-791.	0.8	18
18	Mini-review: from <i>in vitro</i> to <i>ex vivo</i> studies: an overview of alternative methods for the study of medical biofilms. <i>Biofouling</i> , 2020, 36, 1-21.	0.8	13

#	ARTICLE	IF	CITATIONS
19	Diclofenac exhibits synergism with azoles against planktonic cells and biofilms of <i>Candida tropicalis</i> . <i>Biofouling</i> , 2020, 36, 528-536.	0.8	6
20	<i>Cryptococcus neoformans</i> / <i>Cryptococcus gattii</i> species complex melanized by epinephrine: Increased yeast survival after amphotericin B exposure. <i>Microbial Pathogenesis</i> , 2020, 143, 104123.	1.3	7
21	Efflux pump inhibition controls growth and enhances antifungal susceptibility of <i>Fusarium solani</i> species complex. <i>Future Microbiology</i> , 2020, 15, 9-20.	1.0	8
22	Proposal for a microcosm biofilm model for the study of vulvovaginal candidiasis. <i>Biofouling</i> , 2020, 36, 610-620.	0.8	4
23	Antifungal activity of promethazine and chlorpromazine against planktonic cells and biofilms of <i>Cryptococcus neoformans</i> / <i>Cryptococcus gattii</i> complex species. <i>Medical Mycology</i> , 2020, 58, 906-912.	0.3	10
24	Azole resistance in <i>Candida</i> from animals calls for the One Health approach to tackle the emergence of antimicrobial resistance. <i>Medical Mycology</i> , 2020, 58, 896-905.	0.3	11
25	The yeast, the antifungal, and the wardrobe: a journey into antifungal resistance mechanisms of <i>Candida tropicalis</i> . <i>Canadian Journal of Microbiology</i> , 2020, 66, 377-388.	0.8	15
26	In vitro inhibitory effect of statins on planktonic cells and biofilms of the <i>Sporothrix schenckii</i> species complex. <i>Journal of Medical Microbiology</i> , 2020, 69, 838-843.	0.7	3
27	Darunavir inhibits <i>Cryptococcus neoformans</i> / <i>Cryptococcus gattii</i> species complex growth and increases the susceptibility of biofilms to antifungal drugs. <i>Journal of Medical Microbiology</i> , 2020, 69, 830-837.	0.7	4
28	Rhamnolipid enhances <i>Burkholderia pseudomallei</i> biofilm susceptibility, disassembly and production of virulence factors. <i>Future Microbiology</i> , 2020, 15, 1109-1121.	1.0	11
29	Cefepime and Amoxicillin Increase Metabolism and Enhance Caspofungin Tolerance of <i>Candida albicans</i> Biofilms. <i>Frontiers in Microbiology</i> , 2019, 10, 1337.	1.5	7
30	<i>Ex vivo</i> biofilm-forming ability of dermatophytes using dog and cat hair: an ethically viable approach for an infection model. <i>Biofouling</i> , 2019, 35, 392-400.	0.8	17
31	Antifungal effects of the flavonoids kaempferol and quercetin: a possible alternative for the control of fungal biofilms. <i>Biofouling</i> , 2019, 35, 320-328.	0.8	73
32	Proton pump inhibitors versus <i>Cryptococcus</i> species: effects on <i>in vitro</i> susceptibility and melanin production. <i>Future Microbiology</i> , 2019, 14, 489-497.	1.0	5
33	Sodium butyrate inhibits planktonic cells and biofilms of <i>Trichosporon</i> spp.. <i>Microbial Pathogenesis</i> , 2019, 130, 219-225.	1.3	15
34	Terpinen-4-ol inhibits the growth of <i>Sporothrix schenckii</i> complex and exhibits synergism with antifungal agents. <i>Future Microbiology</i> , 2019, 14, 1221-1233.	1.0	9
35	Chlorpromazine-impregnated catheters as a potential strategy to control biofilm-associated urinary tract infections. <i>Future Microbiology</i> , 2019, 14, 1023-1034.	1.0	12
36	Exposure of <i>Candida parapsilosis</i> complex to agricultural azoles: An overview of the role of environmental determinants for the development of resistance. <i>Science of the Total Environment</i> , 2019, 650, 1231-1238.	3.9	18

#	ARTICLE	IF	CITATIONS
37	Potassium iodide and miltefosine inhibit biofilms of <i>Sporothrix schenckii</i> species complex in yeast and filamentous forms. <i>Medical Mycology</i> , 2019, 57, 764-772.	0.3	19
38	In vitro effects of promethazine on cell morphology and structure and mitochondrial activity of azole-resistant <i>Candida tropicalis</i> . <i>Medical Mycology</i> , 2018, 56, 1012-1022.	0.3	7
39	In vitro activity of azole derivatives and griseofulvin against planktonic and biofilm growth of clinical isolates of dermatophytes. <i>Mycoses</i> , 2018, 61, 449-454.	1.8	18
40	Effect of the molecular weight of chitosan on its antifungal activity against <i>Candida</i> spp. in planktonic cells and biofilm. <i>Carbohydrate Polymers</i> , 2018, 195, 662-669.	5.1	54
41	A proposal for antifungal epidemiological cut-off values against <i>Histoplasma capsulatum</i> var. <i>capsulatum</i> based on the susceptibility of isolates from HIV-infected patients with disseminated histoplasmosis in Northeast Brazil. <i>International Journal of Antimicrobial Agents</i> , 2018, 52, 272-277.	1.1	6
42	Inhibitory effect of a lipopeptide biosurfactant produced by <i>Bacillus subtilis</i> on planktonic and sessile cells of <i>Trichosporon</i> spp.. <i>Biofouling</i> , 2018, 34, 309-319.	0.8	16
43	Antifungal susceptibility of <i>Sporothrix schenckii</i> complex biofilms. <i>Medical Mycology</i> , 2018, 56, 297-306.	0.3	32
44	<i>Malassezia pachydermatis</i> from animals: Planktonic and biofilm antifungal susceptibility and its virulence arsenal. <i>Veterinary Microbiology</i> , 2018, 220, 47-52.	0.8	29
45	Pentamidine inhibits the growth of <i>Sporothrix schenckii</i> complex and exhibits synergism with antifungal agents. <i>Future Microbiology</i> , 2018, 13, 1129-1140.	1.0	16
46	β-lactam antibiotics & vancomycin increase the growth & virulence of <i>Candida</i> spp.. <i>Future Microbiology</i> , 2018, 13, 869-875.	1.0	12
47	Antifungal susceptibility and virulence of <i>Candida parapsilosis</i> species complex: an overview of their pathogenic potential. <i>Journal of Medical Microbiology</i> , 2018, 67, 903-914.	0.7	19
48	Biofilms of <i>Candida</i> spp. from the ocular conjunctiva of horses with reduced azole susceptibility: a complicating factor for the treatment of keratomycosis?. <i>Veterinary Ophthalmology</i> , 2017, 20, 539-546.	0.6	13
49	Tumor necrosis factor prevents <i>Candida albicans</i> biofilm formation. <i>Scientific Reports</i> , 2017, 7, 1206.	1.6	23
50	<i>Aeromonas</i> and <i>Plesiomonas</i> species from scarlet ibis ( <i>Eudocimus ruber</i> ) and their environment: monitoring antimicrobial susceptibility and virulence. <i>Antonie Van Leeuwenhoek</i> , 2017, 110, 33-43.	0.7	9
51	Azole resistance in <i>Candida albicans</i> from animals: Highlights on efflux pump activity and gene overexpression. <i>Mycoses</i> , 2017, 60, 462-468.	1.8	28
52	Promethazine improves antibiotic efficacy and disrupts biofilms of <i>Burkholderia pseudomallei</i> . <i>Biofouling</i> , 2017, 33, 88-97.	0.8	19
53	Clinical and environmental isolates of <i>Burkholderia pseudomallei</i> from Brazil: Genotyping and detection of virulence gene. <i>Asian Pacific Journal of Tropical Medicine</i> , 2017, 10, 945-951.	0.4	6
54	The HIV aspartyl protease inhibitor ritonavir impairs planktonic growth, biofilm formation and proteolytic activity in <i>Trichosporon</i> spp.. <i>Biofouling</i> , 2017, 33, 640-650.	0.8	18

#	ARTICLE	IF	CITATIONS
55	Research advances on the multiple uses of <i>Moringa oleifera</i> : A sustainable alternative for socially neglected population. <i>Asian Pacific Journal of Tropical Medicine</i> , 2017, 10, 621-630.	0.4	115
56	<i>Candida parapsilosis</i> complex in veterinary practice: A historical overview, biology, virulence attributes and antifungal susceptibility traits. <i>Veterinary Microbiology</i> , 2017, 212, 22-30.	0.8	14
57	Yeasts from Scarlet ibises ( <i>Eudocimus ruber</i> ): A focus on monitoring the antifungal susceptibility of <i>Candida famata</i> and closely related species. <i>Medical Mycology</i> , 2017, 55, 725-732.	0.3	9
58	Quantitative and structural analyses of the in vitro and ex vivo biofilm-forming ability of dermatophytes. <i>Journal of Medical Microbiology</i> , 2017, 66, 1045-1052.	0.7	34
59	Cross-resistance to fluconazole induced by exposure to the agricultural azole tetraconazole: an environmental resistance school?. <i>Mycoses</i> , 2016, 59, 281-290.	1.8	28
60	Enterobacteria and <i>Vibrio</i> from <i>Macrobrachium amazonicum</i> prawn farming in Fortaleza, Ceará, Brazil. <i>Asian Pacific Journal of Tropical Medicine</i> , 2016, 9, 27-31.	0.4	2
61	<i>Candida tropicalis</i> from veterinary and human sources shows similar in vitro hemolytic activity, antifungal biofilm susceptibility and pathogenesis against <i>Caenorhabditis elegans</i> . <i>Veterinary Microbiology</i> , 2016, 192, 213-219.	0.8	25
62	Terpinen-4-ol, tyrosol, and Î²-lapachone as potential antifungals against dimorphic fungi. <i>Brazilian Journal of Microbiology</i> , 2016, 47, 917-924.	0.8	40
63	RYP1 gene as a target for molecular diagnosis of histoplasmosis. <i>Journal of Microbiological Methods</i> , 2016, 130, 112-114.	0.7	9
64	Synthesis and in vitro antifungal activity of isoniazid-derived hydrazones against <i>Coccidioides posadasii</i> . <i>Microbial Pathogenesis</i> , 2016, 98, 1-5.	1.3	8
65	Antiretroviral drugs saquinavir and ritonavir reduce inhibitory concentration values of itraconazole against <i>Histoplasma capsulatum</i> strains in vitro. <i>Brazilian Journal of Infectious Diseases</i> , 2016, 20, 155-159.	0.3	9
66	In vitro susceptibility of antifungal drugs against <i>Sporothrix brasiliensis</i> recovered from cats with sporotrichosis in Brazil: Table 1.. <i>Medical Mycology</i> , 2016, 54, 275-279.	0.3	32
67	Trends in antifungal susceptibility and virulence of <i>Candida</i> spp. from the nasolacrimal duct of horses. <i>Medical Mycology</i> , 2016, 54, 147-154.	0.3	15
68	Inhibition of heat-shock protein 90 enhances the susceptibility to antifungals and reduces the virulence of <i>Cryptococcus neoformans</i> / <i>Cryptococcus gattii</i> species complex. <i>Microbiology (United Kingdom)</i> , 2016, 156, 1077-1087.	0.7	10
69	Virulence and antimicrobial susceptibility of clinical and environmental strains of <i>Aeromonas</i> spp. from northeastern Brazil. <i>Canadian Journal of Microbiology</i> , 2015, 61, 597-601.	0.8	9
70	Exogenous tyrosol inhibits planktonic cells and biofilms of <i>Candida</i> species and enhances their susceptibility to antifungals. <i>FEMS Yeast Research</i> , 2015, 15, fov012.	1.1	41
71	In vitro inhibitory activity of terpenic derivatives against clinical and environmental strains of the <i>Sporothrix schenckii</i> complex. <i>Medical Mycology</i> , 2015, 53, 93-98.	0.3	16
72	<i>Candida tropicalis</i> isolates obtained from veterinary sources show resistance to azoles and produce virulence factors. <i>Medical Mycology</i> , 2015, 53, 145-152.	0.3	51

#	ARTICLE	IF	CITATIONS
73	<i>Histoplasma capsulatum</i> in planktonic and biofilm forms: in vitro susceptibility to amphotericin B, itraconazole and farnesol. <i>Journal of Medical Microbiology</i> , 2015, 64, 394-399.	0.7	30
74	Inhibitory activity of isoniazid and ethionamide against <i>Cryptococcus</i> biofilms. <i>Canadian Journal of Microbiology</i> , 2015, 61, 827-836.	0.8	4
75	Evidence of Fluconazole-Resistant <i>Candida</i> Species in Tortoises and Sea Turtles. <i>Mycopathologia</i> , 2015, 180, 421-426.	1.3	18
76	<i>Vibrio</i> spp. from <i>Macrobrachium amazonicum</i> prawn farming are inhibited by <i>Moringa oleifera</i> extracts. <i>Asian Pacific Journal of Tropical Medicine</i> , 2015, 8, 919-922.	0.4	18
77	<i>Trichosporon inkin</i> biofilms produce extracellular proteases and exhibit resistance to antifungals. <i>Journal of Medical Microbiology</i> , 2015, 64, 1277-1286.	0.7	30
78	<i>Bipolaris hawaiiensis</i> as an emerging cause of cutaneous phaeohiphomycosis in an Antillean manatee <i>Trichechus manatus manatus</i> . <i>Diseases of Aquatic Organisms</i> , 2015, 113, 69-73.	0.5	8
79	The calcineurin inhibitor cyclosporin A exhibits synergism with antifungals against <i>Candida parapsilosis</i> species complex. <i>Journal of Medical Microbiology</i> , 2014, 63, 936-944.	0.7	31
80	Antifungal susceptibility and virulence attributes of animal-derived isolates of <i>Candida parapsilosis</i> complex. <i>Journal of Medical Microbiology</i> , 2014, 63, 1568-1572.	0.7	16
81	In vitro inhibitory effect of miltefosine against strains of <i>Histoplasma capsulatum</i> var. <i>capsulatum</i> and <i>Sporothrix</i> spp.. <i>Medical Mycology</i> , 2014, 52, 320-325.	0.3	33
82	In vitro antimicrobial susceptibility of clinical and environmental strains of <i>Burkholderia pseudomallei</i> from Brazil. <i>International Journal of Antimicrobial Agents</i> , 2013, 42, 375-377.	1.1	9
83	Detection of <i>Candida</i> species resistant to azoles in the microbiota of rheas ( <i>Rhea americana</i> ): possible implications for human and animal health. <i>Journal of Medical Microbiology</i> , 2013, 62, 889-895.	0.7	36
84	<i>Trichophyton tonsurans</i> strains from Brazil: phenotypic heterogeneity, genetic homology, and detection of virulence genes. <i>Canadian Journal of Microbiology</i> , 2013, 59, 754-760.	0.8	11
85	Effect of Farnesol on Growth, Ergosterol Biosynthesis, and Cell Permeability in <i>Coccidioides posadasii</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2013, 57, 2167-2170.	1.4	25
86	Farnesol inhibits in vitro growth of the <i>Cryptococcus neoformans</i> species complex with no significant changes in virulence-related exoenzymes. <i>Veterinary Microbiology</i> , 2012, 159, 375-380.	0.8	28
87	Alkylphenol Activity against <i>Candida</i> spp. and <i>Microsporum canis</i> : A Focus on the Antifungal Activity of Thymol, Eugenol and O-Methyl Derivatives. <i>Molecules</i> , 2011, 16, 6422-6431.	1.7	29
88	<i>Candida</i> species isolated from the gastrointestinal tract of cockatiels ( <i>Nymphicus hollandicus</i> ): In vitro antifungal susceptibility profile and phospholipase activity. <i>Veterinary Microbiology</i> , 2010, 145, 324-328.	0.8	44
89	Molecular methods for the diagnosis and characterization of <i>Cryptococcus</i> : a review. <i>Canadian Journal of Microbiology</i> , 2010, 56, 445-458.	0.8	46
90	<i>Enterococcus faecalis</i> and <i>Candida albicans</i> dual-species biofilm: establishment of an in vitro protocol and characterization. <i>Biofouling</i> , 0, , 1-13.	0.8	1