

Anatoli Meriin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7222934/publications.pdf>

Version: 2024-02-01

26
papers

3,762
citations

279701

23
h-index

580701

25
g-index

28
all docs

28
docs citations

28
times ranked

4305
citing authors

#	ARTICLE	IF	CITATIONS
1	Insulin-responsive amino peptidase follows the Glut4 pathway but is dispensable for the formation and translocation of insulin-responsive vesicles. <i>Molecular Biology of the Cell</i> , 2019, 30, 1536-1543.	0.9	17
2	A first order phase transition mechanism underlies protein aggregation in mammalian cells. <i>ELife</i> , 2019, 8, .	2.8	80
3	Hsp70â€™Bag3 complex is a hub for proteotoxicity-induced signaling that controls protein aggregation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E7043-E7052.	3.3	55
4	RuvbL1 and RuvbL2 enhance aggresome formation and disaggregate amyloid fibrils. <i>EMBO Journal</i> , 2015, 34, 2363-2382.	3.5	47
5	Proteasome Failure Promotes Positioning of Lysosomes around the Aggresome via Local Block of Microtubule-Dependent Transport. <i>Molecular and Cellular Biology</i> , 2014, 34, 1336-1348.	1.1	62
6	Association of translation factor eEF1A with defective ribosomal products generates a signal for aggresome formation.. <i>Journal of Cell Science</i> , 2012, 125, 2665-74.	1.2	28
7	A Novel Approach to Recovery of Function of Mutant Proteins by Slowing Down Translation. <i>Journal of Biological Chemistry</i> , 2012, 287, 34264-34272.	1.6	22
8	The heat shock transcription factor Hsf1 is downregulated in DNA damageâ€™associated senescence, contributing to the maintenance of senescence phenotype. <i>Aging Cell</i> , 2012, 11, 617-627.	3.0	66
9	Abnormal proteins can form aggresome in yeast: aggresomeâ€™targeting signals and components of the machinery. <i>FASEB Journal</i> , 2009, 23, 451-463.	0.2	150
10	Triggering Aggresome Formation. <i>Journal of Biological Chemistry</i> , 2008, 283, 27575-27584.	1.6	75
11	Characterization of Proteins Associated with Polyglutamine Aggregates. <i>Prion</i> , 2007, 1, 128-135.	0.9	48
12	Endocytosis machinery is involved in aggregation of proteins with expanded polyglutamine domains. <i>FASEB Journal</i> , 2007, 21, 1915-1925.	0.2	63
13	A potent small molecule inhibits polyglutamine aggregation in Huntington's disease neurons and suppresses neurodegeneration in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 892-897.	3.3	257
14	Role of molecular chaperones in neurodegenerative disorders. <i>International Journal of Hyperthermia</i> , 2005, 21, 403-419.	1.1	111
15	Aggregation of Expanded Polyglutamine Domain in Yeast Leads to Defects in Endocytosis. <i>Molecular and Cellular Biology</i> , 2003, 23, 7554-7565.	1.1	98
16	Huntingtin toxicity in yeast model depends on polyglutamine aggregation mediated by a prion-like protein Rnq1. <i>Journal of Cell Biology</i> , 2002, 157, 997-1004.	2.3	348
17	Intracellular Aggregation of Polypeptides with Expanded Polyglutamine Domain Is Stimulated by Stress-Activated Kinase Mekk1. <i>Journal of Cell Biology</i> , 2001, 153, 851-864.	2.3	54
18	HEAT SHOCK PROTEIN 70 PROTECTS FROM CASPASE-INDEPENDENT PROGRAMMED CELL DEATH VIA SUPPRESSION OF STRESS KINASE JNK. <i>Scientific World Journal, The</i> , 2001, 1, 36-36.	0.8	0

#	ARTICLE	IF	CITATIONS
19	The Chaperone Function of hsp70 Is Required for Protection against Stress-Induced Apoptosis. <i>Molecular and Cellular Biology</i> , 2000, 20, 7146-7159.	1.1	646
20	Suppression of Stress Kinase JNK Is Involved in HSP72-mediated Protection of Myogenic Cells from Transient Energy Deprivation. <i>Journal of Biological Chemistry</i> , 2000, 275, 38088-38094.	1.6	101
21	Hsp72-Mediated Suppression of c-Jun N-Terminal Kinase Is Implicated in Development of Tolerance to Caspase-Independent Cell Death. <i>Molecular and Cellular Biology</i> , 2000, 20, 6826-6836.	1.1	154
22	The Function of HSP72 in Suppression of c-Jun N-terminal Kinase Activation Can Be Dissociated from Its Role in Prevention of Protein Damage. <i>Journal of Biological Chemistry</i> , 1999, 274, 20223-20228.	1.6	71
23	Protein-Damaging Stresses Activate c-Jun N-Terminal Kinase via Inhibition of Its Dephosphorylation: a Novel Pathway Controlled by HSP72. <i>Molecular and Cellular Biology</i> , 1999, 19, 2547-2555.	1.1	234
24	Role of Hsp70 in regulation of stress-kinase JNK: implications in apoptosis and aging. <i>FEBS Letters</i> , 1998, 438, 1-4.	1.3	215
25	Proteasome Inhibitors Activate Stress Kinases and Induce Hsp72. <i>Journal of Biological Chemistry</i> , 1998, 273, 6373-6379.	1.6	280
26	Hsp70 Prevents Activation of Stress Kinases. <i>Journal of Biological Chemistry</i> , 1997, 272, 18033-18037.	1.6	473