## Junki Maruyama

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7223241/publications.pdf

Version: 2024-02-01

471509 361022 1,375 41 17 35 citations h-index g-index papers 46 46 46 3208 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Recovery of anosmia in hamsters infected with SARS-CoV-2 is correlated with repair of the olfactory epithelium. Scientific Reports, 2022, 12, 628.	3.3	28
2	Machupo Virus with Mutations in the Transmembrane Domain and Glycosylation Sites of the Glycoprotein Is Attenuated and Immunogenic in Animal Models of Bolivian Hemorrhagic Fever. Journal of Virology, 2022, , e0020922.	3.4	3
3	Prolonged and extended impacts of SARS-CoV-2 on the olfactory neurocircuit. Scientific Reports, 2022, 12, 5728.	3.3	23
4	CD4 T-cell depletion prevents Lassa fever associated hearing loss in the mouse model. PLoS Pathogens, 2022, 18, e1010557.	4.7	6
5	Auditory function analysis in immunodeficient STAT1 knock-out mice: Considerations for viral infection models. Neuroscience Letters, 2021, 740, 135427.	2.1	2
6	Regeneration Profiles of Olfactory Epithelium after SARS-CoV-2 Infection in Golden Syrian Hamsters. ACS Chemical Neuroscience, 2021, 12, 589-595.	3.5	43
7	Glycoprotein N-linked glycans play a critical role in arenavirus pathogenicity. PLoS Pathogens, 2021, 17, e1009356.	4.7	16
8	Salicylanilides Reduce SARS-CoV-2 Replication and Suppress Induction of Inflammatory Cytokines in a Rodent Model. ACS Infectious Diseases, 2021, 7, 2229-2237.	3.8	12
9	A single mutation (V64G) within the RING Domain of Z attenuates Junin virus. PLoS Neglected Tropical Diseases, 2020, 14, e0008555.	3.0	7
10	A complement component C1q-mediated mechanism of antibody-dependent enhancement of Ebola virus infection. PLoS Neglected Tropical Diseases, 2020, 14, e0008602.	3.0	11
11	A Surrogate Animal Model for Screening of Ebola and Marburg Glycoprotein-Targeting Drugs Using Pseudotyped Vesicular Stomatitis Viruses. Viruses, 2020, 12, 923.	3.3	7
12	Receptor-Mediated Host Cell Preference of a Bat-Derived Filovirus, Lloviu Virus. Microorganisms, 2020, 8, 1530.	3.6	8
13	Antiviral activities of type I interferons to SARS-CoV-2 infection. Antiviral Research, 2020, 179, 104811.	4.1	374
14	Genetic and antigenic characterization of H5 and H7 avian influenza viruses isolated from migratory waterfowl in Mongolia from 2017 to 2019. Virus Genes, 2020, 56, 472-479.	1.6	4
15	Lassa Virus, but Not Highly Pathogenic New World Arenaviruses, Restricts Immunostimulatory Double-Stranded RNA Accumulation during Infection. Journal of Virology, 2020, 94, .	3.4	22
16	Niemann-Pick C1 Heterogeneity of Bat Cells Controls Filovirus Tropism. Cell Reports, 2020, 30, 308-319.e5.	6.4	22
17	Current small animal models for LASV hearing loss. Current Opinion in Virology, 2019, 37, 118-122.	5.4	5
18	Adenoviral vector-based vaccine is fully protective against lethal Lassa fever challenge in Hartley guinea pigs. Vaccine, 2019, 37, 6824-6831.	3.8	19

#	Article	IF	CITATIONS
19	Characterization of a novel species of adenovirus from Japanese microbat and role of CXADR as its entry factor. Scientific Reports, 2019, 9, 573.	3.3	12
20	Generation of bat-derived influenza viruses and their reassortants. Scientific Reports, 2019, 9, 1158.	3.3	8
21	Lethal Infection of Lassa Virus Isolated from a Human Clinical Sample in Outbred Guinea Pigs without Adaptation. MSphere, 2019, 4, .	2.9	11
22	Single-Nucleotide Polymorphisms in Human NPC1 Influence Filovirus Entry Into Cells. Journal of Infectious Diseases, 2018, 218, S397-S402.	4.0	18
23	Review of Mammarenavirus Biology and Replication. Frontiers in Microbiology, 2018, 9, 1751.	3.5	58
24	Ebola virus requires a host scramblase for externalization of phosphatidylserine on the surface of viral particles. PLoS Pathogens, 2018, 14, e1006848.	4.7	41
25	Putative RNA viral sequences detected in an Ixodes scapularis-derived cell line. Ticks and Tick-borne Diseases, 2017, 8, 103-111.	2.7	23
26	Rapid and broad detection of H5 hemagglutinin by an immunochromatographic kit using novel monoclonal antibody against highly pathogenic avian influenza virus belonging to the genetic clade 2.3.4.4. PLoS ONE, 2017, 12, e0182228.	2.5	9
27	Putative endogenous filovirus VP35-like protein potentially functions as an IFN antagonist but not a polymerase cofactor. PLoS ONE, 2017, 12, e0186450.	2.5	13
28	Discovery of an antibody for pan-ebolavirus therapy. Scientific Reports, 2016, 6, 20514.	3.3	83
29	Characterization of the glycoproteins of bat-derived influenza viruses. Virology, 2016, 488, 43-50.	2.4	22
30	$Fc\hat{l}^3$ -receptor IIa-mediated Src Signaling Pathway Is Essential for the Antibody-Dependent Enhancement of Ebola Virus Infection. PLoS Pathogens, 2016, 12, e1006139.	4.7	23
31	A Single Amino Acid in the M1 Protein Responsible for the Different Pathogenic Potentials of H5N1 Highly Pathogenic Avian Influenza Virus Strains. PLoS ONE, 2015, 10, e0137989.	2.5	38
32	Genetic and antigenic characterization of H5 and H7 influenza viruses isolated from migratory water birds in Hokkaido, Japan and Mongolia from 2010 to 2014. Virus Genes, 2015, 51, 57-68.	1.6	20
33	Interaction between TIM-1 and NPC1 Is Important for Cellular Entry of Ebola Virus. Journal of Virology, 2015, 89, 6481-6493.	3.4	67
34	Seroepidemiological Prevalence of Multiple Species of Filoviruses in Fruit Bats ( <i>Eidolon) Tj ETQq0 0 0 rgBT /O</i>	verlock 10 4.0	) Tf 50 142 Td
35	A polymorphism of the TIM-1 IgV domain: Implications for the susceptibility to filovirus infection. Biochemical and Biophysical Research Communications, 2014, 455, 223-228.	2.1	7
36	Characterization of the Envelope Glycoprotein of a Novel Filovirus, Lloviu Virus. Journal of Virology, 2014, 88, 99-109.	3.4	90

#	Article	IF	CITATIONS
37	Role of the C-Terminal Region of Vervet Monkey Polyomavirus 1 VP1 in Virion Formation. Journal of Veterinary Medical Science, 2014, 76, 637-644.	0.9	2
38	Comparison of Antiviral Activity between IgA and IgG Specific to Influenza Virus Hemagglutinin: Increased Potential of IgA for Heterosubtypic Immunity. PLoS ONE, 2014, 9, e85582.	2.5	80
39	Suppression of Fas-mediated apoptosis via steric shielding by filovirus glycoproteins. Biochemical and Biophysical Research Communications, 2013, 441, 994-998.	2.1	11
40	Factors responsible for pathogenicity in chickens of a low-pathogenic H7N7 avian influenza virus isolated from a feral duck. Archives of Virology, 2013, 158, 2473-2478.	2.1	6
41	Heterosubtypic Antiviral Activity of Hemagglutinin-Specific Antibodies Induced by Intranasal Immunization with Inactivated Influenza Viruses in Mice. PLoS ONE, 2013, 8, e71534.	2.5	14