

Go Kimura

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7223465/go-kimura-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

108
papers

3,365
citations

20
h-index

57
g-index

138
ext. papers

3,984
ext. citations

3.4
avg. IF

4.26
L-index

#	Paper	IF	Citations
108	A data-driven ultrasound approach discriminates pathological high grade prostate cancer.. <i>Scientific Reports</i> , 2022 , 12, 860	4.9	1
107	Pembrolizumab plus axitinib versus sunitinib in metastatic renal cell carcinoma: outcomes of Japanese patients enrolled in the randomized, phase III, open-label KEYNOTE-426 study. <i>International Journal of Clinical Oncology</i> , 2021 , 1	4.2	5
106	Factors Associated with Prolonged Retroperitoneal Laparoscopic Radical Nephrectomy Performed by Non-expert Surgeons. <i>Journal of Nippon Medical School</i> , 2021 , 88, 109-112	1.3	4
105	Enzalutamide with androgen deprivation therapy in Japanese men with metastatic hormone-sensitive prostate cancer: A subgroup analysis of the phase III ARCHES study. <i>International Journal of Urology</i> , 2021 , 28, 765-773	2.3	3
104	Prostatic abscess with infected aneurysms and spondylodiscitis after transrectal ultrasound-guided prostate biopsy: a case report and literature review. <i>BMC Urology</i> , 2021 , 21, 11	2.2	1
103	Efficacy and safety of subsequent molecular targeted therapy after immuno-checkpoint therapy, retrospective study of Japanese patients with metastatic renal cell carcinoma (AFTER I-O study). <i>Japanese Journal of Clinical Oncology</i> , 2021 , 51, 966-975	2.8	3
102	Clinical significance of the sonazoid-enhanced ultrasound for prostate cancer.. <i>Journal of Clinical Oncology</i> , 2021 , 39, 212-212	2.2	
101	Subgroup analysis of the AFTER I-O study: a retrospective study on the efficacy and safety of subsequent molecular targeted therapy after immune-oncology therapy in Japanese patients with metastatic renal cell carcinoma. <i>Japanese Journal of Clinical Oncology</i> , 2021 , 51, 1656-1664	2.8	2
100	A multicenter retrospective study of nivolumab monotherapy in previously treated metastatic renal cell carcinoma patients: interim analysis of Japanese real-world data. <i>International Journal of Clinical Oncology</i> , 2020 , 25, 1533-1542	4.2	10
99	Expression of epithelial-Mesenchymal transition related markers in Plasmacytoid Urothelial carcinoma of the urinary bladder. <i>BMC Urology</i> , 2020 , 20, 72	2.2	0
98	Urothelial Carcinoma of the Bladder, Lipid Cell Variant: Case Report and Literature Review. <i>Journal of Nippon Medical School</i> , 2020 , 86, 349-351	1.3	2
97	A randomized, double-blind, comparison of radium-223 and placebo, in combination with abiraterone acetate and prednisolone, in castration-resistant metastatic prostate cancer: subgroup analysis of Japanese patients in the ERA 223 study. <i>International Journal of Clinical Oncology</i> , 2020 , 25, 2173-2181	4.2	3
96	Difficulty in differential diagnosis for renal cancer with microscopic papillary architecture: overlapped pathological features among papillary renal cell carcinoma (RCC), mutinous tubular and spindle cell carcinoma, and unclassified RCC. Lessons from a Japanese multicenter study. <i>Japanese Journal of Clinical Oncology</i> , 2020 , 50, 1818-1828	2.8	0
95	Nivolumab plus ipilimumab versus sunitinib in previously untreated advanced renal-cell carcinoma: analysis of Japanese patients in CheckMate 214 with extended follow-up. <i>Japanese Journal of Clinical Oncology</i> , 2020 , 50, 12-19	2.8	21
94	Considering bone health in the treatment of prostate cancer bone metastasis based on the results of the ERA-223 trial. <i>International Journal of Clinical Oncology</i> , 2019 , 24, 1629-1631	4.2	3
93	Nivolumab in patients with unresectable locally advanced or metastatic urothelial carcinoma: CheckMate 275 2-year global and Japanese patient population analyses. <i>International Journal of Clinical Oncology</i> , 2019 , 24, 1089-1098	4.2	17
92	Three-year follow-up of a phase II study of radium-223 dichloride in Japanese patients with symptomatic castration-resistant prostate cancer and bone metastases. <i>International Journal of Clinical Oncology</i> , 2019 , 24, 557-566	4.2	6

91	Perinephric invasion as a prognostic factor in non-metastatic renal cell carcinoma: analysis of a nation-wide registry program. <i>Japanese Journal of Clinical Oncology</i> , 2019 , 49, 772-779	2.8	3
90	Nivolumab versus everolimus in advanced renal cell carcinoma: Japanese subgroup 3-year follow-up analysis from the Phase III CheckMate 025 study. <i>Japanese Journal of Clinical Oncology</i> , 2019 , 49, 506-514	2.8	26
89	Addition of radium-223 to abiraterone acetate and prednisone or prednisolone in patients with castration-resistant prostate cancer and bone metastases (ERA 223): a randomised, double-blind, placebo-controlled, phase 3 trial. <i>Lancet Oncology, The</i> , 2019 , 20, 408-419	21.7	168
88	Illuminating Clues of Cancer Buried in Prostate MR Image: Deep Learning and Expert Approaches. <i>Biomolecules</i> , 2019 , 9,	5.9	7
87	Initial detection of circulating tumor cells from metastatic prostate cancer patients with a novel small device. <i>Prostate International</i> , 2019 , 7, 131-138	3.4	5
86	Automated acquisition of explainable knowledge from unannotated histopathology images. <i>Nature Communications</i> , 2019 , 10, 5642	17.4	49
85	Atypical pemphigus developed in a patient with urothelial carcinoma treated with nivolumab. <i>Journal of Dermatology</i> , 2019 , 46, e90-e92	1.6	12
84	Treatment patterns and outcomes in patients with unresectable or metastatic renal cell carcinoma in Japan. <i>International Journal of Urology</i> , 2019 , 26, 202-210	2.3	16
83	Enzalutamide Therapy for mCRPC in Japanese Men 2018 , 231-239		
82	Clinical Experience of Power Doppler Ultrasonography for the Differential Diagnosis of Hemorrhagic Cystitis in Elderly Patients. <i>Nihon Gekakei Rengo Gakkaishi (Journal of Japanese College of Surgeons)</i> , 2018 , 43, 794-799	0	
81	Clinicopathological features of lipid cell variant of urothelial carcinoma.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 487-487	2.2	
80	Secondary malignancies following low-dose-rate brachytherapy for prostate cancer in a single institution.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 142-142	2.2	
79	Meaning and significance of low density area (LDA) of renal cell carcinoma (RCC) on computed tomography (CT).. <i>Journal of Clinical Oncology</i> , 2018 , 36, 628-628	2.2	
78	Phase II study of radium-223 dichloride in Japanese patients with symptomatic castration-resistant prostate cancer. <i>International Journal of Clinical Oncology</i> , 2018 , 23, 173-180	4.2	12
77	A Case of Primary Malignant Lymphoma of the Prostate Gland Presenting as Right Lower Back Pain and Dysuria. <i>Journal of Nippon Medical School</i> , 2018 , 85, 236-240	1.3	4
76	Nivolumab versus everolimus in advanced renal cell carcinoma: Japanese subgroup analysis from the CheckMate 025 study. <i>Japanese Journal of Clinical Oncology</i> , 2017 , 47, 639-646	2.8	43
75	Efficacy and safety of sequential use of everolimus in Japanese patients with advanced renal cell carcinoma after failure of first-line treatment with vascular endothelial growth factor receptor tyrosine kinase inhibitor: a multicenter phase II clinical trial. <i>Japanese Journal of Clinical Oncology</i> , 2017 , 47, 551-559	2.8	1
74	Clinical and histopathological characteristics of patients with prostate cancer in the BioBank Japan project. <i>Journal of Epidemiology</i> , 2017 , 27, S65-S70	3.4	7

73	Angiogenic, inflammatory and immunologic markers in predicting response to sunitinib in metastatic renal cell carcinoma. <i>Cancer Science</i> , 2017 , 108, 1858-1863	6.9	14
72	Post hoc analyses of East Asian patients from the randomized placebo-controlled PREVAIL trial of enzalutamide in patients with chemotherapy-naïve, metastatic castration-resistant prostate cancer. <i>Medicine (United States)</i> , 2017 , 96, e7223	1.8	9
71	Enzalutamide in Men with Chemotherapy-naïve Metastatic Castration-resistant Prostate Cancer: Extended Analysis of the Phase 3 PREVAIL Study. <i>European Urology</i> , 2017 , 71, 151-154	10.2	202
70	Active heavy cigarette smoking is associated with poor survival in Japanese patients with advanced renal cell carcinoma: sub-analysis of the multi-institutional national database of the Japanese Urological Association. <i>Japanese Journal of Clinical Oncology</i> , 2017 , 47, 1162-1169	2.8	
69	Emphysematous Pyelonephritis: Study of the Indication and the Timing of Percutaneous Drainage. <i>Nihon Gekakei Rengo Gakkaishi (Journal of Japanese College of Surgeons)</i> , 2017 , 42, 763-767	0	
68	A Case of Renal Cell Carcinoma Metastasis to the Penis. <i>Nihon Gekakei Rengo Gakkaishi (Journal of Japanese College of Surgeons)</i> , 2017 , 42, 860-863	0	
67	Post hoc analysis of Japanese patients from the placebo-controlled PREVAIL trial of enzalutamide in patients with chemotherapy-naive, metastatic castration-resistant prostate cancer-updated results. <i>Japanese Journal of Clinical Oncology</i> , 2017 , 47, 262-264	2.8	6
66	Patient preferences for treatment of castration-resistant prostate cancer in Japan: a discrete-choice experiment. <i>BMC Urology</i> , 2016 , 16, 63	2.2	22
65	The PREVAIL Study: Primary Outcomes by Site and Extent of Baseline Disease for Enzalutamide-treated Men with Chemotherapy-naïve Metastatic Castration-resistant Prostate Cancer. <i>European Urology</i> , 2016 , 70, 675-683	10.2	57
64	Histological architectures of clear cell carcinoma and their correlation to clinicopathologic features.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 576-576	2.2	
63	Phase II clinical study of radium-223 chloride (BAY 88-8223) in Japanese patients with symptomatic castration-resistant prostate cancer (CRPC) with bone metastases.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 167-167	2.2	
62	Tumour and immune cell dynamics explain the PSA bounce after prostate cancer brachytherapy. <i>British Journal of Cancer</i> , 2016 , 115, 195-202	8.7	23
61	Enzalutamide in Japanese patients with chemotherapy-naïve, metastatic castration-resistant prostate cancer: A post-hoc analysis of the placebo-controlled PREVAIL trial. <i>International Journal of Urology</i> , 2016 , 23, 395-403	2.3	15
60	Clinical efficacy and prognostic factors of tumor progression in Japanese patients with advanced renal cell carcinoma treated with sorafenib. <i>Japanese Journal of Clinical Oncology</i> , 2015 , 45, 274-80	2.8	4
59	Dual-specificity tyrosine phosphorylation-regulated kinase 2 (DYRK2) as a novel marker in T1 high-grade and T2 bladder cancer patients receiving neoadjuvant chemotherapy. <i>BMC Urology</i> , 2015 , 15, 53	2.2	17
58	Phase II clinical trial of sorafenib plus interferon-alpha treatment for patients with metastatic renal cell carcinoma in Japan. <i>BMC Cancer</i> , 2015 , 15, 667	4.8	9
57	Subgroup analyses of Japanese patients from the PREVAIL trial of enzalutamide (ENZA) in patients with chemotherapy-naïve, metastatic castration-resistant prostate cancer (mCRPC).. <i>Journal of Clinical Oncology</i> , 2015 , 33, 265-265	2.2	2
56	Inferior vena cava tumor thrombus after partial nephrectomy for renal cell carcinoma. <i>BMC Research Notes</i> , 2014 , 7, 198	2.3	2

55	Enzalutamide in metastatic prostate cancer before chemotherapy. <i>New England Journal of Medicine</i> , 2014 , 371, 424-33	59.2	1892
54	Use of targeted therapies for advanced renal cell carcinoma in the Asia-Pacific region: opinion statement from China, Japan, Taiwan, Korea, and Australia. <i>Clinical Genitourinary Cancer</i> , 2014 , 12, 225-333	33	17
53	Urothelial carcinoma in a pyelocaliceal diverticulum discovered by magnetic resonance urography. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2014 , 40, 274-6	2	3
52	A randomized multicenter phase II trial on the efficacy of a hydrocolloid dressing containing ceramide with a low-friction external surface for hand-foot skin reaction caused by sorafenib in patients with renal cell carcinoma. <i>Annals of Oncology</i> , 2014 , 25, 472-6	10.3	18
51	PI-05 LATE-BREAKING ABSTRACT: THE PREVAIL STUDY: PRIMARY AND NON-VISCERAL / VISCERAL DISEASE SUBGROUP RESULTS FOR ENZALUTAMIDE-TREATED MEN WITH METASTATIC PROSTATE CANCER (MPC) THAT HAD PROGRESSED ON ADT. <i>Journal of Urology</i> , 2014 , 191,	2.5	1
50	Spermatocytic seminoma in a 92-year-old man: report of a case in which SALL4, a potential novel marker for testicular germ cell tumors, was useful for the diagnosis. <i>International Cancer Conference Journal</i> , 2014 , 3, 77-80	0.9	
49	Spindle cell sarcoma of the epididymis. <i>International Cancer Conference Journal</i> , 2014 , 3, 24-27	0.9	
48	A case report of squamous cell carcinoma of the renal pelvis producing granulocyte colony-stimulating factor. <i>International Cancer Conference Journal</i> , 2014 , 3, 19-23	0.9	1
47	Enzalutamide in men with chemotherapy-naive metastatic prostate cancer (mCRPC): Results of phase III PREVAIL study.. <i>Journal of Clinical Oncology</i> , 2014 , 32, LBA1-LBA1	2.2	29
46	Multicenter phase II clinical trial of everolimus in Japanese patients with unresectable or metastatic renal cell carcinoma (mRCC) after failure of treatment with first-line tyrosine kinase inhibitor (TKI) therapy.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 455-455	2.2	
45	Impacts of clinicopathologic and operative factors on short-term and long-term survival in renal cell carcinoma with venous tumor thrombus extension: a multi-institutional retrospective study in Japan. <i>BMC Cancer</i> , 2013 , 13, 447	4.8	16
44	A case of pneumocystis pneumonia associated with everolimus therapy for renal cell carcinoma. <i>Japanese Journal of Clinical Oncology</i> , 2013 , 43, 559-62	2.8	20
43	Snail expression and outcome in T1 high-grade and T2 bladder cancer: a retrospective immunohistochemical analysis. <i>BMC Urology</i> , 2013 , 13, 73	2.2	11
42	Granuloma-forming interstitial pneumonia occurring one year after the start of everolimus therapy. <i>Internal Medicine</i> , 2013 , 52, 263-7	1.1	5
41	Acute renal failure as the presenting sign of disseminated intravascular coagulation in a patient with metastatic prostate cancer. <i>International Journal of Nephrology and Renovascular Disease</i> , 2013 , 6, 47-51	2.5	1
40	A randomized multicenter phase II trial on efficacy of a hydrocolloid dressing containing ceramide with a low-friction external surface for hand-foot skin reaction caused by sorafenib in patients with renal cell carcinoma.. <i>Journal of Clinical Oncology</i> , 2013 , 31, 9623-9623	2.2	
39	Baseline high-sensitivity C-reactive protein to predict progression-free survival in metastatic renal cell carcinoma patients treated with first-line sunitinib.. <i>Journal of Clinical Oncology</i> , 2013 , 31, e15527-e15527	2.2	27
38	Bone-anchored sling using the Mini Quick Anchor Plus and polypropylene mesh to treat post-radical prostatectomy incontinence: early experience. <i>International Journal of Urology</i> , 2012 , 19, 957-60	2.3	3

37	Retrospective study of laparoscopic radical prostatectomy for localized prostate cancer after transurethral resection of the prostate compared with retropubic radical prostatectomy at the same institution. <i>Journal of Nippon Medical School</i> , 2012 , 79, 416-21	1.3	
36	Evaluation of primary prostate cancer using 11C-methionine-PET/CT and 18F-FDG-PET/CT. <i>Annals of Nuclear Medicine</i> , 2012 , 26, 138-45	2.5	53
35	Efficacy of transurethral resection of the bladder tumor (TUR-BT) for huge bladder cancer. <i>Journal of Nippon Medical School</i> , 2010 , 77, 190-4	1.3	1
34	Advanced carcinoma of the prostatic urethra in a patient with marked response to chemotherapy, leading to preservation of the bladder. <i>International Journal of Clinical Oncology</i> , 2010 , 15, 109-11	4.2	
33	Surgical outcomes of partial nephrectomy for renal cell carcinoma: a joint study by the Japanese Society of Renal Cancer. <i>International Journal of Urology</i> , 2007 , 14, 284-8	2.3	10
32	Prevalence of renal cell carcinoma: a nation-wide survey in Japan, 2002. <i>International Journal of Urology</i> , 2007 , 14, 479-82	2.3	31
31	Relation of leukocytosis in prostatic fluid and inflamed prostatic tissue. <i>Journal of Nippon Medical School</i> , 2007 , 74, 210-6	1.3	3
30	Significance of noninvasive diagnosis of prostate cancer with cytologic examination of prostatic fluid. <i>Journal of Nippon Medical School</i> , 2006 , 73, 129-35	1.3	2
29	Study of prostatic fluid from patients with elevated levels of prostate-specific antigen. <i>Journal of Nippon Medical School</i> , 2006 , 73, 24-8	1.3	2
28	Random systematic sextant biopsy versus power doppler ultrasound-guided target biopsy in the diagnosis of prostate cancer: positive rate and clinicopathological features. <i>Journal of Nippon Medical School</i> , 2005 , 72, 262-9	1.3	6
27	The Diagnosis of Prostate Cancer. With Emphasis on Indication of Biopsy and Rebiopsy. <i>Nihon Gekakei Rengo Gakkaishi (Journal of Japanese College of Surgeons)</i> , 2005 , 30, 102-109	0	
26	Luteinizing hormone-releasing hormone agonist monotherapy for prostate cancer: outcome and prognostic factors. <i>Journal of Nippon Medical School</i> , 2005 , 72, 89-95	1.3	1
25	Merits and Demerits of PSA Examination. <i>Nihon Gekakei Rengo Gakkaishi (Journal of Japanese College of Surgeons)</i> , 2005 , 30, 118-122	0	
24	Effect of adjuvant transarterial infusion of anticancer agents after transurethral resection in patients with pT2a muscle invasive transitional cell carcinoma of the bladder: five and ten-year outcome. <i>Journal of Nippon Medical School</i> , 2004 , 71, 263-9	1.3	3
23	Tumor doubling time of renal cell carcinoma measured by CT: collaboration of Japanese Society of Renal Cancer. <i>Japanese Journal of Clinical Oncology</i> , 2004 , 34, 82-5	2.8	63
22	Cyclooxygenase-2 expression and relationship to tumour progression in human renal cell carcinoma. <i>Histopathology</i> , 2004 , 44, 353-9	7.3	33
21	Detection of urine survivin in 40 patients with bladder cancer. <i>Journal of Nippon Medical School</i> , 2004 , 71, 379-83	1.3	11
20	Transitional cell carcinoma of the bladder in four patients on maintenance hemodialysis. <i>Journal of Nippon Medical School</i> , 2004 , 71, 408-11	1.3	2

19	Laparoscopic radical prostatectomy: initial 30-case experience. <i>International Journal of Clinical Oncology</i> , 2003 , 8, 312-6	4.2	1
18	Cyclooxygenase-2 Expression and Relationship to Malignant Potential in Human Bladder Cancer.. <i>Journal of Health Science</i> , 2002 , 48, 42-47		5
17	Study for partial nephrectomy using microwave tissue coagulator. <i>Journal of Microwave Surgery</i> , 2002 , 20, 93-96	0	2
16	Urothelial mucosal concentration of levofloxacin administered before transurethral resection: Is the mucosal concentration predictable?. <i>International Journal of Urology</i> , 2001 , 8, 171-6	2.3	0
15	Comparison of urine cytology between the ileal conduit and Indiana pouch. <i>Acta Cytologica</i> , 2000 , 44, 748-51	3	20
14	Renal masses detected by general health checkup. <i>International Journal of Urology</i> , 2000 , 7, 404-8	2.3	15
13	High-frequency endoluminal ultrasonography for staging transitional cell carcinoma of the bladder. <i>Urology</i> , 2000 , 56, 404-7	1.6	19
12	A Clinical Pathologic Study of Renal Cell Carcinoma Based on New TNM Classification. <i>Nihon Gekakei Rengo Gakkaishi (Journal of Japanese College of Surgeons)</i> , 2000 , 25, 855-858	0	1
11	Antitumour effects of the angiogenesis inhibitor AGM-1470 on rat urinary bladder tumours induced by N-butyl-N-(4-hydroxybutyl) nitrosamine. <i>BJU International</i> , 1999 , 83, 123-8	5.6	11
10	The efficacy of Bacillus Calmette-Guerin instillation therapy of the upper urinary tract for carcinoma in situ. <i>International Journal of Clinical Oncology</i> , 1999 , 4, 295-297	4.2	
9	Expression of insulin-like growth factor (IGF)-II in human prostate, breast, bladder, and paraganglioma tumors. <i>Cell and Tissue Research</i> , 1998 , 291, 469-79	4.2	58
8	Tumor progression and expression of matrix metalloproteinase-2 (MMP-2) mRNA by human urinary bladder cancer cells. <i>Urological Research</i> , 1998 , 26, 371-6		18
7	Clinical evaluation of soluble cytokeratin 19 fragments (CYFRA 21-1) in serum and urine of patients with bladder cancer. <i>Urology</i> , 1996 , 48, 703-10	1.6	38
6	Insulin-like growth factor (IGF) system components in human prostatic cancer cell-lines: LNCaP, DU145, and PC-3 cells. <i>International Journal of Urology</i> , 1996 , 3, 39-46	2.3	82
5	Tarsal tuberculosis in patient undergoing maintenance hemodialysis.. <i>Nihon Toseki Igakkai Zasshi</i> , 1995 , 28, 197-201	0.3	
4	Calcification in human osteoblasts cultured in medium conditioned by the prostatic cancer cell line PC-3 and prostatic acid phosphatase. <i>Urologia Internationalis</i> , 1992 , 48, 25-30	1.9	7
3	Recombinant interleukin-2-expanded tumor infiltrating lymphocytes from human renal cell cancer do not exhibit autologous tumor cell-specific cytotoxicity. <i>Urologia Internationalis</i> , 1991 , 47 Suppl 1, 83-5 ^{1.9}		6
2	Inverted papilloma of the ureter with malignant transformation: a case report and review of the literature. The importance of the recognition of the inverted papillary tumor of the ureter. <i>Urologia Internationalis</i> , 1987 , 42, 30-6	1.9	22

- 1 A new radical cystectomy for advanced or multifocal urinary bladder cancer. *Nippon Medical School Journal*, **1987**, 54, 204-6