

# Cong Liu

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7223543/cong-liu-publications-by-year.pdf>

**Version:** 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

61 papers	5,570 citations	19 h-index	67 g-index
67 ext. papers	7,335 ext. citations	5.8 avg, IF	5.28 L-index

#	Paper	IF	Citations
61	Demonstration of Turbulence Resiliency in a Mode-, Polarization-, and Wavelength-Multiplexed Free-Space Optical Link Using Pilot-Assisted Optoelectronic Beam Mixing. <i>Journal of Lightwave Technology</i> , <b>2022</b> , 40, 588-596	4	2
60	Experimental Demonstration of a 100-Gbit/s 16-QAM Free-Space Optical Link Using a Structured Optical Bottle Beam to Circumvent Obstructions. <i>Journal of Lightwave Technology</i> , <b>2022</b> , 1-1	4	1
59	Dynamic aerosol and dynamic air-water interface curvature effects on a 2-Gbit/s free-space optical link using orbital-angular-momentum multiplexing. <i>Nanophotonics</i> , <b>2021</b> ,	6.3	2
58	High-capacity Free-space Optical Communications Using Multiplexing of Multiple OAM Beams <b>2021</b> , 357-400		1
57	Demonstration of Recovering Orbital-Angular-Momentum Multiplexed Channels Using a Tunable, Broadband Pixel-Array-based Photonic-Integrated-Circuit Receiver. <i>Journal of Lightwave Technology</i> , <b>2021</b> , 1-1	4	2
56	Perspectives on advances in high-capacity, free-space communications using multiplexing of orbital-angular-momentum beams. <i>APL Photonics</i> , <b>2021</b> , 6, 030901	5.2	20
55	. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , <b>2021</b> , 27, 1-16	3.8	4
54	Dependence of the coupling properties between a plasmonic antenna array and a sub-wavelength epsilon-near-zero film on structural and material parameters. <i>Applied Physics Letters</i> , <b>2021</b> , 118, 241102	3.4	3
53	Tunable Doppler shift using a time-varying epsilon-near-zero thin film near 1550 nm. <i>Optics Letters</i> , <b>2021</b> , 46, 3444-3447	3	0
52	Adiabatic Frequency Conversion Using a Time-Varying Epsilon-Near-Zero Metasurface. <i>Nano Letters</i> , <b>2021</b> , 21, 5907-5913	11.5	5
51	Modal coupling and crosstalk due to turbulence and divergence on free space THz links using multiple orbital angular momentum beams. <i>Scientific Reports</i> , <b>2021</b> , 11, 2110	4.9	6
50	Photon Acceleration Using a Time-Varying Epsilon-near-Zero Metasurface. <i>ACS Photonics</i> , <b>2021</b> , 8, 716-720	2.5	4
49	Demonstration of generating a 100 Gbit/s orbital-angular-momentum beam with a tunable mode order over a range of wavelengths using an integrated broadband pixel-array structure. <i>Optics Letters</i> , <b>2021</b> , 46, 4765-4768	3	3
48	Modal properties of a beam carrying OAM generated by a circular array of multiple ring-resonator emitters. <i>Optics Letters</i> , <b>2021</b> , 46, 4722-4725	3	0
47	Simulation of near-diffraction- and near-dispersion-free OAM pulses with controllable group velocity by combining multiple frequencies, each carrying a Bessel mode. <i>Optics Letters</i> , <b>2021</b> , 46, 4678-4681	2.6	3
46	Turbulence-resilient pilot-assisted self-coherent free-space optical communications using automatic optoelectronic mixing of many modes. <i>Nature Photonics</i> , <b>2021</b> , 15, 743-750	33.9	9
45	Broadband frequency translation through time refraction in an epsilon-near-zero material. <i>Nature Communications</i> , <b>2020</b> , 11, 2180	17.4	42

44	Vectorial Phase Conjugation for High-Fidelity Mode Transmission Through Multimode Fiber <b>2020</b> ,		1
43	Performance of real-time adaptive optics compensation in a turbulent channel with high-dimensional spatial-mode encoding. <i>Optics Express</i> , <b>2020</b> , 28, 15376-15391	3.3	10
42	Simultaneous turbulence mitigation and channel demultiplexing for two 100 Gbit/s orbital-angular-momentum multiplexed beams by adaptive wavefront shaping and diffusing. <i>Optics Letters</i> , <b>2020</b> , 45, 702-705	3	4
41	Demonstration of using two aperture pairs combined with multiple-mode receivers and MIMO signal processing for enhanced tolerance to turbulence and misalignment in a 10 Gbit/s QPSK FSO link. <i>Optics Letters</i> , <b>2020</b> , 45, 3042-3045	3	9
40	Utilizing adaptive optics to mitigate intra-modal-group power coupling of graded-index few-mode fiber in a 200-Gbit/s mode-division-multiplexed link. <i>Optics Letters</i> , <b>2020</b> , 45, 3577-3580	3	7
39	Utilizing phase delays of an integrated pixel-array structure to generate orbital-angular-momentum beams with tunable orders and a broad bandwidth. <i>Optics Letters</i> , <b>2020</b> , 45, 4144-4147	3	6
38	Experimental mitigation of the effects of the limited size aperture or misalignment by singular-value-decomposition-based beam orthogonalization in a free-space optical link using Laguerre-Gaussian modes. <i>Optics Letters</i> , <b>2020</b> , 45, 6310-6313	3	6
37	Perspective on using multiple orbital-angular-momentum beams for enhanced capacity in free-space optical communication links. <i>Nanophotonics</i> , <b>2020</b> , 10, 225-233	6.3	11
36	"Hiding" a low-intensity 50 Gbit/s QPSK free-space OAM beam using an orthogonal coaxial high-intensity 50 Gbit/s QPSK beam. <i>Applied Optics</i> , <b>2020</b> , 59, 7448-7454	1.7	
35	Demonstrating the use of OAM modes to facilitate the networking functions of carrying channel header information and orthogonal channel coding. <i>Optics Letters</i> , <b>2020</b> , 45, 4381-4384	3	
34	Demonstration of Turbulence Resiliency in a Mode-, Polarization-, and Wavelength-Multiplexed Free-Space Optical Link using Pilot Tones and Optoelectronic Wave Mixing <b>2020</b> ,		2
33	Demonstration of Tunable Optical Aggregation of QPSK to 16-QAM Over Optically Generated Nyquist Pulse Trains Using Nonlinear Wave Mixing and a Kerr Frequency Comb. <i>Journal of Lightwave Technology</i> , <b>2020</b> , 38, 359-365	4	4
32	Dynamic spatiotemporal beams that combine two independent and controllable orbital-angular-momenta using multiple optical-frequency-comb lines. <i>Nature Communications</i> , <b>2020</b> , 11, 4099	17.4	8
31	. <i>Journal of Lightwave Technology</i> , <b>2020</b> , 38, 82-89	4	20
30	Coherent optical wireless communication link employing orbital angular momentum multiplexing in a ballistic and diffusive scattering medium. <i>Optics Letters</i> , <b>2019</b> , 44, 691-694	3	6
29	Mitigation for turbulence effects in a 40-Gbit/s orbital-angular-momentum-multiplexed free-space optical link between a ground station and a retro-reflecting UAV using MIMO equalization. <i>Optics Letters</i> , <b>2019</b> , 44, 5181-5184	3	19
28	Single-End Adaptive Optics Compensation for Emulated Turbulence in a Bi-Directional 10-Mbit/s per Channel Free-Space Quantum Communication Link Using Orbital-Angular-Momentum Encoding. <i>Research</i> , <b>2019</b> , 2019, 8326701	7.8	15
27	Reconfigurable optical generation of nine Nyquist WDM channels with sinc-shaped temporal pulse trains using a single microresonator-based Kerr frequency comb. <i>Optics Letters</i> , <b>2019</b> , 44, 1852-1855	3	6

26	Switchable detector array scheme to reduce the effect of single-photon detector's deadtime in a multi-bit/photon quantum link. <i>Optics Communications</i> , <b>2019</b> , 441, 132-132	2	
25	All-Optical Signal Processing Techniques for Flexible Networks. <i>Journal of Lightwave Technology</i> , <b>2019</b> , 37, 21-35	4	36
24	Atmospheric turbulence compensation in orbital angular momentum communications: Advances and perspectives. <i>Optics Communications</i> , <b>2018</b> , 408, 68-81	2	42
23	Experimental demonstration of beaconless beam displacement tracking for an orbital angular momentum multiplexed free-space optical link. <i>Optics Letters</i> , <b>2018</b> , 43, 2392-2395	3	5
22	400-Gbit/s QPSK free-space optical communication link based on four-fold multiplexing of Hermite-Gaussian or Laguerre-Gaussian modes by varying both modal indices. <i>Optics Letters</i> , <b>2018</b> , 43, 3889-3892	3	32
21	Demonstration of a 10 Mbit/s quantum communication link by encoding data on two Laguerre-Gaussian modes with different radial indices. <i>Optics Letters</i> , <b>2018</b> , 43, 5639-5642	3	9
20	MIMO Equalization to Mitigate Turbulence in a 2-Channel 40-Gbit/s QPSK Free-Space Optical 100-m Round-Trip Orbital-Angular-Momentum-Multiplexed Link Between a Ground Station and a Retro-Reflecting UAV <b>2018</b> ,		3
19	Pilot-tone-based self-homodyne detection using optical nonlinear wave mixing. <i>Optics Letters</i> , <b>2017</b> , 42, 1840-1843	3	12
18	Spatial light structuring using a combination of multiple orthogonal orbital angular momentum beams with complex coefficients. <i>Optics Letters</i> , <b>2017</b> , 42, 991-994	3	20
17	High-Capacity Free-Space Optical Communications Between a Ground Transmitter and a Ground Receiver via a UAV Using Multiplexing of Multiple Orbital-Angular-Momentum Beams. <i>Scientific Reports</i> , <b>2017</b> , 7, 17427	4.9	53
16	Tunable insertion of multiple lines into a Kerr frequency comb using electro-optical modulators. <i>Optics Letters</i> , <b>2017</b> , 42, 3765-3768	3	7
15	Communication with a twist. <i>IEEE Spectrum</i> , <b>2016</b> , 53, 34-39	1.7	35
14	Experimental demonstration of a 200-Gbit/s free-space optical link by multiplexing Laguerre-Gaussian beams with different radial indices. <i>Optics Letters</i> , <b>2016</b> , 41, 3447-50	3	56
13	Orbital Angular Momentum-based Space Division Multiplexing for High-capacity Underwater Optical Communications. <i>Scientific Reports</i> , <b>2016</b> , 6, 33306	4.9	99
12	OFDM over mm-Wave OAM Channels in a Multipath Environment with Intersymbol Interference <b>2016</b> ,		12
11	Invited Article: Division and multiplication of the state order for data-carrying orbital angular momentum beams. <i>APL Photonics</i> , <b>2016</b> , 1, 090802	5.2	5
10	Demonstration of Tunable Steering and Multiplexing of Two 28 GHz Data Carrying Orbital Angular Momentum Beams Using Antenna Array. <i>Scientific Reports</i> , <b>2016</b> , 6, 37078	4.9	15
9	Performance metrics and design considerations for a free-space optical orbital-angular-momentum-multiplexed communication link. <i>Optica</i> , <b>2015</b> , 2, 357	8.6	110

8	100 Tbit/s free-space data link enabled by three-dimensional multiplexing of orbital angular momentum, polarization, and wavelength. <i>Optics Letters</i> , <b>2014</b> , 39, 197-200	3	309
7	Demonstration of tunable optical generation of higher-order modulation formats using nonlinearities and coherent frequency comb. <i>Optics Letters</i> , <b>2014</b> , 39, 4915-8	3	10
6	Adaptive-optics-based simultaneous pre- and post-turbulence compensation of multiple orbital-angular-momentum beams in a bidirectional free-space optical link. <i>Optica</i> , <b>2014</b> , 1, 376	8.6	123
5	Crosstalk mitigation in a free-space orbital angular momentum multiplexed communication link using 4× MIMO equalization. <i>Optics Letters</i> , <b>2014</b> , 39, 4360-3	3	78
4	Terabit-scale orbital angular momentum mode division multiplexing in fibers. <i>Science</i> , <b>2013</b> , 340, 1545-8	33.3	1601
3	Atmospheric turbulence effects on the performance of a free space optical link employing orbital angular momentum multiplexing. <i>Optics Letters</i> , <b>2013</b> , 38, 4062-5	3	154
2	Terabit free-space data transmission employing orbital angular momentum multiplexing. <i>Nature Photonics</i> , <b>2012</b> , 6, 488-496	33.9	2390
1	Spectrally efficient direct-detected OFDM transmission employing an iterative estimation and cancellation technique. <i>Optics Express</i> , <b>2009</b> , 17, 9099-111	3.3	112