

SeÅ§kin Dereli

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7224165/publications.pdf>

Version: 2024-02-01

19
papers

148
citations

1306789

7
h-index

1372195

10
g-index

20
all docs

20
docs citations

20
times ranked

218
citing authors

#	ARTICLE	IF	CITATIONS
1	The utility of inferior vena cava diameter and the degree of inspiratory collapse in patients with systolic heart failure. <i>American Journal of Emergency Medicine</i> , 2015, 33, 653-657.	0.7	23
2	Epicardial fat thickness: A new predictor of successful electrical cardioversion and atrial fibrillation recurrence. <i>Echocardiography</i> , 2018, 35, 1926-1931.	0.3	12
3	Assessment of the Relationship Between C-Reactive Protein-to-Albumin Ratio and the Presence and Severity of Isolated Coronary Artery Ectasia. <i>Angiology</i> , 2020, 71, 840-846.	0.8	12
4	Impact of sacubitril/valsartan treatment on depression and anxiety in heart failure with reduced ejection fraction. <i>Acta Cardiologica</i> , 2020, 75, 774-782.	0.3	12
5	Effects of angiotensin receptor neprilysin inhibition on pulmonary arterial stiffness in heart failure with reduced ejection fraction. <i>International Journal of Cardiovascular Imaging</i> , 2021, 37, 165-173.	0.7	12
6	Effect of COVID-19 pandemic on anxiety depression and intention to go to hospital in chronic patients. <i>International Journal of Clinical Practice</i> , 2021, 75, e14219.	0.8	11
7	New prognostic markers in pulmonary arterial hypertension: CRP to albumin ratio and uric acid. <i>Clinical Biochemistry</i> , 2022, 100, 22-28.	0.8	11
8	A New and Simple Risk Predictor of Contrast-Induced Nephropathy in Patients Undergoing Primary Percutaneous Coronary Intervention: TIMI Risk Index. <i>Cardiology Research and Practice</i> , 2018, 2018, 1-6.	0.5	8
9	Usefulness of platelet to lymphocyte ratio for predicting recurrence of atrial fibrillation after direct current cardioversion. <i>Annals of Noninvasive Electrocardiology</i> , 2019, 24, e12616.	0.5	8
10	Evaluation of left atrial volume and functions by real time three-dimensional echocardiography in patients with subclinical hypothyroidism before and after levothyroxine therapy. <i>Echocardiography</i> , 2019, 36, 916-923.	0.3	7
11	Association of C-Reactive Protein-to-Albumin Ratio With the Presence and Progression of Abdominal Aortic Aneurysm. <i>Angiology</i> , 2021, 72, 153-158.	0.8	7
12	Usefulness of CHA2DS2-VASc Score to predict clinical outcomes of patients undergoing carotid artery stenting. <i>International Journal of Cardiovascular Imaging</i> , 2021, 37, 783-789.	0.7	6
13	Modified model for end-stage liver disease score predicts 30-day mortality in high-risk patients with acute pulmonary embolism admitted to intensive care units. <i>Scandinavian Cardiovascular Journal</i> , 2021, 55, 237-244.	0.4	6
14	Evaluation of left atrial volume and function by real time three-dimensional echocardiography in anemic patients without overt heart disease before and after anemia correction. <i>International Journal of Cardiovascular Imaging</i> , 2019, 35, 1619-1626.	0.7	4
15	Effects of sacubitril/valsartan on nutritional status in heart failure with reduced ejection fraction. <i>Journal of Cardiovascular Medicine</i> , 2020, 21, 13-20.	0.6	4
16	The relationship between severe acute respiratory syndrome coronavirus 2 (SARS - COV - 2) pandemic and fragmented QRS. <i>Journal of Electrocardiology</i> , 2020, 62, 10-13.	0.4	3
17	Association between fragmented QRS and left ventricular dysfunction in acromegaly patients. <i>Acta Cardiologica</i> , 2020, 75, 435-441.	0.3	2
18	Reply to the Letter to the Editor Entitled "C-Reactive Protein-to-Albumin Ratio and Progression of Abdominal Aortic Aneurysm". <i>Angiology</i> , 2021, 72, 491-491.	0.8	0

#	ARTICLE	IF	CITATIONS
19	Use of TIMI Risk Index as a Simple and Valuable Prognostic Tool in Patients with ST-Segment Elevation Myocardial Infarction Who Underwent Primary Percutaneous Coronary Intervention.. Turk Kardioloji Dernegi Arsivi, 2022, 50, 192-201.	0.2	0