
Seçkin Dereli

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7224165/publications.pdf Version: 2024-02-01



SEÃ8KIN DEDELL

#	Article	IF	CITATIONS
1	New prognostic markers in pulmonary arterial hypertension: CRP to albumin ratio and uric acid. Clinical Biochemistry, 2022, 100, 22-28.	0.8	11
2	Use of TIMI Risk Index as a Simple and Valuable Prognostic Tool in Patients with ST-Segment Elevation Myocardial Infarction Who Underwent Primary Percutaneous Coronary Intervention Turk Kardiyoloji Dernegi Arsivi, 2022, 50, 192-201.	0.2	0
3	Usefulness of CHA2DS2-VAScÂScore to predict clinical outcomes of patients undergoing carotid artery stenting. International Journal of Cardiovascular Imaging, 2021, 37, 783-789.	0.7	6
4	Effects of angiotensin receptor neprilysin inhibition on pulmonary arterial stiffness in heart failure with reduced ejection fraction. International Journal of Cardiovascular Imaging, 2021, 37, 165-173.	0.7	12
5	Association of C-Reactive Protein-to-Albumin Ratio With the Presence and Progression of Abdominal Aortic Aneurysm. Angiology, 2021, 72, 153-158.	0.8	7
6	Modified model for end-stage liver disease score predicts 30-day mortality in high-risk patients with acute pulmonary embolism admitted to intensive care units. Scandinavian Cardiovascular Journal, 2021, 55, 237-244.	0.4	6
7	Effect of COVIDâ€19 pandemic on anxiety depression and intention to go to hospital in chronic patients. International Journal of Clinical Practice, 2021, 75, e14219.	0.8	11
8	Reply to the Letter to the Editor Entitled "C-Reactive Protein-to-Albumin Ratio and Progression of Abdominal Aortic Aneurysm― Angiology, 2021, 72, 491-491.	0.8	0
9	Association between fragmented QRS and left ventricular dysfunction in acromegaly patients. Acta Cardiologica, 2020, 75, 435-441.	0.3	2
10	Effects of sacubutril/valsartan on nutritional status in heart failure with reduced ejection fraction. Journal of Cardiovascular Medicine, 2020, 21, 13-20.	0.6	4
11	The relationship between severe acute respiratory syndrome coronavirus 2 (SARS - COV - 2) pandemic and fragmented QRS. Journal of Electrocardiology, 2020, 62, 10-13.	0.4	3
12	Assessment of the Relationship Between C-Reactive Protein-to-Albumin Ratio and the Presence and Severity of Isolated Coronary Artery Ectasia. Angiology, 2020, 71, 840-846.	0.8	12
13	Impact of sacubitril/valsartan treatment on depression and anxiety in heart failure with reduced ejection fraction. Acta Cardiologica, 2020, 75, 774-782.	0.3	12
14	Evaluation of left atrial volume and function by real time three-dimensional echocardiography in anemic patients without overt heart disease before and after anemia correction. International Journal of Cardiovascular Imaging, 2019, 35, 1619-1626.	0.7	4
15	Evaluation of left atrial volume and functions by real time threeâ€dimensional echocardiography in patients with subclinical hypothyroidism before and after levothyroxine therapy. Echocardiography, 2019, 36, 916-923.	0.3	7
16	Usefulness of platelet to lymphocyte ratio for predicting recurrence of atrial fibrillation after direct current cardioversion. Annals of Noninvasive Electrocardiology, 2019, 24, e12616.	0.5	8
17	A New and Simple Risk Predictor of Contrast-Induced Nephropathy in Patients Undergoing Primary Percutaneous Coronary Intervention: TIMI Risk Index. Cardiology Research and Practice, 2018, 2018, 1-6.	0.5	8
18	Epicardial fat thickness: A new predictor of successful electrical cardioversion and atrial fibrillation recurrence. Echocardiography, 2018, 35, 1926-1931.	0.3	12

#	Article	IF	CITATIONS
19	The utility of inferior vena cava diameter and the degree of inspiratory collapse in patients with systolic heart failure. American Journal of Emergency Medicine, 2015, 33, 653-657.	0.7	23