

Pietro Di Fazio

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7224851/pietro-di-fazio-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

62

papers

1,755

citations

22

h-index

41

g-index

76

ext. papers

2,449

ext. citations

4.3

avg, IF

4.21

L-index

#	Paper	IF	Citations
62	Knee Arthrodesis Affects Gait Kinematics More in the Ankle Than in the Hip Joint. <i>Medicina (Lithuania)</i> , 2022 , 58, 696	3.1	
61	Long Non-Coding RNA Expression Correlates with Autophagy Process in Adrenocortical Carcinoma. <i>Cancer Investigation</i> , 2021 , 1-14	2.1	1
60	Prostate-Specific Membrane Antigen in Anaplastic and Poorly Differentiated Thyroid Cancer-A New Diagnostic and Therapeutic Target?. <i>Cancers</i> , 2021 , 13,	6.6	2
59	Modulation of Pancreatic Neuroendocrine Neoplastic Cell Fate by Autophagy-Mediated Death. <i>Neuroendocrinology</i> , 2021 , 111, 965-985	5.6	7
58	Gastric enterochromaffin-like cell changes in multiple endocrine neoplasia type 1. <i>Clinical Endocrinology</i> , 2021 , 95, 439-446	3.4	1
57	Antiproliferative effect of GTS-21 in glioblastoma cells. <i>Oncology Letters</i> , 2021 , 22, 759	2.6	1
56	Guidelines for the use and interpretation of assays for monitoring autophagy (4th edition). <i>Autophagy</i> , 2021 , 17, 1-382	10.2	440
55	Exploring the MEN1 dependent modulation of caspase 8 and caspase 3 in human pancreatic and murine embryo fibroblast cells. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2021 , 27, 70	5.4	0
54	Gender Differences in Multiple Endocrine Neoplasia Type 1: Implications for Screening?. <i>Visceral Medicine</i> , 2020 , 36, 3-9	2.4	10
53	Sphingosine-1-phosphate analogue FTY720 exhibits a potent anti-proliferative effect on glioblastoma cells. <i>International Journal of Oncology</i> , 2020 , 57, 1039-1046	4.4	1
52	The Crosstalk of miRNA and Oxidative Stress in the Liver: From Physiology to Pathology and Clinical Implications. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	27
51	Effects of multi and selective targeted tyrosine kinase inhibitors on function and signaling of different bladder cancer cells. <i>Biomedicine and Pharmacotherapy</i> , 2018 , 106, 316-325	7.5	6
50	Epigenetic Modifications in Thyroid Cancer Cells Restore NIS and Radio-Iodine Uptake and Promote Cell Death. <i>Journal of Clinical Medicine</i> , 2018 , 7,	5.1	23
49	Individualised Multimodal Treatment Strategies for Anaplastic and Poorly Differentiated Thyroid Cancer. <i>Journal of Clinical Medicine</i> , 2018 , 7,	5.1	17
48	Selumetinib Activity in Thyroid Cancer Cells: Modulation of Sodium Iodide Symporter and Associated miRNAs. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	14
47	Chemoprevention with Enalapril and Aspirin in Men1(+/-) Knockout Mouse Model. <i>Neuroendocrinology</i> , 2018 , 107, 257-266	5.6	4
46	Panobinostat mediated cell death: a novel therapeutic approach for osteosarcoma. <i>Oncotarget</i> , 2018 , 9, 32997-33010	3.3	15

45	Targeting autophagy in liver cancer. <i>Translational Gastroenterology and Hepatology</i> , 2018 , 3, 39	5.2	21
44	The Combination of MiRNA-196b, LCN2, and TIMP1 is a Potential Set of Circulating Biomarkers for Screening Individuals at Risk for Familial Pancreatic Cancer. <i>Journal of Clinical Medicine</i> , 2018 , 7,	5.1	21
43	Pharmacological Inhibition of Class IIA HDACs by LMK-235 in Pancreatic Neuroendocrine Tumor Cells. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	21
42	HDAC-Linked "Proliferative" miRNA Expression Pattern in Pancreatic Neuroendocrine Tumors. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	13
41	Comprehensive immunohistochemical analysis of histone deacetylases in pancreatic neuroendocrine tumors: HDAC5 as a predictor of poor clinical outcome. <i>Human Pathology</i> , 2017 , 65, 41-52	3.7	36
40	Expression of hsa-let-7b-5p, hsa-let-7f-5p, and hsa-miR-222-3p and their putative targets HMGA2 and CDKN1B in typical and atypical carcinoid tumors of the lung. <i>Tumor Biology</i> , 2017 , 39, 1010428317728417	2.9	24
39	Additive antitumour response to the rabbit VX2 hepatoma by combined radio frequency ablation and toll like receptor 9 stimulation. <i>Gut</i> , 2016 , 65, 134-43	19.2	40
38	MicroRNAs let7 expression in thyroid cancer: correlation with their deputed targets HMGA2 and SLC5A5. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016 , 142, 1213-20	4.9	31
37	Morphological Alterations in Gastrocnemius and Soleus Muscles in Male and Female Mice in a Fibromyalgia Model. <i>PLoS ONE</i> , 2016 , 11, e0151116	3.7	21
36	The BMI1 inhibitor PTC-209 is a potential compound to halt cellular growth in biliary tract cancer cells. <i>Oncotarget</i> , 2016 , 7, 745-58	3.3	28
35	Exogenous hepatitis B virus envelope proteins induce endoplasmic reticulum stress: involvement of cannabinoid axis in liver cancer cells. <i>Oncotarget</i> , 2016 , 7, 20312-23	3.3	25
34	Autophagy-related cell death by pan-histone deacetylase inhibition in liver cancer. <i>Oncotarget</i> , 2016 , 7, 28998-9010	3.3	32
33	Fibromyalgia syndrome: metabolic and autophagic processes in intermittent cold stress mice. <i>Pharmacology Research and Perspectives</i> , 2016 , 4, e00248	3.1	9
32	Individualized multimodal treatment strategy for anaplastic thyroid carcinoma-Case report of long-term remission and review of literature. <i>International Journal of Surgery Case Reports</i> , 2016 , 25, 174-8	0.8	6
31	Ileal neuroendocrine tumors show elevated activation of mammalian target of rapamycin complex. <i>Journal of Surgical Research</i> , 2015 , 194, 388-393	2.5	8
30	4,5-Diaryl imidazoles with hydroxamic acid appendages as anti-hepatoma agents. <i>Investigational New Drugs</i> , 2015 , 33, 104-8	4.3	5
29	The pan-deacetylase inhibitor panobinostat suppresses the expression of oncogenic miRNAs in hepatocellular carcinoma cell lines. <i>Molecular Carcinogenesis</i> , 2015 , 54, 585-97	5	24
28	The pan-deacetylase inhibitor panobinostat affects angiogenesis in hepatocellular carcinoma models via modulation of CTGF expression. <i>International Journal of Oncology</i> , 2015 , 47, 963-70	4.4	21

27	Roscovitine has anti-proliferative and pro-apoptotic effects on glioblastoma cell lines: A pilot study. <i>Oncology Reports</i> , 2015 , 34, 1549-56	3.5	17
26	Gallotannin is a DNA damaging compound that induces senescence independently of p53 and p21 in human colon cancer cells. <i>Molecular Carcinogenesis</i> , 2015 , 54, 1037-50	5	9
25	Long-term immune-modulatory side effects of radiofrequency ablation in patients with liver metastases and hepatocellular carcinoma. <i>Hepatoma Research</i> , 2015 , 1, 92	4.3	
24	Targeting prostate cancer cells with neurotransmission modulating drugs.. <i>Journal of Clinical Oncology</i> , 2015 , 33, e16093-e16093	2.2	
23	3-Deazaneplanocin A May Directly Target Putative Cancer Stem Cells in Biliary Tract Cancer. <i>Anticancer Research</i> , 2015 , 35, 4697-705	2.3	18
22	Endoplasmic Reticulum Stress in Pancreatic Neuroendocrine Tumors is Linked to Clinicopathological Parameters and Possible Epigenetic Regulations. <i>Anticancer Research</i> , 2015 , 35, 6127-36	2.3	13
21	The Nd:YAG LIMAX [®] 120 high-output laser: local effects and resection capacity on liver parenchyma. <i>Lasers in Medical Science</i> , 2014 , 29, 1411-6	3.1	2
20	Activated hedgehog pathway is a potential target for pharmacological intervention in biliary tract cancer. <i>Molecular and Cellular Biochemistry</i> , 2014 , 396, 257-68	4.2	18
19	Airtightness of lung parenchyma without a closing suture after atypical resection using the Nd:YAG Laser LIMAX 120. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2014 , 18, 92-5	1.8	12
18	Endoplasmic reticulum stress plays a pivotal role in cell death mediated by the pan-deacetylase inhibitor panobinostat in human hepatocellular cancer cells. <i>Translational Oncology</i> , 2013 , 6, 143-57	4.9	23
17	Embryonic transcription factors CDX2 and Oct4 are overexpressed in neuroendocrine tumors of the ileum: a pilot study. <i>European Surgical Research</i> , 2013 , 51, 14-20	1.1	3
16	The pan-deacetylase inhibitor panobinostat modulates the expression of epithelial-mesenchymal transition markers in hepatocellular carcinoma models. <i>Oncology Letters</i> , 2013 , 5, 127-134	2.6	19
15	Downregulation of HMGA2 by the pan-deacetylase inhibitor panobinostat is dependent on hsa-let-7b expression in liver cancer cell lines. <i>Experimental Cell Research</i> , 2012 , 318, 1832-43	4.2	61
14	DAPK plays an important role in panobinostat-induced autophagy and commits cells to apoptosis under autophagy deficient conditions. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2012 , 17, 1300-15	5.4	57
13	Inhibition of DNA methyltransferase activity and expression by treatment with the pan-deacetylase inhibitor panobinostat in hepatocellular carcinoma cell lines. <i>BMC Cancer</i> , 2012 , 12, 386	4.8	38
12	Influence of five potential anticancer drugs on wnt pathway and cell survival in human biliary tract cancer cells. <i>International Journal of Biological Sciences</i> , 2012 , 8, 15-29	11.2	24
11	Dual anticancer activity in a single compound: visible-light-induced apoptosis by an antiangiogenic iridium complex. <i>Chemical Communications</i> , 2012 , 48, 1863-5	5.8	97
10	AKT inhibition by triciribine alone or as combination therapy for growth control of gastroenteropancreatic neuroendocrine tumors. <i>International Journal of Oncology</i> , 2012 , 40, 876-88	4.4	14

9	Pancreatic cancer cells surviving gemcitabine treatment express markers of stem cell differentiation and epithelial-mesenchymal transition. <i>International Journal of Oncology</i> , 2012 , 41, 2093-102	4.4	52
8	New drugs, old fashioned ways: ER stress induced cell death. <i>Current Pharmaceutical Biotechnology</i> , 2012 , 13, 2228-34	2.6	14
7	SIVmac239 Nef down-regulates cell surface expression of CXCR4 in tumor cells and inhibits proliferation, migration and angiogenesis. <i>Anticancer Research</i> , 2012 , 32, 2759-68	2.3	7
6	Nef from SIV(mac239) decreases proliferation and migration of adenoid-cystic carcinoma cells and inhibits angiogenesis. <i>Oral Oncology</i> , 2011 , 47, 847-54	4.4	5
5	Clinical significance of histone deacetylases 1, 2, 3, and 7: HDAC2 is an independent predictor of survival in HCC. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2011 , 459, 129-39	5.1	90
4	The Pan-Deacetylase Inhibitor Panobinostat Inhibits Growth of Hepatocellular Carcinoma Models by Alternative Pathways of Apoptosis. <i>Analytical Cellular Pathology</i> , 2010 , 32, 285-300	3.4	2
3	The pan-deacetylase inhibitor panobinostat inhibits growth of hepatocellular carcinoma models by alternative pathways of apoptosis. <i>Cellular Oncology</i> , 2010 , 32, 285-300		31
2	The histone deacetylase inhibitor suberoylanilide hydroxamic acid sensitises human hepatocellular carcinoma cells to TRAIL-induced apoptosis by TRAIL-DISC activation. <i>European Journal of Cancer</i> , 2009 , 45, 2425-38	7.5	66
1	SAHA induces apoptosis in hepatoma cells and synergistically interacts with the proteasome inhibitor Bortezomib. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2007 , 12, 1327-38	5.4	101