

Dae-Duk Kim

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7225587/dae-duk-kim-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

232
papers

7,700
citations

46
h-index

76
g-index

232
ext. papers

8,604
ext. citations

5.9
avg, IF

5.8
L-index

#	Paper	IF	Citations
232	Enhanced solubility and stability of PEGylated liposomal paclitaxel: in vitro and in vivo evaluation. <i>International Journal of Pharmaceutics</i> , 2007 , 338, 317-26	6.5	312
231	Self-assembled nanoparticles based on hyaluronic acid-ceramide (HA-CE) and Pluronic [®] for tumor-targeted delivery of docetaxel. <i>Biomaterials</i> , 2011 , 32, 7181-90	15.6	257
230	Docetaxel microemulsion for enhanced oral bioavailability: preparation and in vitro and in vivo evaluation. <i>Journal of Controlled Release</i> , 2009 , 140, 86-94	11.7	231
229	Formulation and in vitro assessment of minoxidil niosomes for enhanced skin delivery. <i>International Journal of Pharmaceutics</i> , 2009 , 377, 1-8	6.5	219
228	Polyethylene glycol-conjugated hyaluronic acid-ceramide self-assembled nanoparticles for targeted delivery of doxorubicin. <i>Biomaterials</i> , 2012 , 33, 1190-200	15.6	215
227	Evidence supporting antioxidant action of adipose-derived stem cells: protection of human dermal fibroblasts from oxidative stress. <i>Journal of Dermatological Science</i> , 2008 , 49, 133-42	4.3	200
226	Enhanced oral bioavailability of Coenzyme Q10 by self-emulsifying drug delivery systems. <i>International Journal of Pharmaceutics</i> , 2009 , 374, 66-72	6.5	196
225	Preparation and evaluation of paclitaxel-loaded PEGylated immunoliposome. <i>Journal of Controlled Release</i> , 2007 , 120, 169-77	11.7	195
224	Hyaluronic acid derivative-coated nanohybrid liposomes for cancer imaging and drug delivery. <i>Journal of Controlled Release</i> , 2014 , 174, 98-108	11.7	164
223	A novel vesicular carrier, transethosome, for enhanced skin delivery of voriconazole: characterization and in vitro/in vivo evaluation. <i>Colloids and Surfaces B: Biointerfaces</i> , 2012 , 92, 299-304	6	156
222	The effects of mixed MPEG-PLA/Pluronic copolymer micelles on the bioavailability and multidrug resistance of docetaxel. <i>Biomaterials</i> , 2010 , 31, 2371-9	15.6	156
221	Enhanced electrostatic interaction between chitosan-modified PLGA nanoparticle and tumor. <i>International Journal of Pharmaceutics</i> , 2009 , 371, 142-7	6.5	121
220	Air-liquid interface (ALI) culture of human bronchial epithelial cell monolayers as an in vitro model for airway drug transport studies. <i>Journal of Pharmaceutical Sciences</i> , 2007 , 96, 341-50	3.9	113
219	15-Deoxy- Δ^2 -prostaglandin J ₂ an electrophilic lipid mediator of anti-inflammatory and pro-resolving signaling. <i>Biochemical Pharmacology</i> , 2011 , 82, 1335-51	6	98
218	Lung-specific delivery of paclitaxel by chitosan-modified PLGA nanoparticles via transient formation of microaggregates. <i>Journal of Pharmaceutical Sciences</i> , 2009 , 98, 970-84	3.9	97
217	Antitumor effect of paclitaxel-loaded PEGylated immunoliposomes against human breast cancer cells. <i>Pharmaceutical Research</i> , 2007 , 24, 2402-11	4.5	93
216	Phenylboronic Acid-Decorated Chondroitin Sulfate A-Based Theranostic Nanoparticles for Enhanced Tumor Targeting and Penetration. <i>Advanced Functional Materials</i> , 2015 , 25, 3705-3717	15.6	90

215	The NRF2-heme oxygenase-1 system modulates cyclosporin A-induced epithelial-mesenchymal transition and renal fibrosis. <i>Free Radical Biology and Medicine</i> , 2010 , 48, 1051-63	7.8	90
214	Surface-modified solid lipid nanoparticles for oral delivery of docetaxel: enhanced intestinal absorption and lymphatic uptake. <i>International Journal of Nanomedicine</i> , 2014 , 9, 495-504	7.3	85
213	Chitosan oligosaccharide-arachidic acid-based nanoparticles for anti-cancer drug delivery. <i>International Journal of Pharmaceutics</i> , 2013 , 441, 373-80	6.5	83
212	Liposome formulation of paclitaxel with enhanced solubility and stability. <i>Drug Delivery</i> , 2007 , 14, 301-87		76
211	Dual CD44 and folate receptor-targeted nanoparticles for cancer diagnosis and anticancer drug delivery. <i>Journal of Controlled Release</i> , 2016 , 236, 38-46	11.7	73
210	Effect of process parameters on nanoemulsion droplet size and distribution in SPG membrane emulsification. <i>International Journal of Pharmaceutics</i> , 2011 , 404, 191-7	6.5	73
209	Novel porous matrix of hyaluronic acid for the three-dimensional culture of chondrocytes. <i>International Journal of Pharmaceutics</i> , 2009 , 369, 114-20	6.5	72
208	Preparation and evaluation of tacrolimus-loaded nanoparticles for lymphatic delivery. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2010 , 74, 164-71	5.7	69
207	Enhancing effect of surfactants on fexofenadine.HCl transport across the human nasal epithelial cell monolayer. <i>International Journal of Pharmaceutics</i> , 2007 , 330, 23-31	6.5	68
206	Hyaluronic acid derivative-based self-assembled nanoparticles for the treatment of melanoma. <i>Pharmaceutical Research</i> , 2012 , 29, 3443-54	4.5	65
205	Skin permeation enhancement of diclofenac by fatty acids. <i>Drug Delivery</i> , 2008 , 15, 373-9	7	63
204	Air-liquid interface culture of serially passaged human nasal epithelial cell monolayer for in vitro drug transport studies. <i>Drug Delivery</i> , 2005 , 12, 305-11	7	63
203	Effect of fatty acids on the transdermal delivery of donepezil: in vitro and in vivo evaluation. <i>International Journal of Pharmaceutics</i> , 2012 , 422, 83-90	6.5	62
202	Hyaluronic acid-ceramide-based optical/MR dual imaging nanoprobe for cancer diagnosis. <i>Journal of Controlled Release</i> , 2012 , 162, 111-8	11.7	62
201	Application of montmorillonite in bentonite as a pharmaceutical excipient in drug delivery systems. <i>Journal of Pharmaceutical Investigation</i> , 2016 , 46, 363-375	6.3	60
200	Anti-inflammatory properties of anthraquinones and their relationship with the regulation of P-glycoprotein function and expression. <i>European Journal of Pharmaceutical Sciences</i> , 2013 , 48, 272-81	5.1	57
199	Lyotropic liquid crystal systems in drug delivery: a review. <i>Journal of Pharmaceutical Investigation</i> , 2015 , 45, 1-11	6.3	56
198	Chitosan microspheres as an alveolar macrophage delivery system of ofloxacin via pulmonary inhalation. <i>International Journal of Pharmaceutics</i> , 2013 , 441, 562-9	6.5	55

197	The limited intestinal absorption via paracellular pathway is responsible for the low oral bioavailability of doxorubicin. <i>Xenobiotica</i> , 2013 , 43, 579-91	2	55
196	Preparation and evaluation of spray-dried hyaluronic acid microspheres for intranasal delivery of fexofenadine hydrochloride. <i>European Journal of Pharmaceutical Sciences</i> , 2010 , 40, 9-15	5.1	54
195	Involvement of P-glycoprotein, multidrug resistance protein 2 and breast cancer resistance protein in the transport of belotecan and topotecan in Caco-2 and MDCKII cells. <i>Pharmaceutical Research</i> , 2008 , 25, 2601-12	4.5	53
194	Recent Progress in the Development of Poly(lactic--glycolic acid)-Based Nanostructures for Cancer Imaging and Therapy. <i>Pharmaceutics</i> , 2019 , 11,	6.4	52
193	Formulation of a reservoir-type testosterone transdermal delivery system. <i>International Journal of Pharmaceutics</i> , 2001 , 219, 51-9	6.5	52
192	Poloxamer/cyclodextrin/chitosan-based thermoreversible gel for intranasal delivery of fexofenadine hydrochloride. <i>Journal of Pharmaceutical Sciences</i> , 2011 , 100, 681-91	3.9	49
191	Polyethylene glycol-modified arachidyl chitosan-based nanoparticles for prolonged blood circulation of doxorubicin. <i>International Journal of Pharmaceutics</i> , 2014 , 464, 127-34	6.5	48
190	Synergistic anti-tumor activity of paclitaxel-incorporated conjugated linoleic acid-coupled poloxamer thermosensitive hydrogel in vitro and in vivo. <i>Biomaterials</i> , 2009 , 30, 4777-85	15.6	48
189	Enhanced rectal bioavailability of ibuprofen in rats by poloxamer 188 and menthol. <i>International Journal of Pharmaceutics</i> , 2004 , 269, 169-76	6.5	48
188	Synthesis and evaluation of Ketorolac ester prodrugs for transdermal delivery. <i>Journal of Pharmaceutical Sciences</i> , 2003 , 92, 1008-17	3.9	48
187	Hyaluronic Acid in Drug Delivery Systems. <i>Journal of Pharmaceutical Investigation</i> , 2010 , 40, 33-43	6.3	48
186	Serially passaged human nasal epithelial cell monolayer for in vitro drug transport studies. <i>Pharmaceutical Research</i> , 2003 , 20, 1690-6	4.5	45
185	Mutual hairless rat skin permeation-enhancing effect of ethanol/water system and oleic acid. <i>Journal of Pharmaceutical Sciences</i> , 1996 , 85, 1191-5	3.9	45
184	Boronic acid-tethered amphiphilic hyaluronic acid derivative-based nanoassemblies for tumor targeting and penetration. <i>Acta Biomaterialia</i> , 2017 , 53, 414-426	10.8	43
183	Bile acid-conjugated chondroitin sulfate A-based nanoparticles for tumor-targeted anticancer drug delivery. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2015 , 94, 532-41	5.7	43
182	Functional induction of P-glycoprotein in the blood-brain barrier of streptozotocin-induced diabetic rats: evidence for the involvement of nuclear factor-kappaB, a nitrosative stress-sensitive transcription factor, in the regulation. <i>Drug Metabolism and Disposition</i> , 2007 , 35, 1996-2005	4	43
181	Pharmacokinetics and first-pass elimination of metoprolol in rats: contribution of intestinal first-pass extraction to low bioavailability of metoprolol. <i>Xenobiotica</i> , 2011 , 41, 243-51	2	42
180	Disaccharide-modified liposomes and their in vitro intracellular uptake. <i>International Journal of Pharmaceutics</i> , 2009 , 380, 161-9	6.5	42

179	Comparison of drug release and pharmacokinetics after transarterial chemoembolization using diverse lipiodol emulsions and drug-eluting beads. <i>PLoS ONE</i> , 2014 , 9, e115898	3.7	41
178	Molecular modeling of 3-arylisoquinoline antitumor agents active against A-549. A comparative molecular field analysis study. <i>Bioorganic and Medicinal Chemistry</i> , 2002 , 10, 2953-61	3.4	41
177	Ketorolac amide prodrugs for transdermal delivery: stability and in vitro rat skin permeation studies. <i>International Journal of Pharmaceutics</i> , 2005 , 293, 193-202	6.5	41
176	Curcumin-loaded lipid-hybridized cellulose nanofiber film ameliorates imiquimod-induced psoriasis-like dermatitis in mice. <i>Biomaterials</i> , 2018 , 182, 245-258	15.6	40
175	Reduced antidiabetic effect of metformin and down-regulation of hepatic Oct1 in rats with ethynylestradiol-induced cholestasis. <i>Pharmaceutical Research</i> , 2009 , 26, 549-59	4.5	40
174	Iodinated hyaluronic acid oligomer-based nanoassemblies for tumor-targeted drug delivery and cancer imaging. <i>Biomaterials</i> , 2016 , 85, 218-31	15.6	39
173	Emulsion-based colloidal nanosystems for oral delivery of doxorubicin: improved intestinal paracellular absorption and alleviated cardiotoxicity. <i>International Journal of Pharmaceutics</i> , 2014 , 464, 117-26	6.5	39
172	A new injectable liquid crystal system for one month delivery of leuprolide. <i>Journal of Controlled Release</i> , 2014 , 185, 62-70	11.7	38
171	Preparation and characterization of MRI-active gadolinium nanocomposite particles for neutron capture therapy. <i>Journal of Materials Chemistry</i> , 2011 , 21, 15486		38
170	High-frequency microwave ablation method for enhanced cancer treatment with minimized collateral damage. <i>International Journal of Cancer</i> , 2011 , 129, 1970-8	7.5	38
169	Chemosensitizing indomethacin-conjugated chitosan oligosaccharide nanoparticles for tumor-targeted drug delivery. <i>Acta Biomaterialia</i> , 2017 , 57, 262-273	10.8	37
168	The effect of pore formers on the controlled release of cefadroxil from a polyurethane matrix. <i>International Journal of Pharmaceutics</i> , 2000 , 201, 29-36	6.5	37
167	Transdermal delivery of dideoxynucleoside-type anti-HIV drugs. 2. The effect of vehicle and enhancer on skin permeation. <i>Journal of Pharmaceutical Sciences</i> , 1996 , 85, 214-9	3.9	37
166	Interpenetrating polymer network (IPN) scaffolds of sodium hyaluronate and sodium alginate for chondrocyte culture. <i>Colloids and Surfaces B: Biointerfaces</i> , 2011 , 88, 711-6	6	36
165	Development of udenafil-loaded microemulsions for intranasal delivery: in vitro and in vivo evaluations. <i>International Journal of Pharmaceutics</i> , 2012 , 423, 153-60	6.5	35
164	Evidence of carrier-mediated transport in the penetration of donepezil into the rat brain. <i>Journal of Pharmaceutical Sciences</i> , 2010 , 99, 1548-66	3.9	35
163	Selenoacyclovir and Selenoganciclovir: Discovery of a New Template for Antiviral Agents. <i>Journal of Medicinal Chemistry</i> , 2015 , 58, 8734-8	8.3	33
162	Transport of anti-allergic drugs across the passage cultured human nasal epithelial cell monolayer. <i>European Journal of Pharmaceutical Sciences</i> , 2005 , 26, 203-10	5.1	33

161	Development of drug-in-adhesive patch formulations for transdermal delivery of fluoxetine: In vitro and in vivo evaluations. <i>International Journal of Pharmaceutics</i> , 2015 , 487, 49-55	6.5	32
160	Cholesterol-modified poly(lactide-co-glycolide) nanoparticles for tumor-targeted drug delivery. <i>International Journal of Pharmaceutics</i> , 2016 , 509, 483-491	6.5	32
159	Hypocrellin B and paclitaxel-encapsulated hyaluronic acid-ceramide nanoparticles for targeted photodynamic therapy in lung cancer. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2016 , 158, 113-21	6.7	32
158	Poly-L-arginine and dextran sulfate-based nanocomplex for epidermal growth factor receptor (EGFR) siRNA delivery: its application for head and neck cancer treatment. <i>Pharmaceutical Research</i> , 2012 , 29, 1007-19	4.5	32
157	Poly(D,L-lactic acid)-glycerol-based nanoparticles for curcumin delivery. <i>International Journal of Pharmaceutics</i> , 2015 , 488, 70-7	6.5	31
156	In vitro and in vivo evaluation of the effect of puerarin on hepatic cytochrome p450-mediated drug metabolism. <i>Planta Medica</i> , 2014 , 80, 561-7	3.1	31
155	Development of poly(lactic-co-glycolic) acid nanoparticles-embedded hyaluronic acid-ceramide-based nanostructure for tumor-targeted drug delivery. <i>International Journal of Pharmaceutics</i> , 2014 , 473, 426-33	6.5	30
154	Physicochemical characterization and skin permeation of liposome formulations containing clindamycin phosphate. <i>Archives of Pharmacal Research</i> , 2009 , 32, 1067-75	6.1	30
153	Cross-linked hyaluronic acid-based flexible cell delivery system: application for chondrogenic differentiation. <i>Colloids and Surfaces B: Biointerfaces</i> , 2012 , 91, 106-13	6	29
152	New polyunsaturated fatty acid amides isolated from the seeds of <i>Zanthoxylum piperitum</i> . <i>Archives of Pharmacal Research</i> , 2008 , 31, 569-72	6.1	29
151	Tumor Targeting and Lipid Rafts Disrupting Hyaluronic Acid-Cyclodextrin-Based Nanoassembled Structure for Cancer Therapy. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 36628-36640	9.5	29
150	Mussel-Inspired Hyaluronic Acid Derivative Nanostructures for Improved Tumor Targeting and Penetration. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 22308-22320	9.5	28
149	Platinum transporters and drug resistance. <i>Archives of Pharmacal Research</i> , 2006 , 29, 1067-73	6.1	28
148	Polyethylene glycol-conjugated chondroitin sulfate A derivative nanoparticles for tumor-targeted delivery of anticancer drugs. <i>Carbohydrate Polymers</i> , 2016 , 151, 68-77	10.3	27
147	Glycoengineering of interferon- α 1a improves its biophysical and pharmacokinetic properties. <i>PLoS ONE</i> , 2014 , 9, e96967	3.7	27
146	Saturable distribution of tacrine into the striatal extracellular fluid of the rat: evidence of involvement of multiple organic cation transporters in the transport. <i>Drug Metabolism and Disposition</i> , 2005 , 33, 440-8	4	27
145	Doxorubicin-loaded poly(lactic-co-glycolic acid) microspheres prepared using the solid-in-oil-in-water method for the transarterial chemoembolization of a liver tumor. <i>Colloids and Surfaces B: Biointerfaces</i> , 2015 , 132, 305-12	6	26
144	Characterization and in vitro evaluation of freeze-dried microparticles composed of granisetron-cyclodextrin complex and carboxymethylcellulose for intranasal delivery. <i>International Journal of Pharmaceutics</i> , 2010 , 400, 59-65	6.5	26

143	Microemulsion-based Hydrogel Formulation of Itraconazole for Topical Delivery. <i>Journal of Pharmaceutical Investigation</i> , 2010 , 40, 305-311	6.3	26
142	Effect of permeation enhancers on transdermal delivery of fluoxetine: in vitro and in vivo evaluation. <i>International Journal of Pharmaceutics</i> , 2013 , 456, 362-9	6.5	25
141	Soluplus [®] /TPGS-based solid dispersions prepared by hot-melt extrusion equipped with twin-screw systems for enhancing oral bioavailability of valsartan. <i>Drug Design, Development and Therapy</i> , 2015 , 9, 2745-56	4.4	25
140	A novel lipid nanoemulsion system for improved permeation of granisetron. <i>Colloids and Surfaces B: Biointerfaces</i> , 2013 , 101, 475-80	6	25
139	Enhanced in vitro cellular uptake of P-gp substrate by poloxamer-modified liposomes (PMLs) in MDR cancer cells. <i>Journal of Microencapsulation</i> , 2011 , 28, 575-81	3.4	25
138	Formulation of liposome for topical delivery of arbutin. <i>Archives of Pharmacal Research</i> , 2006 , 29, 1187-92	4.1	25
137	Chitosan-based hybrid nanocomplex for siRNA delivery and its application for cancer therapy. <i>Pharmaceutical Research</i> , 2014 , 31, 3323-34	4.5	24
136	Liver cancer targeting of Doxorubicin with reduced distribution to the heart using hematoporphyrin-modified albumin nanoparticles in rats. <i>Pharmaceutical Research</i> , 2012 , 29, 795-805	4.5	24
135	Angelica gigas Nakai and Soluplus-Based Solid Formulations Prepared by Hot-Melting Extrusion: Oral Absorption Enhancing and Memory Ameliorating Effects. <i>PLoS ONE</i> , 2015 , 10, e0124447	3.7	23
134	Kinetics of the Absorption, Distribution, Metabolism, and Excretion of Lobeglitazone, a Novel Activator of Peroxisome Proliferator-Activated Receptor Gamma in Rats. <i>Journal of Pharmaceutical Sciences</i> , 2015 , 104, 3049-59	3.9	23
133	Enhanced intracellular accumulation of a non-nucleoside anti-cancer agent via increased uptake of its valine ester prodrug through amino acid transporters. <i>Xenobiotica</i> , 2012 , 42, 603-13	2	23
132	Preparation and characterization of self-assembled nanoparticles based on low-molecular-weight heparin and stearylamine conjugates for controlled delivery of docetaxel. <i>International Journal of Nanomedicine</i> , 2014 , 9, 5711-27	7.3	22
131	Preparation, characterization and in vitro intestinal absorption of a dry emulsion formulation containing atorvastatin calcium. <i>Drug Delivery</i> , 2009 , 16, 30-6	7	22
130	Development of cyclosporin A-loaded hyaluronic microsphere with enhanced oral bioavailability. <i>International Journal of Pharmaceutics</i> , 2007 , 345, 134-41	6.5	22
129	Effect of ion-pair formation with bile salts on the in vitro cellular transport of berberine. <i>Archives of Pharmacal Research</i> , 2008 , 31, 103-10	6.1	22
128	Physicochemical characterization and in vivo evaluation of poloxamer-based solid suppository containing diclofenac sodium in rats. <i>International Journal of Pharmaceutics</i> , 2005 , 301, 54-61	6.5	22
127	Microemulsion-based hydrogels for enhancing epidermal/dermal deposition of topically administered 20()-protopanaxadiol: and evaluation studies. <i>Journal of Ginseng Research</i> , 2018 , 42, 512-523	5.8	21
126	Electrosprayed nanocomposites based on hyaluronic acid derivative and Soluplus for tumor-targeted drug delivery. <i>Colloids and Surfaces B: Biointerfaces</i> , 2016 , 145, 267-274	6	21

125	Development and validation of a highly sensitive LC-MS/MS method for the determination of acacetin in human plasma and its application to a protein binding study. <i>Archives of Pharmacal Research</i> , 2016 , 39, 213-220	6.1	21
124	Interconnected hyaluronic acid derivative-based nanoparticles for anticancer drug delivery. <i>Colloids and Surfaces B: Biointerfaces</i> , 2014 , 121, 380-7	6	21
123	Quantification of CKD-501, lobeglitazone, in rat plasma using a liquid-chromatography/tandem mass spectrometry method and its applications to pharmacokinetic studies. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009 , 50, 872-7	3.5	21
122	Cytotoxic terpenoids from <i>Juglans sinensis</i> leaves and twigs. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012 , 22, 2079-83	2.9	20
121	Porous hyaluronic acid/sodium alginate composite scaffolds for human adipose-derived stem cells delivery. <i>International Journal of Biological Macromolecules</i> , 2013 , 61, 175-81	7.9	20
120	Saturable sinusoidal uptake is rate-determining process in hepatic elimination of docetaxel in rats. <i>Xenobiotica</i> , 2012 , 42, 1110-9	2	20
119	Solid Dispersions as a Drug Delivery System. <i>Journal of Pharmaceutical Investigation</i> , 2011 , 41, 125-142	6.3	20
118	Hyaluronic acid/doxorubicin nanoassembly-releasing microspheres for the transarterial chemoembolization of a liver tumor. <i>Drug Delivery</i> , 2018 , 25, 1472-1483	7	19
117	Obesity-related physiological changes and their pharmacokinetic consequences. <i>Journal of Pharmaceutical Investigation</i> , 2013 , 43, 161-169	6.3	19
116	Poloxamer-based solid dispersions for oral delivery of docetaxel: Differential effects of F68 and P85 on oral docetaxel bioavailability. <i>International Journal of Pharmaceutics</i> , 2016 , 507, 102-8	6.5	19
115	Novel turn-on fluorescent biosensors for selective detection of cellular Fe ³⁺ in lysosomes: Thiophene as a selectivity-tuning handle for Fe ³⁺ sensors. <i>Dyes and Pigments</i> , 2019 , 169, 51-59	4.6	18
114	Poly((D,L)lactic-glycolic)acid-star glucose nanoparticles for glucose transporter and hypoglycemia-mediated tumor targeting. <i>International Journal of Nanomedicine</i> , 2017 , 12, 7453-7467	7.3	18
113	Preparation and in vivo evaluation of piroxicam-loaded gelatin microcapsule by spray drying technique. <i>Biological and Pharmaceutical Bulletin</i> , 2008 , 31, 1284-7	2.3	18
112	High body clearance and low oral bioavailability of alantolactone, isolated from <i>Inula helenium</i> , in rats: extensive hepatic metabolism and low stability in gastrointestinal fluids. <i>Biopharmaceutics and Drug Disposition</i> , 2016 , 37, 156-67	1.7	18
111	Sorafenib and 2,3,5-triiodobenzoic acid-loaded imageable microspheres for transarterial embolization of a liver tumor. <i>Scientific Reports</i> , 2017 , 7, 554	4.9	17
110	Nanocomplexes based on amphiphilic hyaluronic acid derivative and polyethylene glycol-lipid for ginsenoside rg3 delivery. <i>Journal of Pharmaceutical Sciences</i> , 2014 , 103, 3254-62	3.9	17
109	Self-assembled magnetic resonance imaging nanoprobe based on arachidyl chitosan for cancer diagnosis. <i>Colloids and Surfaces B: Biointerfaces</i> , 2013 , 109, 280-6	6	17
108	In vitro evaluation of patch formulations for topical delivery of gentisic acid in rats. <i>European Journal of Pharmaceutical Sciences</i> , 2003 , 18, 141-7	5.1	17

107	Omega-3 fatty acids incorporated colloidal systems for the delivery of Angelica gigas Nakai extract. <i>Colloids and Surfaces B: Biointerfaces</i> , 2016 , 140, 239-245	6	16
106	Probiotic fermentation augments the skin anti-photoaging properties of Agastache rugosa through up-regulating antioxidant components in UV-B-irradiated HaCaT keratinocytes. <i>BMC Complementary and Alternative Medicine</i> , 2018 , 18, 196	4.7	16
105	Minoxidil Induction of VEGF Is Mediated by Inhibition of HIF-Prolyl Hydroxylase. <i>International Journal of Molecular Sciences</i> , 2017 , 19,	6.3	16
104	Poly(styrene)-b-poly(DL-lactide) copolymer-based nanoparticles for anticancer drug delivery. <i>International Journal of Nanomedicine</i> , 2014 , 9, 2803-13	7.3	16
103	Skin penetration and retention of L-ascorbic acid 2-phosphate using multilamellar vesicles. <i>Archives of Pharmacal Research</i> , 2008 , 31, 1652-8	6.1	16
102	Pharmacokinetics of a new antitumor 3-arylisoquinoline derivative, CWJ-a-5. <i>International Journal of Pharmaceutics</i> , 2001 , 217, 101-10	6.5	16
101	Formulation of self-microemulsifying drug delivery system (SMEDDS) by D-optimal mixture design to enhance the oral bioavailability of a new cathepsin K inhibitor (HL235). <i>International Journal of Pharmaceutics</i> , 2020 , 573, 118772	6.5	16
100	Chondroitin sulfate-hybridized zein nanoparticles for tumor-targeted delivery of docetaxel. <i>Carbohydrate Polymers</i> , 2021 , 253, 117187	10.3	16
99	Ferrous sulfate-directed dual-cross-linked hyaluronic acid hydrogels with long-term delivery of donepezil. <i>International Journal of Pharmaceutics</i> , 2020 , 582, 119309	6.5	15
98	Protective properties of geniposide against UV-B-induced photooxidative stress in human dermal fibroblasts. <i>Pharmaceutical Biology</i> , 2018 , 56, 176-182	3.8	15
97	Microneedles for drug delivery: recent advances in materials and geometry for preclinical and clinical studies. <i>Expert Opinion on Drug Delivery</i> , 2021 , 18, 929-947	8	15
96	Metabolic interactions of rosmarinic acid with human cytochrome P450 monooxygenases and uridine diphosphate glucuronosyltransferases. <i>Biomedicine and Pharmacotherapy</i> , 2019 , 110, 111-117	7.5	15
95	Comparison of pharmacokinetics of loxoprofen and its active metabolites after an intravenous, intramuscular, and oral administration of loxoprofen in rats: evidence for extrahepatic metabolism. <i>Journal of Pharmaceutical Sciences</i> , 2005 , 94, 2187-97	3.9	14
94	Transient aggregation of chitosan-modified poly(D,L-lactic-co-glycolic) acid nanoparticles in the blood stream and improved lung targeting efficiency. <i>Journal of Colloid and Interface Science</i> , 2016 , 480, 102-108	9.3	13
93	Simultaneous determination of cardiovascular drugs in dried blood spot by liquid chromatography-tandem mass spectrometry. <i>Journal of Food and Drug Analysis</i> , 2019 , 27, 906-914	7	13
92	In vitro and in vivo evaluation of N,N,N-trimethylphosphingosine-iodide (TMP) in liposomes for the treatment of angiogenesis and metastasis. <i>International Journal of Pharmaceutics</i> , 2012 , 434, 191-8	6.5	13
91	Evaluation of protein stability and in vitro permeation of lyophilized polysaccharides-based microparticles for intranasal protein delivery. <i>International Journal of Pharmaceutics</i> , 2011 , 416, 77-84	6.5	13
90	Testosterone-independent down-regulation of Oct2 in the kidney medulla from a uranyl nitrate-induced rat model of acute renal failure: effects on distribution of a model organic cation, tetraethylammonium. <i>Journal of Pharmaceutical Sciences</i> , 2009 , 98, 739-47	3.9	13

89	Modulation of Cytochrome P450 Activity by 18 β -Glycyrrhetic Acid and its Consequence on Bupirone Pharmacokinetics in Rats. <i>Phytotherapy Research</i> , 2015 , 29, 1188-94	6.7	12
88	Evaluation of physicochemical properties, skin permeation and accumulation profiles of salicylic acid amide prodrugs as sunscreen agent. <i>International Journal of Pharmaceutics</i> , 2011 , 419, 154-60	6.5	12
87	QbD based development and evaluation of topical microemulsion-based hydrogel against superficial fungal infections. <i>Journal of Pharmaceutical Investigation</i> , 2019 , 49, 87-103	6.3	12
86	Effects of Nonalcoholic Fatty Liver Disease on Hepatic CYP2B1 and in Vivo Bupropion Disposition in Rats Fed a High-Fat or Methionine/Choline-Deficient Diet. <i>Journal of Agricultural and Food Chemistry</i> , 2016 , 64, 5598-606	5.7	11
85	Functional consequences of genetic variations in the human organic anion transporting polypeptide 1B3 (OATP1B3) in the Korean population. <i>Journal of Pharmaceutical Sciences</i> , 2012 , 101, 1302-13	3.9	11
84	Oral Delivery of Probiotics in Poultry Using pH-Sensitive Tablets. <i>Journal of Microbiology and Biotechnology</i> , 2017 , 27, 739-746	3.3	11
83	Blood component ridable and CD44 receptor targetable nanoparticles based on a maleimide-functionalized chondroitin sulfate derivative. <i>Carbohydrate Polymers</i> , 2020 , 230, 115568	10.3	10
82	Lipid Nanoparticles for Enhancing the Physicochemical Stability and Topical Skin Delivery of Orobol. <i>Pharmaceutics</i> , 2020 , 12,	6.4	10
81	Sprinkle formulations-A review of commercially available products. <i>Asian Journal of Pharmaceutical Sciences</i> , 2020 , 15, 292-310	9	10
80	A sensitive HPLC-FL method to simultaneously determine febuxostat and diclofenac in rat plasma: assessment of metabolic drug interactions in vitro and in vivo. <i>Analytical Methods</i> , 2020 , 12, 2166-2175	3.2	10
79	Metabolic interactions of magnolol with cytochrome P450 enzymes: uncompetitive inhibition of CYP1A and competitive inhibition of CYP2C. <i>Drug Development and Industrial Pharmacy</i> , 2016 , 42, 263-9	3.6	9
78	Single enzyme nanoparticle, an effective tool for enzyme replacement therapy. <i>Archives of Pharmacal Research</i> , 2020 , 43, 1-21	6.1	9
77	AAPE proliposomes for topical atopic dermatitis treatment. <i>Journal of Microencapsulation</i> , 2014 , 31, 768-73	3.4	9
76	Paracellular permeation-enhancing effect of AT1002 C-terminal amidation in nasal delivery. <i>Drug Design, Development and Therapy</i> , 2015 , 9, 1815-23	4.4	9
75	Transport of gemifloxacin, a 4th generation quinolone antibiotic, in the Caco-2 and engineered MDCKII cells, and potential involvement of efflux transporters in the intestinal absorption of the drug. <i>Xenobiotica</i> , 2013 , 43, 355-67	2	9
74	Simultaneous skin permeation of dideoxynucleoside-type anti-HIV drugs. <i>Journal of Controlled Release</i> , 1996 , 40, 67-76	11.7	9
73	Formulation And Evaluation Of Nanostructured Lipid Carriers (NLCs) Of 20(S)-Protopanaxadiol (PPD) By Box-Behnken Design. <i>International Journal of Nanomedicine</i> , 2019 , 14, 8509-8520	7.3	9
72	Preparation and evaluation of celecoxib-loaded proliposomes with high lipid content. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2019 , 141, 139-148	5.7	8

71	Effect of probenecid on the biliary excretion of belotecan. <i>Archives of Pharmacol Research</i> , 2007 , 30, 1482-8	6.1	8
70	Pharmacokinetics and pharmacodynamics of ketoprofen plasters. <i>Biopharmaceutics and Drug Disposition</i> , 2008 , 29, 37-44	1.7	8
69	Transfection of primary human nasal epithelial cells using a biodegradable poly (ester amine) based on polycaprolactone and polyethylenimine as a gene carrier. <i>Journal of Drug Targeting</i> , 2007 , 15, 684-90	5.4	8
68	Dose dependency in the oral bioavailability of an organic cation model, tributylmethyl ammonium (TBU ⁺ MA), in rats: association with the saturation of efflux by the P-gp system on the apical membrane of the intestinal epithelium. <i>Journal of Pharmaceutical Sciences</i> , 2005 , 94, 2644-55	3.9	8
67	Nanocomposites based on Soluplus and Angelica gigas Nakai extract fabricated by an electrohydrodynamic method for oral administration. <i>Journal of Colloid and Interface Science</i> , 2016 , 484, 146-154	9.3	8
66	Capmul MCM/Solutol HS15-Based Microemulsion for Enhanced Oral Bioavailability of Rebamipide. <i>Journal of Nanoscience and Nanotechnology</i> , 2017 , 17, 2340-344	1.3	7
65	Structural Analyses on the Deamidation of N-Terminal Asn in the Human N-Degron Pathway. <i>Biomolecules</i> , 2020 , 10,	5.9	7
64	Development of HPLC Method for the Determination of Buspirone in Rat Plasma Using Fluorescence Detection and Its Application to a Pharmacokinetic Study. <i>Chemical and Pharmaceutical Bulletin</i> , 2016 , 64, 1582-1588	1.9	7
63	Modulation of Rat Hepatic CYP1A and 2C Activity by Honokiol and Magnolol: Differential Effects on Phenacetin and Diclofenac Pharmacokinetics In Vivo. <i>Molecules</i> , 2018 , 23,	4.8	7
62	Proliferation and chondrogenic differentiation of human adipose-derived mesenchymal stem cells in sodium alginate beads with or without hyaluronic acid. <i>Journal of Pharmaceutical Investigation</i> , 2013 , 43, 145-151	6.3	7
61	Novel reverse electro dialysis-driven iontophoretic system for topical and transdermal delivery of poorly permeable therapeutic agents. <i>Drug Delivery</i> , 2017 , 24, 1204-1215	7	7
60	Polysaccharides-based spray-dried microspheres for maintained stability and controlled release of protein. <i>Journal of Pharmaceutical Investigation</i> , 2012 , 42, 83-88	6.3	7
59	Monopotassium phosphate-reinforced in situ forming injectable hyaluronic acid hydrogels for subcutaneous injection. <i>International Journal of Biological Macromolecules</i> , 2020 , 163, 2134-2144	7.9	7
58	Preparation and evaluation of fexofenadine microemulsions for intranasal delivery. <i>International Journal of Pharmaceutics</i> , 2010 , 395, 309-16	6.5	7
57	The trisaccharide raffinose modulates epidermal differentiation through activation of liver X receptor. <i>Scientific Reports</i> , 2017 , 7, 43823	4.9	6
56	Determination of manassantin B in rat plasma using a high performance liquid chromatography with fluorescence detection and its quantitative application to pharmacokinetic study. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016 , 1011, 121-7	3.2	6
55	Application of biopharmaceutics classification system (BCS) in drug transport studies across human respiratory epithelial cell monolayers. <i>Journal of Pharmaceutical Investigation</i> , 2012 , 42, 147-153	6.3	6
54	Rapid and sensitive determination of udenafil in plasma by LC-MS/MS for intranasal pharmacokinetic study in rats. <i>Chemical and Pharmaceutical Bulletin</i> , 2011 , 59, 1083-8	1.9	6

53	Mechanism of the stationary canalicular excretion of tributylmethyl ammonium in rats with a CCl4-induced acute hepatic injury. <i>Journal of Pharmaceutical Sciences</i> , 2005 , 94, 317-26	3.9	6
52	Coacervate microcapsules of vitamin U optimized by central composite design (CCD). <i>Journal of Pharmaceutical Investigation</i> , 2019 , 49, 313-321	6.3	6
51	Physostigmine-loaded liposomes for extended prophylaxis against nerve agent poisoning. <i>International Journal of Pharmaceutics</i> , 2018 , 553, 467-473	6.5	6
50	Assessment of pharmacokinetics, bioavailability and protein binding of anacetrapib in rats by a simple high-performance liquid chromatography-tandem mass spectrometry method. <i>Biomedical Chromatography</i> , 2017 , 31, e3791	1.7	5
49	Antioxidant and Anti-Melanogenic Effect of the Novel Synthetic Hexapeptide (SFKLRV-NH ₂). <i>International Journal of Peptide Research and Therapeutics</i> , 2009 , 15, 281-286	2.1	5
48	Oral Delivery of Probiotics Using pH-Sensitive Phthalyl Inulin Tablets. <i>Journal of Microbiology and Biotechnology</i> , 2019 , 29, 200-208	3.3	5
47	Effect of Enhancers on and Skin Permeation and Deposition of S-Methyl--Methionine. <i>Biomolecules and Therapeutics</i> , 2017 , 25, 434-440	4.2	5
46	Comparison of saline vs. blood replenishment after blood sampling in a rat pharmacokinetic study. <i>Journal of Pharmaceutical Investigation</i> , 2019 , 49, 543-551	6.3	5
45	Polypseudorotaxane and polydopamine linkage-based hyaluronic acid hydrogel network with a single syringe injection for sustained drug delivery. <i>Carbohydrate Polymers</i> , 2021 , 266, 118104	10.3	5
44	Hyaluronidase Inhibitor-Incorporated Cross-Linked Hyaluronic Acid Hydrogels for Subcutaneous Injection. <i>Pharmaceutics</i> , 2021 , 13,	6.4	5
43	Evaluation of skin permeation and accumulation profiles of ketorolac fatty esters. <i>Journal of Pharmacy and Pharmaceutical Sciences</i> , 2007 , 10, 278-87	3.4	5
42	The identification of lobeglitazone metabolites in rat liver microsomes and the kinetics of the in vivo formation of the major metabolite M1 in rats. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015 , 115, 375-82	3.5	4
41	Pharmacokinetic properties and bioequivalence of 2 formulations of valsartan 160-mg tablets: A randomized, single-dose, 2-period crossover study in healthy Korean male volunteers. <i>Clinical Therapeutics</i> , 2014 , 36, 273-9	3.5	4
40	A microemulsion-based hydrogel formulation containing voriconazole for topical skin delivery. <i>Journal of Pharmaceutical Investigation</i> , 2014 , 44, 517-524	6.3	4
39	QUANTIFICATION OF CILNIDIPINE IN HUMAN PLASMA BY LIQUID CHROMATOGRAPHY-MASS SPECTROMETRY. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2012 , 35, 308-320	1.3	4
38	Simultaneous Determination of Artesunate and Dihydroartemisinin Concentrations in Human Plasma by High Performance Liquid Chromatography-Mass Spectrometry with Electro-Spray Ionization. <i>Analytical Letters</i> , 2010 , 43, 226-239	2.2	4
37	Synergic enhancing-effect of DEET and dodecylamine on the skin permeation of testosterone from a matrix-type transdermal delivery system. <i>Drug Delivery</i> , 2009 , 16, 249-53	7	4
36	Quantification of clotiazepam in human plasma by gas chromatography-mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2006 , 834, 128-33	3.2	4

35	Preparation and characterization of sorafenib-loaded microprecipitated bulk powder for enhancing oral bioavailability. <i>International Journal of Pharmaceutics</i> , 2020 , 589, 119836	6.5	4
34	PEGylated nanoparticle albumin-bound steroidal ginsenoside derivatives ameliorate SARS-CoV-2-mediated hyper-inflammatory responses. <i>Biomaterials</i> , 2021 , 273, 120827	15.6	4
33	Enhanced Cellular Uptake and Pharmacokinetic Characteristics of Doxorubicin-Valine Amide Prodrug. <i>Molecules</i> , 2016 , 21,	4.8	4
32	Formulation of a film-coated dutasteride tablet bioequivalent to a soft gelatin capsule (Avodart): Effect of Cyclodextrin and solubilizers. <i>Asian Journal of Pharmaceutical Sciences</i> , 2019 , 14, 313-320	9	4
31	Development of the phenylpyrazolo[3,4-]pyrimidine-based, insulin-like growth factor receptor/Src/AXL-targeting small molecule kinase inhibitor. <i>Theranostics</i> , 2021 , 11, 1918-1936	12.1	4
30	Bioactive Lipids and Their Derivatives in Biomedical Applications. <i>Biomolecules and Therapeutics</i> , 2021 , 29, 465-482	4.2	4
29	Formulation and bioequivalence studies of choline alfoscerate tablet comparing with soft gelatin capsule in healthy male volunteers. <i>Drug Design, Development and Therapy</i> , 2019 , 13, 1049-1058	4.4	3
28	An overview of chondrosarcoma with a focus on nanoscale therapeutics. <i>Journal of Pharmaceutical Investigation</i> , 2020 , 50, 537-552	6.3	3
27	Altered pharmacokinetics of daunorubicin in rats with CCl4-induced hepatic injury. <i>Journal of Pharmacy and Pharmaceutical Sciences</i> , 2007 , 10, 443-54	3.4	3
26	Clinical pharmacokinetics of oxaliplatin and 5-fluorouracil administered in combination with leucovorin in Korean patients with advanced colorectal cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2006 , 132, 320-6	4.9	3
25	Development of S-Methylmethionine Sulfonium Derivatives and Their Skin-Protective Effect against Ultraviolet Exposure. <i>Biomolecules and Therapeutics</i> , 2018 , 26, 306-312	4.2	3
24	Preparation and Evaluation of Eudragit L100-PEG Proliposomes for Enhanced Oral Delivery of Celecoxib. <i>Pharmaceutics</i> , 2020 , 12,	6.4	3
23	Docetaxel-Loaded Chitosan-Cholesterol Conjugate-Based Self-Assembled Nanoparticles for Overcoming Multidrug Resistance in Cancer Cells. <i>Pharmaceutics</i> , 2020 , 12,	6.4	3
22	Determination and validation of psammalin A and its derivatives in rat plasma by liquid chromatography-tandem mass spectrometry and its application in pharmacokinetic study. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2015 , 1000, 155-62	3.2	2
21	Feasibility of the functional expression of the human organic anion transporting polypeptide 1B1 (OATP1B1) and its genetic variant 521T/C in the mouse liver. <i>European Journal of Pharmaceutical Sciences</i> , 2017 , 96, 28-36	5.1	2
20	Differential changes in functional activity of organic cation transporters in rats with uranyl nitrate-induced acute renal failure. <i>Archives of Pharmacal Research</i> , 2012 , 35, 1441-8	6.1	2
19	Preparation and in vitro evaluation of celecoxib-amino acid conjugates as a colon specific prodrug. <i>Journal of Pharmaceutical Investigation</i> , 2012 , 42, 115-120	6.3	2
18	Contribution of a significant first-pass effect of dimethyl-4,4'-dimethoxy-5,6,5',6'-dimethylene dioxybiphenyl-2,2'-dicarboxylate in the liver to its poor bioavailability in rats. <i>Journal of Pharmacy and Pharmacology</i> , 2010 , 61, 1197-1203	4.8	2

17	Decreased secretory transport of a quarternary ammonium, TBuMA, across LLC-PK1 cells by the anionic kidney extract. <i>Archives of Pharmacal Research</i> , 2008 , 31, 671-7	6.1	2
16	Effects of HPE-101, a skin penetration enhancer, on human erythrocyte membranes. <i>International Journal of Pharmaceutics</i> , 2004 , 285, 43-9	6.5	2
15	Recent studies on modulating hyaluronic acid-based hydrogels for controlled drug delivery. <i>Journal of Pharmaceutical Investigation</i> , 2021 , 51, 1-10	6.3	2
14	In vitro and in vivo evaluations of a 3-month sustained-release microsphere depot formulation of leuprolide acetate. <i>Journal of Pharmaceutical Investigation</i> , 2022 , 52, 129-138	6.3	2
13	Functional Fragments of AIMP1-Derived Peptide (AdP) and Optimized Hydrosol for Their Topical Deposition by Box-Behnken Design. <i>Molecules</i> , 2019 , 24, 1-12	4.8	1
12	Gender differences in the hepatic elimination and pharmacokinetics of lobeglitazone in rats. <i>Biopharmaceutics and Drug Disposition</i> , 2015 , 36, 410-415	1.7	1
11	Development of an oral bentonite-based modified-release freeze-dried powder of vactosertib: Pharmacokinetics and anti-colitis activity in rodent models of ulcerative colitis. <i>International Journal of Pharmaceutics</i> , 2020 , 578, 119103	6.5	1
10	Development and Validation of Liquid Chromatography-Tandem Mass Spectrometry Method for Pharmacokinetic Evaluation of 7-((3-Ethyl-cis-crotonoyloxy)-1-((2-methylbutyryloxy)-3,14-dehydro-Z-notonipetranon in Rats. <i>Molecules</i> , 2020 , 25, 1-12	4.8	1
9	Smooth Muscle Relaxation Activity of an Aqueous Extract of Dried Immature Fruit of Poncirus Trifoliata (PF-W) on an Isolated Strip of Rat Ileum. <i>Natural Product Communications</i> , 2013 , 8, 1934578X1300800 ¹	0.8	1
8	Determination of Belotecan in the Plasma, Bile, and Urine of Rats by High-Performance Liquid Chromatography with Fluorescence Detection and Its Application to a Pharmacokinetic Study. <i>Analytical Letters</i> , 2009 , 42, 68-83	2.2	1
7	Influence of temperature and pH on the stability of dimethoxy biphenyl monocarboxylate HCl solutions. <i>Archives of Pharmacal Research</i> , 2001 , 24, 159-63	6.1	1
6	Hydroxyapatite-binding albumin nanoclusters for enhancing bone tumor chemotherapy.. <i>Journal of Controlled Release</i> , 2022 , 342, 111-121	11.7	1
5	Subcutaneously Injectable Hyaluronic Acid Hydrogel for Sustained Release of Donepezil with Reduced Initial Burst Release: Effect of Hybridization of Microstructured Lipid Carriers and Albumin. <i>Pharmaceutics</i> , 2021 , 13, 1-12	6.4	1
4	Gas generating microspheres for immediate release of Hsp90 inhibitor aiming at postembolization hypoxia in transarterial chemoembolization therapy of hepatocellular carcinoma. <i>International Journal of Pharmaceutics</i> , 2021 , 607, 120988	6.5	1
3	The Relationship between the Drug Delivery Properties of a Formulation of Teriparatide Microneedles and the Pharmacokinetic Evaluation of Teriparatide Administration in Rats.. <i>Pharmaceutical Research</i> , 2022 , 1, 1-12	4.5	0
2	Determination and validation of LJ-2698, a potent human A adenosine receptor antagonist, in rat plasma by liquid chromatography-tandem mass spectrometry and its application in pharmacokinetic study. <i>Archives of Pharmacal Research</i> , 2017 , 40, 952-961	6.1	1
1	Pharmaceutical perspectives for the delivery of TNF- α in cancer therapy. <i>Journal of Pharmaceutical Investigation</i> , 2012 , 42, 293-307	6.3	1