
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7226159/publications.pdf Version: 2024-02-01



OVE CLIDELE

#	Article	IF	CITATIONS
1	The validity of two versions of the CHQ in the WHO study of mental illness in general health care. Psychological Medicine, 1997, 27, 191-197.	4.5	2,802
2	Prevalence, Severity, and Unmet Need for Treatment of Mental Disorders in the World Health Organization World Mental Health Surveys. JAMA - Journal of the American Medical Association, 2004, 291, 2581.	7.4	2,696
3	Cross-national prevalence and risk factors for suicidal ideation, plans and attempts. British Journal of Psychiatry, 2008, 192, 98-105.	2.8	1,993
4	Childhood adversities and adult psychopathology in the WHO World Mental Health Surveys. British Journal of Psychiatry, 2010, 197, 378-385.	2.8	1,854
5	High-quality health systems in the Sustainable Development Goals era: time for a revolution. The Lancet Global Health, 2018, 6, e1196-e1252.	6.3	1,721
6	Use of mental health services for anxiety, mood, and substance disorders in 17 countries in the WHO world mental health surveys. Lancet, The, 2007, 370, 841-850.	13.7	1,271
7	Persistent Pain and Well-being. JAMA - Journal of the American Medical Association, 1998, 280, 147.	7.4	1,252
8	Lifetime prevalence and age-of-onset distributions of mental disorders in the World Health Organization's World Mental Health Survey Initiative. World Psychiatry, 2007, 6, 168-76.	10.4	1,239
9	Screening for serious mental illness in the general population with the K6 screening scale: results from the WHO World Mental Health (WMH) survey initiative. International Journal of Methods in Psychiatric Research, 2010, 19, 4-22.	2.1	953
10	Common Chronic Pain Conditions in Developed and Developing Countries: Gender and Age Differences and Comorbidity With Depression-Anxiety Disorders. Journal of Pain, 2008, 9, 883-891.	1.4	918
11	Mental disorders among college students in the World Health Organization World Mental Health Surveys. Psychological Medicine, 2016, 46, 2955-2970.	4.5	866
12	Barriers to mental health treatment: results from the WHO World Mental Health surveys. Psychological Medicine, 2014, 44, 1303-1317.	4.5	825
13	Trauma and PTSD in the WHO World Mental Health Surveys. Högre Utbildning, 2017, 8, 1353383.	3.0	801
14	Barriers to improvement of mental health services in low-income and middle-income countries. Lancet, The, 2007, 370, 1164-1174.	13.7	788
15	The epidemiology of traumatic event exposure worldwide: results from the World Mental Health Survey Consortium. Psychological Medicine, 2016, 46, 327-343.	4.5	777
16	Posttraumatic stress disorder in the World Mental Health Surveys. Psychological Medicine, 2017, 47, 2260-2274.	4.5	675
17	Undertreatment of people with major depressive disorder in 21 countries. British Journal of Psychiatry, 2017, 210, 119-124.	2.8	664
18	Toward a Global View of Alcohol, Tobacco, Cannabis, and Cocaine Use: Findings from the WHO World Mental Health Surveys. PLoS Medicine, 2008, 5, e141.	8.4	629

#	Article	IF	CITATIONS
19	Cross-National Analysis of the Associations among Mental Disorders and Suicidal Behavior: Findings from the WHO World Mental Health Surveys. PLoS Medicine, 2009, 6, e1000123.	8.4	592
20	Twelve-Month Prevalence of and Risk Factors for Suicide Attempts in the World Health Organization World Mental Health Surveys. Journal of Clinical Psychiatry, 2010, 71, 1617-1628.	2.2	566
21	The descriptive epidemiology of DSM-IV Adult ADHD in the World Health Organization World Mental Health Surveys. ADHD Attention Deficit and Hyperactivity Disorders, 2017, 9, 47-65.	1.7	507
22	Innovations and changes in the ICDâ€11 classification of mental, behavioural and neurodevelopmental disorders. World Psychiatry, 2019, 18, 3-19.	10.4	505
23	Mental disorders among persons with chronic back or neck pain: Results from the world mental health surveys. Pain, 2007, 129, 332-342.	4.2	471
24	COVID-19 mental health impact and responses in low-income and middle-income countries: reimagining global mental health. Lancet Psychiatry,the, 2021, 8, 535-550.	7.4	455
25	Prevalence of Alzheimer's disease and dementia in two communities: Nigerian Africans and African Americans. American Journal of Psychiatry, 1995, 152, 1485-1492.	7.2	415
26	Depression–anxiety relationships with chronic physical conditions: Results from the World Mental Health surveys. Journal of Affective Disorders, 2007, 103, 113-120.	4.1	414
27	Somatization in cross-cultural perspective: a World Health Organization study in primary care. American Journal of Psychiatry, 1997, 154, 989-995.	7.2	391
28	Psychotic Experiences in the General Population. JAMA Psychiatry, 2015, 72, 697.	11.0	387
29	Psychotic Disorders in Urban Areas: An Overview of the Study on Low Prevalence Disorders. Australian and New Zealand Journal of Psychiatry, 2000, 34, 221-236.	2.3	372
30	Days out of role due to common physical and mental conditions: results from the WHO World Mental Health surveys. Molecular Psychiatry, 2011, 16, 1234-1246.	7.9	360
31	Anxious and non-anxious major depressive disorder in the World Health Organization World Mental Health Surveys. Epidemiology and Psychiatric Sciences, 2015, 24, 210-226.	3.9	355
32	Delay and failure in treatment seeking after first onset of mental disorders in the World Health Organization's World Mental Health Survey Initiative. World Psychiatry, 2007, 6, 177-85.	10.4	351
33	Incidence of Dementia and Alzheimer Disease in 2 Communities. JAMA - Journal of the American Medical Association, 2001, 285, 739.	7.4	334
34	Treatment gap for anxiety disorders is global: Results of the World Mental Health Surveys in 21 countries. Depression and Anxiety, 2018, 35, 195-208.	4.1	318
35	A cross-national study of the course of persistent pain in primary care. Pain, 2001, 92, 195-200.	4.2	315
36	Reducing the treatment gap for mental disorders: a WPA survey. World Psychiatry, 2010, 9, 169-176.	10.4	301

#	Article	IF	CITATIONS
37	Treatment of suicidal people around the world. British Journal of Psychiatry, 2011, 199, 64-70.	2.8	289
38	Community study of knowledge of and attitude to mental illness in Nigeria. British Journal of Psychiatry, 2005, 186, 436-441.	2.8	287
39	Prevalence of cognitive impairment. Neurology, 2001, 57, 1655-1662.	1.1	282
40	Childhood adversities as risk factors for onset and persistence of suicidal behaviour. British Journal of Psychiatry, 2010, 197, 20-27.	2.8	278
41	Lifetime and 12-month prevalence of mental disorders in the Nigerian Survey of Mental Health and Well-Being. British Journal of Psychiatry, 2006, 188, 465-471.	2.8	275
42	Cross-sectional Comparison of the Epidemiology of <i>DSM-5</i> Generalized Anxiety Disorder Across the Globe. JAMA Psychiatry, 2017, 74, 465.	11.0	274
43	Socio-economic variations in the mental health treatment gap for people with anxiety, mood, and substance use disorders: results from the WHO World Mental Health (WMH) surveys. Psychological Medicine, 2018, 48, 1560-1571.	4.5	274
44	Cross-National Analysis of the Associations between Traumatic Events and Suicidal Behavior: Findings from the WHO World Mental Health Surveys. PLoS ONE, 2010, 5, e10574.	2.5	273
45	The relation between multiple pains and mental disorders: Results from the World Mental Health Surveys. Pain, 2008, 135, 82-91.	4.2	260
46	DSM–IV personality disorders in the WHO World Mental Health Surveys. British Journal of Psychiatry, 2009, 195, 46-53.	2.8	260
47	The cross-national epidemiology of social anxiety disorder: Data from the World Mental Health Survey Initiative. BMC Medicine, 2017, 15, 143.	5.5	258
48	Mental–physical co-morbidity and its relationship with disability: results from the World Mental Health Surveys. Psychological Medicine, 2009, 39, 33-43.	4.5	239
49	Evaluating the drug use "gateway―theory using cross-national data: Consistency and associations of the order of initiation of drug use among participants in the WHO World Mental Health Surveys. Drug and Alcohol Dependence, 2010, 108, 84-97.	3.2	228
50	Questioning an Axiom: Better Prognosis for Schizophrenia in the Developing World?. Schizophrenia Bulletin, 2007, 34, 229-244.	4.3	216
51	Mental disorders among persons with heart disease — results from World Mental Health surveys. General Hospital Psychiatry, 2007, 29, 325-334.	2.4	204
52	Parent psychopathology and offspring mental disorders: Results from the WHO World Mental Health Surveys. British Journal of Psychiatry, 2012, 200, 290-299.	2.8	201
53	Trends in obesity and diabetes across Africa from 1980 to 2014: an analysis of pooled population-based studies. International Journal of Epidemiology, 2017, 46, 1421-1432.	1.9	197
54	WPA guidance on how to combat stigmatization of psychiatry and psychiatrists. World Psychiatry, 2010, 9, 131-144.	10.4	194

#	Article	IF	CITATIONS
55	How well can post-traumatic stress disorder be predicted from pre-trauma risk factors? An exploratory study in the WHO World Mental Health Surveys. World Psychiatry, 2014, 13, 265-274.	10.4	194
56	Strengthening mental health systems in low- and middle-income countries: the Emerald programme. BMC Medicine, 2015, 13, 79.	5.5	190
57	The role of global traditional and complementary systems of medicine in the treatment of mental health disorders. Lancet Psychiatry,the, 2015, 2, 168-177.	7.4	184
58	Association of perceived stigma and mood and anxiety disorders: results from the World Mental Health Surveys. Acta Psychiatrica Scandinavica, 2008, 118, 305-314.	4.5	182
59	Association of <i>DSM-IV</i> Posttraumatic Stress Disorder With Traumatic Experience Type and History in the World Health Organization World Mental Health Surveys. JAMA Psychiatry, 2017, 74, 270.	11.0	179
60	The Bidirectional Associations Between Psychotic Experiences and DSM-IV Mental Disorders. American Journal of Psychiatry, 2016, 173, 997-1006.	7.2	176
61	The syndrome of hypochondriasis: a cross-national study in primary care. Psychological Medicine, 1997, 27, 1001-1010.	4.5	172
62	Lack of an association between apolipoprotein E ϵ4 and Alzheimer's disease in elderly nigerians. Annals of Neurology, 1995, 38, 463-465.	5.3	165
63	Efficacy of psychosocial interventions for mental health outcomes in low-income and middle-income countries: an umbrella review. Lancet Psychiatry,the, 2020, 7, 162-172.	7.4	163
64	Estimating treatment coverage for people with substance use disorders: an analysis of data from the World Mental Health Surveys. World Psychiatry, 2017, 16, 299-307.	10.4	160
65	Associations of serious mental illness with earnings: results from the WHO World Mental Health surveys. British Journal of Psychiatry, 2010, 197, 114-121.	2.8	156
66	The cross-national epidemiology of specific phobia in the World Mental Health Surveys. Psychological Medicine, 2017, 47, 1744-1760.	4.5	148
67	Stability of Somatization Disorder and Somatization Symptoms Among Primary Care Patients. Archives of General Psychiatry, 1999, 56, 90.	12.3	147
68	Cross-national epidemiology of panic disorder and panic attacks in the world mental health surveys. Depression and Anxiety, 2016, 33, 1155-1177.	4.1	144
69	A multinational study of mental disorders, marriage, and divorce. Acta Psychiatrica Scandinavica, 2011, 124, 474-486.	4.5	143
70	Epidemiology of major depressive disorder in elderly Nigerians in the Ibadan Study of Ageing: a community-based survey. Lancet, The, 2007, 370, 957-964.	13.7	140
71	Developing a science of clinical utility in diagnostic classification systems: Field study strategies for ICD-11 mental and behavioral disorders American Psychologist, 2016, 71, 3-16.	4.2	140
72	Mental health research priorities in low- and middle-income countries of Africa, Asia, Latin America and the Caribbean. British Journal of Psychiatry, 2009, 195, 354-363.	2.8	138

#	Article	IF	CITATIONS
73	The GHQ-12 as a screening tool in a primary care setting. Social Psychiatry and Psychiatric Epidemiology, 1990, 25, 276-280.	3.1	137
74	Apolipoprotein E genotypes and Alzheimer's disease in a community study of elderly African Americans. Annals of Neurology, 1995, 37, 118-120.	5.3	133
75	Gender and the relationship between marital status and first onset of mood, anxiety and substance use disorders. Psychological Medicine, 2010, 40, 1495-1505.	4.5	133
76	Integrating mental health with other non-communicable diseases. BMJ: British Medical Journal, 2019, 364, l295.	2.3	130
77	Mental disorders and termination of education in high-income and low- and middle-income countries: epidemiological study. British Journal of Psychiatry, 2009, 194, 411-417.	2.8	129
78	Modified WHODAS-II provides valid measure of global disability but filter items increased skewness. Journal of Clinical Epidemiology, 2008, 61, 1132-1143.	5.0	128
79	Strengthening mental health system governance in six low- and middle-income countries in Africa and South Asia: challenges, needs and potential strategies. Health Policy and Planning, 2017, 32, 699-709.	2.7	127
80	Effectiveness of traditional healers in treating mental disorders: a systematic review. Lancet Psychiatry,the, 2016, 3, 154-170.	7.4	122
81	Childhood adversities and post-traumatic stress disorder: evidence for stress sensitisation in the World Mental Health Surveys. British Journal of Psychiatry, 2017, 211, 280-288.	2.8	118
82	Cholesterol, <i>APOE</i> genotype, and Alzheimer disease. Neurology, 2006, 66, 223-227.	1.1	117
83	Integrating mental health into primary care in Nigeria: report of a demonstration project using the mental health gap action programme intervention guide. BMC Health Services Research, 2015, 15, 242.	2.2	117
84	<i>APOE</i> ε4 is not associated with Alzheimer's disease in elderly Nigerians. Annals of Neurology, 2006, 59, 182-185.	5.3	114
85	Early-Life Mental Disorders and Adult Household Income in the World Mental Health Surveys. Biological Psychiatry, 2012, 72, 228-237.	1.3	114
86	Functional Disability in Elderly Nigerians: Results from the Ibadan Study of Aging. Journal of the American Geriatrics Society, 2006, 54, 1784-1789.	2.6	113
87	Disorders specifically associated with stress: A case-controlled field study for ICD-11 mental and behavioural disorders. International Journal of Clinical and Health Psychology, 2016, 16, 109-127.	5.1	109
88	The association between childhood adversities and subsequent first onset of psychotic experiences: a cross-national analysis of 23 998 respondents from 17 countries. Psychological Medicine, 2017, 47, 1230-1245.	4.5	108
89	The epidemiology of alcohol use disorders cross-nationally: Findings from the World Mental Health Surveys. Addictive Behaviors, 2020, 102, 106128.	3.0	108
90	A descriptive epidemiology of substance use and substance use disorders in Nigeria during the early 21st century. Drug and Alcohol Dependence, 2007, 91, 1-9.	3.2	106

#	Article	IF	CITATIONS
91	Age patterns in the prevalence of DSM-IV depressive/anxiety disorders with and without physical co-morbidity. Psychological Medicine, 2008, 38, 1659-1669.	4.5	105
92	Associations Between Subjective Social Status and <i>DSM-IV</i> Mental Disorders. JAMA Psychiatry, 2014, 71, 1400.	11.0	101
93	Pediatric-Onset and Adult-Onset Separation Anxiety Disorder Across Countries in the World Mental Health Survey. American Journal of Psychiatry, 2015, 172, 647-656.	7.2	100
94	An organization―and categoryâ€level comparison of diagnostic requirements for mental disorders in <scp>ICD</scp> â€11 and <scp>DSM</scp> â€5. World Psychiatry, 2021, 20, 34-51.	10.4	100
95	Use of mental health services in a developing country. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 44-49.	3.1	99
96	Comorbidity of pain and anxiety disorders. Current Psychiatry Reports, 2008, 10, 318-322.	4.5	96
97	Age of Onset and Lifetime Projected Risk of Psychotic Experiences: Cross-National Data From the World Mental Health Survey. Schizophrenia Bulletin, 2016, 42, 933-941.	4.3	94
98	The natural history of somatization in primary care. Psychological Medicine, 1999, 29, 669-676.	4.5	90
99	Scarcity and inequity of mental health research resources in low-and-middle income countries: A global survey. Health Policy, 2010, 94, 211-220.	3.0	90
100	The ICDâ€11 developmental field study of reliability of diagnoses of highâ€burden mental disorders: results among adult patients in mental health settings of 13 countries. World Psychiatry, 2018, 17, 174-186.	10.4	89
101	Effects of age, education, and gender on cerad neuropsychological test performance in an african American sample. Clinical Neuropsychologist, 1996, 10, 180-190.	2.3	88
102	Association of Apolipoprotein E Genotype and Alzheimer Disease in African Americans. Archives of Neurology, 2006, 63, 431.	4.5	87
103	Comorbidity of common mental disorders with cancer and their treatment gap: findings from the World Mental Health Surveys. Psycho-Oncology, 2014, 23, 40-51.	2.3	87
104	International Migration of Doctors, and Its Impact on Availability of Psychiatrists in Low and Middle Income Countries. PLoS ONE, 2010, 5, e9049.	2.5	85
105	Fall Incidence in a Population of Elderly Persons in Nigeria. Gerontology, 2010, 56, 278-283.	2.8	85
106	Is the outcome of schizophrenia really better in developing countries?. Revista Brasileira De Psiquiatria, 2006, 28, 149-152.	1.7	83
107	Innovative strategies for closing the mental health treatment gap globally. Current Opinion in Psychiatry, 2014, 27, 308-314.	6.3	83
108	Trauma and psychotic experiences: transnational data from the World Mental Health Survey. British Journal of Psychiatry, 2017, 211, 373-380.	2.8	82

#	Article	IF	CITATIONS
109	Schizophrenia treatment in the developing world: an interregional and multinational cost-effectiveness analysis. Bulletin of the World Health Organization, 2008, 86, 542-551.	3.3	81
110	Mental disorders among persons with arthritis: results from the World Mental Health Surveys. Psychological Medicine, 2008, 38, 1639-1650.	4.5	81
111	The Role of Criterion A2 in the DSM-IV Diagnosis of Posttraumatic Stress Disorder. Biological Psychiatry, 2010, 68, 465-473.	1.3	80
112	Epidemiology of dementia in Nigeria: results from the Indianapolis–Ibadan study. European Journal of Neurology, 2000, 7, 485-490.	3.3	79
113	APOE ε4 and the risk for Alzheimer disease and cognitive decline in African Americans and Yoruba. International Psychogeriatrics, 2014, 26, 977-985.	1.0	79
114	Suicidal thoughts and behaviors among college students and same-aged peers: results from the World Health Organization World Mental Health Surveys. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 279-288.	3.1	79
115	Apolipoprotein E—associated risk for Alzheimer's disease in the Africanâ€American population is genotype dependent. Annals of Neurology, 1997, 42, 659-661.	5.3	78
116	Psychiatric aspects of pain. Current Opinion in Psychiatry, 2007, 20, 42-46.	6.3	78
117	Bodily distress disorder in ICDâ€11: problems and prospects. World Psychiatry, 2016, 15, 291-292.	10.4	78
118	Role of common mental and physical disorders in partial disability around the world. British Journal of Psychiatry, 2012, 200, 454-461.	2.8	77
119	Mental Health Professionals' Natural Taxonomies of Mental Disorders: Implications for the Clinical Utility of the ICDâ€11 and the DSMâ€5. Journal of Clinical Psychology, 2013, 69, 1191-1212.	1.9	77
120	Olanzapine vs risperidone in the management of schizophrenia: a randomized double-blind trial in Australia and New Zealand. Schizophrenia Research, 2003, 61, 303-314.	2.0	76
121	Depression in adult Nigerians: Results from the Nigerian Survey of Mental Health and Well-being. Journal of Affective Disorders, 2010, 120, 158-164.	4.1	76
122	Family burden related to mental and physical disorders in the world: results from the WHO World Mental Health (WMH) surveys. Revista Brasileira De Psiquiatria, 2013, 35, 115-125.	1.7	76
123	Association Between Psychotic Experiences and Subsequent Suicidal Thoughts and Behaviors. JAMA Psychiatry, 2017, 74, 1136.	11.0	75
124	Parental psychopathology and the risk of suicidal behavior in their offspring: results from the World Mental Health surveys. Molecular Psychiatry, 2011, 16, 1221-1233.	7.9	74
125	Family-related adverse childhood experiences as risk factors for psychiatric disorders in Nigeria. British Journal of Psychiatry, 2010, 196, 186-191.	2.8	73
126	Incidence of and Risk Factors for Dementia in the Ibadan Study of Aging. Journal of the American Geriatrics Society, 2011, 59, 869-874.	2.6	73

#	Article	IF	CITATIONS
127	Efficacy of interventions to reduce coercive treatment in mental health services: umbrella review of randomised evidence. British Journal of Psychiatry, 2021, 218, 185-195.	2.8	73
128	Reliability and the factor structure of the Yoruba version of the 12â€item General Health Questionnaire. Acta Psychiatrica Scandinavica, 1991, 84, 125-129.	4.5	72
129	Psychiatric Disorders in a Paediatric Primary Care Clinic. British Journal of Psychiatry, 1994, 165, 527-530.	2.8	72
130	Cross-national differences in the prevalence and correlates of burden among older family caregivers in the World Health Organization World Mental Health (WMH) Surveys. Psychological Medicine, 2013, 43, 865-879.	4.5	68
131	Drop out from out-patient mental healthcare in the World Health Organization's World Menta Health Survey initiative. British Journal of Psychiatry, 2013, 202, 42-49.	2.8	67
132	Comorbidity within mental disorders: a comprehensive analysis based on 145 990 survey respondents from 27 countries. Epidemiology and Psychiatric Sciences, 2020, 29, e153.	3.9	67
133	Postnatal Emotional Disorders in Nigerian Women. British Journal of Psychiatry, 1993, 163, 645-650.	2.8	66
134	Influence of Cultural and Social Factors on the Epidemiology of Idiopathic Somatic Complaints and Syndromes. Psychosomatic Medicine, 2007, 69, 841-845.	2.0	66
135	Prevalence rates for dementia and Alzheimer's disease in African Americans: 1992 versus 2001. Alzheimer's and Dementia, 2009, 5, 227-233.	0.8	66
136	Early Cannabis Use and Estimated Risk of Later Onset of Depression Spells: Epidemiologic Evidence From the Population-based World Health Organization World Mental Health Survey Initiative. American Journal of Epidemiology, 2010, 172, 149-159.	3.4	64
137	Clinical utility of ICDâ€11 diagnostic guidelines for highâ€burden mental disorders: results from mental health settings in 13 countries. World Psychiatry, 2018, 17, 306-315.	10.4	62
138	Impact of self-reported visual impairment on quality of life in the Ibadan study of ageing. British Journal of Ophthalmology, 2008, 92, 612-615.	3.9	61
139	Mental health policy development in Africa. Bulletin of the World Health Organization, 2000, 78, 475-82.	3.3	61
140	Effect of collaborative care between traditional and faith healers and primary health-care workers on psychosis outcomes in Nigeria and Ghana (COSIMPO): a cluster randomised controlled trial. Lancet, The, 2020, 396, 612-622.	13.7	60
141	The Stick Design test: A new measure of visuoconstructional ability. Journal of the International Neuropsychological Society, 2005, 11, 598-605.	1.8	59
142	Country Contextualization of the Mental Health Gap Action Programme Intervention Guide: A Case Study from Nigeria. PLoS Medicine, 2013, 10, e1001501.	8.4	59
143	WHO's Global Clinical Practice Network for mental health. Lancet Psychiatry,the, 2015, 2, 379-380.	7.4	58
144	The association between psychotic experiences and disability: results from the <scp>WHO</scp> World Mental Health Surveys. Acta Psychiatrica Scandinavica, 2017, 136, 74-84.	4.5	58

#	Article	IF	CITATIONS
145	Is the lifetime risk of depression actually increasing?. Journal of Clinical Epidemiology, 1995, 48, 1109-1118.	5.0	57
146	Tinnitus in the elderly: Profile, correlates, and impact in the Nigerian Study of Ageing. Otolaryngology - Head and Neck Surgery, 2010, 143, 510-515.	1.9	56
147	MAJOR DEPRESSIVE DISORDER SUBTYPES TO PREDICT LONG-TERM COURSE. Depression and Anxiety, 2014, 31, 765-777.	4.1	56
148	The associations between psychotic experiences and substance use and substance use disorders: findings from the World Health Organization World Mental Health surveys. Addiction, 2018, 113, 924-934.	3.3	56
149	What can we learn from a cross-national study of somatic distress?. Journal of Psychosomatic Research, 2004, 56, 409-412.	2.6	55
150	Manifestations of affective disturbance in sub-Saharan Africa: Key themes. Journal of Affective Disorders, 2007, 102, 191-198.	4.1	55
151	Health systems context(s) for integrating mental health into primary health care in six Emerald countries: a situation analysis. International Journal of Mental Health Systems, 2017, 11, 7.	2.7	55
152	Dementia incidence declined in Africanâ€Americans but not in Yoruba. Alzheimer's and Dementia, 2016, 12, 244-251.	0.8	54
153	Cost-effectiveness of an essential mental health intervention package in Nigeria. World Psychiatry, 2007, 6, 42-8.	10.4	54
154	Findings From World Mental Health Surveys of the Perceived Helpfulness of Treatment for Patients With Major Depressive Disorder. JAMA Psychiatry, 2020, 77, 830.	11.0	53
155	The profile and impact of probable dementia in a sub-Saharan African community: results from the Ibadan Study of Aging. Journal of Psychosomatic Research, 2006, 61, 327-333.	2.6	52
156	Subtyping social anxiety disorder in developed and developing countries. Depression and Anxiety, 2010, 27, 390-403.	4.1	52
157	A global clinicians' map of mental disorders to improve ICD-11: Analysing meta-structure to enhance clinical utility. International Review of Psychiatry, 2012, 24, 578-590.	2.8	52
158	The associations of earlier trauma exposures and history of mental disorders with PTSD after subsequent traumas. Molecular Psychiatry, 2018, 23, 1892-1899.	7.9	52
159	Gender and schizophrenia: age at onset and sociodemographic attributes. Acta Psychiatrica Scandinavica, 1991, 83, 402-405.	4.5	51
160	Scaling up integrated primary mental health in six low- and middle-income countries: obstacles, synergies and implications for systems reform. BJPsych Open, 2019, 5, e69.	0.7	51
161	Risk Factors and Alzheimer's Disease: A Comparative Study of Two Communities. Australian and New Zealand Journal of Psychiatry, 1998, 32, 698-706.	2.3	50
162	Developing capacity-building activities for mental health system strengthening in low- and middle-income countries for service users and caregivers, service planners, and researchers. Epidemiology and Psychiatric Sciences, 2018, 27, 11-21.	3.9	50

#	Article	IF	CITATIONS
163	The profile and risks of suicidal behaviours in the Nigerian Survey of Mental Health and Well-Being. Psychological Medicine, 2007, 37, 821-830.	4.5	49
164	Including information about co-morbidity in estimates of disease burden: results from the World Health Organization World Mental Health Surveys. Psychological Medicine, 2011, 41, 873-886.	4.5	49
165	The Australian National Survey of Psychotic Disorders: profile of psychosocial disability and its risk factors. Psychological Medicine, 2002, 32, 639-647.	4.5	48
166	Report of the WPA Task Force on Brain Drain. World Psychiatry, 2009, 8, 115-118.	10.4	48
167	Brain drain: a challenge to global mental health. BJPsych International, 2016, 13, 61-63.	1.4	48
168	Thirteen-year social outcome among Nigerian outpatients with schizophrenia. Social Psychiatry and Psychiatric Epidemiology, 1999, 34, 147-151.	3.1	47
169	Scaling-up services for psychosis, depression and epilepsy in sub-Saharan Africa and South Asia: development and application of a mental health systems planning tool (OneHealth). Epidemiology and Psychiatric Sciences, 2017, 26, 234-244.	3.9	47
170	Complementary and alternative medicine contacts by persons with mental disorders in 25 countries: results from the World Mental Health Surveys. Epidemiology and Psychiatric Sciences, 2018, 27, 552-567.	3.9	47
171	Effect of a stepped-care intervention delivered by lay health workers on major depressive disorder among primary care patients in Nigeria (STEPCARE): a cluster-randomised controlled trial. The Lancet Global Health, 2019, 7, e951-e960.	6.3	47
172	Do beliefs about causation influence attitudes to mental illness?. World Psychiatry, 2006, 5, 104-7.	10.4	47
173	Interictal Psychopathology in Epilepsy Prevalence and Pattern in a Nigerian Clinic. British Journal of Psychiatry, 1991, 158, 700-705.	2.8	46
174	The cross-national structure of mental disorders: results from the World Mental Health Surveys. Psychological Medicine, 2018, 48, 2073-2084.	4.5	46
175	The epidemiology of drug use disorders cross-nationally: Findings from the WHO's World Mental Health Surveys. International Journal of Drug Policy, 2019, 71, 103-112.	3.3	45
176	The validity of the 28-item general health questionnaire in a Nigerian antenatal clinic. Social Psychiatry and Psychiatric Epidemiology, 1992, 27, 280-283.	3.1	45
177	Psychiatric research in Nigeria: Bridging tradition and modernisation. British Journal of Psychiatry, 2004, 184, 536-538.	2.8	44
178	Topographic subtypes of tardive dyskinesia in schizophrenic patients aged less than 60 years: relationship to demographic, clinical, treatment, and neuropsychological variables Journal of Neurology, Neurosurgery and Psychiatry, 1988, 51, 1525-1530.	1.9	43
179	Collaboration Between Biomedical and Complementary and Alternative Care Providers: Barriers and Pathways. Qualitative Health Research, 2017, 27, 2177-2188.	2.1	43
180	The Differential Outcomes of Coronavirus Disease 2019 in Low- and Middle-Income Countries vs High-Income Countries. JAMA Psychiatry, 2020, 77, 1207.	11.0	43

#	Article	IF	CITATIONS
181	Stigmatization of psychiatrists and general practitioners: results of an international survey. European Archives of Psychiatry and Clinical Neuroscience, 2015, 265, 189-197.	3.2	42
182	The perceived effectiveness of traditional and faith healing in the treatment of mental illness: a systematic review of qualitative studies. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 555-566.	3.1	42
183	Risk factors for incident Alzheimer's disease in African Americans and Yoruba. Metabolic Brain Disease, 2006, 21, 224-229.	2.9	41
184	Implications of modifying the duration requirement of generalized anxiety disorder in developed and developing countries. Psychological Medicine, 2009, 39, 1163.	4.5	41
185	Mental health financing challenges, opportunities and strategies in low- and middle-income countries: findings from the Emerald project. BJPsych Open, 2019, 5, e68.	0.7	41
186	Neurological soft signs in Nigerian schizophrenics: a controlled study. Acta Psychiatrica Scandinavica, 1988, 78, 505-509.	4.5	40
187	Prevalence of Insomnia and Impact on Quality of Life among Community Elderly Subjects with Tinnitus. Annals of Otology, Rhinology and Laryngology, 2011, 120, 226-230.	1.1	40
188	Prevalence estimates of depression in elderly community-dwelling African Americans in Indianapolis and Yoruba in Ibadan, Nigeria. International Psychogeriatrics, 2007, 19, 679-689.	1.0	39
189	The Mental Health Leadership and Advocacy Program (mhLAP): a pioneering response to the neglect of mental health in Anglophone West Africa. International Journal of Mental Health Systems, 2014, 8, 5.	2.7	39
190	Psychotic disorders in urban areas: an overview of the Study on Low Prevalence Disorders. Australian and New Zealand Journal of Psychiatry, 2000, 34, 221-236.	2.3	39
191	Informant Reports of Changes in Personality Predict Dementia in a Population-Based Study of Elderly African Americans and Yoruba. American Journal of Geriatric Psychiatry, 2002, 10, 724-732.	1.2	38
192	Disability and Service use among Homeless People Living with Psychotic Disorders. Australian and New Zealand Journal of Psychiatry, 2004, 38, 965-974.	2.3	38
193	Insomnia and role impairment in the community. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 495-501.	3.1	38
194	Profile, comorbidity and impact of insomnia in the ibadan study of ageing. International Journal of Geriatric Psychiatry, 2009, 24, 686-693.	2.7	38
195	The Natural History of Insomnia in the Ibadan Study of Ageing. Sleep, 2011, 34, 965-973.	1.1	38
196	High- versus low-intensity interventions for perinatal depression delivered by non-specialist primary maternal care providers in Nigeria: cluster randomised controlled trial (the EXPONATE trial). British Journal of Psychiatry, 2019, 215, 528-535.	2.8	38
197	Three syndromes in schizophrenia: validity in young patients with recent onset of illness. Psychological Medicine, 1995, 25, 715-725.	4.5	37
198	Information systems for mental health in six low and middle income countries: cross country situation analysis. International Journal of Mental Health Systems, 2016, 10, 60.	2.7	37

#	Article	IF	CITATIONS
199	Course of hypochondriasis in an international primary care study. General Hospital Psychiatry, 2001, 23, 51-55.	2.4	36
200	The Comorbidity between Depression and Diabetes. Current Psychiatry Reports, 2013, 15, 390.	4.5	36
201	Indicators for routine monitoring of effective mental healthcare coverage in low- and middle-income settings: a Delphi study. Health Policy and Planning, 2016, 31, 1100-1106.	2.7	36
202	Concordance between the diagnostic guidelines for alcohol and cannabis use disorders in the draft ICDâ€11 and other classification systems: analysis of data from the WHO's World Mental Health Surveys. Addiction, 2019, 114, 534-552.	3.3	36
203	The significance of subtyping tardive dyskinesia: a study of prevalence and associated factors. Psychological Medicine, 1989, 19, 121-128.	4.5	35
204	Cognitive impairment in community-dwelling older Nigerians: clinical correlates and stability of diagnosis. European Journal of Neurology, 2002, 9, 573-580.	3.3	35
205	Systematic inclusion of cultureâ€related information in ICDâ€11. World Psychiatry, 2019, 18, 357-358.	10.4	35
206	Early brain trauma and schizophrenia in Nigerian patients. American Journal of Psychiatry, 1994, 151, 368-371.	7.2	34
207	Mild Cognitive Dysfunction: An Epidemiological Perspective With an Emphasis on African Americans. Journal of Geriatric Psychiatry and Neurology, 2007, 20, 215-226.	2.3	34
208	Searching for psychosis: INTREPID (1): systems for detecting untreated and first-episode cases of psychosis in diverse settings. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 879-893.	3.1	34
209	Draft diagnostic guidelines for ICDâ€1 1 mental and behavioural disorders available for review and comment. World Psychiatry, 2016, 15, 112-113.	10.4	34
210	Explanatory model of psychosis: impact on perception of self-stigma by patients in three sub-saharan African cities. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 1645-1654.	3.1	34
211	Dementia in Africa: Current evidence, knowledge gaps, and future directions. Alzheimer's and Dementia, 2022, 18, 790-809.	0.8	34
212	Alcohol abuse and dependence in an urban primary care clinic in Nigeria. Drug and Alcohol Dependence, 1992, 30, 163-167.	3.2	33
213	Incidence and risk factors for late-life depression in the Ibadan Study of Ageing. Psychological Medicine, 2011, 41, 1897-1906.	4.5	33
214	Comorbidity and Impact of Chronic Spinal Pain in Nigeria. Spine, 2007, 32, E495-E500.	2.0	32
215	Treating chronic pain in the context of comorbid depression. Pain, 2008, 134, 3-4.	4.2	32
216	Mental Health and the Development Agenda in Sub-Saharan Africa. Psychiatric Services, 2010, 61, 229-234.	2.0	32

#	Article	IF	CITATIONS
217	Disability and quality of life among community elderly with dizziness: report from the Ibadan Study of Ageing. Journal of Laryngology and Otology, 2010, 124, 957-962.	0.8	32
218	Pathways from sexual stigma to incident HIV and sexually transmitted infections among Nigerian MSM. Aids, 2017, 31, 2415-2420.	2.2	32
219	The development of a semi-structured home interview (CHIF) to directly assess function in cognitively impaired elderly people in two cultures. International Psychogeriatrics, 2006, 18, 653-666.	1.0	31
220	Smoking estimates from around the world: data from the first 17 participating countries in the World Mental Health Survey Consortium. Tobacco Control, 2010, 19, 65-74.	3.2	31
221	Measuring the stigma of psychiatry and psychiatrists: development of a questionnaire. European Archives of Psychiatry and Clinical Neuroscience, 2011, 261, 119-123.	3.2	31
222	Evaluating capacity-building for mental health system strengthening in low- and middle-income countries for service users and caregivers, service planners and researchers. Epidemiology and Psychiatric Sciences, 2018, 27, 3-10.	3.9	31
223	A survey of traditional and faith healers providing mental health care in three sub-Saharan African countries. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 395-403.	3.1	31
224	The prevalence and profile of non-affective psychosis in the Nigerian Survey of Mental Health and Wellbeing. World Psychiatry, 2010, 9, 50-55.	10.4	30
225	Incidence and Risk Factors for Cognitive Impairment No Dementia and Mild Cognitive Impairment in African Americans. Alzheimer Disease and Associated Disorders, 2011, 25, 4-10.	1.3	30
226	Self-Esteem in Patients who have Recovered from Psychosis: Profile and Relationship to Quality of Life. Australian and New Zealand Journal of Psychiatry, 2004, 38, 334-338.	2.3	29
227	Depression and Disability: Comparisons with Common Physical Conditions in the Ibadan Study of Aging. Journal of the American Geriatrics Society, 2008, 56, 2033-2038.	2.6	29
228	Somatization in primary care: pattern and correlates in a clinic in Nigeria. Acta Psychiatrica Scandinavica, 1992, 86, 223-227.	4.5	28
229	Cross-National Comparisons of Sex Differences in Opportunities to Use Alcohol or Drugs, and the Transitions to Use. Substance Use and Misuse, 2011, 46, 1169-1178.	1.4	28
230	Global Mental Health Reforms: Mental Health Care in Anglophone West Africa. Psychiatric Services, 2014, 65, 1084-1087.	2.0	28
231	Gait speed and cognitive decline over 2 years in the Ibadan study of aging. Gait and Posture, 2015, 41, 736-740.	1.4	28
232	Expanding care for perinatal women with depression (EXPONATE): study protocol for a randomized controlled trial of an intervention package for perinatal depression in primary care. BMC Psychiatry, 2015, 15, 136.	2.6	28
233	Mental health system governance in Nigeria: challenges, opportunities and strategies for improvement. Global Mental Health (Cambridge, England), 2016, 3, e9.	2.5	28
234	Recovery from DSM-IV post-traumatic stress disorder in the WHO World Mental Health surveys. Psychological Medicine, 2018, 48, 437-450.	4.5	28

#	Article	IF	CITATIONS
235	Pathways to psychiatric care in Ibadan, Nigeria. Tropical and Geographical Medicine, 1995, 47, 125-9.	0.1	28
236	Profile and Determinants of Successful Aging in the Ibadan Study of Ageing. Journal of the American Geriatrics Society, 2014, 62, 836-842.	2.6	27
237	Proportion of patients without mental disorders being treated in mental health services worldwide. British Journal of Psychiatry, 2015, 206, 101-109.	2.8	27
238	Psychotic experiences and general medical conditions: a cross-national analysis based on 28 002 respondents from 16 countries in the WHO World Mental Health Surveys. Psychological Medicine, 2018, 48, 2730-2739.	4.5	27
239	Sustainable financing mechanisms for strengthening mental health systems in Nigeria. International Journal of Mental Health Systems, 2019, 13, 38.	2.7	27
240	Crossâ€national patterns of substance use disorder treatment and associations with mental disorder comorbidity in the WHO World Mental Health Surveys. Addiction, 2019, 114, 1446-1459.	3.3	27
241	Association of Cohort and Individual Substance Use With Risk of Transitioning to Drug Use, Drug Use Disorder, and Remission From Disorder. JAMA Psychiatry, 2019, 76, 708.	11.0	27
242	Disability Mediates the Impact of Common Conditions on Perceived Health. PLoS ONE, 2013, 8, e65858.	2.5	27
243	Determinants of quality of life of elderly Nigerians: results from the Ibadan study of ageing. African Journal of Medicine and Medical Sciences, 2008, 37, 239-47.	0.2	27
244	Life Events and Schizophrenia in Nigerians. British Journal of Psychiatry, 1988, 153, 367-375.	2.8	26
245	Depression and anxiety in the developing world: is it time to medicalise the suffering?. Lancet, The, 2004, 364, 233-234.	13.7	26
246	The cross-national epidemiology of DSM-IV intermittent explosive disorder. Psychological Medicine, 2016, 46, 3161-3172.	4.5	26
247	Awareness of hypertension and its impact on blood pressure control among elderly nigerians: report from the Ibadan study of aging. Pan African Medical Journal, 2017, 27, 190.	0.8	26
248	Health systems thinking: A new generation of research to improve healthcare quality. PLoS Medicine, 2018, 15, e1002682.	8.4	26
249	An international survey examining the impact of the COVID-19 pandemic on telehealth use among mental health professionals. Journal of Psychiatric Research, 2022, 148, 188-196.	3.1	26
250	Suicidal behaviour in old age - results from the Ibadan study of ageing. BMC Psychiatry, 2013, 13, 80.	2.6	25
251	The effects of co-morbidity in defining major depression subtypes associated with long-term course and severity. Psychological Medicine, 2014, 44, 3289-3302.	4.5	25
252	Strengthening mental health systems in low- and middle-income countries: recommendations from the Emerald programme. BJPsych Open, 2019, 5, e73.	0.7	25

#	Article	IF	CITATIONS
253	Hypertension and incident dementia in community-dwelling elderly Yoruba Nigerians. Acta Neurologica Scandinavica, 2011, 124, 396-402.	2.1	24
254	Epidemiology of schizophrenia – An update with a focus on developing countries. International Review of Psychiatry, 2012, 24, 387-392.	2.8	24
255	A pilot randomized controlled trial of a stepped care intervention package for depression in primary care in Nigeria. BMC Psychiatry, 2015, 15, 96.	2.6	24
256	Childhood generalized specific phobia as an early marker of internalizing psychopathology across the lifespan: results from the World Mental Health Surveys. BMC Medicine, 2019, 17, 101.	5.5	24
257	Sensorimotor laterality in schizophrenia: Which features transcend cultural influences?. Acta Psychiatrica Scandinavica, 1988, 77, 188-193.	4.5	23
258	Children with mental disorders in primary care: functional status and risk factors. Acta Psychiatrica Scandinavica, 1995, 92, 310-314.	4.5	23
259	The burden of mental disorders in Victoria, 1996. Social Psychiatry and Psychiatric Epidemiology, 2001, 36, 53-62.	3.1	23
260	Emerging themes in the revision of the classification of somatoform disorders. International Review of Psychiatry, 2012, 24, 556-567.	2.8	23
261	Behavioral symptoms in communityâ€dwelling elderly Nigerians with dementia, mild cognitive impairment, and normal cognition. International Journal of Geriatric Psychiatry, 2012, 27, 931-939.	2.7	23
262	Embarrassment when illness strikes a close relative: a World Mental Health Survey Consortium Multi-Site Study. Psychological Medicine, 2013, 43, 2191-2202.	4.5	23
263	Concepts of madness in diverse settings: a qualitative study from the INTREPID project. BMC Psychiatry, 2016, 16, 388.	2.6	23
264	The incidence of psychoses in diverse settings, INTREPID (2): a feasibility study in India, Nigeria, and Trinidad. Psychological Medicine, 2016, 46, 1923-1933.	4.5	23
265	Perinatal depression in Nigeria: perspectives of women, family caregivers and health care providers. International Journal of Mental Health Systems, 2017, 11, 27.	2.7	23
266	Toward measuring effective treatment coverage: critical bottlenecks in quality- and user-adjusted coverage for major depressive disorder. Psychological Medicine, 2022, 52, 1948-1958.	4.5	23
267	Prevalence of specific psychiatric disorders in an urban primary care setting. East African Medical Journal, 1992, 69, 282-7.	0.0	23
268	Factor Structure of the 28-Item General Health Questionnaire in a Sample of Antenatal Women. International Journal of Psychiatry in Medicine, 1996, 26, 263-269.	1.8	22
269	Mental health in development: re-emphasising the link. Lancet, The, 2007, 369, 447-449.	13.7	22
270	Building the capacity of policy-makers and planners to strengthen mental health systems in low- and middle-income countries: a systematic review. BMC Health Services Research, 2016, 16, 601.	2.2	22

#	Article	IF	CITATIONS
271	Combining depot antipsychotic with an assertive monitoring programme for treating firstâ€episode schizophrenia in a resourceâ€constrained setting. Microbial Biotechnology, 2016, 10, 54-62.	1.7	22
272	A comparison of <i>DSM</i> â€5 and <i>DSM</i> â€W agoraphobia in the World Mental Health Surveys. Depression and Anxiety, 2019, 36, 499-510.	4.1	22
273	Partnership for mental health development in Sub-Saharan Africa (PaM-D): a collaborative initiative for research and capacity building. Epidemiology and Psychiatric Sciences, 2019, 28, 389-396.	3.9	22
274	Dysthymia in a cross-cultural perspective. Current Opinion in Psychiatry, 2011, 24, 67-71.	6.3	21
275	Chronic Conditions, New Onset, and Persistent Disability in the Ibadan Study of Aging. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2017, 72, 997-1005.	3.6	21
276	Household economic costs associated with mental, neurological and substance use disorders: a cross-sectional survey in six low- and middle-income countries. BJPsych Open, 2019, 5, e34.	0.7	21
277	Patterns of care and dropout rates from outpatient mental healthcare in low-, middle- and high-income countries from the World Health Organization's World Mental Health Survey Initiative. Psychological Medicine, 2021, 51, 2104-2116.	4.5	21
278	Psychological disorders and symptoms in primary care. Social Psychiatry and Psychiatric Epidemiology, 2002, 37, 220-224.	3.1	20
279	The prevalence and correlates of self-reported hearing impairment in the Ibadan Study of Ageing. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2010, 104, 518-523.	1.8	20
280	A structured approach to integrating mental health services into primary care: development of the Mental Health Scale Up Nigeria intervention (mhSUN). International Journal of Mental Health Systems, 2018, 12, 11.	2.7	20
281	The association between psychotic experiences and health-related quality of life: a cross-national analysis based on World Mental Health Surveys. Schizophrenia Research, 2018, 201, 46-53.	2.0	20
282	Stigma and utilization of treatment for adolescent perinatal depression in Ibadan Nigeria. BMC Pregnancy and Childbirth, 2020, 20, 294.	2.4	20
283	Problems related to alcohol use: a cross-cultural perspective. Culture, Medicine and Psychiatry, 1997, 21, 199-211.	1.2	19
284	Gender and Schizophrenia: Association of Age at Onset with Antecedent, Clinical and Outcome Features. Australian and New Zealand Journal of Psychiatry, 1998, 32, 415-423.	2.3	19
285	Cognitive Reserve, Incident Dementia, and Associated Mortality in the Ibadan Study of Ageing. Journal of the American Geriatrics Society, 2016, 64, 590-595.	2.6	19
286	The role of religious advisors in mental health care in the World Mental Health surveys. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 353-367.	3.1	19
287	Cultural considerations in the classification of mental disorders: why and how in ICD-11. BMC Medicine, 2020, 18, 25.	5.5	19
288	Psychiatric morbidity in a Nigerian paediatric primary care service: a comparison of two screening instruments. Social Psychiatry and Psychiatric Epidemiology, 1996, 31, 186-193.	3.1	18

#	Article	IF	CITATIONS
289	Classification of somatic syndromes in ICD-11. Current Opinion in Psychiatry, 2015, 28, 345-349.	6.3	18
290	Motor sequencing abnormalities are the trait marking neurological soft signs of schizophrenia. Neuroscience Letters, 2015, 600, 226-231.	2.1	18
291	Frequency of use of the International Classification of Diseases ICD-10 diagnostic categories for mental and behavioural disorders across world regions. Epidemiology and Psychiatric Sciences, 2018, 27, 568-576.	3.9	18
292	Impact of a one-week intensive 'training of trainers' workshop for community health workers in south-west Nigeria. Mental Health in Family Medicine, 2012, 9, 33-8.	0.2	18
293	Defining Disability in Psychosis: Performance of the Diagnostic Interview for Psychosis-Disability Module (DIP-DIS) in the Australian National Survey of Psychotic Disorders. Australian and New Zealand Journal of Psychiatry, 2001, 35, 846-851.	2.3	17
294	Health equity and mental health in post-2015 sustainable development goals. Lancet Psychiatry,the, 2015, 2, 12-14.	7.4	17
295	Categories That Should Be Removed From Mental Disorders Classifications: Perspectives and Rationales of Clinicians From Eight Countries. Journal of Clinical Psychology, 2015, 71, 267-281.	1.9	17
296	Civilians in World War II and DSM-IV mental disorders: results from the World Mental Health Survey Initiative. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 207-219.	3.1	17
297	Evaluation of capacity-building strategies for mental health system strengthening in low- and middle-income countries for service users and caregivers, policymakers and planners, and researchers. BJPsych Open, 2019, 5, e67.	0.7	17
298	Tardive dyskinesia in schizophrenics. Acta Psychiatrica Scandinavica, 1987, 76, 523-528.	4.5	16
299	A Study of Schneider's First-Rank Symptoms of Schizophrenia in Nigerian Patients. British Journal of Psychiatry, 1987, 150, 867-869.	2.8	16
300	Self-Reported Visual Impairment and Impact on Vision-Related Activities in an Elderly Nigerian Population: Report from the Ibadan Study of Ageing. Ophthalmic Epidemiology, 2008, 15, 250-256.	1.7	16
301	Building Research Capacity Across and Within Low- and Middle-Income Countries: The Collaborative Hubs for International Research on Mental Health. Academic Psychiatry, 2016, 40, 686-691.	0.9	16
302	The importance of faith-based mental healthcare in African urbanized sites. Current Opinion in Psychiatry, 2020, 33, 271-277.	6.3	16
303	Comparisons of alcohol and other drugs: experience from the WHO collaborative cross-cultural applicability research (CAR) study. Addiction, 1996, 91, 1529-1538.	3.3	16
304	Patterns and correlates of patientâ€reported helpfulness of treatment for common mental and substance use disorders in the <scp>WHO</scp> World Mental Health Surveys. World Psychiatry, 2022, 21, 272-286.	10.4	16
305	IRRITABLE MOOD IN ADULT MAJOR DEPRESSIVE DISORDER: RESULTS FROM THE WORLD MENTAL HEALTH SURVEYS. Depression and Anxiety, 2013, 30, 395-406.	4.1	15
306	Alcohol abuse in developed and developing countries in the World Mental Health Surveys: Socially defined consequences or psychiatric disorder?. American Journal on Addictions, 2014, 23, 145-155.	1.4	15

#	Article	IF	CITATIONS
307	Implementing a data sharing culture. Epidemiology and Psychiatric Sciences, 2016, 25, 289-290.	3.9	15
308	Exploring Differences Between Adolescents and Adults With Perinatal Depression—Data From the Expanding Care for Perinatal Women With Depression Trial in Nigeria. Frontiers in Psychiatry, 2019, 10, 761.	2.6	15
309	Profile of dementia in a Nigerian communitytypes, pattern of impairment, and severity rating. Journal of the National Medical Association, 1997, 89, 392-6.	0.8	15
310	Classification of mental disorders: The importance of inclusive decision-making. International Review of Psychiatry, 2012, 24, 606-612.	2.8	14
311	A cluster randomized clinical trial of a stepped care intervention for depression in primary care (STEPCARE)- study protocol. BMC Psychiatry, 2015, 15, 148.	2.6	14
312	Responding to the challenge of Adolescent Perinatal Depression (RAPiD): protocol for a cluster randomized hybrid trial of psychosocial intervention in primary maternal care. Trials, 2020, 21, 231.	1.6	14
313	Premorbid functioning in schizophrenia: A controlled study of Nigerian patients. Comprehensive Psychiatry, 1994, 35, 437-440.	3.1	13
314	Chronic pain conditions and depression in the Ibadan Study of Ageing. International Psychogeriatrics, 2011, 23, 923-929.	1.0	13
315	Parental Mental Disorders and Suicidal Behavior in the Nigerian Survey of Mental Health and Well-Being. Archives of Suicide Research, 2011, 15, 372-383.	2.3	13
316	Self-Reported Incident Type 2 Diabetes in the Ibadan Study of Ageing: Relationship with Urban Residence and Socioeconomic Status. Gerontology, 2013, 59, 3-7.	2.8	13
317	Quality of perinatal depression care in primary care setting in Nigeria. BMC Health Services Research, 2018, 18, 879.	2.2	13
318	Evaluation of performance and perceived utility of mental healthcare indicators in routine health information systems in five low- and middle-income countries. BJPsych Open, 2019, 5, e70.	0.7	13
319	Correlates of Positive and Negative Schizophrenic Syndromes in Nigerian Patients. British Journal of Psychiatry, 1989, 155, 628-632.	2.8	13
320	The relationship of comorbidity of mental and substance use disorders with suicidal behaviors in the Nigerian Survey of Mental Health and Wellbeing. Social Psychiatry and Psychiatric Epidemiology, 2011, 46, 173-180.	3.1	12
321	Validation of short screening tools for common mental disorders in Nigerian general practices. General Hospital Psychiatry, 2014, 36, 325-329.	2.4	12
322	Care for bipolar disorder in LMICs needs evidence from local settings. Lancet Psychiatry,the, 2015, 2, 772-773.	7.4	12
323	Genetic Influences on Plasma Homocysteine Levels in African Americans and Yoruba Nigerians. Journal of Alzheimer's Disease, 2016, 49, 991-1003.	2.6	12
324	COllaborative Shared care to IMprove Psychosis Outcome (COSIMPO): study protocol for a randomized controlled trial. Trials, 2017, 18, 462.	1.6	12

#	Article	IF	CITATIONS
325	Experience of implementing new mental health indicators within information systems in six low- and middle-income countries. BJPsych Open, 2019, 5, e71.	0.7	12
326	Perceived helpfulness of treatment for posttraumatic stress disorder: Findings from the World Mental Health Surveys. Depression and Anxiety, 2020, 37, 972-994.	4.1	12
327	INTREPID II: protocol for a multistudy programme of research on untreated psychosis in India, Nigeria and Trinidad. BMJ Open, 2020, 10, e039004.	1.9	12
328	Sociocultural contexts of mental illness experience among Africans. Transcultural Psychiatry, 2021, 58, 455-459.	1.6	12
329	Dementia With Lewy Bodies in a Nigerian: A Case Report. International Psychogeriatrics, 2002, 14, 211-218.	1.0	11
330	Validation analysis of informant's ratings of cognitive function in African Americans and Nigerians. International Journal of Geriatric Psychiatry, 2006, 21, 618-625.	2.7	11
331	The fourthapolipoprotein Ehaplotype found in the Yoruba of Ibadan. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2006, 141B, 426-427.	1.7	11
332	Differential outcome of schizophrenia: where we are and where we would like to be. British Journal of Psychiatry, 2011, 199, 173-175.	2.8	11
333	An updated global picture of cigarette smoking persistence among adults. Journal of Epidemiology and Global Health, 2012, 2, 135.	2.9	11
334	Mental health technologies and the needs of cultural groups. Lancet Psychiatry,the, 2014, 1, 326-327.	7.4	11
335	Comparative case studies in integrated care implementation from across the globe: a quest for action. BMC Health Services Research, 2019, 19, 899.	2.2	11
336	A comparison of cardiovascular disease risk factor biomarkers in African Americans and Yoruba Nigerians. Ethnicity and Disease, 2008, 18, 427-33.	2.3	11
337	Making sense of evidence. International Review of Psychiatry, 2007, 19, 583-591.	2.8	10
338	The Pattern and Nature of Mental–Physical Comorbidity: Specific or General?. , 2009, , 51-83.		10
339	Traumatic events and suicidal behaviour in the Nigerian Survey of Mental Health and Wellâ€Being. Acta Psychiatrica Scandinavica, 2012, 126, 458-466.	4.5	10
340	Determinants of transition across the spectrum of alcohol use and misuse in Nigeria. Alcohol, 2013, 47, 249-255.	1.7	10
341	Gender differential in social and economic predictors of incident major depressive disorder in the Ibadan Study of Ageing. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 351-361.	3.1	10
342	Effective methods for knowledge transfer to strengthen mental health systems in low- and middle-income countries. BJPsych Open, 2019, 5, e72.	0.7	10

#	Article	IF	CITATIONS
343	Perceived helpfulness of treatment for generalized anxiety disorder: a World Mental Health Surveys report. BMC Psychiatry, 2021, 21, 392.	2.6	10
344	Heritability of Schizophrenia. British Journal of Psychiatry, 1994, 164, 481-486.	2.8	9
345	Alcohol problems and responses: challenges for Africa. Journal of Substance Use, 2000, 5, 56-61.	0.7	9
346	The WPA Train-the-Trainers Workshop on Mental Health in Primary Care (Ibadan, Nigeria, January 26-30,) Tj ETQqC	0.0 rgBT 10.4	/gverlock 10
347	Severe mental disorders among prisoners in low-income and middle-income countries: reaching the difficult to reach. The Lancet Global Health, 2019, 7, e392-e393.	6.3	9
348	On the need for epidemiology in psychiatric sciences. Epidemiology and Psychiatric Sciences, 2020, 29, e1.	3.9	9
349	The roles of depression and social relationships in the onset and course of loneliness amongst Nigerian elders. International Journal of Geriatric Psychiatry, 2021, 36, 547-557.	2.7	9
350	Perceptions of Ghanaian traditional health practitioners, primary health care workers, service users and caregivers regarding collaboration for mental health care. BMC Health Services Research, 2021, 21, 375.	2.2	9
351	Perceived helpfulness of treatment for specific phobia: Findings from the World Mental Health Surveys. Journal of Affective Disorders, 2021, 288, 199-209.	4.1	9
352	A global field study of the international classification of diseases (ICD-11) mood disorders clinical descriptions and diagnostic guidelines. Journal of Affective Disorders, 2021, 295, 1138-1150.	4.1	9
353	Typology of Social Network Structures and Late-Life Depression in Low- and Middle-Income Countries. Clinical Practice and Epidemiology in Mental Health, 2019, 15, 134-142.	1.2	9
354	Quality of care and respect of human rights in mental health services in four West African countries: collaboration between the mental health leadership and advocacy programme and the World Health Organization QualityRights initiative. BJPsych Open, 2022, 8, e31.	0.7	9
355	Homocysteine levels and dementia risk in Yoruba and African Americans. International Psychogeriatrics, 2013, 25, 1859-1866.	1.0	8
356	Living Conditions, Low Socioeconomic Position, and Mortality in the Ibadan Study of Aging. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2016, 72, gbv093.	3.9	8
357	A descriptive study of mental health and burnout among Nigerian medical students. International Journal of Social Psychiatry, 2022, 68, 1223-1231.	3.1	8
358	Explanatory models, illness, and treatment experiences of patients with psychosis using the services of traditional and faith healers in three African countries: Similarities and discontinuities. Transcultural Psychiatry, 2023, 60, 521-536.	1.6	8
359	Doseâ€response relationship between lateâ€life physical activity and incident dementia: A pooled analysis of 10 cohort studies of memory in an international consortium. Alzheimer's and Dementia, 2022, , .	0.8	8
360	Correlates of Positive and Negative Schizophrenic Syndromes in Nigerian Patients. British Journal of Psychiatry, 1989, 155, 628-632.	2.8	7

#	Article	IF	CITATIONS
361	Neurological Soft Signs, Spontaneous and Treatment Emergent Extrapyramidal Syndromes in Black Africans With First Episode Schizophrenia. Frontiers in Psychiatry, 2018, 9, 172.	2.6	7
362	Crossâ€cultural comparison of symptom networks in lateâ€life major depressive disorder: Yoruba Africans and the Spanish Population. International Journal of Geriatric Psychiatry, 2020, 35, 1060-1068.	2.7	7
363	Cross-cultural applicability of ICD-11 and DSM-5 personality disorder. Current Opinion in Psychiatry, 2021, 34, 70-75.	6.3	7
364	Reliability and Clinical Utility of ICD-11 Diagnostic Guidelines for Severe Mental Disorders in Nigeria. Archives of Medical Research, 2019, 50, 535-542.	3.3	7
365	Perceived helpfulness of treatment for social anxiety disorder: findings from the WHO World Mental Health Surveys. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 2079-2095.	3.1	7
366	A nationwide evaluation study of the quality of care and respect of human rights in mental health facilities in Ghana: results from the World Health Organization QualityRights initiative. BMC Public Health, 2022, 22, 639.	2.9	7
367	Revising the classifications of mental disorders: Do we really need to bother?. International Review of Psychiatry, 2012, 24, 511-513.	2.8	6
368	The confirmatory factor structure of neurological soft signs in Nigerians with first episode schizophrenia. Neuroscience Letters, 2015, 589, 110-114.	2.1	6
369	Symptomatic and Functional Recovery From Major Depressive Disorder in the Ibadan Study of Ageing. American Journal of Geriatric Psychiatry, 2018, 26, 657-666.	1.2	6
370	Where is quality in health systems policy? An analysis of global policy documents. The Lancet Global Health, 2018, 6, e1158-e1161.	6.3	6
371	Prevalence and correlates of depression among pregnant adolescents in primary maternal care in Nigeria. Archives of Women's Mental Health, 2022, 25, 441-450.	2.6	6
372	Social factors and depression in Nigerian women. Acta Psychiatrica Scandinavica, 1986, 74, 392-395.	4.5	5
373	Symptom Dimensions of Schizophrenia: A Selective Integration of Neurophysiological and Neuropsychological Correlates. Neuropsychobiology, 1996, 34, 192-200.	1.9	5
374	Comparisons of alcohol and other drugs: experience from the WHO collaborative cross-cultural applicability research (CAR) study. Addiction, 1996, 91, 1529-1538.	3.3	5
375	Development of a screening interview and brief diagnostic interview for psychotic disorders. Schizophrenia Research, 1997, 24, 5.	2.0	5
376	Psychiatry in Africa: the myths, the exotic, and the realities. African Journal of Psychiatry, 2007, 10, .	0.1	5
377	Public mental health: the need for a broader view of the issues. World Psychiatry, 2015, 14, 54-55.	10.4	5
378	The Potential Role of Traditional Medicine in the Management of Schizophrenia. Current Psychiatry Reports, 2020, 22, 71.	4.5	5

#	Article	IF	CITATIONS
379	Hidden science? A glimpse at some work in Africa. World Psychiatry, 2004, 3, 178-81.	10.4	5
380	Theory-driven development of a mobile phone supported intervention for adolescents with perinatal depression. Social Psychiatry and Psychiatric Epidemiology, 2021, , 1.	3.1	5
381	The Development of Mental–Physical Comorbidity. , 2009, , 97-107.		4
382	Sociodemographic correlates of continuing tobacco use – a descriptive report from the Nigerian Survey of Mental Health and Wellbeing. Acta Psychiatrica Scandinavica, 2016, 133, 506-513.	4.5	4
383	Late-life depression in socially and culturally diverse settings. Epidemiology and Psychiatric Sciences, 2020, 29, e168.	3.9	4
384	Adaptation of the World Health Organization Electronic Mental Health Gap Action Programme Intervention Guide App for Mobile Devices in Nepal and Nigeria: Protocol for a Feasibility Cluster Randomized Controlled Trial. JMIR Research Protocols, 2021, 10, e24115.	1.0	4
385	Prevalence and correlates of dizziness in the Ibadan Study of Ageing. Ear, Nose and Throat Journal, 2014, 93, E37-44.	0.8	4
386	Common psychiatric disorders over a lifetime: age of onset, risk and treatment contact in the Nigerian survey of mental health and wellbeing. African Journal of Medicine and Medical Sciences, 2008, 37, 207-17.	0.2	4
387	Psychotropic drug use in an urban primary care clinic. Social Psychiatry and Psychiatric Epidemiology, 1991, 26, 143-146.	3.1	3
388	Do Young Schizophrenics with Recent Onset of Illness Show Evidence of Hypofrontality?. Behavioural Neurology, 1994, 7, 59-66.	2.1	3
389	Understanding Consequences of Mental–Physical Comorbidity. , 2009, , 193-209.		3
390	The Gateway Hypothesis of Substance Abuse: An Examination of Its Applicability in the Nigerian General Population. Substance Use and Misuse, 2010, 45, 1558-1571.	1.4	3
391	Body Dysmorphic Disorder in a Nigerian Boy Presenting as Depression: A Case Report and Literature Review. International Journal of Psychiatry in Medicine, 2012, 44, 367-372.	1.8	3
392	Global Collaborative Team Performance for the Revision of the International Classification of Diseases: A Case Study of the World Health Organization Field Studies Coordination Group. International Journal of Clinical and Health Psychology, 2018, 18, 189-200.	5.1	3
393	The expression of neurological soft signs in two African populations with first-episode schizophrenia. Transcultural Psychiatry, 2018, 55, 669-688.	1.6	3
394	Spontaneous and emergent extrapyramidal syndromes in Black Africans with first-episode schizophrenia and first exposure to antipsychotics. Journal of Mental Health, 2021, 30, 240-245.	1.9	3
395	Monitoring and evaluation of the activities of trainees in the 'training of trainers' workshop at Ibadan, south-west Nigeria. Mental Health in Family Medicine, 2012, 9, 25-32.	0.2	3
396	Perceived helpfulness of treatment for alcohol use disorders: Findings from the World Mental Health Surveys. Drug and Alcohol Dependence, 2021, 229, 109158.	3.2	3

#	Article	IF	CITATIONS
397	Previous disorders and depression outcomes in individuals with 12-month major depressive disorder in the World Mental Health surveys. Epidemiology and Psychiatric Sciences, 2021, 30, e70.	3.9	3
398	Perceived helpfulness of service sectors used for mental and substance use disorders: Findings from the WHO World Mental Health Surveys. International Journal of Mental Health Systems, 2022, 16, 6.	2.7	3
399	The utility of ethnographic methods in medical research: experience with substance use disorders. West African Journal of Medicine, 1994, 13, 146-9.	0.1	3
400	Psychological Distress Increases 30-Fold Among People with HIV in the First Year on ART in Nigeria—a Call for Integrated Mental Health Services. International Journal of Behavioral Medicine, 2023, 30, 38-48.	1.7	3
401	The Global Burden of Chronic Pain. , 2009, , 22-28.		2
402	World Mental Health Survey Methods for Studying Mental–Physical Comorbidity. , 2009, , 29-50.		2
403	Exploratory factor structure of the neurological evaluation scale in black africans with first episode schizophrenia. Data in Brief, 2016, 6, 471-475.	1.0	2
404	Proposing the short Neurological Evaluation Scale. Acta Neuropsychiatrica, 2017, 29, 236-243.	2.1	2
405	ICD-11 chapter on mental and behavioural disorders: heralding new ways of seeing old problems. Epidemiology and Psychiatric Sciences, 2018, 27, 209-211.	3.9	2
406	Task-shifting must recognise the professional role of nurses – Author's reply. The Lancet Global Health, 2019, 7, e1330.	6.3	2
407	Pre-marital predictors of marital violence in the WHO World Mental Health (WMH) Surveys. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 393-405.	3.1	2
408	Late-life depression in sub-Saharan Africa: lessons from the Ibadan Study of Ageing. Epidemiology and Psychiatric Sciences, 2020, 29, e145.	3.9	2
409	Intermittent explosive disorder subtypes in the general population: association with comorbidity, impairment and suicidality. Epidemiology and Psychiatric Sciences, 2020, 29, e138.	3.9	2
410	Leadership and management training for African psychiatrists in the era of task-sharing. Lancet Psychiatry,the, 2020, 7, 927-929.	7.4	2
411	Access and Discontinuity of Care at an Outpatient Mental Health Service for Older People in South Western Nigeria. Community Mental Health Journal, 2021, 57, 1518-1524.	2.0	2
412	Scaling up care for perinatal depression for improved maternal and infant health (SPECTRA): protocol of a hybrid implementation study of the impact of a cascade training of primary maternal care providers in Nigeria. International Journal of Mental Health Systems, 2021, 15, 73.	2.7	2
413	Self-esteem in patients who have recovered from psychosis: profile and relationship to quality of life. Australian and New Zealand Journal of Psychiatry, 2004, 38, 334-338.	2.3	2
414	Late-life disability trajectories in Yoruba Nigerians and the Spanish population: a state space model in continuous time. Aging and Mental Health, 2022, 26, 2447-2453.	2.8	2

#	Article	IF	CITATIONS
415	Applicability and future status of schizophrenia as a construct in Africa. Schizophrenia Research, 2022, 242, 52-55.	2.0	2
416	Screening for organic brain syndromes in Nigerians. East African Medical Journal, 1986, 63, 447-51.	0.0	2
417	Addressing the complex needs of people with severe mental health disorders in low-resource settings. The Lancet Global Health, 2022, 10, e457-e458.	6.3	2
418	Research for clinical practice: Focusing on the link. International Review of Psychiatry, 2007, 19, 469-471.	2.8	1
419	The Association of Age with Depressive and Anxiety Disorders, by Physical Comorbidity Status. , 2009, , 84-94.		1
420	Early-Life Psychosocial Factors and Adult-Onset Diabetes. , 0, , 136-143.		1
421	The Role of Childhood Adversities in Adult-Onset Spinal Pain. , 2009, , 154-164.		1
422	Women, Depression, and Mental–Physical Comorbidity: Chronic Pain as a Mediating Factor. , 0, , 183-190.		1
423	Nosological changes in psychiatry: hubris and humility. World Psychiatry, 2012, 11, 28-29.	10.4	1
424	Transdiagnostic development of internalizing psychopathology throughout the life course up to age 45: a World Mental Health Surveys report. Psychological Medicine, 2020, , 1-10.	4.5	1
425	Classifying psychosis: when is the time ripe for changes?. World Psychiatry, 2007, 6, 99-100.	10.4	1
426	Is schizophrenia a preventable disease?. West African Journal of Medicine, 1993, 12, 54-64.	0.1	1
427	Do young schizophrenics with recent onset of illness show evidence of hypofrontality?. Behavioural Neurology, 1994, 7, 59-66.	2.1	1
428	Determinants of effective treatment coverage for major depressive disorder in the WHO World Mental Health Surveys. International Journal of Mental Health Systems, 2022, 16, .	2.7	1
429	P4-060 Unique apolipoprotein E allele (APOE4yoruba) found in Ibadan population. Neurobiology of Aging, 2004, 25, S490.	3.1	0
430	P2-380 Cognitive function and social involvement in the longitudinal comparative study of elderly African Americans and Yoruba. Neurobiology of Aging, 2004, 25, S341.	3.1	0
431	Culture and Mental Health. A Comprehensive Textbook. Edited by Kamaldeep Bhui & Dinesh Bhugra. Hodder Arnold. 2007. 376pp. £99.00 (hb). ISBN 9780340810460. British Journal of Psychiatry, 2008, 192, 237-238.	2.8	0
432	Textbook of Cultural Psychiatry. By Dinesh Bhugra & Kamaldeep Bhui. Cambridge University Press. 2007. £75.00 (hb). 612pp. ISBN 9780521856539. British Journal of Psychiatry, 2008, 193, 347-347.	2.8	0

#	Article	IF	CITATIONS
433	Childhood Adversities, Mental Disorders, and Heart Disease. , 0, , 120-127.		Ο
434	Psychosocial Stressors in Childhood and Adult-Onset Arthritis. , 0, , 144-153.		0
435	Linking Depression–Anxiety Disorders and Headache in a Developmental Perspective: The Role of Childhood Family Adversities. , 0, , 174-182.		0
436	The Joint Association of Mental and Physical Conditions with Disability. , 0, , 230-238.		0
437	Perceived Stigma and Mental–Physical Comorbidity. , 0, , 256-267.		Ο
438	How Physical Comorbidity Affects Treatment of Major Depression in Developing and Developed Countries. , 0, , 268-274.		0
439	Mental–Physical Comorbidity and Predicted Mortality. , 0, , 275-284.		Ο
440	Psychiatrists and Traditional Healers: Unwitting Partners in Global Mental Health. Edited by Mario Incayawar, Ronald Wintrob, Lise Bouchard & Goffredo Bartocci. Wiley. 2009. £49.99 (hb). 294pp. ISBN: 9780470516836. British Journal of Psychiatry, 2010, 197, 336-337.	2.8	0
441	Editorial. International Review of Psychiatry, 2012, 24, 385-386.	2.8	0
442	The global burden of disease studies: tracking the progress of a moving train. Epidemiology and Psychiatric Sciences, 2014, 23, 259-262.	3.9	0
443	OBSOLETE: Mental Health, Morbidity and Impact. , 2017, , .		0
444	Mental Health, Morbidity and Impact. , 2017, , 73-80.		0
445	Diagnosis and Classification of Mental Illness. , 0, , 70-86.		0
446	Psychotic Experiences. , 0, , 286-296.		0
447	Primary Mental Health Care in Low- and Middle-Income Countries. , 0, , 54-69.		0
448	The Effects of Childhood Adversities. , 0, , 163-172.		0
449	Protocol for process evaluation of integration of mental health into primary healthcare in two states in Nigeria: the mhSUN programme. BJPsych Open, 2021, 7, e54.	0.7	0
450	Psychotic disorders in urban Australia: A national study 1996–1998. Australian and New Zealand Journal of Psychiatry, 2000, 34, A32-A32.	2.3	0

#	Article	IF	CITATIONS
451	Mental Health, Morbidity and Impact. , 2008, , 384-393.		0
452	Influencia de los factores culturales y sociales sobre la epidemiologÃa de los sÃntomas y sÃndromes somáticos idiopáticos. , 2010, , 39-50.		0
453	Ethno-Psychopharmacology: Advances in Current Practice Edited by Chee H. Ng, Keh-Ming Lin, Bruce S. Singh & Edmond Chiu. Cambridge University Press. 2008. £57.00 (hb). 200pp. ISBN: 9780521873635. British Journal of Psychiatry, 2010, 196, 250-250.	2.8	0
454	ASSESSMENT OF ALCOHOL- AND DRUG-RELATED PROBLEMS IN DIFFERENT CULTURES. , 1994, , .		0
455	The Influence of Depression and Anxiety on the Course of Somatization in Primary Case. , 1999, , 141-145.		0
456	Psychiatry in Nigeria. International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists, 2003, 1, 10-12.	0.1	0
457	Quality care for people with severe mental disorders in low-resource settings. Lancet Psychiatry,the, 2022, 9, 3-5.	7.4	0
458	The Epidemiology of Suicide and Suicidal Behaviour across the Lifespan in Nigeria: A Systematic Review of the Literature. West African Journal of Medicine, 2021, 38, 817-827.	0.1	0
459	Effect of intervention delivered by lay maternal care providers to improve outcome and parenting skills among adolescents with perinatal depression in Nigeria (the RAPiD study): A cluster randomized controlled trial Journal of Affective Disorders, 2022	4.1	О