Armando Tartaro

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7226510/armando-tartaro-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

82 2,774 50 32 h-index g-index citations papers 3,116 4.36 84 5.3 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
82	Insulin resistance and NAFLD may influence memory performance in obese patients with prediabetes or newly-diagnosed type 2 diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 2685-2692	4.5	
81	High EAminobutyric Acid Content Within the Medial Prefrontal Cortex Is a Functional Signature of Somatic Symptoms Disorder in Patients With Parkinson® Disease. <i>Movement Disorders</i> , 2020 , 35, 2184-	2792	5
80	Altered Cingulate Cortex Functional Connectivity in Normal Aging and Mild Cognitive Impairment. <i>Frontiers in Neuroscience</i> , 2019 , 13, 857	5.1	22
79	Subjective Cognitive Decline and Nighttime Sleep Alterations, a Longitudinal Analysis. <i>Frontiers in Aging Neuroscience</i> , 2019 , 11, 142	5.3	9
78	Thromboxane-Dependent Platelet Activation in Obese Subjects with Prediabetes or Early Type 2 Diabetes: Effects of Liraglutide- or Lifestyle Changes-Induced Weight Loss. <i>Nutrients</i> , 2018 , 10,	6.7	14
77	Effects of Liraglutide on Weight Loss, Fat Distribution, and Ecell Function in Obese Subjects With Prediabetes or Early Type 2 Diabetes. <i>Diabetes Care</i> , 2017 , 40, 1556-1564	14.6	45
76	Setting the Report and Support of the Functional Findings 2017 , 187-195		
75	GABA content within the ventromedial prefrontal cortex is related to trait anxiety. <i>Social Cognitive and Affective Neuroscience</i> , 2016 , 11, 758-66	4	24
74	Combined 3 Tesla MRI Biomarkers Improve the Differentiation between Benign vs Malignant Single Ring Enhancing Brain Masses. <i>PLoS ONE</i> , 2016 , 11, e0159047	3.7	4
73	GABA levels in the ventromedial prefrontal cortex during the viewing of appetitive and disgusting food images. <i>Neuroscience</i> , 2016 , 333, 114-22	3.9	12
72	Comparing 3T T1-weighted sequences in identifying hyperintense punctate lesions in preterm neonates. <i>American Journal of Neuroradiology</i> , 2015 , 36, 581-6	4.4	12
71	Successful Treatment of Refractory Seizures With Rufinamide in Children With Schizencephaly: Report of 3 Cases. <i>Journal of Child Neurology</i> , 2015 , 30, 1079-83	2.5	4
70	Delineating brachial plexus, cochlea, pharyngeal constrictor muscles and optic chiasm in head and neck radiotherapy: a CT-based model atlas. <i>Radiologia Medica</i> , 2015 , 120, 352-60	6.5	5
69	Default mode network links to visual hallucinations: A comparison between Parkinson® disease and multiple system atrophy. <i>Movement Disorders</i> , 2015 , 30, 1237-47	7	52
68	Structural Connectivity is Differently Altered in Dementia with Lewy Body and Alzheimer Disease. <i>Frontiers in Aging Neuroscience</i> , 2015 , 7, 208	5.3	29
67	The utility of gadoteric acid in contrast-enhanced MRI: a review. Reports in Medical Imaging, 2015, 25	0.8	4
66	Thalamic Involvement in Fluctuating Cognition in Dementia with Lewy Bodies: Magnetic Resonance Evidences. <i>Cerebral Cortex</i> , 2015 , 25, 3682-9	5.1	57

(2012-2014)

65	Extrapleural and cardiophrenic lymph nodes: prevalence, clinical significance and diagnostic value. <i>Radiologia Medica</i> , 2014 , 119, 20-6	6.5	5
64	Transplantation of mesenchymal cells improves peripheral limb ischemia in diabetic rats. <i>Molecular Biotechnology</i> , 2014 , 56, 438-48	3	14
63	Relevance of subcortical visual pathways disruption to visual symptoms in dementia with Lewy bodies. <i>Cortex</i> , 2014 , 59, 12-21	3.8	30
62	Structural alteration of the dorsal visual network in DLB patients with visual hallucinations: a cortical thickness MRI study. <i>PLoS ONE</i> , 2014 , 9, e86624	3.7	35
61	Data-driven grading of brain gliomas: a multiparametric MR imaging study. <i>Radiology</i> , 2014 , 272, 494-5	03 0.5	62
60	Brain networks during free viewing of complex erotic movie: new insights on psychogenic erectile dysfunction. <i>PLoS ONE</i> , 2014 , 9, e105336	3.7	32
59	Modafinil alters intrinsic functional connectivity of the right posterior insula: a pharmacological resting state fMRI study. <i>PLoS ONE</i> , 2014 , 9, e107145	3.7	19
58	Diffusion-weighted magnetic resonance for prediction of response after neoadjuvant chemoradiation therapy for locally advanced rectal cancer: preliminary results of a monoinstitutional prospective study. <i>European Journal of Surgical Oncology</i> , 2013 , 39, 1071-8	3.6	58
57	Comment on "is fetal magnetic resonance imaging indicated when ultrasound isolated mild ventriculomegaly is present in pregnancies with no risk factors?". <i>Prenatal Diagnosis</i> , 2013 , 33, 1316	3.2	2
56	Default network is not hypoactive in dementia with fluctuating cognition: an Alzheimer disease/dementia with Lewy bodies comparison. <i>Neurobiology of Aging</i> , 2013 , 34, 1148-58	5.6	83
55	Cerebral neoplastic enhancing lesions: multicenter, randomized, crossover intraindividual comparison between gadobutrol (1.0M) and gadoterate meglumine (0.5M) at 0.1 mmol Gd/kg body weight in a clinical setting. <i>European Journal of Radiology</i> , 2013 , 82, 139-45	4.7	36
54	Extremely rare case of vascular dysphagia in an elderly man. Circulation, 2013, 127, 1049-51	16.7	1
53	Morphological and metabolic changes in the nigro-striatal pathway of synthetic proteasome inhibitor (PSI)-treated rats: a MRI and MRS study. <i>PLoS ONE</i> , 2013 , 8, e56501	3.7	16
52	Acute effects of modafinil on brain resting state networks in young healthy subjects. <i>PLoS ONE</i> , 2013 , 8, e69224	3.7	38
51	Diffusion tensor imaging of subependymal heterotopia. <i>Epilepsy Research</i> , 2012 , 98, 251-4	3	4
50	The role of left superior parietal lobe in male sexual behavior: dynamics of distinct components revealed by FMRI. <i>Journal of Sexual Medicine</i> , 2012 , 9, 1602-12	1.1	26
49	Non-invasive in vivo detection of peripheral limb ischemia improvement in the rat after adipose tissue-derived stromal cell transplantation. <i>Circulation Journal</i> , 2012 , 76, 1517-25	2.9	17
48	Macrostructural alterations of subcortical grey matter in psychogenic erectile dysfunction. <i>PLoS ONE</i> , 2012 , 7, e39118	3.7	26

47	Modifications of default-mode network connectivity in patients with cerebral glioma. <i>PLoS ONE</i> , 2012 , 7, e40231	3.7	65
46	MR angiography, MR imaging and proton MR spectroscopy in-vivo assessment of skeletal muscle ischemia in diabetic rats. <i>PLoS ONE</i> , 2012 , 7, e44752	3.7	9
45	Magnetic resonance imaging determined visceral fat reduction associates with enhanced IL-10 plasma levels in calorie restricted obese subjects. <i>PLoS ONE</i> , 2012 , 7, e52774	3.7	12
44	Reorganization of functional connectivity of the language network in patients with brain gliomas. <i>American Journal of Neuroradiology</i> , 2012 , 33, 1983-90	4.4	59
43	Comparison of hypothesis- and a novel hybrid data/hypothesis-driven method of functional MR imaging analysis in patients with brain gliomas. <i>American Journal of Neuroradiology</i> , 2011 , 32, 1056-64	4.4	13
42	The role of hepatocyte-specific staining in liver pathology. <i>Expert Review of Gastroenterology and Hepatology</i> , 2011 , 5, 353-63	4.2	
41	Functional connectivity MR imaging of the language network in patients with drug-resistant epilepsy. <i>American Journal of Neuroradiology</i> , 2011 , 32, 532-40	4.4	51
40	Asymptomatic spinal cord involvement in posterior reversible encephalopathy syndrome. <i>Neurology</i> , 2010 , 74, 1478-9; author reply 1479	6.5	4
39	Effects of somatosensory stimulation and attention on human somatosensory cortex: an fMRI study. <i>NeuroImage</i> , 2010 , 53, 181-8	7.9	25
38	Neural correlates of focused attention and cognitive monitoring in meditation. <i>Brain Research Bulletin</i> , 2010 , 82, 46-56	3.9	176
37	Altered brain response without behavioral attention deficits in healthy siblings of schizophrenic patients: an event-related fMRI study. <i>NeuroImage</i> , 2010 , 49, 1080-90	7.9	25
36	Step-by-step: the effects of physical practice on the neural correlates of locomotion imagery revealed by fMRI. <i>Human Brain Mapping</i> , 2010 , 31, 694-702	5.9	27
35	Asymptomatic spinal cord involvement in posterior reversible encephalopathy syndrome. <i>Neurology</i> , 2009 , 73, 1507-8	6.5	17
34	Noxious somatosensory stimulation affects the default mode of brain function: evidence from functional MR imaging. <i>Radiology</i> , 2009 , 253, 797-804	20.5	39
33	Human secondary somatosensory cortex is involved in the processing of somatosensory rare stimuli: an fMRI study. <i>NeuroImage</i> , 2008 , 40, 1765-71	7.9	72
32	Cortical brain responses during passive nonpainful median nerve stimulation at low frequencies (0.5-4 Hz): an fMRI study. <i>Human Brain Mapping</i> , 2007 , 28, 645-53	5.9	37
31	Isolated shoulder palsy due to cortical infarction: localisation and electrophysiological correlates of recovery. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2007 , 78, 100-2	5.5	4
30	New morphologic variants of the hand motor cortex as seen with MR imaging in a large study population. <i>American Journal of Neuroradiology</i> , 2007 , 28, 1480-5	4.4	51

(2002-2007)

29	The long-term effect of AHSCT on MRI measures of MS evolution: a five-year follow-up study. <i>Multiple Sclerosis Journal</i> , 2007 , 13, 1068-70	5	45
28	Somatotopy of anterior cingulate cortex (ACC) and supplementary motor area (SMA) for electric stimulation of the median and tibial nerves: an fMRI study. <i>NeuroImage</i> , 2006 , 33, 700-5	7.9	49
27	"What" versus "where" in the audiovisual domain: an fMRI study. <i>NeuroImage</i> , 2006 , 33, 672-80	7.9	42
26	Enhancing lesions of the brain: intraindividual crossover comparison of contrast enhancement after gadobenate dimeglumine versus established gadolinium comparators. <i>Academic Radiology</i> , 2006 , 13, 744-51	4.3	23
25	Prenatal diagnosis of septal agenesis with normal pituitary function. <i>Prenatal Diagnosis</i> , 2006 , 26, 1075	-73.2	8
24	An fMRI study of the binding of audio-visual information: the dissociation between object and space processing. <i>Cognitive Processing</i> , 2006 , 7, 138-139	1.5	1
23	Functional MRI study of diencephalic amnesia in Wernicke-Korsakoff syndrome. <i>Brain</i> , 2005 , 128, 1584-	9 4 1.2	60
22	Dynamics of male sexual arousal: distinct components of brain activation revealed by fMRI. <i>NeuroImage</i> , 2005 , 26, 1086-96	7.9	252
21	Human brain activation during passive listening to sounds from different locations: an fMRI and MEG study. <i>Human Brain Mapping</i> , 2005 , 26, 251-61	5.9	93
20	Intense immunosuppression followed by autologous stem cell transplantation in severe multiple sclerosis. <i>Neurological Sciences</i> , 2005 , 26 Suppl 4, S200-3	3.5	15
19	Intracranial MR Angiography 2005 , 103-138		1
18	Neural systems underlying observation of humanly impossible movements: an FMRI study. <i>Cerebral Cortex</i> , 2005 , 15, 1761-7	5.1	152
17	MultiHance in multiple sclerosis: update of a study in progress. <i>European Radiology, Supplement</i> , 2004 , 14 Suppl 7, O16-9; discussion O20-1		
16	Intermodal sensory image generation: An fMRI analysis. <i>European Journal of Cognitive Psychology</i> , 2004 , 16, 729-752		15
15	Functional topography of the secondary somatosensory cortex for nonpainful and painful stimulation of median and tibial nerve: an fMRI study. <i>NeuroImage</i> , 2004 , 23, 1217-25	7.9	59
14	Influence of growth hormone therapy on pituitary and lumbar spine astrocytomas. A clinical observation. <i>Hormone Research in Paediatrics</i> , 2003 , 59, 156-60	3.3	
13	Functional topography of the secondary somatosensory cortex for nonpainful and painful stimuli: an fMRI study. <i>NeuroImage</i> , 2003 , 20, 1625-38	7.9	74
12	Topographic organization of the human primary and secondary somatosensory cortices: comparison of fMRI and MEG findings. <i>Neurolmage</i> , 2002 , 17, 1373-83	7.9	73

11	ultrasound: a preliminary study with comparison to contrast-enhanced MRI. <i>European Radiology</i> , 2001 , 11, 1039-46	8	68
10	Topographic organization of the human primary and secondary somatosensory areas: an fMRI study. <i>NeuroReport</i> , 2000 , 11, 2035-43	1.7	57
9	Correlation between computed tomography findings of leukoaraiosis and 24-hour blood pressure variability in elderly subjects. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 1999 , 8, 66-70	2.8	11
8	Long time echo stir sequence magnetic resonance imaging of optic nerves in optic neuritis. <i>European Journal of Radiology</i> , 1995 , 19, 155-63	4.7	5
7	Cortical and subcortical tubers in tuberous sclerosis and FLAIR sequence. <i>Journal of Computer Assisted Tomography</i> , 1995 , 19, 660-1	2.2	21
6	The role of magnetic resonance angiography in the diagnosis of subclavian steal. <i>CardioVascular and Interventional Radiology</i> , 1995 , 18, 87-91	2.7	14
5	MRI alterations as an early finding in Creutzfeld-Jakob disease. <i>European Journal of Radiology</i> , 1993 , 17, 155-8	4.7	18
4	Reduced temporal lobe areas in schizophrenia: preliminary evidences from a controlled multiplanar magnetic resonance imaging study. <i>Biological Psychiatry</i> , 1990 , 27, 61-8	7.9	72
3	Reduced temporal lobe area in schizophrenia by magnetic resonance imaging: preliminary evidence. <i>Psychiatry Research</i> , 1989 , 29, 261-3	9.9	16
2	Parkinsonism, basal ganglia calcification and epilepsy as late complications of postoperative hypoparathyroidism. <i>Journal of Neurology</i> , 1985 , 232, 109-11	5.5	40
1	A new processing method in fMRI for detecting activated regions in patients after subcortical stroke		2