

Zhenxing Yue

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7226858/zhenxing-yue-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

85
papers

1,202
citations

19
h-index

29
g-index

88
ext. papers

1,401
ext. citations

3.2
avg, IF

4.31
L-index

#	Paper	IF	Citations
85	Energy-storage performance and electrocaloric effect in (100)-oriented Pb _{0.97} La _{0.02} (Zr _{0.95} Ti _{0.05})O ₃ antiferroelectric thick films. <i>Journal of Applied Physics</i> , 2011 , 110, 064109 ²⁻⁵		77
84	Microstructure and Microwave Dielectric Properties of TiO ₂ -Doped Zn ₂ SiO ₄ Ceramics Synthesized Through the Sol-Gel Process. <i>Journal of the American Ceramic Society</i> , 2008 , 91, 3981-3985	3.8	60
83	High-Energy-Storage Density Capacitors of Bi(Ni _{1/2} Ti _{1/2})O ₃ PbTiO ₃ Thin Films with Good Temperature Stability. <i>Journal of the American Ceramic Society</i> , 2013 , 96, 2061-2064	3.8	48
82	Preparation and Spontaneous Polarization/Magnetization of a New Ceramic Ferroelectric/Ferromagnetic Composite. <i>Journal of the American Ceramic Society</i> , 2005 , 87, 1848-1852	3.8	46
81	Low-temperature sintered Mg-Zn-Cu ferrite prepared by auto-combustion of nitrate-citrate gel. <i>Journal of Materials Science Letters</i> , 2001 , 20, 1327-1329		43
80	Microwave Dielectric Properties and Thermally Stimulated Depolarization Currents of (1-x)MgTiO ₃ -xCa _{0.8} Sr _{0.2} TiO ₃ Ceramics. <i>Journal of the American Ceramic Society</i> , 2015 , 98, 1548-1554	3.8	40
79	Controlled synthesis of anatase TiO ₂ nanotube and nanowire arrays via AAO template-based hydrolysis. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 2552	13	39
78	Microwave Dielectric Properties of Ba ₃ (VO ₄) ₂ Mg ₂ SiO ₄ Composite Ceramics. <i>Journal of the American Ceramic Society</i> , 2010 , 93, 359-361	3.8	38
77	Effects of Zinc Substitution on Crystal Structure and Microwave Dielectric Properties of CaLa ₄ Ti ₅ O ₁₇ Ceramics. <i>Journal of the American Ceramic Society</i> , 2006 , 89, 3421-3425	3.8	37
76	Novel Low-Firing Forsterite-Based Microwave Dielectric for LTCC Applications. <i>Journal of the American Ceramic Society</i> , 2016 , 99, 1122-1124	3.8	34
75	Low-Temperature Sintering, Densification, and Properties of Z-type Hexaferrite with Bi ₂ O ₃ Additives. <i>Journal of the American Ceramic Society</i> , 2001 , 84, 2889-2894	3.8	32
74	Highly (100)-Oriented Bi(Ni _{1/2} Hf _{1/2})O ₃ -PbTiO ₃ Relaxor-Ferroelectric Films for Integrated Piezoelectric Energy Harvesting and Storage System. <i>Journal of the American Ceramic Society</i> , 2015 , 98, 2968-2971	3.8	30
73	Low-Temperature Sintering and Microwave Dielectric Properties of Ba ₃ (VO ₄) ₂ BaWO ₄ Ceramic Composites. <i>Journal of the American Ceramic Society</i> , 2008 , 91, 3738-3741	3.8	29
72	Low-Temperature Sintering and Microwave Dielectric Properties of Ba ₅ Nb ₄ O ₁₅ BaWO ₄ Composite Ceramics for LTCC Applications. <i>Journal of the American Ceramic Society</i> , 2008 , 91, 3275-3279 ³⁻⁸	3.8	28
71	Microstructure and magnetic characteristics of low-temperature-fired modified Z-type hexaferrite with Bi ₂ O ₃ additive. <i>IEEE Transactions on Magnetics</i> , 2002 , 38, 1797-1802	2	28
70	Microwave Dielectric Properties and Thermally Stimulated Depolarization Currents of MgF ₂ -Doped Diopside Ceramics. <i>Journal of the American Ceramic Society</i> , 2014 , 97, 3537-3543	3.8	27
69	Investigation of ferroelectric phase transition for modified barium titanate in multilayer ceramic capacitors by in situ Raman scattering and dielectric measurement. <i>Applied Physics A: Materials Science and Processing</i> , 2008 , 91, 119-125	2.6	22

68	Processing and Piezoelectric Properties of $(\text{Na}_{0.5}\text{K}_{0.5})_{0.96}\text{Li}_{0.04}(\text{Ta}_{0.1}\text{Nb}_{0.9})_{1-x}\text{Cu}_x\text{O}_3$ Lead-Free Ceramics. <i>Journal of the American Ceramic Society</i> , 2008 , 91, 914-917	3.8	22
67	Crystal structure, dielectric properties, and lattice vibrational characteristics of LiNiPO_4 ceramics sintered at different temperatures. <i>Journal of the American Ceramic Society</i> , 2020 , 103, 2528-2539	3.8	20
66	Polarization Response and Thermally Stimulated Depolarization Current of BaTiO_3 -based Y5V Ceramic Multilayer Capacitors. <i>Journal of the American Ceramic Society</i> , 2014 , 97, 2921-2927	3.8	19
65	Structure and Microwave Dielectric Properties of Hexagonal $\text{Ba}[\text{Ti}_{1-x}(\text{Ni}_{1/2}\text{W}_{1/2})_x]\text{O}_3$ Ceramics. <i>Journal of the American Ceramic Society</i> , 2007 , 90, 2461-2466	3.8	19
64	Low-fired microwave dielectrics in ZnO-TiO_2 ceramics doped with CuO and B_2O_3 . <i>Journal of Materials Science: Materials in Electronics</i> , 2002 , 13, 415-418	2.1	19
63	$\text{MgTiO}_3/\text{TiO}_2/\text{MgTiO}_3$: An ultrahigh-Q and temperature-stable microwave dielectric ceramic through cofired trilayer architecture. <i>Ceramics International</i> , 2018 , 44, 21000-21003	5.1	18
62	Microwave Dielectric Properties of $\text{Ba}_2\text{Ca}_{1-x}\text{Sr}_x\text{WO}_6$ Double Perovskites. <i>Journal of the American Ceramic Society</i> , 2011 , 94, 2933-2938	3.8	18
61	Low-temperature sinterable cordierite glass-ceramics for high-frequency multilayer chip inductors. <i>Journal of Materials Science Letters</i> , 2000 , 19, 213-215		18
60	Microwave Dielectric Properties and Thermally Stimulated Depolarization Currents Study of $(1-x)\text{Ba}_{0.6}\text{Sr}_{0.4}\text{La}_4\text{Ti}_4\text{O}_{15-x}\text{TiO}_2$ Ceramics. <i>Journal of the American Ceramic Society</i> , 2014 , 97, 3170-3176	3.8	17
59	High-Q and temperature-stable microwave dielectrics in layer cofired $\text{Zn}_{1.01}\text{Nb}_2\text{O}_6/\text{TiO}_2/\text{Zn}_{1.01}\text{Nb}_2\text{O}_6$ ceramic architectures. <i>Journal of the American Ceramic Society</i> , 2019 , 102, 342-350	3.8	15
58	Effect of electromagnetic environment on the dielectric resonance in the ferroelectric-ferromagnetic composite. <i>Applied Physics Letters</i> , 2006 , 89, 112907	3.4	15
57	Microwave dielectric properties and thermally stimulated depolarization of Al-doped $\text{Ba}_4(\text{Sm},\text{Nd})_{9.33}\text{Ti}_{18}\text{O}_{54}$ ceramics. <i>Journal of the American Ceramic Society</i> , 2019 , 102, 5494-5502	3.8	14
56	Low temperature sintered ZnNb_2O_6 microwave dielectric ceramics doped with $\text{ZnO-V}_2\text{O}_5$ additions. <i>Journal of Materials Science</i> , 2005 , 40, 6581-6583	4.3	14
55	Effects of Silver Doping on the Sol-Gel-Derived $\text{Ba}_4(\text{Nd}_{0.7}\text{Sm}_{0.3})_{9.33}\text{Ti}_{18}\text{O}_{54}$ Microwave Dielectric Ceramics. <i>Journal of the American Ceramic Society</i> , 2007 , 90, 3131-3137	3.8	13
54	Epitaxially grown BaM hexaferrite films having uniaxial axis in the film plane for self-biased devices. <i>Scientific Reports</i> , 2017 , 7, 44193	4.9	12
53	Microwave Dielectric Properties and Thermally Stimulated Depolarization Currents of $(1-x)\text{Ba}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3-x\text{BaSnO}_3$ Solid Solutions. <i>Journal of the American Ceramic Society</i> , 2015 , 98, 3942-3947	3.8	12
52	Electric Field-Dependent Properties of BaTiO_3 -Based Multilayer Ceramic Capacitors. <i>Ferroelectrics</i> , 2010 , 401, 56-60	0.6	12
51	Dielectric behavior of Co_2Z hexagonal ferrites with multiple modifications. <i>Journal of Applied Physics</i> , 2002 , 91, 5230-5233	2.5	12

50	Thermally stable polymer/ceramic composites for microwave antenna applications. <i>Journal of Advanced Ceramics</i> , 2016 , 5, 269-276	10.7	12
49	Structure, Microwave Dielectric Properties and Thermally Stimulated Depolarization Currents of $(1-x)$ Ba _{0.6} Sr _{0.4} La ₄ Ti ₄ O ₁₅ x Ba ₅ Nb ₄ O ₁₅ Solid Solutions. <i>Journal of the American Ceramic Society</i> , 2015 , 98, 1245-1252	3.8	11
48	Low-temperature sintering and microwave dielectric properties of ZnTiO ₃ -based LTCC materials. <i>Journal of Electroceramics</i> , 2008 , 21, 141-144	1.5	11
47	Evaluation of Residual Stress in a Multilayer Ceramic Capacitor and its Effect on Dielectric Behaviors Under Applied dc Bias Field. <i>Journal of the American Ceramic Society</i> , 2008 , 91, 887-892	3.8	11
46	Dielectric response and thermally stimulated depolarization current analysis of BaNd _{1.76} Bi _{0.24} Ti ₅ O ₁₄ high-temperature microwave capacitors. <i>Journal of Materials Science</i> , 2015 , 50, 1141-1149	4.3	10
45	Structures and Microwave Dielectric Properties of Ba[Ti _{1-x} (Co _{0.5} W _{0.5}) _x]O ₃ ($x \in [0.40, 0.90]$) Perovskite Ceramics. <i>Journal of the American Ceramic Society</i> , 2012 , 95, 1645-1650	3.8	10
44	Structural Transitions and Microwave Dielectric Properties of Ba _{2-x} Sr _{2x} SmSbO ₆ Double Perovskites. <i>Journal of the American Ceramic Society</i> , 2012 , 95, 1665-1670	3.8	10
43	Influence of CuO and B ₂ O ₃ on sintering and dielectric properties of tungsten bronze type microwave ceramics: a case study in Ba ₄ Nd _{9.3} Ti ₁₈ O ₅₄ . <i>Journal of Materials Science: Materials in Electronics</i> , 2011 , 22, 106-110	2.1	10
42	Low-Temperature Sintering and Electromagnetic Properties of Copper-Modified Z-type Hexaferrite. <i>Journal of the American Ceramic Society</i> , 2004 , 85, 1180-1184	3.8	10
41	Structural and Dielectric Characteristics in $(1-x)$ Ba(Ni _{1/2} W _{1/2})O ₃ x BaTiO ₃ Perovskite Solid Solutions. <i>Journal of the American Ceramic Society</i> , 2010 , 93, 516-521	3.8	9
40	Magnetic properties of composite Y-type hexagonal ferrites in a direct current magnetic field. <i>Journal of Applied Physics</i> , 2005 , 98, 063901	2.5	9
39	Ultrahigh energy storage density and charge-discharge performance in novel sodium bismuth titanate-based ceramics. <i>Journal of the American Ceramic Society</i> , 2021 , 104, 936-947	3.8	9
38	High-frequency ferromagnetic resonance of Co nanowire arrays. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2014 , 211, 1828-1833	1.6	8
37	Preparation and Microwave Dielectric Properties of TiO ₂ -Doped YAG Ceramics. <i>Ferroelectrics</i> , 2010 , 407, 69-74	0.6	8
36	Low-temperature sintered Ni-Zn manganite NTC ceramics prepared by a gel auto-combustion method. <i>Journal of Materials Science Letters</i> , 2002 , 21, 375-377		8
35	Low temperature sintered ZnNb ₂ O ₆ microwave dielectric ceramics doped with CuO-Bi ₂ O ₃ -V ₂ O ₅ additions. <i>Journal of Materials Science Letters</i> , 2003 , 22, 595-597		8
34	Microstructure and Physical Characteristics of Novel Z-Type Hexaferrite with Cu Modification 2002 , 9, 73-79		7
33	Orientation Growth and Magnetic Properties of BaM Hexaferrite Films Deposited by Direct Current Magnetron Sputtering. <i>Journal of the American Ceramic Society</i> , 2016 , 99, 860-865	3.8	7

32	Effects of ZnO/V ₂ O ₅ substitution on the microstructure and microwave dielectric properties of ZnNb ₂ O ₆ ceramics. <i>Journal of Electroceramics</i> , 2008 , 21, 116-119	1.5	6
31	Improvement in microwave dielectric properties of Sr ₂ TiO ₄ ceramics through post-annealing treatment. <i>Journal of Electroceramics</i> , 2018 , 41, 67-72	1.5	6
30	A First-Principles Study on the Multiferroic Property of Two-Dimensional BaTiO ₃ (001) Ultrathin Film with Surface Ba Vacancy. <i>Nanomaterials</i> , 2019 , 9,	5.4	5
29	Structural Transitions and Microwave Dielectric Properties of (Ba, Sr) ₂ LnSbO ₆ (Ln = La, Pr, Nd, Sm, Gd, Dy) Double Perovskites. <i>Ferroelectrics</i> , 2012 , 435, 119-128	0.6	5
28	Phase Characterization and Dielectric Properties of Zn ₂ SiO ₄ Ceramics Derived from a Sol-Gel Process. <i>Ferroelectrics</i> , 2009 , 387, 184-188	0.6	5
27	Characterizations of fatigue and crack growth of ferroelectrics under cyclic electric field. <i>Journal of Electroceramics</i> , 2008 , 21, 581-584	1.5	5
26	Crystallization and dielectric properties of cordierite gel-derived glasses containing B ₂ O ₃ and P ₂ O ₅ . <i>Ferroelectrics</i> , 2001 , 262, 31-36	0.6	5
25	Influences of sintering atmosphere on the magnetic and electrical properties of barium hexaferrites. <i>AIP Advances</i> , 2019 , 9, 085129	1.5	4
24	Sol-gel synthesis, densification, and electrical properties of CuO/B ₂ O ₃ doped Ba _{6-2x} R _{8+2x} Ti ₁₈ O ₅₄ (R = Nd) microwave dielectric ceramics. <i>Journal of Materials Science</i> , 2011 , 46, 1932-1936	4.3	4
23	Magnetic and dielectric properties of a double-percolating Ni _{0.3} Zn _{0.7} Fe _{1.95} O ₄ -Ni-polymer composite. <i>Journal of Electroceramics</i> , 2008 , 21, 385-389	1.5	4
22	Enhancement of dielectric properties and energy storage performance in 3Y-TZP ceramics with BaTiO ₃ additives. <i>International Journal of Applied Ceramic Technology</i> , 2020 , 17, 1362-1370	2	4
21	Physical properties and structure characteristics of titanium-modified antimony-selenium phase change thin film. <i>Applied Physics Letters</i> , 2021 , 118, 081903	3.4	4
20	Microwave dielectric properties and low temperature sintering of Ba ₃ Ti _{4-x} (Mg _{1/3} Nb _{2/3}) _x Nb ₄ O ₂₁ ceramics with BaCu(B ₂ O ₅) addition. <i>Journal of Materials Science: Materials in Electronics</i> , 2012 , 23, 1449-1454	2.1	3
19	Preparation and microwave dielectric properties of Ba ₄ (Sm _{1-x} Nd _x) _{9.3} Ti ₁₈ O ₅₄ ceramics via a citrate sol-gel process. <i>Journal of Materials Science</i> , 2004 , 39, 1087-1089	4.3	3
18	Microwave and terahertz properties of porous Ba ₄ (Sm,Nd,Bi) _{28/3} Ti ₁₈ O ₅₄ ceramics obtained by sacrificial template method. <i>Journal of the American Ceramic Society</i> , 2021 , 104, 5679-5688	3.8	3
17	Investigation of significant magnetic transformation for hydrogenated ZnFe ₂ O ₄ nanoparticles. <i>Journal of Materials Science</i> , 2020 , 55, 1464-1474	4.3	3
16	Phonon characteristics and intrinsic properties of single phase ZnWO ₄ ceramic. <i>Journal of Materials Science: Materials in Electronics</i> , 2020 , 31, 6192-6198	2.1	2
15	Epitaxial Spinel Cobalt Ferrite Films Prepared by Two-Step Spin-Coating Method. <i>Ferroelectrics</i> , 2013 , 455, 62-68	0.6	2

14	Microwave dielectric properties and thermally stimulated relaxations of Ba _{0.6} Sr _{0.4} La ₄ Ti ₄ O ₁₅ TiO ₂ composite ceramics by flowing oxygen sintering. <i>Journal of Materials Science: Materials in Electronics</i> , 2017 , 28, 3400-3406	2.1	2
13	Dielectric behavior and DC resistivity of Ba ₃ Co ₂ (1-x)Cu _{2x} Fe ₂₄ O ₄₁ (Co ₂ Z)Hexaferrite. <i>Ferroelectrics</i> , 2001 , 264, 157-162	0.6	2
12	Phase transition and piezoelectricity of BaZrO ₃ -modified (K,Na)NbO ₃ lead-free piezoelectric thin films. <i>Journal of the American Ceramic Society</i> , 2018 , 102, 2770	3.8	2
11	Structure, defects, and microwave dielectric properties of Al-doped and Al/Nd co-doped Ba ₄ Nd _{9.33} Ti ₁₈ O ₅₄ ceramics. <i>Journal of Advanced Ceramics</i> , 2022 , 11, 629-640	10.7	2
10	Improved charge/discharge cycling durability of PVDF dielectrics with MgO nanofillers. <i>Applied Physics Letters</i> , 2020 , 116, 172902	3.4	1
9	Characterization of Domains Reorientation in Multilayer Piezoelectric Ceramic Actuators by Polarized Raman Spectroscopy. <i>Journal of the American Ceramic Society</i> , 2012 , 95, 2766-2768	3.8	1
8	Tunable High-Frequency Properties of Co/Ni Ferromagnetic Nanowires Through Composition Modulation. <i>IEEE Transactions on Magnetics</i> , 2015 , 51, 1-6	2	1
7	Microwave Dielectric Properties of Ba(Zn _{1/3} Nb _{2/3})O ₃ -BaWO ₄ Composite Ceramics. <i>Ferroelectrics</i> , 2009 , 388, 88-92	0.6	1
6	Interfacial investigation of the Co-fired NiCuZn Ferrite/PMN composite prepared by tape casting. <i>Journal of Electroceramics</i> , 2008 , 21, 536-540	1.5	1
5	Field-induced domain switching in BaTiO ₃ -based multilayer ceramic capacitors observed by polarized Raman spectroscopy. <i>Applied Physics A: Materials Science and Processing</i> , 2012 , 109, 331-335	2.6	0
4	Internal relations between crystal structures and dielectric properties of (1-x)BaWO ₄ -xTiO ₂ composite ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2020 , 31, 19961-19973	2.1	0
3	Structure-Property Relationships of Ba[Ti _{1-x} (Ho _{0.5} Nb _{0.5}) _x]O ₃ (x = 0.05-0.90) Perovskite Ceramics. <i>Ferroelectrics</i> , 2014 , 459, 112-118	0.6	
2	Low dielectric constant borophosphosilicate glass-ceramics: Synthesis and properties. <i>Ferroelectrics</i> , 2001 , 262, 239-244	0.6	
1	Microstructure and Microwave Dielectric Properties of (1-x)ZnNb ₂ O ₆ -xZnTa ₂ O ₆ Ceramics. <i>Ceramic Transactions</i> , 109-115	0.1	