

# Halit Filiz

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7227127/publications.pdf>

Version: 2024-02-01

30  
papers

409  
citations

1307594

7  
h-index

839539

18  
g-index

30  
all docs

30  
docs citations

30  
times ranked

399  
citing authors

#	ARTICLE	IF	CITATIONS
1	A global-scale screening of non-native aquatic organisms to identify potentially invasive species under current and future climate conditions. <i>Science of the Total Environment</i> , 2021, 788, 147868.	8.0	80
2	Length-weight relationships of 24 fish species from the North Aegean Sea, Turkey. <i>Journal of Applied Ichthyology</i> , 2004, 20, 431-432.	0.7	65
3	Are introduced gibel carp (<i>Carassius gibelio</i>) in Turkey more invasive in artificial than in natural waters?. <i>Fisheries Management and Ecology</i> , 2012, 19, 178-187.	2.0	50
4	Weightâ€“length relations for 103 fish species from the southern Aegean Sea, Turkey. <i>Acta Ichthyologica Et Piscatoria</i> , 2014, 44, 263-269.	0.7	46
5	A Risk Screening Study on the Potential Invasiveness of Lessepsian fishes in the South-Eastern Coasts of Anatolia. <i>Acta Ichthyologica Et Piscatoria</i> , 2019, 49, 23-31.	0.7	30
6	The Vertebrate Biodiversity of Turkey. , 2021, , 175-274.		13
7	New records of &lt;l&gt;Bregmaceros atlanticus&lt;/l&gt; (Bregmacerotidae), &lt;l&gt;Echiodon dentatus&lt;/l&gt; (Carapidae), and &lt;l&gt;Nemichthys scolopaceus&lt;/l&gt; (Nemichthyidae) from the Aegean Sea. <i>Acta Ichthyologica Et Piscatoria</i> , 2007, 37, 107-112.	0.7	12
8	Risk of invasiveness of non-native aquatic species in the eastern Mediterranean region under current and projected climate conditions. , 2021, 88, 1130-1143.		12
9	Occurrence, length-weight and length-length relationships of <i>Champsodon nudivittis</i> (Ogilby,) Tj ETQq1 1 0.784314 rgBT /Ove	0.7	11
10	Biological aspects of two coexisting native and non-native fish species in the Aegean Sea: <i>Pagellus erythrinus</i> vs. <i>Nemipterus randalli</i> . <i>Mediterranean Marine Science</i> , 2019, 20, 594.	1.6	9
11	Age and growth of the hollowsnout grenadier, <i>Caelorinchus caelorhincus</i> (Risso, 1810), in the Aegean Sea. <i>Journal of Applied Ichthyology</i> , 2006, 22, 285-287.	0.7	8
12	Age and growth, reproduction and diet of the black goby, ( <i>Gobius niger</i> ) from Aegean Sea, Turkey. <i>Journal of Fisheries Sciences</i> , 2009, , .	0.2	8
13	First length-weight relationships of 11 fish species in the Aegean Sea. <i>Journal of Applied Ichthyology</i> , 2015, 31, 398-402.	0.7	8
14	Occurrence of <i>Lobotes surinamensis</i> (Osteichthyes: Lobotidae) in the Mediterranean: Historical and recent data. <i>Zoology in the Middle East</i> , 2017, 63, 43-47.	0.6	6
15	Year-Round Aggregation of Sandbar Shark, <i>Carcharhinus plumbeus</i> (Nardo, 1827), in Boncuk Cove in the southern Aegean Sea, Turkey (Carcharhiniformes: Carcharhinidae). <i>Zoology in the Middle East</i> , 2019, 65, 35-39.	0.6	5
16	The Factors Increasing of Invasiveness Potential of Five Pufferfishes in the Eastern Mediterranean, Turkey. <i>Natural and Engineering Sciences</i> , 2017, 2, 22-30.	0.3	5
17	A NEW MAXIMUM LENGTH FOR THE PARROTFISH, <i>Sparisoma cretense</i> (Linnaeus, 1758) IN THE MEDITERRANEAN SEA. <i>Journal of Aquaculture Engineering and Fisheries Research</i> , 0, , 140-143.	0.6	5
18	Title is missing!. <i>Turkish Journal of Fisheries and Aquatic Sciences</i> , 2011, 11, .	0.9	4

#	ARTICLE	IF	CITATIONS
19	Filling the gap: first confirmed record for the <i>Ophisurus serpens</i> (Anguilliformes: Ophichthidae) from the Anatolian coast of the South Aegean Sea. <i>Marine Biodiversity Records</i> , 2015, 8, .	1.2	4
20	Champsodontids at the gates: first record of <i>Champsodon vorax</i> Günther, 1867 from the Aegean Sea (Teleostei: Champsodontidae). <i>Journal of Applied Ichthyology</i> , 2016, 32, 120-122.	0.7	4
21	First record of <i>Epigonus constanciae</i> (Giglioli, 1880), (deepwater cardinalfish) (Osteichthyes: Epigonidae), from Aegean Sea, Turkey. <i>Acta Ichthyologica Et Piscatoria</i> , 2007, 37, 91-94.	0.7	4
22	Marine Litter: Composition in Eastern Aegean Coasts. <i>Open Access Library Journal (oalib)</i> , 2014, 01, 1-7.	0.2	4
23	Length-Weight Relationships of Four Lessepsian Puffer Fish Species From Muğla Coasts of Turkey. <i>Natural and Engineering Sciences</i> , 2017, 2, 36-40.	0.3	4
24	First record of the Small-toothed Argentine, <i>Glossanodon leioglossus</i> (Valenciennes, 1848) (Osteichthyes: Argentinidae), from Turkey. <i>Zoology in the Middle East</i> , 2005, 34, 110-112.	0.6	2
25	New sighting of the endangered species blackchin guitarfish, <i>Rhinobatos cemiculus</i> , in the South Aegean Sea. <i>Marine Biodiversity Records</i> , 2016, 9, .	1.2	2
26	First occurrence of a lesser amberjack <i>Seriola fasciata</i> (Bloch, 1793) in the Aegean coasts of Turkey with morphological and molecular identification. <i>Regional Studies in Marine Science</i> , 2020, 40, 101494.	0.7	2
27	The Occurrence of the Cadenat's Rockfish, <i>Scorpaena loppei</i> (Actinopterygii) <i>Tj ETQq1 1 0.784314 rgBT /Overlock</i> 75-78.	0.7	2
28	Diet composition of the five deep sea fish from the Aegean Sea.. <i>Su Akdeniz Dergisi</i> , 2013, 30, 61-67.	0.3	2
29	A new record of the Blue-Barred Parrotfish, <i>Scarus ghobban</i> (Actinopterygii: Scaridae), from the coastal waters of Cyprus. <i>Zoology in the Middle East</i> , 2014, 60, 281-282.	0.6	1
30	Development of a Filament on the Lower Lobe of the Caudal Fin of the Lessepsian Migrant Fish <i>Nemipterus randalli</i> (Actinopterygii: Clupeiformes: Nemipteridae). <i>Proceedings of the Zoological Society</i> , 0, , 1.	1.0	1