

Meredith G Harris

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7227192/publications.pdf>

Version: 2024-02-01

165
papers

7,858
citations

76294

40
h-index

58549

82
g-index

168
all docs

168
docs citations

168
times ranked

10036
citing authors

#	ARTICLE	IF	CITATIONS
1	A systematic review and meta-regression of the prevalence and incidence of perinatal depression. <i>Journal of Affective Disorders</i> , 2017, 219, 86-92.	2.0	826
2	Burden of non-communicable diseases in sub-Saharan Africa, 1990â€“2017: results from the Global Burden of Disease Study 2017. <i>The Lancet Global Health</i> , 2019, 7, e1375-e1387.	2.9	509
3	The Burden Attributable to Mental and Substance Use Disorders as Risk Factors for Suicide: Findings from the Global Burden of Disease Study 2010. <i>PLoS ONE</i> , 2014, 9, e91936.	1.1	335
4	A Randomized Clinical Trial of Supported Employment for Inner-city Patients With Severe Mental Disorders. <i>Archives of General Psychiatry</i> , 1999, 56, 627.	13.8	329
5	The cross-national epidemiology of social anxiety disorder: Data from the World Mental Health Survey Initiative. <i>BMC Medicine</i> , 2017, 15, 143.	2.3	258
6	Estimating remission from untreated major depression: a systematic review and meta-analysis. <i>Psychological Medicine</i> , 2013, 43, 1569-1585.	2.7	256
7	Obstetric Risk Factors for Postnatal Depression in Urban and Rural Community Samples. <i>Australian and New Zealand Journal of Psychiatry</i> , 2001, 35, 69-74.	1.3	229
8	Influence of Gender on Mental Health Literacy in Young Australians. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006, 40, 790-796.	1.3	217
9	Is Early Intervention in Psychosis Cost-Effective Over the Long Term?. <i>Schizophrenia Bulletin</i> , 2009, 35, 909-918.	2.3	183
10	The relationship between duration of untreated psychosis and outcome: An eight-year prospective study. <i>Schizophrenia Research</i> , 2005, 79, 85-93.	1.1	173
11	Road to full recovery: longitudinal relationship between symptomatic remission and psychosocial recovery in first-episode psychosis over 7.5 years. <i>Psychological Medicine</i> , 2012, 42, 595-606.	2.7	169
12	The EPPIC Follow-Up Study of First-Episode Psychosis. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 716-728.	1.1	169
13	Whatâ€™s in a name? Is accurate recognition and labelling of mental disorders by young people associated with better help-seeking and treatment preferences?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 244-250.	1.6	167
14	Estimating treatment coverage for people with substance use disorders: an analysis of data from the World Mental Health Surveys. <i>World Psychiatry</i> , 2017, 16, 299-307.	4.8	160
15	Estimating treatment rates for mental disorders in Australia. <i>Australian Health Review</i> , 2014, 38, 80.	0.5	145
16	Cross-national epidemiology of panic disorder and panic attacks in the world mental health surveys. <i>Depression and Anxiety</i> , 2016, 33, 1155-1177.	2.0	144
17	Development and evaluation of a youth mental health community awareness campaign â€“ The Compass Strategy. <i>BMC Public Health</i> , 2006, 6, 215.	1.2	143
18	Recognition of depression and psychosis by young Australians and their beliefs about treatment. <i>Medical Journal of Australia</i> , 2005, 183, 18-23.	0.8	138

#	ARTICLE	IF	CITATIONS
19	Outcome in early-onset schizophrenia revisited: Findings from the Early Psychosis Prevention and Intervention Centre long-term follow-up study. <i>Schizophrenia Research</i> , 2011, 131, 112-119.	1.1	124
20	Increased mortality among people with schizophrenia and other non-affective psychotic disorders in the community: A systematic review and meta-analysis. <i>Journal of Psychiatric Research</i> , 2018, 102, 245-253.	1.5	102
21	Males' mental health disadvantage: An estimation of gender-specific changes in service utilisation for mental and substance use disorders in Australia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015, 49, 821-832.	1.3	93
22	Suicide attempt in first-episode psychosis: A 7.4year follow-up study. <i>Schizophrenia Research</i> , 2010, 116, 1-8.	1.1	91
23	The risk of developing major depression among individuals with subthreshold depression: a systematic review and meta-analysis of longitudinal cohort studies. <i>Psychological Medicine</i> , 2019, 49, 92-102.	2.7	89
24	Treated incidence of first-episode psychosis in the catchment area of EPPIC between 1997 and 2000. <i>Acta Psychiatrica Scandinavica</i> , 2006, 114, 337-345.	2.2	88
25	A Randomized Controlled Trial of Integrated Versus Parallel Housing Services for Homeless Adults With Severe Mental Illness. <i>Schizophrenia Bulletin</i> , 2004, 30, 969-982.	2.3	86
26	Belief in dealing with depression alone: Results from community surveys of adolescents and adults. <i>Journal of Affective Disorders</i> , 2006, 96, 59-65.	2.0	77
27	Frequency and quality of mental health treatment for affective and anxiety disorders among Australian adults. <i>Medical Journal of Australia</i> , 2015, 202, 185-189.	0.8	75
28	Comorbidity within mental disorders: a comprehensive analysis based on 145 990 survey respondents from 27 countries. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e153.	1.8	67
29	Prediction of a single psychotic episode: A 7.5-year, prospective study in first-episode psychosis. <i>Schizophrenia Research</i> , 2011, 125, 236-246.	1.1	65
30	Management of Early Psychosis in a Generic Adult Mental Health Service. <i>Australian and New Zealand Journal of Psychiatry</i> , 2003, 37, 429-436.	1.3	58
31	Australia's Better Access Initiative: An Evaluation. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011, 45, 726-739.	1.3	58
32	Reducing excess mortality due to chronic disease in people with severe mental illness: Meta-review of health interventions. <i>British Journal of Psychiatry</i> , 2016, 208, 322-329.	1.7	57
33	Implementing two nurse practitioner models of service at an Australian male prison: A quality assurance study. <i>Journal of Clinical Nursing</i> , 2018, 27, e287-e300.	1.4	53
34	Findings From World Mental Health Surveys of the Perceived Helpfulness of Treatment for Patients With Major Depressive Disorder. <i>JAMA Psychiatry</i> , 2020, 77, 830.	6.0	53
35	Is early separation anxiety a specific precursor of panic disorder'agoraphobia? a community study. <i>Psychological Medicine</i> , 1995, 25, 405-411.	2.7	50
36	Who Cares? A Profile of People who Care for Relatives with a Mental Disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2010, 44, 929-937.	1.3	47

#	ARTICLE	IF	CITATIONS
37	Systematic review of interventions for Indigenous adults with mental and substance use disorders in Australia, Canada, New Zealand and the United States. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016, 50, 1040-1054.	1.3	47
38	Impact of a specialized early psychosis treatment programme on suicide. Retrospective cohort study. <i>Microbial Biotechnology</i> , 2008, 2, 11-21.	0.9	46
39	A multi-site randomised controlled trial of evidence-based supported employment for adults with severe and persistent mental illness. <i>Australian Occupational Therapy Journal</i> , 2014, 61, 424-436.	0.6	46
40	The epidemiology of drug use disorders cross-nationally: Findings from the WHO's World Mental Health Surveys. <i>International Journal of Drug Policy</i> , 2019, 71, 103-112.	1.6	45
41	System-level intersectoral linkages between the mental health and non-clinical support sectors: a qualitative systematic review. <i>Australian and New Zealand Journal of Psychiatry</i> , 2014, 48, 895-906.	1.3	44
42	Early Psychosis Prevention and Intervention Centre long-term follow-up study of first-episode psychosis: methodology and baseline characteristics. <i>Microbial Biotechnology</i> , 2007, 1, 49-60.	0.9	42
43	Disordered eating among Australian adolescents: Prevalence, functioning, and help received. <i>International Journal of Eating Disorders</i> , 2019, 52, 246-254.	2.1	42
44	Developing services for first-episode psychosis and the critical period. <i>British Journal of Psychiatry</i> , 2005, 187, s91-s97.	1.7	41
45	Gender-related patterns and determinants of recent help-seeking for past-year affective, anxiety and substance use disorders: findings from a national epidemiological survey. <i>Epidemiology and Psychiatric Sciences</i> , 2016, 25, 548-561.	1.8	40
46	Work stories: psychological responses to work in a population of dually diagnosed adults. <i>Psychiatric Quarterly</i> , 1997, 68, 131-153.	1.1	39
47	Pattern and Correlates of Inpatient Admission During the Initial Acute Phase of First-Episode Psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006, 40, 429-436.	1.3	38
48	Psychosocial Factors Associated with Depression: A Study of Socially Disadvantaged Women with Young Children. <i>Journal of Nervous and Mental Disease</i> , 1998, 186, 3-11.	0.5	38
49	Personal Myths about Work and Mental Illness: Response to Lysaker and Bell. <i>Psychiatry (New York)</i> , 1995, 58, 401-404.	0.3	33
50	Policy initiative to improve access to psychological services for people with affective and anxiety disorders: population-level analysis. <i>British Journal of Psychiatry</i> , 2011, 198, 99-108.	1.7	32
51	A systematic review of service models and evidence relating to the clinically operated community-based residential mental health rehabilitation for adults with severe and persisting mental illness in Australia. <i>BMC Psychiatry</i> , 2019, 19, 55.	1.1	32
52	Mental health service system improvement: Translating evidence into policy. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 703-706.	1.3	31
53	Functioning and well-being at 24 weeks postpartum of women with postnatal depression. <i>Archives of Women's Mental Health</i> , 2000, 3, 91-97.	1.2	30
54	A Brief Measure of Vocational Activity and Community Participation: Development and Reliability of the Activity and Participation Questionnaire. <i>Australian and New Zealand Journal of Psychiatry</i> , 2010, 44, 258-266.	1.3	30

#	ARTICLE	IF	CITATIONS
55	Earning and learning among Australian community residents with psychiatric disorders. <i>Psychiatry Research</i> , 2011, 186, 109-116.	1.7	28
56	Frequent callers to telephone helplines: new evidence and a new service model. <i>International Journal of Mental Health Systems</i> , 2016, 10, 43.	1.1	28
57	Stimulant use disorders: Characteristics and comorbidity in an Australian population sample. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 1173-1181.	1.3	27
58	Cross-national patterns of substance use disorder treatment and associations with mental disorder comorbidity in the WHO World Mental Health Surveys. <i>Addiction</i> , 2019, 114, 1446-1459.	1.7	27
59	Association of Cohort and Individual Substance Use With Risk of Transitioning to Drug Use, Drug Use Disorder, and Remission From Disorder. <i>JAMA Psychiatry</i> , 2019, 76, 708.	6.0	27
60	Predictors of suicide-related behaviors during treatment following a first episode of psychosis: The contribution of baseline, past, and recent factors. <i>Schizophrenia Research</i> , 2012, 140, 17-24.	1.1	26
61	Labour market conditions, labour force activity and prevalence of psychiatric disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009, 44, 171-178.	1.6	25
62	Prevalence and correlates of comorbidity 8 years after a first psychotic episode. <i>Acta Psychiatrica Scandinavica</i> , 2007, 116, 62-70.	2.2	24
63	Personalised support delivered by support workers for people with severe and persistent mental illness: a systematic review of patient outcomes. <i>Epidemiology and Psychiatric Sciences</i> , 2012, 21, 97-110.	1.8	24
64	A retrospective quasi-experimental study of a community crisis house for patients with severe and persistent mental illness. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 667-675.	1.3	24
65	Longitudinal comparative evaluation of the equivalence of an integrated peer-support and clinical staffing model for residential mental health rehabilitation: a mixed methods protocol incorporating multiple stakeholder perspectives. <i>BMC Psychiatry</i> , 2016, 16, 179.	1.1	23
66	Clozapine users in Australia: their characteristics and experiences of care based on data from the 2010 National Survey of High Impact Psychosis. <i>Epidemiology and Psychiatric Sciences</i> , 2017, 26, 325-337.	1.8	23
67	Deterioration of visuospatial associative memory following a first psychotic episode: a long-term follow-up study. <i>Psychological Medicine</i> , 2018, 48, 132-141.	2.7	23
68	Is a national framework for implementing early psychosis services necessary? Results of a survey of Australian mental health service directors. <i>Microbial Biotechnology</i> , 2010, 4, 25-30.	0.9	22
69	A systematic review of clinician-rated instruments to assess adults' levels of functioning in specialised public sector mental health services. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 338-354.	1.3	22
70	Clinical efficacy of a Decision Support Tool (Link-me) to guide intensity of mental health care in primary practice: a pragmatic stratified randomised controlled trial. <i>Lancet Psychiatry</i> , 2021, 8, 202-214.	3.7	22
71	Mental health interventions and future major depression among primary care patients with subthreshold depression. <i>Journal of Affective Disorders</i> , 2015, 177, 65-73.	2.0	21
72	Assessing service use for mental health by Indigenous populations in Australia, Canada, New Zealand and the United States of America: a rapid review of population surveys. <i>Health Research Policy and Systems</i> , 2017, 15, 67.	1.1	21

#	ARTICLE	IF	CITATIONS
73	Perceived need and barriers to adolescent mental health care: agreement between adolescents and their parents. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e60.	1.8	21
74	Influence of gender on mental health literacy in young Australians. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006, 40, 790-796.	1.3	20
75	Temporal pattern of suicide risk in young individuals with early psychosis. <i>Psychiatry Research</i> , 2010, 175, 98-103.	1.7	19
76	Stimulant use and stimulant use disorders in Australia: findings from the National Survey of Mental Health and Wellbeing. <i>Medical Journal of Australia</i> , 2011, 195, 607-609.	0.8	19
77	Correlates of Antidepressant and Anxiolytic, Hypnotic or Sedative Medication Use in an Australian Community Sample. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011, 45, 249-260.	1.3	19
78	Characteristics of Suicide Attempts in Young People Undergoing Treatment for First Episode Psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011, 45, 838-845.	1.3	19
79	A domains-based taxonomy of supported accommodation for people with severe and persistent mental illness. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 875-894.	1.6	19
80	Characteristics of People Who Use Telephone Counseling: Findings from Secondary Analysis of a Population-Based Study. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2015, 42, 621-632.	1.2	19
81	Long-term follow-up of all-cause and unnatural death in young people with first-episode psychosis. <i>Schizophrenia Research</i> , 2014, 159, 70-75.	1.1	18
82	A profile of Australian mental health carers, their caring role and service needs: results from the 2012 Survey of Disability, Ageing and Carers. <i>Epidemiology and Psychiatric Sciences</i> , 2019, 28, 670-681.	1.8	18
83	Hours of Care and Caring Tasks Performed by Australian Carers of Adults with Mental Illness: Results from an Online Survey. <i>Community Mental Health Journal</i> , 2019, 55, 279-295.	1.1	18
84	Understanding service demand for mental health among Australians aged 16 to 64 years according to their possible need for treatment. <i>Australian and New Zealand Journal of Psychiatry</i> , 2014, 48, 838-851.	1.3	17
85	Appraising Evidence for Intervention Effectiveness in Early Psychosis: Conceptual Framework and Review of Evaluation Approaches. <i>Australian and New Zealand Journal of Psychiatry</i> , 2010, 44, 195-219.	1.3	16
86	Brita Futures: A resilience-building program for children and young people from culturally and linguistically diverse backgrounds – Program description and preliminary findings. <i>Advances in Mental Health</i> , 2010, 9, 243-254.	0.3	16
87	Sudden death among young people with first-episode psychosis: An 8-10 year follow-up study. <i>Psychiatry Research</i> , 2010, 177, 305-308.	1.7	16
88	Preventing Suicide at Suicide Hotspots: A Case Study from Australia. <i>Suicide and Life-Threatening Behavior</i> , 2014, 44, 392-407.	0.9	16
89	Implementing cognitive remediation and social cognitive interaction training into standard psychosis care. <i>BMC Health Services Research</i> , 2018, 18, 458.	0.9	16
90	Patterns and correlates of patient-reported helpfulness of treatment for common mental and substance use disorders in the WHO World Mental Health Surveys. <i>World Psychiatry</i> , 2022, 21, 272-286.	4.8	16

#	ARTICLE	IF	CITATIONS
91	International Planning Directions for Provision of Mental Health Services. Administration and Policy in Mental Health and Mental Health Services Research, 2007, 34, 377-387.	1.2	15
92	Community based residential mental health services: What do we need to know?. Australian and New Zealand Journal of Psychiatry, 2015, 49, 86-87.	1.3	15
93	Estimating service demand for respite care among informal carers of people with psychological disabilities in Australia. Australian and New Zealand Journal of Public Health, 2015, 39, 284-292.	0.8	15
94	Estimating the number of adults with severe and persistent mental illness who have complex, multi-agency needs. Australian and New Zealand Journal of Psychiatry, 2017, 51, 799-809.	1.3	15
95	Stakeholder concerns about Australia's mental health care system. Australian Health Review, 2006, 30, 158.	0.5	14
96	The stability of correlates of labour force activity. Acta Psychiatrica Scandinavica, 2009, 119, 393-405.	2.2	14
97	A Comprehensive Cohort Description and Statistical Grouping of Community-Based Residential Rehabilitation Service Users in Australia. Frontiers in Psychiatry, 2019, 10, 798.	1.3	14
98	Planning estimates for the provision of core mental health services in Queensland 2007 to 2017. Australian and New Zealand Journal of Psychiatry, 2012, 46, 982-994.	1.3	13
99	An analysis of policy levers used to implement mental health reform in Australia 1992-2012. BMC Health Services Research, 2015, 15, 479.	0.9	13
100	Australia's National Suicide Prevention Strategy: the next chapter. Australian Health Review, 2006, 30, 271.	0.5	12
101	Predictors of mental health-related acute service utilisation and treatment costs in the 12 months following an acute psychiatric admission. Australian and New Zealand Journal of Psychiatry, 2014, 48, 1048-1058.	1.3	12
102	Suicidal behaviours during treatment for first-episode psychosis: towards a comprehensive approach to service-based prevention. Microbial Biotechnology, 2014, 8, 387-395.	0.9	12
103	Perceived helpfulness of treatment for posttraumatic stress disorder: Findings from the World Mental Health Surveys. Depression and Anxiety, 2020, 37, 972-994.	2.0	12
104	Early Psychosis: Treatment Issues and the Role of Occupational Therapy. British Journal of Occupational Therapy, 2008, 71, 297-304.	0.5	11
105	An analysis of policy success and failure in formal evaluations of Australia's national mental health strategy (1992-2012). BMC Health Services Research, 2017, 17, 374.	0.9	11
106	Pattern and correlates of inpatient admission during the initial acute phase of first-episode psychosis. Australian and New Zealand Journal of Psychiatry, 2006, 40, 429-436.	1.3	11
107	Intersectoral policy for severe and persistent mental illness: review of approaches in a sample of high-income countries. Global Mental Health (Cambridge, England), 2015, 2, e18.	1.0	10
108	A mixed methods evaluation of an integrated adult mental health service model. BMC Health Services Research, 2019, 19, 691.	0.9	10

#	ARTICLE	IF	CITATIONS
109	Barriers to mental health care for Australian children and adolescents in 1998 and 2013â€“2014. Australian and New Zealand Journal of Psychiatry, 2020, 54, 1007-1019.	1.3	10
110	Community-care unit model of residential mental health rehabilitation services in Queensland, Australia: predicting outcomes of consumers 1-year post discharge. Epidemiology and Psychiatric Sciences, 2020, 29, e109.	1.8	10
111	Perceived helpfulness of treatment for generalized anxiety disorder: a World Mental Health Surveys report. BMC Psychiatry, 2021, 21, 392.	1.1	10
112	The Impact of Smoking on Clinical Outcomes After First Episode Psychosis: Longer-Term Outcome Findings From the EPPIC 800 Follow-Up Study. Journal of Dual Diagnosis, 2010, 6, 212-234.	0.7	9
113	Planning estimates for the mental health community support sector. Australian and New Zealand Journal of Psychiatry, 2012, 46, 569-580.	1.3	9
114	Measuring what matters: Effectiveness of implementing evidence-based supported employment for adults with severe mental illness. International Journal of Therapy and Rehabilitation, 2015, 22, 411-420.	0.1	9
115	Predictors of change in depressive symptoms over time: Results from the Australian Longitudinal Study on Women's Health. Journal of Affective Disorders, 2019, 245, 771-778.	2.0	9
116	Perceived helpfulness of treatment for specific phobia: Findings from the World Mental Health Surveys. Journal of Affective Disorders, 2021, 288, 199-209.	2.0	9
117	A Survey of People With Lived Experience of Suicide-Related Behavior in Queensland, Australia. Crisis, 2020, 41, 39-46.	0.9	9
118	Reliability and validity of a measure of role functioning among people with psychiatric disabilities. Australian Occupational Therapy Journal, 2011, 58, 203-208.	0.6	8
119	Not Letting the Ideal be the Enemy of the Good: The Case of the Better Access Evaluation. Australian and New Zealand Journal of Psychiatry, 2011, 45, 911-914.	1.3	8
120	Identifying characteristics and practices of multidisciplinary team reviews for patients with severe mental illness: a systematic review. Australasian Psychiatry, 2018, 26, 267-275.	0.4	8
121	Employment disadvantage and associated factors for informal carers of adults with mental illness: are they like other disability carers?. BMC Public Health, 2019, 19, 587.	1.2	8
122	Predictors of unplanned discharge from community-based residential mental health rehabilitation for people affected by severe and persistent mental illness. Journal of Mental Health, 2021, 30, 500-508.	1.0	8
123	Quantifying the size of the informal care sector for Australian adults with mental illness: caring hours and replacement cost. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 387-400.	1.6	8
124	Antidepressant use in low- middle- and high-income countries: a World Mental Health Surveys report. Psychological Medicine, 2023, 53, 1583-1591.	2.7	8
125	Classification Algorithm for the Determination of Suicide Attempt and Suicide (CAD-SAS). Crisis, 2012, 33, 151-161.	0.9	8
126	Has Social Psychiatry Met its Waterloo? Methodological and Ethical Issues in a Community Study. Australian and New Zealand Journal of Psychiatry, 1993, 27, 411-421.	1.3	7

#	ARTICLE	IF	CITATIONS
127	Reliability of a scale of work-related self-efficacy for people with psychiatric disabilities. <i>International Journal of Rehabilitation Research</i> , 2010, 33, 183-186.	0.7	7
128	A Retrospective Quasi-Experimental Study of a Transitional Housing Program for Patients with Severe and Persistent Mental Illness. <i>Community Mental Health Journal</i> , 2014, 50, 538-547.	1.1	7
129	Measurement properties of the Health of the Nation Outcome Scales (HoNOS) family of measures: protocol for a systematic review. <i>BMJ Open</i> , 2018, 8, e021177.	0.8	7
130	Perceived helpfulness of bipolar disorder treatment: Findings from the World Health Organization World Mental Health Surveys. <i>Bipolar Disorders</i> , 2021, 23, 565-583.	1.1	7
131	Perceived helpfulness of treatment for social anxiety disorder: findings from the WHO World Mental Health Surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 2079-2095.	1.6	7
132	From Good Foundations: The Role of Treatment Guidelines for Psychiatrists - An Overview of The RANZCP CPG Project. <i>Australasian Psychiatry</i> , 2001, 9, 332-337.	0.4	6
133	Routine outcome assessment and feedback for clinicians: A pilot in an early psychosis service. <i>Journal of Mental Health</i> , 2006, 15, 279-288.	1.0	6
134	Employment-related information for clients receiving mental health services and clinicians. <i>Work</i> , 2011, 39, 291-303.	0.6	6
135	Health state utility values of high prevalence mental disorders in Australia: results from the National Survey of Mental Health and Wellbeing. <i>Quality of Life Research</i> , 2018, 27, 1815-1825.	1.5	6
136	Systems levers for commissioning primary mental healthcare: a rapid review. <i>Australian Journal of Primary Health</i> , 2018, 24, 29.	0.4	6
137	Implementing child and youth mental health services: early lessons from the Australian Primary Health Network Lead Site Project. <i>International Journal of Mental Health Systems</i> , 2021, 15, 16.	1.1	5
138	Structural Characteristics of Australasian Psychiatric Practice. <i>Australian and New Zealand Journal of Psychiatry</i> , 1993, 27, 298-305.	1.3	4
139	Were the budgetary reforms to the Better Access to Mental Health Care initiative appropriate? â€” Yes. <i>Medical Journal of Australia</i> , 2011, 194, 594-594.	0.8	4
140	Best practice in early psychosis intervention for Australian indigenous communities: indigenous worker consultation and service model description. <i>Australasian Psychiatry</i> , 2013, 21, 249-253.	0.4	4
141	Evaluating the Better Access Initiative: What do Consumers Have to Say?. <i>Australian Social Work</i> , 2014, 67, 162-178.	0.7	4
142	Implementing cognitive remediation therapy (CRT) in a mental health service: staff training. <i>Australasian Psychiatry</i> , 2016, 24, 185-189.	0.4	4
143	The impact of organisational change and fiscal restraint on organisational culture. <i>International Journal of Mental Health Systems</i> , 2017, 11, 11.	1.1	4
144	Link-me: Protocol for a randomised controlled trial of a systematic approach to stepped mental health care in primary care. <i>Contemporary Clinical Trials</i> , 2019, 78, 63-75.	0.8	4

#	ARTICLE	IF	CITATIONS
145	Investment in Australian mental health carer services: how much and does it reflect evidence of effectiveness?. Australian Health Review, 2020, 44, 104.	0.5	4
146	Treatment for the initial acute phase of first-episode psychosis in a real-world setting. Psychiatric Bulletin, 2006, 30, 127-131.	0.3	3
147	Development and preliminary evaluation of an employment resource for mental health service consumers, families and carers, and clinicians. Australian E-Journal for the Advancement of Mental Health, 2009, 8, 80-94.	0.2	3
148	The Reliability of an Education-related Self-efficacy Scale for People with Psychiatric Disabilities. Community Mental Health Journal, 2011, 47, 136-142.	1.1	3
149	Developing a Service Platform Definition to Promote Evidence-Based Planning and Funding of the Mental Health Service System. International Journal of Environmental Research and Public Health, 2014, 11, 12261-12282.	1.2	3
150	Support for people bereaved or affected by suicide and for their carers in Queensland: quality of resources and a classification framework. Advances in Mental Health, 2019, 17, 178-195.	0.3	3
151	Perceived helpfulness of treatment for alcohol use disorders: Findings from the World Mental Health Surveys. Drug and Alcohol Dependence, 2021, 229, 109158.	1.6	3
152	Perceived helpfulness of service sectors used for mental and substance use disorders: Findings from the WHO World Mental Health Surveys. International Journal of Mental Health Systems, 2022, 16, 6.	1.1	3
153	Clinical Indicators for Routine Use in the Evaluation of Early Psychosis Intervention: Development, Training Support and Inter-Rater Reliability. Australian and New Zealand Journal of Psychiatry, 2011, 45, 63-75.	1.3	2
154	Impact of the carer on length of hospital stay for mental health: Results from two Australian surveys. International Journal of Mental Health Nursing, 2019, 28, 436-447.	2.1	2
155	Service demand for psychological interventions among Australian adults: a population perspective. BMC Health Services Research, 2021, 21, 98.	0.9	2
156	Using research and evaluation to inform the development of early-psychosis service models. , 2009, , 385-404.		1
157	Is Early Intervention in Psychosis Cost-Effective Over the Long Term?. Schizophrenia Bulletin, 2011, 37, 651-651.	2.3	1
158	Reliability and validity of a measure of work-related subjective experiences among people with psychiatric disabilities. International Journal of Therapy and Rehabilitation, 2011, 18, 146-155.	0.1	0
159	Value of real world economic evaluations of crisis accommodation programmes for patients with severe mental illness. Australian and New Zealand Journal of Psychiatry, 2014, 48, 960-961.	1.3	0
160	Re: Meta-analysis of Australian Indigenous psychiatric treatment, critiqued. Australian and New Zealand Journal of Psychiatry, 2017, 51, 1053-1054.	1.3	0
161	Systematic reviews: inducting research students into scholarly conversations?. Higher Education Research and Development, 2017, 36, 217-220.	1.9	0
162	Caring hours and possible need for employment support among primary carers for adults with mental illness: Results from an Australian household survey. Health and Social Care in the Community, 2019, 27, e837-e849.	0.7	0

#	ARTICLE	IF	CITATIONS
163	Community Based Support for People at Risk for Suicide and Those Who Care for them “ Areas for Improvement. Archives of Suicide Research, 2020, 24, 125-157.	1.2	0
164	Exploring the cost-effectiveness of a Dutch collaborative stepped care intervention for the treatment of depression and/or anxiety when adapted to the Australian context: a model-based cost-utility analysis. Epidemiology and Psychiatric Sciences, 2021, 30, .	1.8	0
165	Clinical characteristics of first-episode schizophrenia. Medical Psychiatry, 2009, , 39-51.	0.2	0