

Meredith G Harris

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7227192/publications.pdf>

Version: 2024-02-01

165
papers

7,858
citations

87401

40
h-index

66518

82
g-index

168
all docs

168
docs citations

168
times ranked

10755
citing authors

#	ARTICLE	IF	CITATIONS
1	Antidepressant use in low- middle- and high-income countries: a World Mental Health Surveys report. <i>Psychological Medicine</i> , 2023, 53, 1583-1591.	2.7	8
2	Perceived helpfulness of service sectors used for mental and substance use disorders: Findings from the WHO World Mental Health Surveys. <i>International Journal of Mental Health Systems</i> , 2022, 16, 6.	1.1	3
3	Perceived helpfulness of treatment for social anxiety disorder: findings from the WHO World Mental Health Surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 2079-2095.	1.6	7
4	Patterns and correlates of patient-reported helpfulness of treatment for common mental and substance use disorders in the WHO World Mental Health Surveys. <i>World Psychiatry</i> , 2022, 21, 272-286.	4.8	16
5	Predictors of unplanned discharge from community-based residential mental health rehabilitation for people affected by severe and persistent mental illness. <i>Journal of Mental Health</i> , 2021, 30, 500-508.	1.0	8
6	Quantifying the size of the informal care sector for Australian adults with mental illness: caring hours and replacement cost. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 387-400.	1.6	8
7	Clinical efficacy of a Decision Support Tool (Link-me) to guide intensity of mental health care in primary practice: a pragmatic stratified randomised controlled trial. <i>Lancet Psychiatry</i> , 2021, 8, 202-214.	3.7	22
8	Exploring the cost-effectiveness of a Dutch collaborative stepped care intervention for the treatment of depression and/or anxiety when adapted to the Australian context: a model-based cost-utility analysis. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, .	1.8	0
9	Service demand for psychological interventions among Australian adults: a population perspective. <i>BMC Health Services Research</i> , 2021, 21, 98.	0.9	2
10	Implementing child and youth mental health services: early lessons from the Australian Primary Health Network Lead Site Project. <i>International Journal of Mental Health Systems</i> , 2021, 15, 16.	1.1	5
11	Perceived helpfulness of bipolar disorder treatment: Findings from the World Health Organization World Mental Health Surveys. <i>Bipolar Disorders</i> , 2021, 23, 565-583.	1.1	7
12	Perceived helpfulness of treatment for specific phobia: Findings from the World Mental Health Surveys. <i>Journal of Affective Disorders</i> , 2021, 288, 199-209.	2.0	9
13	Perceived helpfulness of treatment for generalized anxiety disorder: a World Mental Health Surveys report. <i>BMC Psychiatry</i> , 2021, 21, 392.	1.1	10
14	Perceived helpfulness of treatment for alcohol use disorders: Findings from the World Mental Health Surveys. <i>Drug and Alcohol Dependence</i> , 2021, 229, 109158.	1.6	3
15	Community Based Support for People at Risk for Suicide and Those Who Care for them – Areas for Improvement. <i>Archives of Suicide Research</i> , 2020, 24, 125-157.	1.2	0
16	Perceived need and barriers to adolescent mental health care: agreement between adolescents and their parents. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e60.	1.8	21
17	Perceived helpfulness of treatment for posttraumatic stress disorder: Findings from the World Mental Health Surveys. <i>Depression and Anxiety</i> , 2020, 37, 972-994.	2.0	12
18	Comorbidity within mental disorders: a comprehensive analysis based on 145 990 survey respondents from 27 countries. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e153.	1.8	67

#	ARTICLE	IF	CITATIONS
19	Findings From World Mental Health Surveys of the Perceived Helpfulness of Treatment for Patients With Major Depressive Disorder. <i>JAMA Psychiatry</i> , 2020, 77, 830.	6.0	53
20	Barriers to mental health care for Australian children and adolescents in 1998 and 2013–2014. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 1007-1019.	1.3	10
21	Community-care unit model of residential mental health rehabilitation services in Queensland, Australia: predicting outcomes of consumers 1-year post discharge. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e109.	1.8	10
22	A Survey of People With Lived Experience of Suicide-Related Behavior in Queensland, Australia. <i>Crisis</i> , 2020, 41, 39-46.	0.9	9
23	Investment in Australian mental health carer services: how much and does it reflect evidence of effectiveness?. <i>Australian Health Review</i> , 2020, 44, 104.	0.5	4
24	Support for people bereaved or affected by suicide and for their carers in Queensland: quality of resources and a classification framework. <i>Advances in Mental Health</i> , 2019, 17, 178-195.	0.3	3
25	The epidemiology of drug use disorders cross-nationally: Findings from the WHO's World Mental Health Surveys. <i>International Journal of Drug Policy</i> , 2019, 71, 103-112.	1.6	45
26	Caring hours and possible need for employment support among primary carers for adults with mental illness: Results from an Australian household survey. <i>Health and Social Care in the Community</i> , 2019, 27, e837-e849.	0.7	0
27	Burden of non-communicable diseases in sub-Saharan Africa, 1990–2017: results from the Global Burden of Disease Study 2017. <i>The Lancet Global Health</i> , 2019, 7, e1375-e1387.	2.9	509
28	Employment disadvantage and associated factors for informal carers of adults with mental illness: are they like other disability carers?. <i>BMC Public Health</i> , 2019, 19, 587.	1.2	8
29	Cross-national patterns of substance use disorder treatment and associations with mental disorder comorbidity in the WHO World Mental Health Surveys. <i>Addiction</i> , 2019, 114, 1446-1459.	1.7	27
30	Association of Cohort and Individual Substance Use With Risk of Transitioning to Drug Use, Drug Use Disorder, and Remission From Disorder. <i>JAMA Psychiatry</i> , 2019, 76, 708.	6.0	27
31	A systematic review of service models and evidence relating to the clinically operated community-based residential mental health rehabilitation for adults with severe and persisting mental illness in Australia. <i>BMC Psychiatry</i> , 2019, 19, 55.	1.1	32
32	Link-me: Protocol for a randomised controlled trial of a systematic approach to stepped mental health care in primary care. <i>Contemporary Clinical Trials</i> , 2019, 78, 63-75.	0.8	4
33	Disordered eating among Australian adolescents: Prevalence, functioning, and help received. <i>International Journal of Eating Disorders</i> , 2019, 52, 246-254.	2.1	42
34	A mixed methods evaluation of an integrated adult mental health service model. <i>BMC Health Services Research</i> , 2019, 19, 691.	0.9	10
35	A Comprehensive Cohort Description and Statistical Grouping of Community-Based Residential Rehabilitation Service Users in Australia. <i>Frontiers in Psychiatry</i> , 2019, 10, 798.	1.3	14
36	A profile of Australian mental health carers, their caring role and service needs: results from the 2012 Survey of Disability, Ageing and Carers. <i>Epidemiology and Psychiatric Sciences</i> , 2019, 28, 670-681.	1.8	18

#	ARTICLE	IF	CITATIONS
37	Predictors of change in depressive symptoms over time: Results from the Australian Longitudinal Study on Women's Health. <i>Journal of Affective Disorders</i> , 2019, 245, 771-778.	2.0	9
38	Impact of the carer on length of hospital stay for mental health: Results from two Australian surveys. <i>International Journal of Mental Health Nursing</i> , 2019, 28, 436-447.	2.1	2
39	The risk of developing major depression among individuals with subthreshold depression: a systematic review and meta-analysis of longitudinal cohort studies. <i>Psychological Medicine</i> , 2019, 49, 92-102.	2.7	89
40	Hours of Care and Caring Tasks Performed by Australian Carers of Adults with Mental Illness: Results from an Online Survey. <i>Community Mental Health Journal</i> , 2019, 55, 279-295.	1.1	18
41	Measurement properties of the Health of the Nation Outcome Scales (HoNOS) family of measures: protocol for a systematic review. <i>BMJ Open</i> , 2018, 8, e021177.	0.8	7
42	Health state utility values of high prevalence mental disorders in Australia: results from the National Survey of Mental Health and Wellbeing. <i>Quality of Life Research</i> , 2018, 27, 1815-1825.	1.5	6
43	Identifying characteristics and practices of multidisciplinary team reviews for patients with severe mental illness: a systematic review. <i>Australasian Psychiatry</i> , 2018, 26, 267-275.	0.4	8
44	Increased mortality among people with schizophrenia and other non-affective psychotic disorders in the community: A systematic review and meta-analysis. <i>Journal of Psychiatric Research</i> , 2018, 102, 245-253.	1.5	102
45	Systems levers for commissioning primary mental healthcare: a rapid review. <i>Australian Journal of Primary Health</i> , 2018, 24, 29.	0.4	6
46	Deterioration of visuospatial associative memory following a first psychotic episode: a long-term follow-up study. <i>Psychological Medicine</i> , 2018, 48, 132-141.	2.7	23
47	Implementing two nurse practitioner models of service at an Australian male prison: A quality assurance study. <i>Journal of Clinical Nursing</i> , 2018, 27, e287-e300.	1.4	53
48	Implementing cognitive remediation and social cognitive interaction training into standard psychosis care. <i>BMC Health Services Research</i> , 2018, 18, 458.	0.9	16
49	A systematic review and meta-regression of the prevalence and incidence of perinatal depression. <i>Journal of Affective Disorders</i> , 2017, 219, 86-92.	2.0	826
50	A systematic review of clinician-rated instruments to assess adults' levels of functioning in specialised public sector mental health services. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 338-354.	1.3	22
51	The impact of organisational change and fiscal restraint on organisational culture. <i>International Journal of Mental Health Systems</i> , 2017, 11, 11.	1.1	4
52	Estimating treatment coverage for people with substance use disorders: an analysis of data from the World Mental Health Surveys. <i>World Psychiatry</i> , 2017, 16, 299-307.	4.8	160
53	Re: Meta-analysis of Australian Indigenous psychiatric treatment, critiqued. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 1053-1054.	1.3	0
54	Estimating the number of adults with severe and persistent mental illness who have complex, multi-agency needs. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 799-809.	1.3	15

#	ARTICLE	IF	CITATIONS
55	An analysis of policy success and failure in formal evaluations of Australia's national mental health strategy (1992-2012). <i>BMC Health Services Research</i> , 2017, 17, 374.	0.9	11
56	Systematic reviews: inducting research students into scholarly conversations?. <i>Higher Education Research and Development</i> , 2017, 36, 217-220.	1.9	0
57	Clozapine users in Australia: their characteristics and experiences of care based on data from the 2010 National Survey of High Impact Psychosis. <i>Epidemiology and Psychiatric Sciences</i> , 2017, 26, 325-337.	1.8	23
58	The cross-national epidemiology of social anxiety disorder: Data from the World Mental Health Survey Initiative. <i>BMC Medicine</i> , 2017, 15, 143.	2.3	258
59	Assessing service use for mental health by Indigenous populations in Australia, Canada, New Zealand and the United States of America: a rapid review of population surveys. <i>Health Research Policy and Systems</i> , 2017, 15, 67.	1.1	21
60	Gender-related patterns and determinants of recent help-seeking for past-year affective, anxiety and substance use disorders: findings from a national epidemiological survey. <i>Epidemiology and Psychiatric Sciences</i> , 2016, 25, 548-561.	1.8	40
61	Reducing excess mortality due to chronic disease in people with severe mental illness: Meta-review of health interventions. <i>British Journal of Psychiatry</i> , 2016, 208, 322-329.	1.7	57
62	Systematic review of interventions for Indigenous adults with mental and substance use disorders in Australia, Canada, New Zealand and the United States. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016, 50, 1040-1054.	1.3	47
63	Cross-national epidemiology of panic disorder and panic attacks in the world mental health surveys. <i>Depression and Anxiety</i> , 2016, 33, 1155-1177.	2.0	144
64	Frequent callers to telephone helplines: new evidence and a new service model. <i>International Journal of Mental Health Systems</i> , 2016, 10, 43.	1.1	28
65	Longitudinal comparative evaluation of the equivalence of an integrated peer-support and clinical staffing model for residential mental health rehabilitation: a mixed methods protocol incorporating multiple stakeholder perspectives. <i>BMC Psychiatry</i> , 2016, 16, 179.	1.1	23
66	Implementing cognitive remediation therapy (CRT) in a mental health service: staff training. <i>Australasian Psychiatry</i> , 2016, 24, 185-189.	0.4	4
67	Intersectoral policy for severe and persistent mental illness: review of approaches in a sample of high-income countries. <i>Global Mental Health (Cambridge, England)</i> , 2015, 2, e18.	1.0	10
68	Measuring what matters: Effectiveness of implementing evidence-based supported employment for adults with severe mental illness. <i>International Journal of Therapy and Rehabilitation</i> , 2015, 22, 411-420.	0.1	9
69	An analysis of policy levers used to implement mental health reform in Australia 1992-2012. <i>BMC Health Services Research</i> , 2015, 15, 479.	0.9	13
70	Frequency and quality of mental health treatment for affective and anxiety disorders among Australian adults. <i>Medical Journal of Australia</i> , 2015, 202, 185-189.	0.8	75
71	Males' mental health disadvantage: An estimation of gender-specific changes in service utilisation for mental and substance use disorders in Australia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015, 49, 821-832.	1.3	93
72	Community based residential mental health services: What do we need to know?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015, 49, 86-87.	1.3	15

#	ARTICLE	IF	CITATIONS
73	Mental health interventions and future major depression among primary care patients with subthreshold depression. <i>Journal of Affective Disorders</i> , 2015, 177, 65-73.	2.0	21
74	Characteristics of People Who Use Telephone Counseling: Findings from Secondary Analysis of a Population-Based Study. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2015, 42, 621-632.	1.2	19
75	Estimating service demand for respite care among informal carers of people with psychological disabilities in Australia. <i>Australian and New Zealand Journal of Public Health</i> , 2015, 39, 284-292.	0.8	15
76	The Burden Attributable to Mental and Substance Use Disorders as Risk Factors for Suicide: Findings from the Global Burden of Disease Study 2010. <i>PLoS ONE</i> , 2014, 9, e91936.	1.1	335
77	Developing a Service Platform Definition to Promote Evidence-Based Planning and Funding of the Mental Health Service System. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 12261-12282.	1.2	3
78	Predictors of mental health-related acute service utilisation and treatment costs in the 12 months following an acute psychiatric admission. <i>Australian and New Zealand Journal of Psychiatry</i> , 2014, 48, 1048-1058.	1.3	12
79	Value of real world economic evaluations of crisis accommodation programmes for patients with severe mental illness. <i>Australian and New Zealand Journal of Psychiatry</i> , 2014, 48, 960-961.	1.3	0
80	Preventing Suicide at Suicide Hotspots: A Case Study from Australia. <i>Suicide and Life-Threatening Behavior</i> , 2014, 44, 392-407.	0.9	16
81	Understanding service demand for mental health among Australians aged 16 to 64 years according to their possible need for treatment. <i>Australian and New Zealand Journal of Psychiatry</i> , 2014, 48, 838-851.	1.3	17
82	Suicidal behaviours during treatment for first-episode psychosis: towards a comprehensive approach to service-based prevention. <i>Microbial Biotechnology</i> , 2014, 8, 387-395.	0.9	12
83	System-level intersectoral linkages between the mental health and non-clinical support sectors: a qualitative systematic review. <i>Australian and New Zealand Journal of Psychiatry</i> , 2014, 48, 895-906.	1.3	44
84	Evaluating the Better Access Initiative: What do Consumers Have to Say?. <i>Australian Social Work</i> , 2014, 67, 162-178.	0.7	4
85	A multi-site randomised controlled trial of evidence-based supported employment for adults with severe and persistent mental illness. <i>Australian Occupational Therapy Journal</i> , 2014, 61, 424-436.	0.6	46
86	A Retrospective Quasi-Experimental Study of a Transitional Housing Program for Patients with Severe and Persistent Mental Illness. <i>Community Mental Health Journal</i> , 2014, 50, 538-547.	1.1	7
87	Long-term follow-up of all-cause and unnatural death in young people with first-episode psychosis. <i>Schizophrenia Research</i> , 2014, 159, 70-75.	1.1	18
88	Estimating treatment rates for mental disorders in Australia. <i>Australian Health Review</i> , 2014, 38, 80.	0.5	145
89	A domains-based taxonomy of supported accommodation for people with severe and persistent mental illness. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 875-894.	1.6	19
90	Estimating remission from untreated major depression: a systematic review and meta-analysis. <i>Psychological Medicine</i> , 2013, 43, 1569-1585.	2.7	256

#	ARTICLE	IF	CITATIONS
91	A retrospective quasi-experimental study of a community crisis house for patients with severe and persistent mental illness. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 667-675.	1.3	24
92	Best practice in early psychosis intervention for Australian indigenous communities: indigenous worker consultation and service model description. <i>Australasian Psychiatry</i> , 2013, 21, 249-253.	0.4	4
93	Mental health service system improvement: Translating evidence into policy. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 703-706.	1.3	31
94	Personalised support delivered by support workers for people with severe and persistent mental illness: a systematic review of patient outcomes. <i>Epidemiology and Psychiatric Sciences</i> , 2012, 21, 97-110.	1.8	24
95	Planning estimates for the mental health community support sector. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 569-580.	1.3	9
96	Stimulant use disorders: Characteristics and comorbidity in an Australian population sample. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 1173-1181.	1.3	27
97	Planning estimates for the provision of core mental health services in Queensland 2007 to 2017. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 982-994.	1.3	13
98	Road to full recovery: longitudinal relationship between symptomatic remission and psychosocial recovery in first-episode psychosis over 7.5 years. <i>Psychological Medicine</i> , 2012, 42, 595-606.	2.7	169
99	Predictors of suicide-related behaviors during treatment following a first episode of psychosis: The contribution of baseline, past, and recent factors. <i>Schizophrenia Research</i> , 2012, 140, 17-24.	1.1	26
100	Classification Algorithm for the Determination of Suicide Attempt and Suicide (CAD-SAS). <i>Crisis</i> , 2012, 33, 151-161.	0.9	8
101	Prediction of a single psychotic episode: A 7.5-year, prospective study in first-episode psychosis. <i>Schizophrenia Research</i> , 2011, 125, 236-246.	1.1	65
102	Outcome in early-onset schizophrenia revisited: Findings from the Early Psychosis Prevention and Intervention Centre long-term follow-up study. <i>Schizophrenia Research</i> , 2011, 131, 112-119.	1.1	124
103	Earning and learning among Australian community residents with psychiatric disorders. <i>Psychiatry Research</i> , 2011, 186, 109-116.	1.7	28
104	Employment-related information for clients receiving mental health services and clinicians. <i>Work</i> , 2011, 39, 291-303.	0.6	6
105	Stimulant use and stimulant use disorders in Australia: findings from the National Survey of Mental Health and Wellbeing. <i>Medical Journal of Australia</i> , 2011, 195, 607-609.	0.8	19
106	Were the budgetary reforms to the Better Access to Mental Health Care initiative appropriate? "Yes." <i>Medical Journal of Australia</i> , 2011, 194, 594-594.	0.8	4
107	Reliability and validity of a measure of work-related subjective experiences among people with psychiatric disabilities. <i>International Journal of Therapy and Rehabilitation</i> , 2011, 18, 146-155.	0.1	0
108	Policy initiative to improve access to psychological services for people with affective and anxiety disorders: population-level analysis. <i>British Journal of Psychiatry</i> , 2011, 198, 99-108.	1.7	32

#	ARTICLE	IF	CITATIONS
109	Reliability and validity of a measure of role functioning among people with psychiatric disabilities. <i>Australian Occupational Therapy Journal</i> , 2011, 58, 203-208.	0.6	8
110	The Reliability of an Education-related Self-efficacy Scale for People with Psychiatric Disabilities. <i>Community Mental Health Journal</i> , 2011, 47, 136-142.	1.1	3
111	Clinical Indicators for Routine Use in the Evaluation of Early Psychosis Intervention: Development, Training Support and Inter-Rater Reliability. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011, 45, 63-75.	1.3	2
112	Correlates of Antidepressant and Anxiolytic, Hypnotic or Sedative Medication Use in an Australian Community Sample. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011, 45, 249-260.	1.3	19
113	Not Letting the Ideal be the Enemy of the Good: The Case of the Better Access Evaluation. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011, 45, 911-914.	1.3	8
114	Characteristics of Suicide Attempts in Young People Undergoing Treatment for First Episode Psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011, 45, 838-845.	1.3	19
115	Is Early Intervention in Psychosis Cost-Effective Over the Long Term?. <i>Schizophrenia Bulletin</i> , 2011, 37, 651-651.	2.3	1
116	Australia's Better Access Initiative: An Evaluation. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011, 45, 726-739.	1.3	58
117	Is a national framework for implementing early psychosis services necessary? Results of a survey of Australian mental health service directors. <i>Microbial Biotechnology</i> , 2010, 4, 25-30.	0.9	22
118	A Brief Measure of Vocational Activity and Community Participation: Development and Reliability of the Activity and Participation Questionnaire. <i>Australian and New Zealand Journal of Psychiatry</i> , 2010, 44, 258-266.	1.3	30
119	Who Cares? A Profile of People who Care for Relatives with a Mental Disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2010, 44, 929-937.	1.3	47
120	Appraising Evidence for Intervention Effectiveness in Early Psychosis: Conceptual Framework and Review of Evaluation Approaches. <i>Australian and New Zealand Journal of Psychiatry</i> , 2010, 44, 195-219.	1.3	16
121	Reliability of a scale of work-related self-efficacy for people with psychiatric disabilities. <i>International Journal of Rehabilitation Research</i> , 2010, 33, 183-186.	0.7	7
122	Brita Futures: A resilience-building program for children and young people from culturally and linguistically diverse backgrounds – Program description and preliminary findings. <i>Advances in Mental Health</i> , 2010, 9, 243-254.	0.3	16
123	Suicide attempt in first-episode psychosis: A 7.4year follow-up study. <i>Schizophrenia Research</i> , 2010, 116, 1-8.	1.1	91
124	The Impact of Smoking on Clinical Outcomes After First Episode Psychosis: Longer-Term Outcome Findings From the EPPIC 800 Follow-Up Study. <i>Journal of Dual Diagnosis</i> , 2010, 6, 212-234.	0.7	9
125	Temporal pattern of suicide risk in young individuals with early psychosis. <i>Psychiatry Research</i> , 2010, 175, 98-103.	1.7	19
126	Sudden death among young people with first-episode psychosis: An 8-10year follow-up study. <i>Psychiatry Research</i> , 2010, 177, 305-308.	1.7	16

#	ARTICLE	IF	CITATIONS
127	The EPPIC Follow-Up Study of First-Episode Psychosis. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 716-728.	1.1	169
128	Using research and evaluation to inform the development of early-psychosis service models. , 2009, , 385-404.		1
129	Is Early Intervention in Psychosis Cost-Effective Over the Long Term?. <i>Schizophrenia Bulletin</i> , 2009, 35, 909-918.	2.3	183
130	Labour market conditions, labour force activity and prevalence of psychiatric disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009, 44, 171-178.	1.6	25
131	The stability of correlates of labour force activity. <i>Acta Psychiatrica Scandinavica</i> , 2009, 119, 393-405.	2.2	14
132	Development and preliminary evaluation of an employment resource for mental health service consumers, families and carers, and clinicians. <i>Australian E-Journal for the Advancement of Mental Health</i> , 2009, 8, 80-94.	0.2	3
133	Clinical characteristics of first-episode schizophrenia. <i>Medical Psychiatry</i> , 2009, , 39-51.	0.2	0
134	Impact of a specialized early psychosis treatment programme on suicide. Retrospective cohort study. <i>Microbial Biotechnology</i> , 2008, 2, 11-21.	0.9	46
135	Early Psychosis: Treatment Issues and the Role of Occupational Therapy. <i>British Journal of Occupational Therapy</i> , 2008, 71, 297-304.	0.5	11
136	Early Psychosis Prevention and Intervention Centre long-term follow-up study of first-episode psychosis: methodology and baseline characteristics. <i>Microbial Biotechnology</i> , 2007, 1, 49-60.	0.9	42
137	Prevalence and correlates of comorbidity 8â€fyears after a first psychotic episode. <i>Acta Psychiatrica Scandinavica</i> , 2007, 116, 62-70.	2.2	24
138	Whatâ€™s in a name? Is accurate recognition and labelling of mental disorders by young people associated with better help-seeking and treatment preferences?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 244-250.	1.6	167
139	International Planning Directions for Provision of Mental Health Services. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2007, 34, 377-387.	1.2	15
140	Routine outcome assessment and feedback for clinicians: A pilot in an early psychosis service. <i>Journal of Mental Health</i> , 2006, 15, 279-288.	1.0	6
141	Australia's National Suicide Prevention Strategy: the next chapter. <i>Australian Health Review</i> , 2006, 30, 271.	0.5	12
142	Treatment for the initial acute phase of first-episode psychosis in a real-world setting. <i>Psychiatric Bulletin</i> , 2006, 30, 127-131.	0.3	3
143	Stakeholder concerns about Australia's mental health care system. <i>Australian Health Review</i> , 2006, 30, 158.	0.5	14
144	Treated incidence of first-episode psychosis in the catchment area of EPPIC between 1997 and 2000. <i>Acta Psychiatrica Scandinavica</i> , 2006, 114, 337-345.	2.2	88

#	ARTICLE	IF	CITATIONS
145	Belief in dealing with depression alone: Results from community surveys of adolescents and adults. <i>Journal of Affective Disorders</i> , 2006, 96, 59-65.	2.0	77
146	Development and evaluation of a youth mental health community awareness campaign â€œ The Compass Strategy. <i>BMC Public Health</i> , 2006, 6, 215.	1.2	143
147	Influence of Gender on Mental Health Literacy in Young Australians. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006, 40, 790-796.	1.3	217
148	Pattern and Correlates of Inpatient Admission During the Initial Acute Phase of First-Episode Psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006, 40, 429-436.	1.3	38
149	Recognition of depression and psychosis by young Australians and their beliefs about treatment. <i>Medical Journal of Australia</i> , 2005, 183, 18-23.	0.8	138
150	Developing services for first-episode psychosis and the critical period. <i>British Journal of Psychiatry</i> , 2005, 187, s91-s97.	1.7	41
151	The relationship between duration of untreated psychosis and outcome: An eight-year prospective study. <i>Schizophrenia Research</i> , 2005, 79, 85-93.	1.1	173
152	A Randomized Controlled Trial of Integrated Versus Parallel Housing Services for Homeless Adults With Severe Mental Illness. <i>Schizophrenia Bulletin</i> , 2004, 30, 969-982.	2.3	86
153	Management of Early Psychosis in a Generic Adult Mental Health Service. <i>Australian and New Zealand Journal of Psychiatry</i> , 2003, 37, 429-436.	1.3	58
154	Obstetric Risk Factors for Postnatal Depression in Urban and Rural Community Samples. <i>Australian and New Zealand Journal of Psychiatry</i> , 2001, 35, 69-74.	1.3	229
155	From Good Foundations: The Role of Treatment Guidelines for Psychiatrists - An Overview of The RANZCP CPG Project. <i>Australasian Psychiatry</i> , 2001, 9, 332-337.	0.4	6
156	Functioning and well-being at 24 weeks postpartum of women with postnatal depression. <i>Archives of Women's Mental Health</i> , 2000, 3, 91-97.	1.2	30
157	A Randomized Clinical Trial of Supported Employment for Inner-city Patients With Severe Mental Disorders. <i>Archives of General Psychiatry</i> , 1999, 56, 627.	13.8	329
158	Psychosocial Factors Associated with Depression: A Study of Socially Disadvantaged Women with Young Children. <i>Journal of Nervous and Mental Disease</i> , 1998, 186, 3-11.	0.5	38
159	Work stories: psychological responses to work in a population of dually diagnosed adults. <i>Psychiatric Quarterly</i> , 1997, 68, 131-153.	1.1	39
160	Is early separation anxiety a specific precursor of panic disorderâ€œ agoraphobia? a community study. <i>Psychological Medicine</i> , 1995, 25, 405-411.	2.7	50
161	Personal Myths about Work and Mental Illness: Response to Lysaker and Bell. <i>Psychiatry (New York)</i> , 1995, 58, 401-404.	0.3	33
162	Has Social Psychiatry Met its Waterloo? Methodological and Ethical Issues in a Community Study. <i>Australian and New Zealand Journal of Psychiatry</i> , 1993, 27, 411-421.	1.3	7

#	ARTICLE	IF	CITATIONS
163	Structural Characteristics of Australasian Psychiatric Practice. Australian and New Zealand Journal of Psychiatry, 1993, 27, 298-305.	1.3	4
164	Pattern and Correlates of Inpatient Admission During the Initial Acute Phase of First-Episode Psychosis. , 0, .		11
165	Influence of Gender on Mental Health Literacy in Young Australians. , 0, .		20