

Fabian M Jaksic

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7227825/fabian-m-jaksic-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

170 papers	6,175 citations	44 h-index	70 g-index
180 ext. papers	6,835 ext. citations	3.3 avg, IF	5.46 L-index

#	Paper	IF	Citations
170	Exotic species elicit decoupled responses in functional diversity components of freshwater fish assemblages in Chile. <i>Ecological Indicators</i> , 2021 , 133, 108364	5.8	1
169	Native trees provide more benefits than exotic trees when ecosystem services are weighted in Santiago, Chile. <i>Trees - Structure and Function</i> , 2021 , 35, 1663-1672	2.6	1
168	Rodent assemblage composition as indicator of fire severity in a protected area of south-central Chile. <i>Austral Ecology</i> , 2021 , 46, 249-260	1.5	3
167	Transport and Introduction 2021 , 49-67		
166	European Rabbit (<i>Oryctolagus cuniculus</i> L.) in Chile: The Human Dimension Behind a Biological Invasion 2021 , 171-185		1
165	Biological Invasions in the Anthropocene 2021 , 19-47		0
164	Ecological Impacts 2021 , 135-167		
163	Naturalization 2021 , 69-92		
162	Range Expansion 2021 , 93-109		
161	Impacts on Human Health, Economy and Biodiversity 2021 , 111-133		
160	Latitudinal patterns in the diet of Andean condor (<i>Vultur gryphus</i>) in Chile: Contrasting environments influencing feeding behavior. <i>Science of the Total Environment</i> , 2020 , 741, 140220	10.2	8
159	Vegetation recovery after 11 years of wild boar exclusion in the Monte Desert, Argentina. <i>Biological Invasions</i> , 2020 , 22, 1607-1621	2.7	2
158	Exotic species modify the functional diversity patterns of freshwater fish assemblages in continental Chile: Examining historical and geographical patterns. <i>Global Ecology and Conservation</i> , 2020 , 24, e01355	2.8	1
157	Partitioning Biodiversity reveals that invasions and extinctions promote the biotic homogenization of Chilean freshwater fish fauna. <i>PLoS ONE</i> , 2020 , 15, e0238767	3.7	5
156	Few self-citations among Chilean ecologists. <i>Revista Chilena De Historia Natural</i> , 2020 , 93,	1.8	2
155	Phenological modularity in amphibian calling behaviour: Geographic trends and local determinants. <i>Austral Ecology</i> , 2019 , 44, 1451-1462	1.5	4
154	Sugerencias para mejorar la regulaci3n chilena de manipulaci3n de vertebrados terrestres en poblaciones naturales en el contexto de investigaciones cient3ficas. <i>Gayana</i> , 2019 , 83, 63-67	1.7	4

153	A metabolic view of amphibian local community structure: the role of activation energy. <i>Ecography</i> , 2018 , 41, 388-400	6.5	3
152	Making research relevant? Ecological methods and the ecosystem services framework. <i>Earth's Future</i> , 2017 , 5, 664-678	7.9	3
151	Acacia caven nurses endemic sclerophyllous trees along a successional pathway from silvopastoral savanna to forest. <i>Ecosphere</i> , 2017 , 8, e01667	3.1	12
150	Rewilding-inspired transhumance for the restoration of semiarid silvopastoral systems in Chile. <i>Regional Environmental Change</i> , 2017 , 17, 1381-1396	4.3	7
149	Bet-hedging strategies of native and exotic annuals promote coexistence in semiarid Chile. <i>Journal of Arid Environments</i> , 2016 , 126, 62-67	2.5	7
148	Ecosystem process interactions between central Chilean habitats. <i>Global Ecology and Conservation</i> , 2015 , 3, 776-788	2.8	4
147	Low genetic diversity of the successful invasive African clawed frog <i>Xenopus laevis</i> (Pipidae) in Chile. <i>Studies on Neotropical Fauna and Environment</i> , 2014 , 49, 50-60	0.6	11
146	Seasonal variation in feeding habits and diet selection by wild boars in a semi-arid environment of Argentina. <i>Acta Theriologica</i> , 2013 , 58, 63-72		18
145	The conservation status of the world's reptiles. <i>Biological Conservation</i> , 2013 , 157, 372-385	6.2	470
144	Invasive African clawed frog <i>Xenopus laevis</i> in southern South America: key factors and predictions. <i>Studies on Neotropical Fauna and Environment</i> , 2013 , 48, 1-12	0.6	17
143	The Chilean Espinal: Restoration for a Sustainable Silvopastoral System. <i>Restoration Ecology</i> , 2013 , 21, 409-414	3.1	13
142	Multi-scale patterns of habitat use by wild boar in the Monte Desert of Argentina. <i>Basic and Applied Ecology</i> , 2013 , 14, 320-328	3.2	9
141	Conservation easements and mining: The case of Chile. <i>Earth's Future</i> , 2013 , 1, 33-38	7.9	6
140	Population abundance, natural history, and habitat use by the arboreal marsupial <i>Dromiciops gliroides</i> in rural Chiloe Island, Chile. <i>Journal of Mammalogy</i> , 2012 , 93, 134-148	1.8	38
139	Temporal variation in genetic diversity during an outbreak of <i>Oligoryzomys longicaudatus</i> (Rodentia, Sigmodontinae) in a temperate forest of southern Chile. <i>Biochemical Systematics and Ecology</i> , 2012 , 44, 383-389	1.4	5
138	Effects of wild boar disturbance on vegetation and soil properties in the Monte Desert, Argentina. <i>Mammalian Biology</i> , 2012 , 77, 299-306	1.6	35
137	Ecosystem services, targets, and indicators for the conservation and sustainable use of biodiversity. <i>Frontiers in Ecology and the Environment</i> , 2011 , 9, 512-520	5.5	85
136	Extreme climatic events change the dynamics and invasibility of semi-arid annual plant communities. <i>Ecology Letters</i> , 2011 , 14, 1227-35	10	84

135	Low functional richness and redundancy of a predator assemblage in native forest fragments of Chiloe island, Chile. <i>Journal of Animal Ecology</i> , 2011 , 80, 809-17	4.7	22
134	Floristic homogenization as a teleconnected trend in oceanic islands. <i>Diversity and Distributions</i> , 2010 , 16, 902-910	5	30
133	Long-term research in Bosque Fray Jorge National Park: Twenty years studying the role of biotic and abiotic factors in a Chilean semiarid scrubland. <i>Revista Chilena De Historia Natural</i> , 2010 , 83,	1.8	37
132	Conservation. Ecosystem services for 2020. <i>Science</i> , 2010 , 330, 323-4	33.3	156
131	Primary production dynamics and climate variability: ecological consequences in semiarid Chile. <i>Global Change Biology</i> , 2009 , 15, 1116-1126	11.4	24
130	Hierarchical determinants of the functional richness, evenness and divergence of a vertebrate predator assemblage. <i>Oikos</i> , 2009 , 118, 591-603	4	13
129	Do heat and smoke increase emergence of exotic and native plants in the matorral of central Chile?. <i>Acta Oecologica</i> , 2009 , 35, 335-340	1.7	24
128	How general are global trends in biotic homogenization? Floristic tracking in Chile, South America. <i>Global Ecology and Biogeography</i> , 2008 , 17, 524-531	6.1	29
127	Ecological efficiency and legitimacy in seed dispersal of an endemic shrub (<i>Lithrea caustica</i>) by the European rabbit (<i>Oryctolagus cuniculus</i>) in central Chile. <i>Journal of Arid Environments</i> , 2008 , 72, 1164-1173	11.5	22
126	ENSO-associated response of field urine osmolality in the insectivorous marsupial <i>Thylamys elegans</i> . <i>Journal of Arid Environments</i> , 2008 , 72, 2011-2016	2.5	3
125	Patterns of turnover and floristic similarity show a non-random distribution of naturalized flora in Chile, South America. <i>Revista Chilena De Historia Natural</i> , 2008 , 81,	1.8	3
124	EL CONEJO EUROPEO EN CHILE: HISTORIA DE UNA INVASIÓN BIOLÓGICA. <i>Historia (Chile)</i> , 2008 , 41, 305-339	1	3
123	Role of non-established plants in determining biotic homogenization patterns in Pacific Oceanic Islands. <i>Biological Invasions</i> , 2008 , 10, 1299-1309	2.7	19
122	Effect of prolonged exposition to pulp mill effluents on the invasive aquatic plant <i>Egeria densa</i> and other primary producers: a mesocosm approach. <i>Environmental Toxicology and Chemistry</i> , 2008 , 27, 387-396	3.8	7
121	Identificación de los mecanismos subyacentes a la invasión de <i>Castor canadensis</i> (Rodentia) en el archipiélago de Tierra del Fuego, Chile. <i>Revista Chilena De Historia Natural</i> , 2007 , 80,	1.8	16
120	Ecología trófica del jabalí europeo (<i>Sus scrofa</i>) silvestre en Chile. <i>Revista Chilena De Historia Natural</i> , 2007 , 80,	1.8	26
119	El Niño events, the lean versus fat scenario, and long-term guild dynamics of vertebrate predators in a South American semiarid ecosystem. <i>Austral Ecology</i> , 2007 , 32, 225-238	1.5	12
118	Effects of functional constraints and opportunism on the functional structure of a vertebrate predator assemblage. <i>Journal of Animal Ecology</i> , 2007 , 76, 246-57	4.7	11

117	Transit towards floristic homogenization on oceanic islands in the south-eastern Pacific: comparing pre-European and current floras. <i>Journal of Biogeography</i> , 2007 , 34, 213-222	4.1	30
116	On the relationship between productivity and food chain length at different ecological levels. <i>American Naturalist</i> , 2007 , 169, 62-72	3.7	55
115	Extreme climatic events shape arid and semiarid ecosystems. <i>Frontiers in Ecology and the Environment</i> , 2006 , 4, 87-95	5.5	314
114	Assessing the relative contribution of functional divergence and guild aggregation to overall functional structure of species assemblages. <i>Ecological Informatics</i> , 2006 , 1, 367-375	4.2	4
113	Invasive vertebrate species in Chile and their control and monitoring by governmental agencies. <i>Revista Chilena De Historia Natural</i> , 2005 , 78, 143	1.8	36
112	Frugivory and seed dispersal by foxes in relation to mammalian prey abundance in a semiarid thornscrub. <i>Austral Ecology</i> , 2005 , 30, 739-746	1.5	32
111	Productivity and food web structure: association between productivity and link richness among top predators. <i>Journal of Animal Ecology</i> , 2005 , 74, 31-40	4.7	17
110	Minimum residence time, biogeographical origin, and life cycle as determinants of the geographical extent of naturalized plants in continental Chile. <i>Diversity and Distributions</i> , 2005 , 11, 183-191	5	84
109	The ongoing invasion of African clawed frogs (<i>Xenopus laevis</i>) in Chile: causes of concern. <i>Biodiversity and Conservation</i> , 2005 , 14, 429-439	3.4	48
108	Nutritional ecology and digestive response to dietary shift in the large South American fox, <i>Pseudalopex culpaeus</i> . <i>Revista Chilena De Historia Natural</i> , 2005 , 78, 239	1.8	10
107	Latencia y banco de semillas en plantas de la región mediterránea de Chile central. <i>Revista Chilena De Historia Natural</i> , 2004 , 77, 201	1.8	18
106	Composition, size and dynamics of the seed bank in a mediterranean shrubland of Chile. <i>Austral Ecology</i> , 2004 , 29, 574-584	1.5	33
105	Interplay between metabolic rate and diet quality in the South American fox, <i>Pseudalopex culpaeus</i> . <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2004 , 137, 33-8	2.6	17
104	Exotic plant invasions to the mediterranean region of Chile: causes, history and impacts. <i>Revista Chilena De Historia Natural</i> , 2004 , 77,	1.8	36
103	Myths and facts on ratadas: Bamboo blooms, rainfall peaks and rodent outbreaks in South America. <i>Austral Ecology</i> , 2003 , 28, 237-251	1.5	108
102	Population dynamics of small mammals in semi-arid regions: a comparative study of demographic variability in two rodent species. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2003 , 270, 1997-2007	4.4	50
101	Food web structure and climate effects on the dynamics of small mammals and owls in semi-arid Chile. <i>Ecology Letters</i> , 2002 , 5, 273-284	10	108
100	Invaders Without Frontiers: Cross-border Invasions of Exotic Mammals. <i>Biological Invasions</i> , 2002 , 4, 157-173	4.73	113

99	Population dynamics of a South American rodent: seasonal structure interacting with climate, density dependence and predator effects. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2002 , 269, 2579-86	4.4	52
98	The raptors of Torres del Paine National Park, Chile: biodiversity and conservation. <i>Revista Chilena De Historia Natural</i> , 2002 , 75,	1.8	7
97	Parasite loads and altitudinal distribution of Liolaemus lizards in the central Chilean Andes. <i>Revista Chilena De Historia Natural</i> , 2001 , 74, 681	1.8	4
96	Ecological effects of El Niño in terrestrial ecosystems of western South America. <i>Ecography</i> , 2001 , 24, 241-250	6.5	67
95	Demographic dynamics of a neotropical small rodent (<i>Phyllotis darwini</i>): feedback structure, predation and climatic factors. <i>Journal of Animal Ecology</i> , 2001 , 70, 761-775	4.7	69
94	Ecological effects of El Niño in terrestrial ecosystems of western South America. <i>Ecography</i> , 2001 , 24, 241-250	6.5	130
93	Vocalization as a Response to Capture in the Central Chilean Lizard <i>Liolaemus chiliensis</i> (Tropiduridae). <i>Studies on Neotropical Fauna and Environment</i> , 2001 , 36, 93-94	0.6	9
92	Demography and population dynamics of the mouse opossum (<i>Thylamys elegans</i>) in semi-arid Chile: seasonality, feedback structure and climate. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2001 , 268, 2053-64	4.4	30
91	Altitudinal zonation among lizards of the genus <i>Liolaemus</i> : questions answered and unanswered questions. <i>Revista Chilena De Historia Natural</i> , 2001 , 74, 313	1.8	7
90	Spatiotemporal variation patterns of plants and animals in San Carlos de Apoquindo, central Chile. <i>Revista Chilena De Historia Natural</i> , 2001 , 74,	1.8	29
89	Variation in vegetation and seed bank in a Chilean semi-arid community affected by ENSO 1997. <i>Journal of Vegetation Science</i> , 2000 , 11, 641-648	3.1	64
88	Population dynamics of three Neotropical small mammals: Time series models and the role of delayed density-dependence in population irruptions. <i>Austral Ecology</i> , 1999 , 24, 25-34	1.5	12
87	Population rate of change in the leaf-eared mouse: The role of density-dependence, seasonality and rainfall. <i>Austral Ecology</i> , 1999 , 24, 110-116	1.5	21
86	El Niño events, precipitation patterns, and rodent outbreaks are statistically associated in semiarid Chile. <i>Ecography</i> , 1999 , 22, 213-218	6.5	84
85	Survival, Recruitment and Immigration Processes in Four Subpopulations of the Leaf-Eared Mouse in Semiarid Chile. <i>Oikos</i> , 1999 , 85, 343	4	9
84	El Niño-Southern Oscillation-Driven Rainfall Variability and Delayed Density Dependence Cause Rodent Outbreaks in Western South America: Linking Demography and Population Dynamics. <i>American Naturalist</i> , 1999 , 153, 476-491	3.7	113
83	Small mammals of the Atacama Desert (Chile). <i>Journal of Arid Environments</i> , 1999 , 42, 129-135	2.5	12
82	The Interplay of Biotic and Abiotic Factors in a Semiarid Chilean Mammal Assemblage: Results of a Long-Term Experiment. <i>Oikos</i> , 1999 , 85, 364	4	36

81	Vertebrate invaders and their ecological impacts in Chile 1998 , 7, 1427-1445		75
80	Population variability among three small mammal species in the semiarid Neotropics: the role of density-dependent and density-independent factors. <i>Ecography</i> , 1998 , 21, 175-180	6.5	31
79	Population extinction risks of three Neotropical small mammal species. <i>Oecologia</i> , 1998 , 115, 120-126	2.9	8
78	Delayed density-dependent and rainfall effects on reproductive parameters of an irruptive rodent in semiarid Chile. <i>Acta Theriologica</i> , 1998 , 43, 225-234		24
77	Spatiotemporal Variability of Rodent Subpopulations at a Semiarid Neotropical Locality. <i>Journal of Mammalogy</i> , 1997 , 78, 505-513	1.8	7
76	A Long-Term Study of Vertebrate Predator Responses to an El Niño (ENSO) Disturbance in Western South America. <i>Oikos</i> , 1997 , 78, 341	4	128
75	Trends in wildlife use and trade in Chile. <i>Biological Conservation</i> , 1997 , 81, 9-20	6.2	14
74	Effects of small mammals and vertebrate predators on vegetation in the Chilean semiarid zone. <i>Oecologia</i> , 1997 , 109, 398-406	2.9	78
73	Body mass dynamics and growth patterns of leaf-eared mice <i>Phyllotis darwini</i> in a semi-arid region of the Neotropics. <i>Acta Theriologica</i> , 1997 , 42, 15-24		6
72	Role of Biotic Interactions in a Small Mammal Assemblage in Semiarid Chile. <i>Ecology</i> , 1996 , 77, 133-148	4.6	59
71	Habitat, relative abundance, and diet of rufous-legged owls (<i>Strix rufipes</i> King) in temperate forest remnants of southern Chile. <i>Ecoscience</i> , 1996 , 3, 259-263	1.1	22
70	Ecological Redundancy and Long-Term Dynamics of Vertebrate Predators in Semiarid Chile. <i>Conservation Biology</i> , 1996 , 10, 252-262	6	45
69	Extinction and colonization processes in subpopulations of five neotropical small mammal species. <i>Oecologia</i> , 1996 , 107, 197-203	2.9	36
68	Inability of thin-layer chromatography to distinguish feces from congeneric foxes by their bile acid contents. <i>Acta Theriologica</i> , 1996 , 41, 211-215		2
67	Effects of Predation Risk on Space Use by Small Mammals: A Field Experiment with a Neotropical Rodent. <i>Oikos</i> , 1995 , 74, 259	4	92
66	Heterogeneous Responses of Small Mammals to an El Niño Southern Oscillation Event in Northcentral Semiarid Chile and the Importance of Ecological Scale. <i>Journal of Mammalogy</i> , 1995 , 76, 580-595	1.8	86
65	Body size of Chilean foxes: a new pattern in light of new data. <i>Acta Theriologica</i> , 1995 , 40, 321-326		11
64	Trophic Structure of Raptor Communities: A Three-Continent Comparison and Synthesis 1993 , 47-137		25

63	A Long-Term Study on the Dynamics of Guild Structure among Predatory Vertebrates at a Semi-Arid Neotropical Site. <i>Oikos</i> , 1993 , 67, 87	4	43
62	Spatial distribution of soil nutrients and ephemeral plants underneath and outside the canopy of <i>Porlieria chilensis</i> shrubs (Zygophyllaceae) in arid coastal Chile. <i>Oecologia</i> , 1993 , 95, 347-352	2.9	109
61	Effects of vertebrate predation on a caviomorph rodent, the degu (<i>Octodon degus</i>), in a semiarid thorn scrub community in Chile. <i>Oecologia</i> , 1993 , 94, 153-158	2.9	50
60	Spatiotemporal Patterns of an Irruption and Decline of Small Mammals in Northcentral Chile. <i>Journal of Mammalogy</i> , 1992 , 73, 356-364	1.8	42
59	Autecological Observations on the Endemic Central Chilean Lizard <i>Pristidactylus volcanensis</i> . <i>Journal of Herpetology</i> , 1992 , 26, 228	1.1	6
58	Numerical and functional response of predators to a long-term decline in mammalian prey at a semi-arid Neotropical site. <i>Oecologia</i> , 1992 , 89, 90-101	2.9	74
57	Diet of the Racerunner <i>Callopistes palluma</i> in North-Central Chile. <i>Journal of Herpetology</i> , 1991 , 25, 127	1.1	6
56	Objective recognition of guilds: testing for statistically significant species clusters. <i>Oecologia</i> , 1990 , 82, 87-92	2.9	93
55	Ecology of <i>Garthia gaudichaudi</i> , a Gecko Endemic to the Semiarid Region of Chile. <i>Journal of Herpetology</i> , 1990 , 24, 431	1.1	8
54	Habitat and Diet of Darwin's Fox (<i>Pseudalopex fulvipes</i>) on the Chilean Mainland. <i>Journal of Mammalogy</i> , 1990 , 71, 246-248	1.8	24
53	Discovery of a continental population of the rare Darwin's fox, <i>Dusicyon fulvipes</i> (Martin, 1837) in Chile. <i>Biological Conservation</i> , 1990 , 51, 71-77	6.2	30
52	HUNTING BEHAVIOUR OF BLACKSHOULDERED KITES IN THE AMERICAS, EUROPE, AFRICA AND AUSTRALIA. <i>Ostrich</i> , 1989 , 60, 1-12	0.9	22
51	Opportunism vs Selectivity among Carnivorous Predators That Eat Mammalian Prey: A Statistical Test of Hypotheses. <i>Oikos</i> , 1989 , 56, 427	4	26
50	Ecological aspects of thermoregulation at high altitudes: the case of andean <i>Liolaemus</i> lizards in northern Chile. <i>Oecologia</i> , 1989 , 81, 16-20	2.9	46
49	A Long-Term Study of a Small-Mammal Assemblage in the Central Chilean Matorral. <i>Journal of Mammalogy</i> , 1989 , 70, 79-87	1.8	30
48	Small-Mammal Availability and Consumption by the Fox, <i>Dusicyon culpaeus</i> , in Central Chilean Scrublands. <i>Journal of Mammalogy</i> , 1989 , 70, 641-645	1.8	14
47	Niche Relationships between Two Sympatric <i>Liolaemus</i> Lizards in a Fluctuating Environment: The "Lean" versus "Feast" Scenario. <i>Journal of Herpetology</i> , 1989 , 23, 22	1.1	7
46	Behavioral Ecology of Grey Eagle-Buzzards, <i>Geranoaetus melanoleucus</i> , in Central Chile. <i>Condor</i> , 1989 , 91, 913	2.1	17

45	Microhabitat shifts of lizards under different contexts of sympatry: a case study with South American <i>Liolaemus</i> . <i>Oecologia</i> , 1988 , 76, 567-569	2.9	16
44	Experimental Evidence That High Population Frequencies of Lizard Tail Autotomy Indicate Inefficient Predation. <i>Oikos</i> , 1988 , 53, 321	4	56
43	The Hump-Backed Species Diversity Curve: Why Has It Not Been Found among Land Animals?. <i>Oikos</i> , 1988 , 53, 139	4	21
42	The Hunting Behavior of Black-Shouldered Kites (<i>Elanus caeruleus leucurus</i>) in Central Chile. <i>Condor</i> , 1987 , 89, 907	2.1	8
41	A comparative analysis of food-niche relationships and trophic guild structure in two assemblages of vertebrate predators differing in species richness: causes, correlations, and consequences. <i>Oecologia</i> , 1987 , 71, 461-472	2.9	34
40	Food Habits of the Southernmost Mountain Lions (<i>Felis concolor</i>) in South America: Natural versus Livestocked Ranges. <i>Journal of Mammalogy</i> , 1986 , 67, 604-606	1.8	36
39	The fur trade in Chile: An overview of seventy-five years of export data (1910-1984). <i>Biological Conservation</i> , 1986 , 38, 243-253	6.2	54
38	Ecological, Morphological, and Bioenergetic Correlates of Hunting Mode in Hawks and Owls. <i>Ornis Scandinavica</i> , 1985 , 16, 165		41
37	Comparative Food Habits of <i>Bubo</i> Owls in Mediterranean-Type Ecosystems. <i>Condor</i> , 1984 , 86, 288	2.1	22
36	Time as a Niche Difference: The Role of Interference Competition. <i>Oikos</i> , 1984 , 42, 403	4	158
35	The electric organ of <i>Discopyge tschudii</i> : its innervated face and the biology of acetylcholinesterase. <i>Cellular and Molecular Neurobiology</i> , 1984 , 4, 125-42	4.6	13
34	Empirical Evidence of Non-Correlation between Tail Loss Frequency and Predation Intensity on Lizards. <i>Oikos</i> , 1984 , 42, 407	4	28
33	Apparent Inadequacy of Tail-Loss Figures as Estimates of Predation upon Lizards. <i>Amphibia - Reptilia</i> , 1984 , 5, 177-179	1.2	8
32	European rabbits versus native rodents in Central Chile: effects on shrub seedlings. <i>Oecologia</i> , 1983 , 58, 411-414	2.9	46
31	Food-niche relationships and guild structure of diurnal birds of prey: competition versus opportunism. <i>Canadian Journal of Zoology</i> , 1983 , 61, 2230-2241	1.5	58
30	Food-Niche Relationships among Sympatric Predators: Effects of Level of Prey Identification. <i>Oikos</i> , 1983 , 40, 151	4	62
29	Trophic Relations of the Southernmost Populations of <i>Dusicyon</i> in Chile. <i>Journal of Mammalogy</i> , 1983 , 64, 693-697	1.8	26
28	Rabbit and fox introductions in tierra del fuego: history and assessment of the attempts at biological control of the rabbit infestation. <i>Biological Conservation</i> , 1983 , 26, 367-374	6.2	48

27	The Trophic Structure of Sympatric Assemblages of Diurnal and Nocturnal Birds of Prey. <i>American Midland Naturalist</i> , 1983 , 109, 152	0.7	16
26	Ecological and Historical Correlates of Iberian Herpetofaunal Diversity: An Analysis at Regional and Local Levels. <i>Journal of Biogeography</i> , 1982 , 9, 289	4.1	14
25	Autecological Observations of <i>Acanthodactylus erythrurus</i> (Sauria: Lacertidae) in Southern Spain. <i>Amphibia - Reptilia</i> , 1982 , 3, 237-255	1.2	9
24	Predation by the Barn Owl (<i>Tyto alba</i>) in Mediterranean Habitats of Chile, Spain and California: A Comparative Approach. <i>American Midland Naturalist</i> , 1982 , 107, 151	0.7	22
23	Inadequacy of activity time as a niche difference: the case of diurnal and nocturnal raptors. <i>Oecologia</i> , 1982 , 52, 171-175	2.9	60
22	Predation upon reptiles in Mediterranean habitats of Chile, Spain and California: A comparative analysis. <i>Oecologia</i> , 1982 , 53, 152-159	2.9	17
21	Assessing a Small Mammal Community in Central Chile. <i>Journal of Mammalogy</i> , 1981 , 62, 391-396	1.8	9
20	The guild structure of a community of predatory vertebrates in central Chile. <i>Oecologia</i> , 1981 , 49, 21-28	2.9	91
19	Predation Upon the European Rabbit (<i>Oryctolagus cuniculus</i>) in Mediterranean Habitats of Chile and Spain: A Comparative Analysis. <i>Journal of Animal Ecology</i> , 1981 , 50, 269	4.7	64
18	Recognition of Morphological Adaptations in Animals: The Hypothetico-Deductive Method. <i>BioScience</i> , 1981 , 31, 667-670	5.7	17
17	Trophic ecology of <i>Athene</i> owls in mediterranean-type ecosystems: a comparative analysis. <i>Canadian Journal of Zoology</i> , 1981 , 59, 2331-2340	1.5	21
16	Abuse and Misuse of the Term "Guild" in Ecological Studies. <i>Oikos</i> , 1981 , 37, 397	4	82
15	Relations between activity temperature and preferred temperature of <i>Liolaemus nitidus</i> in central Chile (Lacertilia: Iguanidae). <i>Studies on Neotropical Fauna and Environment</i> , 1981 , 16, 165-167	0.6	5
14	Body proportions, microhabitat selection, and adaptive radiation of <i>Liolaemus</i> lizards in central Chile. <i>Oecologia</i> , 1980 , 45, 178-181	2.9	52
13	Ecological species replacement of <i>Liolaemus</i> lizards along a habitat gradient. <i>Oecologia</i> , 1980 , 46, 45-48	2.9	9
12	Feeding Ecology of Central Chilean Foxes, <i>Dusicyon culpaeus</i> and <i>Dusicyon griseus</i> . <i>Journal of Mammalogy</i> , 1980 , 61, 254-260	1.8	40
11	Observaciones autoecológicas en <i>Liolaemus nitidus</i> (Lacertilia: Iguanidae). <i>Studies on Neotropical Fauna and Environment</i> , 1980 , 15, 109-124	0.6	13
10	Why are Native Herbs in the Chilean Matorral More Abundant Beneath Bushes: Microclimate or Grazing?. <i>Journal of Ecology</i> , 1980 , 68, 665	6	76

9	Correlates of Tail Losses in Twelve Species of Liolaemus Lizards. <i>Journal of Herpetology</i> , 1980 , 14, 137	1.1	21
8	Resource allocation of chilean herbs in response to climatic and microclimatic factors. <i>Oecologia</i> , 1979 , 40, 81-89	2.9	23
7	Escaping behavior and morphological correlates in two Liolaemus species of Central Chile (Lacertilia: Iguanidae). <i>Oecologia</i> , 1979 , 42, 119-122	2.9	27
6	Spatial Distribution of the Old World Rabbit (<i>Oryctolagus cuniculus</i>) in Central Chile. <i>Journal of Mammalogy</i> , 1979 , 60, 207-209	1.8	26
5	Latitudinal Size Variation of Chilean Foxes: Tests of Alternative Hypotheses. <i>Ecology</i> , 1979 , 60, 43-47	4.6	44
4	Activity Temperatures of Eight Liolaemus (Iguanidae) Species in Central Chile. <i>Copeia</i> , 1979 , 1979, 546	1.1	21
3	The Diet of the Barn Owl in Central Chile and Its Relation to the Availability of Prey. <i>Auk</i> , 1979 , 96, 619-621		26
2	Biological and environmental aspects of a mouse outbreak in the semi-arid region of Chile. <i>Mammalia</i> , 1979 , 43,	1	21
1	A synthesis of ENSO effects on drylands in Australia, North America and South America. <i>Advances in Geosciences</i> , 6, 69-72		29