

Matteo Negrini

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7229552/matteo-negrini-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

930
papers

31,130
citations

77
h-index

124
g-index

964
ext. papers

35,255
ext. citations

5.2
avg, IF

3.03
L-index

| # | Paper | IF | Citations |
|-----|--|-----|-----------|
| 930 | Performance of the ATLAS Level-1 topological trigger in Run2. <i>European Physical Journal C</i> , 2022 , 82, 1 | 4.2 | 0 |
| 929 | Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1 | 5.4 | 0 |
| 928 | Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2022 , 82, 1 | 4.2 | 0 |
| 927 | Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb ⁻¹ of pp collision data at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1 | 5.4 | 0 |
| 926 | AtlFast3: The Next Generation of Fast Simulation in ATLAS. <i>Computing and Software for Big Science</i> , 2022 , 6, 1 | 6 | 0 |
| 925 | Measurement of the energy response of the ATLAS calorimeter to charged pions from $W^{\pm} \rightarrow \tau^{\pm} \rightarrow \pi^{\pm} \nu_{\tau} \nu_{\tau}$ events in Run2 data. <i>European Physical Journal C</i> , 2022 , 82, 1 | 4.2 | 0 |
| 924 | The ATLAS inner detector trigger performance in pp collisions at 13 TeV during LHC Run 2. <i>European Physical Journal C</i> , 2022 , 82, 1 | 4.2 | |
| 923 | Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and 13 TeV. <i>European Physical Journal C</i> , 2022 , 82, 1 | 4.2 | 1 |
| 922 | Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using ($\sqrt{s} = 13$ TeV) proton-proton collision data. <i>European Physical Journal C</i> , 2021 , 81, 1 | 4.2 | 2 |
| 921 | Measurement of the $t(\bar{t})t(\bar{t})$ production cross section in pp collisions at ($\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | 0 |
| 920 | Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at ($\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | 2 |
| 919 | Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at ($\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1 | 4.2 | 7 |
| 918 | Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb ⁻¹ of Pb+Pb data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | 5 |
| 917 | Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at ($\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | 1 |
| 916 | Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at ($\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | 6 |
| 915 | Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at ($\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | 8 |
| 914 | Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at ($\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1 | 4.2 | 5 |

| | | | |
|-----|--|-----|----|
| 913 | Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. <i>European Physical Journal C</i> , 2021 , 81, 1 | 4.2 | 2 |
| 912 | Search for heavy resonances decaying into a pair of Z bosons in the $(e^+e^-e^+e^-)$ and $(e^+e^-e^+\nu_{\bar{\nu}})$ final states using 139 fb^{-1} of proton-proton collisions at $(\sqrt{s} = 13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1 | 4.2 | 8 |
| 911 | Search for new phenomena in final states with b-jets and missing transverse momentum in $(\sqrt{s}) = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | 6 |
| 910 | Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the (e^+e^-bb) and (e^+e^-WW) final states in pp collisions at $(\sqrt{s}=13)$ (text {TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1 | 4.2 | 7 |
| 909 | Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | 3 |
| 908 | Measurements of $W+W\gamma$ jet production cross-sections in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | 0 |
| 907 | Search for charged Higgs bosons decaying into a top quark and a bottom quark at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | 8 |
| 906 | Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $(\sqrt{s}=13)$ (text {TeV}). <i>European Physical Journal C</i> , 2021 , 81, 1 | 4.2 | 0 |
| 905 | Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a lepton in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | 6 |
| 904 | Search for supersymmetry in events with four or more charged leptons in 139 fb^{-1} of $(\sqrt{s}) = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | 2 |
| 903 | Determination of the parton distribution functions of the proton from ATLAS measurements of differential $W\gamma$ and Z boson production in association with jets. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | 1 |
| 902 | Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | 0 |
| 901 | A search for the decays of stopped long-lived particles at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | 1 |
| 900 | Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $(\sqrt{s}=13)$ TeV. <i>European Physical Journal C</i> , 2021 , 81, 1 | 4.2 | 13 |
| 899 | Measurement of hadronic event shapes in high-pT multijet final states at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | 3 |
| 898 | Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb^{-1} of $(\sqrt{s}) = 13$ TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | 8 |
| 897 | Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. <i>European Physical Journal C</i> , 2021 , 81, 1 | 4.2 | 5 |
| 896 | Measurements of WH and ZH production in the $(H \rightarrow b\bar{b})$ decay channel in pp collisions at (13) (text {Te}) (text {V}) with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1 | 4.2 | 7 |

| | | | |
|-----|---|-----|----|
| 895 | Search for dark matter in association with an energetic photon in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | 5 |
| 894 | Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1 | 4.2 | 0 |
| 893 | Measurement of single top-quark production in association with a W boson in the single-lepton channel at $(\sqrt{s} = 8, \text{TeV})$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1 | 4.2 | 1 |
| 892 | Jet energy scale and resolution measured in proton-proton collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1 | 4.2 | 11 |
| 891 | Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $(\sqrt{s} = 13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1 | 4.2 | 1 |
| 890 | Search for dark matter produced in association with a single top quark in $(\sqrt{s}=13)$ TeV (pp) collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1 | 4.2 | 4 |
| 889 | Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $(\sqrt{s}) = 13$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | 2 |
| 888 | Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2021 , 81, 1 | 4.2 | 1 |
| 887 | Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | 0 |
| 886 | Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | 0 |
| 885 | Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV using displaced vertices in the ATLAS inner detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | 0 |
| 884 | Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1 | 4.2 | 1 |
| 883 | Configuration and performance of the ATLAS b-jet triggers in Run 2. <i>European Physical Journal C</i> , 2021 , 81, 1 | 4.2 | 1 |
| 882 | Measurement of b-quark fragmentation properties in jets using the decay $B \rightarrow J/\psi$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | 0 |
| 881 | Higgs boson production cross-section measurements and their EFT interpretation in the (4ℓ) decay channel at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1 | 4.2 | 12 |
| 880 | Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $(\sqrt{s}) = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1 | 5.4 | 8 |
| 879 | Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb of data collected with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1 | 5.4 | 8 |
| 878 | Search for dijet resonances in events with an isolated charged lepton using $(\sqrt{s}) = 13$ TeV proton-proton collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1 | 5.4 | 3 |

| | | | |
|-----|--|-----|----|
| 877 | Measurement of the $Z \rightarrow \mu\mu$ production cross-section in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1 | 5.4 | 2 |
| 876 | Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at $(\sqrt{s}=8)$ and 13 TeV. <i>European Physical Journal C</i> , 2020 , 80, 1 | 4.2 | 3 |
| 875 | Transverse momentum and process dependent azimuthal anisotropies in $(\sqrt{s_{\text{NN}}}=8.16)$ TeV p+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1 | 4.2 | 7 |
| 874 | Performance of electron and photon triggers in ATLAS during LHC Run 2. <i>European Physical Journal C</i> , 2020 , 80, 1 | 4.2 | 30 |
| 873 | Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $(\sqrt{s}=13)$ (text {TeV}) pp collisions using the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1 | 4.2 | 50 |
| 872 | Search for top squarks in events with a Higgs or Z boson using 139 fb ⁻¹ of pp collision data at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1 | 4.2 | 1 |
| 871 | Evidence for $(\bar{t}t)$ production in the multilepton final state in proton-proton collisions at $(\sqrt{s}=13)$ (text {TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1 | 4.2 | 8 |
| 870 | Search for heavy diboson resonances in semileptonic final states in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1 | 4.2 | 4 |
| 869 | Search for light long-lived neutral particles produced in pp collisions at $(\sqrt{s} = 13\text{-}\text{TeV})$ and decaying into collimated leptons or light hadrons with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1 | 4.2 | 8 |
| 868 | Search for a scalar partner of the top quark in the all-hadronic $(\bar{t}t)$ plus missing transverse momentum final state at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1 | 4.2 | 17 |
| 867 | Alignment of the ATLAS Inner Detector in Run 2. <i>European Physical Journal C</i> , 2020 , 80, 1 | 4.2 | 4 |
| 866 | Determination of jet calibration and energy resolution in proton-proton collisions at $(\sqrt{s} = 8\text{-}\text{TeV})$ using the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1 | 4.2 | 3 |
| 865 | Measurement of J/ψ production in association with a W boson with pp data at 8 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1 | 5.4 | 4 |
| 864 | Search for new resonances in mass distributions of jet pairs using 139 fb ⁻¹ of pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1 | 5.4 | 20 |
| 863 | Search for $(\bar{t}t)$ resonances in fully hadronic final states in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1 | 5.4 | 6 |
| 862 | Reconstruction and identification of boosted di- τ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1 | 5.4 | 3 |
| 861 | Measurements of inclusive and differential cross-sections of combined $(\bar{t}t\gamma)$ and tW production in the $e\bar{t}$ channel at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1 | 5.4 | 2 |
| 860 | Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1 | 5.4 | 8 |

| | | | |
|-----|---|-----|----|
| 859 | Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1 | 5-4 | 9 |
| 858 | Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $4(\ell\ell)$ decay channel at $(\sqrt{s}) = 13$ TeV. <i>European Physical Journal C</i> , 2020 , 80, 1 | 4-2 | 9 |
| 857 | Fluctuations of anisotropic flow in Pb+Pb collisions at $(\sqrt{s_{NN}}) = 5.02$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1 | 5-4 | 13 |
| 856 | Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in (pp) collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1 | 4-2 | 13 |
| 855 | Measurement of differential cross sections for single diffractive dissociation in $(\sqrt{s}) = 8$ TeV pp collisions using the ATLAS ALFA spectrometer. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1 | 5-4 | 1 |
| 854 | Measurement of isolated-photon plus two-jet production in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1 | 5-4 | 2 |
| 853 | Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1 | 5-4 | 5 |
| 852 | Search for the $HH \rightarrow (\overline{b}b)$ process via vector-boson fusion production using proton-proton collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1 | 5-4 | 5 |
| 851 | Observation of the associated production of a top quark and a Z boson in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1 | 5-4 | 5 |
| 850 | Measurement of the transverse momentum distribution of Drell-Yan lepton pairs in proton-proton collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1 | 4-2 | 7 |
| 849 | Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1 | 5-4 | 1 |
| 848 | Measurements of top-quark pair spin correlations in the $(e\mu)$ channel at $(\sqrt{s} = 13)$ TeV using pp collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1 | 4-2 | 8 |
| 847 | Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $(\sqrt{s}=8\text{--}13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1 | 4-2 | 11 |
| 846 | Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5-4 | 8 |
| 845 | Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $(\sqrt{s} = 13)$ TeV. <i>European Physical Journal C</i> , 2019 , 79, 1 | 4-2 | 37 |
| 844 | Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1 | 4-2 | 2 |
| 843 | Searches for scalar leptoquarks and differential cross-section measurements in dilepton-dijet events in proton-proton collisions at a centre-of-mass energy of $(\sqrt{s}) = 13$ TeV with the ATLAS experiment. <i>European Physical Journal C</i> , 2019 , 79, 1 | 4-2 | 15 |
| 842 | Search for single production of vector-like quarks decaying into Wb in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5-4 | 14 |

| | | | |
|-----|---|-----|----|
| 841 | Search for top-quark decays $t \rightarrow Hq$ with 36 fb ⁻¹ of pp collision data at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5.4 | 13 |
| 840 | Measurement of VH , ($\text{H} \rightarrow \text{b}\overline{\text{b}}$) production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5.4 | 8 |
| 839 | Measurements of W and Z boson production in pp collisions at $(\sqrt{s}=5.02)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1 | 4.2 | 12 |
| 838 | Performance of top-quark and (W)-boson tagging with ATLAS in Run 2 of the LHC. <i>European Physical Journal C</i> , 2019 , 79, 1 | 4.2 | 19 |
| 837 | Measurements of inclusive and differential fiducial cross-sections of ($\text{t}\overline{\text{t}}\gamma$) production in leptonic final states at $(\sqrt{s}=13\text{~text {TeV}})$ in ATLAS. <i>European Physical Journal C</i> , 2019 , 79, 1 | 4.2 | 7 |
| 836 | Electron and photon energy calibration with the ATLAS detector using 2015-2016 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , 2019 , 14, P03017-P03017 | 1 | 25 |
| 835 | Search for doubly charged scalar bosons decaying into same-sign boson pairs with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 58 | 4.2 | 20 |
| 834 | Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5.4 | 21 |
| 833 | In situ calibration of large-radius jet energy and mass in 13 TeV proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1 | 4.2 | 16 |
| 832 | Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. <i>European Physical Journal C</i> , 2019 , 79, 1 | 4.2 | 26 |
| 831 | Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $(\sqrt{s}) = 13$ and 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5.4 | 5 |
| 830 | Measurement of the top quark mass in the ($\text{t}\overline{\text{t}}\rightarrow \text{lepton+jets}$) channel from $(\sqrt{s}=8)$ TeV ATLAS data and combination with previous results. <i>European Physical Journal C</i> , 2019 , 79, 1 | 4.2 | 24 |
| 829 | Search for pair production of Higgs bosons in the ($\text{b}\overline{\text{b}}\text{b}\overline{\text{b}}$) final state using proton-proton collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5.4 | 31 |
| 828 | Constraints on mediator-based dark matter and scalar dark energy models using $(\sqrt{s}) = 13$ TeV pp collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5.4 | 31 |
| 827 | Search for long-lived neutral particles in pp collisions at $(\sqrt{s}) = 13\text{~text {TeV}}$ that decay into displaced hadronic jets in the ATLAS calorimeter. <i>European Physical Journal C</i> , 2019 , 79, 1 | 4.2 | 18 |
| 826 | Search for Higgs boson pair production in the $WW^{(*)}WW^{(*)}$ decay channel using ATLAS data recorded at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5.4 | 12 |
| 825 | Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5.4 | 7 |
| 824 | Measurement of ($W^{\pm}Z$) production cross sections and gauge boson polarisation in pp collisions at $(\sqrt{s}) = 13\text{~text {TeV}}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1 | 4.2 | 20 |

| | | | |
|-----|--|-----|----|
| 823 | Searches for third-generation scalar leptoquarks in $(\sqrt{s}) = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5.4 | 18 |
| 822 | Search for scalar resonances decaying into $\mu\mu$ events with and without b-tagged jets produced in proton-proton collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5.4 | 8 |
| 821 | Search for diboson resonances in hadronic final states in 139 fb $^{-1}$ of pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5.4 | 10 |
| 820 | Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} \sim 13$ TeV with the ATLAS experiment at the LHC. <i>European Physical Journal C</i> , 2019 , 79, | 4.2 | 3 |
| 819 | Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at 13 TeV. <i>European Physical Journal C</i> , 2019 , 79, | 4.2 | 11 |
| 818 | Measurement of K_S^0 and Λ^0 production in $t\bar{t}$ dileptonic events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1 | 4.2 | 3 |
| 817 | Measurement of the inclusive isolated-photon cross section in pp collisions at $(\sqrt{s}) = 13$ TeV using 36 fb $^{-1}$ of ATLAS data. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5.4 | 2 |
| 816 | A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. <i>European Physical Journal C</i> , 2019 , 79, 1 | 4.2 | 14 |
| 815 | Measurement of the top-quark mass in $(\overline{t}) + 1$ -jet events collected with the ATLAS detector in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5.4 | 12 |
| 814 | Measurement of fiducial and differential (W^+W^-) production cross-sections at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1 | 4.2 | 16 |
| 813 | Measurement of ZZ production in the $\mu\mu$ final state with the ATLAS detector in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5.4 | 2 |
| 812 | Measurement of (W^{\pm}) -boson and Z-boson production cross-sections in pp collisions at $(\sqrt{s}=2.76)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1 | 4.2 | 2 |
| 811 | Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1 | 4.2 | 4 |
| 810 | Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5.4 | 21 |
| 809 | Measurement of (W^{\pm}) boson production in Pb+Pb collisions at $(\sqrt{s_{\mathrm{NN}}}) = 5.02$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1 | 4.2 | 7 |
| 808 | ATLAS b-jet identification performance and efficiency measurement with (\bar{t}) events in pp collisions at $(\sqrt{s}=13)$ TeV. <i>European Physical Journal C</i> , 2019 , 79, 1 | 4.2 | 43 |
| 807 | Measurement of flow harmonics correlations with mean transverse momentum in lead-lead and proton-lead collisions at $(\sqrt{s_{\mathrm{NN}}}) = 5.02$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1 | 4.2 | 16 |
| 806 | Measurements of top-quark pair differential and double-differential cross-sections in the $(\ell\ell)+jets$ channel with pp collisions at $(\sqrt{s}=13)$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1 | 4.2 | 13 |

| | | | |
|-----|---|-----|----|
| 805 | Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5.4 | 7 |
| 804 | Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb ⁻¹ of pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 81 |
| 803 | Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at ($\sqrt{s}=13$) TeV with ATLAS. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 10 |
| 802 | Measurement of the ρ -boson mass in pp collisions at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 110 | 4.2 | 59 |
| 801 | Search for new phenomena in high-mass final states with a photon and a jet from collisions at = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 102 | 4.2 | 7 |
| 800 | Search for the direct production of charginos and neutralinos in final states with tau leptons in collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 154 | 4.2 | 23 |
| 799 | Measurement of longitudinal flow decorrelations in Pb+Pb collisions at and 5.02 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 142 | 4.2 | 35 |
| 798 | Measurement of quarkonium production in proton-lead and proton-proton collisions at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 171 | 4.2 | 35 |
| 797 | Measurement of differential cross-sections of a single top quark produced in association with a boson at with ATLAS. <i>European Physical Journal C</i> , 2018 , 78, 186 | 4.2 | 5 |
| 796 | Search for heavy resonances in the and final states using proton-proton collisions at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 293 | 4.2 | 41 |
| 795 | A search for pair-produced resonances in four-jet final states at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 250 | 4.2 | 28 |
| 794 | Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb ⁻¹ of ($\sqrt{s}=13$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 26 |
| 793 | Search for heavy resonances decaying into in the final state in collisions at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 24 | 4.2 | 47 |
| 792 | Direct top-quark decay width measurement in the lepton+jets channel at with the ATLAS experiment. <i>European Physical Journal C</i> , 2018 , 78, 129 | 4.2 | 11 |
| 791 | Search for W W/Z resonance production in $\bar{q}q$ final states in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 22 |
| 790 | Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 36 |
| 789 | Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 12 |
| 788 | Search for dark matter produced in association with bottom or top quarks in TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 18 | 4.2 | 32 |

| | | | |
|-----|--|-----|----|
| 787 | Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 199 | 4.2 | 55 |
| 786 | Measurement of polarisation in decays in proton-proton collisions at TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 163 | 4.2 | 3 |
| 785 | Searches for heavy ZZ and ZW resonances in the $\bar{t}q$ and $t\bar{q}$ final states in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 17 |
| 784 | Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 23 |
| 783 | Measurement of differential cross sections and W^+/W^- cross-section ratios for W boson production in association with jets at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 7 |
| 782 | Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow aa \rightarrow 4b$ channel in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 14 |
| 781 | Measurement of the ($Z\gamma \rightarrow \nu \bar{\nu} \gamma$) production cross section in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 6 |
| 780 | Prompt and non-prompt elliptic flow in Pb+Pb collisions at TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 784 | 4.2 | 8 |
| 779 | Search for Higgs boson pair production in the channel using collision data recorded at TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 1007 | 4.2 | 21 |
| 778 | Measurement of colour flow using jet-pull observables in events with the ATLAS experiment at. <i>European Physical Journal C</i> , 2018 , 78, 847 | 4.2 | 5 |
| 777 | Top quark properties and mass measurements with the ATLAS detector. <i>Nuclear and Particle Physics Proceedings</i> , 2018 , 294-296, 54-58 | 0.4 | |
| 776 | Angular analysis of $B^0 \rightarrow K^* \mu^+ \mu^-$ decays in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 44 |
| 775 | Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb of collisions at $\sqrt{s}=13$ TeV with the ATLAS experiment. <i>European Physical Journal C</i> , 2018 , 78, 401 | 4.2 | 23 |
| 774 | Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 15 |
| 773 | Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at ($\sqrt{s}=13$) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 4 |
| 772 | Search for Higgs boson pair production in the ($u\gamma u\gamma b\bar{b}$) final state with 13 TeV pp collision data collected by the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 23 |
| 771 | Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 21 |
| 770 | Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s}=5.02$ TeV Pb+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 997 | 4.2 | 21 |

| | | | |
|-----|--|-----|----|
| 769 | Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 903 | 4.2 | 66 |
| 768 | Search for electroweak production of supersymmetric particles in final states with two or three leptons at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 995 | 4.2 | 49 |
| 767 | Search for charged Higgs bosons decaying into top and bottom quarks at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 39 |
| 766 | Operation and performance of the ATLAS Tile Calorimeter in Run1. <i>European Physical Journal C</i> , 2018 , 78, 987 | 4.2 | 13 |
| 765 | Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 28 |
| 764 | Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 16 |
| 763 | Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb ⁻¹ of ($\sqrt{s}=13$) TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 33 |
| 762 | Search for long-lived charginos based on a disappearing-track signature in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 48 |
| 761 | Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 9 |
| 760 | Search for charged Higgs bosons decaying via $H_{\pm} \rightarrow \tau\tau$ in the τ -jets and τ -lepton final states with 36 fb ⁻¹ of pp collision data recorded at ($\sqrt{s}=13$) TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 33 |
| 759 | Prompt and non-prompt and suppression at high transverse momentum in Pb+Pb collisions with the ATLAS experiment. <i>European Physical Journal C</i> , 2018 , 78, 762 | 4.2 | 23 |
| 758 | Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 22 |
| 757 | Search for exclusive Higgs and Z boson decays to $\tau\tau$ and $\tau\nu$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 6 |
| 756 | Measurements of b-jet tagging efficiency with the ATLAS detector using (τ) events at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 31 |
| 755 | Search for flavour-changing neutral current top-quark decays $t \rightarrow qZ$ in proton-proton collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 8 |
| 754 | Measurement of the inclusive and fiducial production cross-sections in the lepton+jets channel in collisions at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 487 | 4.2 | 5 |
| 753 | Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 565 | 4.2 | 34 |
| 752 | Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 625 | 4.2 | 15 |

| | | | |
|-----|---|-----|-----|
| 751 | Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 101 |
| 750 | Measurement of the [Formula: see text] and [Formula: see text] production cross sections in multilepton final states using 3.2 fb[Formula: see text] of [Formula: see text] collisions at [Formula: see text] = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 40 | 4.2 | 14 |
| 749 | A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 -collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 26 | 4.2 | 22 |
| 748 | Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 22 |
| 747 | Measurement of jet activity produced in top-quark events with an electron, a muon and two -tagged jets in the final state in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 220 | 4.2 | 5 |
| 746 | Measurement of the boson polarisation in [Formula: see text] events from collisions at [Formula: see text] = 8 TeV in the lepton+ jets channel with ATLAS. <i>European Physical Journal C</i> , 2017 , 77, 264 | 4.2 | 19 |
| 745 | Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2017 , 77, 195 | 4.2 | 61 |
| 744 | Measurements of top-quark pair differential cross-sections in the [Formula: see text] channel in collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 292 | 4.2 | 13 |
| 743 | Performance of algorithms that reconstruct missing transverse momentum in [Formula: see text]= 8 TeV proton-proton collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 241 | 4.2 | 38 |
| 742 | Measurement of the prompt [Formula: see text] pair production cross-section in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 76 | 4.2 | 47 |
| 741 | Search for triboson [Formula: see text] production in collisions at [Formula: see text] [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 141 | 4.2 | 13 |
| 740 | Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. <i>European Physical Journal C</i> , 2017 , 77, 490 | 4.2 | 177 |
| 739 | Fiducial, total and differential cross-section measurements of -channel single top-quark production in collisions at 8 TeV using data collected by the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 531 | 4.2 | 27 |
| 738 | Measurements of electroweak [Formula: see text] production and constraints on anomalous gauge couplings with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 474 | 4.2 | 14 |
| 737 | Jet reconstruction and performance using particle flow with the ATLAS Detector. <i>European Physical Journal C</i> , 2017 , 77, 466 | 4.2 | 42 |
| 736 | Measurement of multi-particle azimuthal correlations in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 428 | 4.2 | 48 |
| 735 | Measurement of inclusive and differential cross sections in the H \rightarrow ZZ* \rightarrow 4 decay channel in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 25 |
| 734 | Measurement of lepton differential distributions and the top quark mass in production in collisions at TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 804 | 4.2 | 11 |

| | | | |
|-----|--|-----|-----|
| 733 | Measurement of the $(\overline{t}\gamma)$ production cross section in proton-proton collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 7 |
| 732 | Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 6 |
| 731 | Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. <i>European Physical Journal C</i> , 2017 , 77, 673 | 4.2 | 33 |
| 730 | Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $[\text{Formula: see text}] [\text{Formula: see text}] [\text{Formula: see text}]$ collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 144 | 4.2 | 8 |
| 729 | Measurement of the ZZ production cross section in proton-proton collisions at $(\sqrt{s}=8)$ TeV using the $ZZ \rightarrow \mu\mu +$ and $(ZZ \rightarrow \ell\ell^+ \ell\ell^+ \nu \overline{\nu})$ decay channels with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 9 |
| 728 | Probing the Wtb vertex structure in t-channel single-top-quark production and decay in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 11 |
| 727 | Measurements of (χ_{35}) and $X(3872) \rightarrow J/\psi + \eta$ production in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 15 |
| 726 | Measurements of top-quark pair to Z-boson cross-section ratios at $(\sqrt{s}=13)$, 8, 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 7 |
| 725 | Search for lepton-flavour-violating decays of the Higgs and bosons with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 70 | 4.2 | 52 |
| 724 | Performance of the ATLAS trigger system in 2015. <i>European Physical Journal C</i> , 2017 , 77, 317 | 4.2 | 272 |
| 723 | Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. <i>European Physical Journal C</i> , 2017 , 77, 332 | 4.2 | 29 |
| 722 | Measurements of the production cross section of a $[\text{Formula: see text}]$ boson in association with jets in collisions at $[\text{Formula: see text}]$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 361 | 4.2 | 26 |
| 721 | Precision measurement and interpretation of inclusive γ and production cross sections with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 367 | 4.2 | 56 |
| 720 | Measurement of jet fragmentation in Pb+Pb and collisions at TeV with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2017 , 77, 379 | 4.2 | 35 |
| 719 | Search for dark matter at $[\text{Formula: see text}]$ in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 393 | 4.2 | 52 |
| 718 | Measurement of charged-particle distributions sensitive to the underlying event in $(\sqrt{s}=13)$ TeV proton-proton collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 9 |
| 717 | Search for direct top squark pair production in final states with two leptons in TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 898 | 4.2 | 19 |
| 716 | Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $(\sqrt{s}=13)$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 7 |

| | | | |
|-----|---|-----|----|
| 715 | Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 765 | 4.2 | 10 |
| 714 | Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 5 |
| 713 | Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 13 |
| 712 | Measurement of the inclusive jet cross-sections in proton-proton collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 12 |
| 711 | Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in ($\sqrt{s}=13$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 27 |
| 710 | Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 580 | 4.2 | 16 |
| 709 | Measurement of production with the hadronically decaying boson reconstructed as one or two jets in collisions at with ATLAS, and constraints on anomalous gauge couplings. <i>European Physical Journal C</i> , 2017 , 77, 563 | 4.2 | 15 |
| 708 | Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using ($\sqrt{s}=13$) TeV proton-proton collision data. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 7 |
| 707 | Searches for the $Z\gamma$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 20 |
| 706 | Studies of $Z\gamma$ production in association with a high-mass dijet system in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 7 |
| 705 | Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at ($\sqrt{s}=13$) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 12 |
| 704 | Search for top quark decays $t \rightarrow qH$, with $H \rightarrow \gamma\gamma$ in ($\sqrt{s}=13$) TeV pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 12 |
| 703 | Study of and production in collisions at and search for anomalous quartic gauge couplings with the ATLAS experiment. <i>European Physical Journal C</i> , 2017 , 77, 646 | 4.2 | 11 |
| 702 | Measurements of top quark spin observables in (\overline{t}) events using dilepton final states in ($\sqrt{s}=8$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 12 |
| 701 | Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 8 |
| 700 | Top-quark mass measurement in the all-hadronic (\overline{t}) decay channel at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 6 |
| 699 | Measurement of the Drell-Yan triple-differential cross section in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 16 |
| 698 | Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 30 |

| | | | |
|-----|--|-----|-----|
| 697 | Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb ⁻¹ of ($\sqrt{s}=13$) TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 22 |
| 696 | Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 29 |
| 695 | Measurement of the k t splitting scales in Z \rightarrow $\ell\bar{\ell}$ events in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 3 |
| 694 | Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 7 |
| 693 | Evidence for the ($H \rightarrow b\bar{b}$) decay with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 50 |
| 692 | Search for new high-mass phenomena in the dilepton final state using 36 fb ⁻¹ of proton-proton collision data at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1 | 5.4 | 126 |
| 691 | Determination of the strong coupling constant from transverse energy-energy correlations in multijet events at using the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 872 | 4.2 | 19 |
| 690 | Choice and characterization of photomultipliers for the new ATLAS LUCID detector. <i>Journal of Instrumentation</i> , 2016 , 11, P05014-P05014 | 1 | 5 |
| 689 | Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. <i>European Physical Journal C</i> , 2016 , 76, 295 | 4.2 | 28 |
| 688 | Performance of pile-up mitigation techniques for jets in [$\sqrt{s}=13$] collisions at [$\sqrt{s}=13$] TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 581 | 4.2 | 148 |
| 687 | Measurement of the charged-particle multiplicity inside jets from [$\sqrt{s}=13$] collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 322 | 4.2 | 35 |
| 686 | Measurement of jet activity in top quark events using the e ⁺ final state with two b-tagged jets in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 4 |
| 685 | Measurement of the transverse momentum and [$\sqrt{s}=13$] distributions of Drell-Yan lepton pairs in proton-proton collisions at [$\sqrt{s}=13$] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 291 | 4.2 | 63 |
| 684 | Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to WW \rightarrow e ⁺ e ⁻ with the ATLAS detector at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 13 |
| 683 | Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 13 |
| 682 | A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in ($\sqrt{s}=8$) TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 10 |
| 681 | Identification of high transverse momentum top quarks in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 13 |
| 680 | A search for an excited muon decaying to a muon and two jets in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>New Journal of Physics</i> , 2016 , 18, 073021 | 2.9 | 1 |

| | | | |
|-----|---|-----|-----|
| 679 | Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. <i>Journal of Instrumentation</i> , 2016 , 11, P05013-P05013 | 1 | 8 |
| 678 | Measurements of top-quark pair differential cross-sections in the lepton+jets channel in collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 538 | 4.2 | 48 |
| 677 | Measurement of the differential cross-sections of prompt and non-prompt production of [Formula: see text] and [Formula: see text] in collisions at [Formula: see text] and 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 283 | 4.2 | 42 |
| 676 | Luminosity determination in collisions at [Formula: see text] = 8 TeV using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016 , 76, 653 | 4.2 | 188 |
| 675 | Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at [Formula: see text] TeV recorded with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 683 | 4.2 | 7 |
| 674 | Addendum to Measurement of the $(t\bar{t})$ production cross-section using $(e\mu)$ events with b-tagged jets in pp collisions at $(\sqrt{s}) = 7$ and 8 (TeV) with the ATLAS detector \square <i>European Physical Journal C</i> , 2016 , 76, 1 | 4.2 | 13 |
| 673 | Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 20 |
| 672 | Searches for heavy diboson resonances in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 20 |
| 671 | Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $(\sqrt{s}=8)$ TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 16 |
| 670 | Search for the Standard Model Higgs boson decaying into $(\overline{b}b)$ produced in association with top quarks decaying hadronically in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 16 |
| 669 | Measurement of the CP-violating phase ϕ_s and the B^0_s meson decay width difference with $B^0_s \rightarrow J/\psi$ decays in ATLAS. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 10 |
| 668 | Search for squarks and gluinos in final states with jets and missing transverse momentum at [Formula: see text] =13 [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 392 | 4.2 | 53 |
| 667 | Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 24 |
| 666 | A search for prompt lepton-jets in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 22 |
| 665 | Search for new phenomena with photon+jet events in proton-proton collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 12 |
| 664 | Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 199 | 4.2 | 39 |
| 663 | Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 12 |
| 662 | Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 14 |

| | | | |
|-----|--|-----|-----|
| 661 | Search for strong gravity in multijet final states produced in pp collisions at ($\sqrt{s}=13$) TeV using the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 12 |
| 660 | Identification of boosted, hadronically decaying bosons and comparisons with ATLAS data taken at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2016 , 76, 154 | 4.2 | 44 |
| 659 | Search for new phenomena in events with at least three photons collected in collisions at [Formula: see text] = 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 210 | 4.2 | 53 |
| 658 | Probing lepton flavour violation via neutrinoless [Formula: see text] decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 232 | 4.2 | 12 |
| 657 | A new method to distinguish hadronically decaying boosted bosons from bosons using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 238 | 4.2 | 6 |
| 656 | Search for supersymmetry at [Formula: see text] TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 259 | 4.2 | 48 |
| 655 | Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 45 |
| 654 | Search for anomalous couplings in the W tb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1-46 | 5.4 | 12 |
| 653 | Searches for scalar leptoquarks in collisions at [Formula: see text] = 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 5 | 4.2 | 68 |
| 652 | Measurements of the Higgs boson production and decay rates and coupling strengths using collision data at [Formula: see text] and 8 TeV in the ATLAS experiment. <i>European Physical Journal C</i> , 2016 , 76, 6 | 4.2 | 185 |
| 651 | Measurements of fiducial cross-sections for [Formula: see text] production with one or two additional -jets in collisions at [Formula: see text]=8 TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 11 | 4.2 | 21 |
| 650 | Search for an additional, heavy Higgs boson in the [Formula: see text] decay channel at [Formula: see text] in [Formula: see text] collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 45 | 4.2 | 152 |
| 649 | Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 55 | 4.2 | 28 |
| 648 | Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at ($\sqrt{s}=8, \text{ TeV}$) with the ATLAS detector 2016 , 76, 1 | | 1 |
| 647 | Study of hard double-parton scattering in four-jet events in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 21 |
| 646 | Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in ($\sqrt{s}=8$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 8 |
| 645 | Measurement of event-shape observables in [Formula: see text] events in collisions at [Formula: see text] [Formula: see text] with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016 , 76, 375 | 4.2 | 5 |
| 644 | Charged-particle distributions in interactions at [Formula: see text] measured with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 403 | 4.2 | 19 |

| | | | |
|-----|--|-----|-----|
| 643 | Charged-particle distributions at low transverse momentum in [Formula: see text] TeV interactions measured with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016 , 76, 502 | 4.2 | 37 |
| 642 | Search for bottom squark pair production in proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 547 | 4.2 | 25 |
| 641 | Search for minimal supersymmetric standard model Higgs Bosons \tilde{H}^\pm and for a [Formula: see text] boson in the [Formula: see text] final state produced in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 585 | 4.2 | 28 |
| 640 | Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. <i>European Physical Journal C</i> , 2016 , 76, 666 | 4.2 | 53 |
| 639 | Measurement of the [Formula: see text] dijet cross section in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 670 | 4.2 | 7 |
| 638 | The performance of the jet trigger for the ATLAS detector during 2011 data taking. <i>European Physical Journal C</i> , 2016 , 76, 526 | 4.2 | 16 |
| 637 | Search for new phenomena in different-flavour high-mass dilepton final states in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 541 | 4.2 | 7 |
| 636 | Search for the Higgs boson produced in association with a boson and decaying to four b -quarks via two spin-zero particles in collisions at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 605 | 4.2 | 16 |
| 635 | Muon reconstruction performance of the ATLAS detector in proton-proton collision data at [Formula: see text]=13 TeV. <i>European Physical Journal C</i> , 2016 , 76, 292 | 4.2 | 263 |
| 634 | Test of CP invariance in vector-boson fusion production of the Higgs boson using the method in the ditau decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 658 | 4.2 | 26 |
| 633 | Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at [Formula: see text] = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 565 | 4.2 | 20 |
| 632 | Measurement of the inclusive isolated prompt photon cross section in pp collisions at (\sqrt{s} =8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 25 |
| 631 | Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at (\sqrt{s} =8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 59 |
| 630 | Search for flavour-changing neutral current top-quark decays to [Formula: see text] in [Formula: see text] collision data collected with the ATLAS detector at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2016 , 76, 12 | 4.2 | 16 |
| 629 | Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in collision data at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 87 | 4.2 | 18 |
| 628 | Search for direct top squark pair production in final states with two tau leptons in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 81 | 4.2 | 7 |
| 627 | Search for charged Higgs bosons in the $H^\pm \rightarrow tb$ decay channel in pp collisions at (\sqrt{s} =8) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 33 |
| 626 | Study of the rare decays of [Formula: see text] and [Formula: see text] into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 513 | 4.2 | 27 |

| | | | |
|-----|--|-----|-----|
| 625 | Search for supersymmetry in a final state containing two photons and missing transverse momentum in [Formula: see text] $\sqrt{s} = 3$ TeV [Formula: see text] collisions at the LHC using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 517 | 4.2 | 17 |
| 624 | Search for resonances in diphoton events at ($\sqrt{s} = 13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 49 |
| 623 | Search for single production of vector-like quarks decaying into in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 442 | 4.2 | 24 |
| 622 | Measurement of the relative width difference of the ($\{B\}^0$ system with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1 | 5.4 | 5 |
| 621 | Jet energy measurement and its systematic uncertainty in proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 17 | 4.2 | 194 |
| 620 | Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 79 | 4.2 | 21 |
| 619 | Search for resonant diboson production in the [Formula: see text] final state in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 69 | 4.2 | 62 |
| 618 | Measurements of the [Formula: see text] production cross sections in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 82 | 4.2 | 54 |
| 617 | Search for dark matter in events with heavy quarks and missing transverse momentum in [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 92 | 4.2 | 60 |
| 616 | Measurement of the (\overline{t}) production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | 14 |
| 615 | Measurement of the $W W + W Z$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | 12 |
| 614 | Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at ($\sqrt{s} = 8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | 29 |
| 613 | Search for the (\overline{b}) decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | 64 |
| 612 | Measurement of the inclusive jet cross-section in proton-proton collisions at ($\sqrt{s} = 7$) TeV using 4.5 fb ⁻¹ of data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | 27 |
| 611 | Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with ($\sqrt{s} = 8$) TeV pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | 45 |
| 610 | Search for charged Higgs bosons decaying via $H \rightarrow \tau \tau$ in fully hadronic final states using pp collision data at ($\sqrt{s} = 8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | 56 |
| 609 | Search for production of [Formula: see text] resonances decaying to a lepton, neutrino and jets in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 209 | 4.2 | 73 |
| 608 | Performance of the ATLAS muon trigger in pp collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2015 , 75, 120 | 4.2 | 51 |

| | | | |
|-----|---|-----|-----|
| 607 | Search for Higgs boson pair production in the [Formula: see text] final state from collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 412 | 4.2 | 66 |
| 606 | Determination of spin and parity of the Higgs boson in the [Formula: see text] decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 231 | 4.2 | 15 |
| 605 | Search for new phenomena in final states with an energetic jet and large missing transverse momentum in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 299 | 4.2 | 202 |
| 604 | Search for a new resonance decaying to a or boson and a Higgs boson in the [Formula: see text] final states with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 263 | 4.2 | 46 |
| 603 | Measurement of three-jet production cross-sections in [Formula: see text] collisions at 7 [Formula: see text] centre-of-mass energy using the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 228 | 4.2 | 18 |
| 602 | Constraints on the off-shell Higgs boson signal strength in the high-mass and final states with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 335 | 4.2 | 56 |
| 601 | Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in collisions at [Formula: see text] [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 303 | 4.2 | 49 |
| 600 | Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 476 | 4.2 | 104 |
| 599 | Observation and measurements of the production of prompt and non-prompt [Formula: see text] mesons in association with a [Formula: see text] boson in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 229 | 4.2 | 38 |
| 598 | Search for the Standard Model Higgs boson produced in association with top quarks and decaying into [Formula: see text] in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 349 | 4.2 | 94 |
| 597 | Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in [Formula: see text] TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 318 | 4.2 | 44 |
| 596 | Search for heavy long-lived multi-charged particles in collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 362 | 4.2 | 22 |
| 595 | Two-particle Bose-Einstein correlations in collisions at [Formula: see text] 0.9 and 7 TeV measured with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 466 | 4.2 | 28 |
| 594 | Measurement of the top quark mass in the [Formula: see text] and [Formula: see text] channels using [Formula: see text] [Formula: see text] ATLAS data. <i>European Physical Journal C</i> , 2015 , 75, 330 | 4.2 | 32 |
| 593 | ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. <i>European Physical Journal C</i> , 2015 , 75, 510 | 4.2 | 109 |
| 592 | Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | 2 |
| 591 | A search for high-mass resonances decaying to $\mu\mu$ in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | 22 |
| 590 | Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5.4 | 42 |

| | | | |
|-----|--|-----|----|
| 589 | Search for lepton-flavour-violating $H \rightarrow \tau\tau$ decays of the Higgs boson with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5-4 | 46 |
| 588 | Measurement of four-jet differential cross sections in ($\sqrt{s}=8$) TeV proton-proton collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-76 | 5-4 | 5 |
| 587 | A search for (\overline{t}) resonances using lepton-plus-jets events in proton-proton collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5-4 | 57 |
| 586 | Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5-4 | 18 |
| 585 | Measurement of charged-particle spectra in Pb+Pb collisions at ($\sqrt{s_{\mathrm{NN}}}=2.76$) TeV with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5-4 | 49 |
| 584 | Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5-4 | 26 |
| 583 | Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5-4 | 91 |
| 582 | Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-39 | 5-4 | 66 |
| 581 | Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at ($\sqrt{s}=7$) TeV in the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5-4 | 31 |
| 580 | Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5-4 | 65 |
| 579 | Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5-4 | 54 |
| 578 | Search for new phenomena in events with three or more charged leptons in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5-4 | 16 |
| 577 | Summary of the searches for squarks and gluinos using ($\sqrt{s}=8$) TeV pp collisions with the ATLAS experiment at the LHC. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5-4 | 55 |
| 576 | Determination of the top-quark pole mass using (\overline{t}) + 1-jet events collected with the ATLAS experiment in 7 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5-4 | 15 |
| 575 | Measurement of the ($\overline{t}W$) and ($\overline{t}Z$) production cross sections in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5-4 | 16 |
| 574 | Search for flavour-changing neutral current top quark decays $t \rightarrow Hq$ in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-65 | 5-4 | 18 |
| 573 | Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5-4 | 22 |
| 572 | Review of physics results using jet substructure techniques in LHC Run1. <i>EPJ Web of Conferences</i> , 2015 , 90, 09001 | 0-3 | 1 |

| | | | |
|-----|---|-----|-----|
| 571 | Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5-4 | 37 |
| 570 | Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5-4 | 74 |
| 569 | Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at ($\sqrt{s}=7$) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5-4 | 16 |
| 568 | Search for $[B \rightarrow D^* \ell \bar{\nu}]$ decays in $[B \rightarrow D^* \ell \bar{\nu}]$ collisions at $[B \rightarrow D^* \ell \bar{\nu}]$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 165 | 4-2 | 25 |
| 567 | Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $[B \rightarrow D^* \ell \bar{\nu}]$. <i>European Physical Journal C</i> , 2015 , 75, 158 | 4-2 | 8 |
| 566 | Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in $[B \rightarrow D^* \ell \bar{\nu}]$ TeV $[B \rightarrow D^* \ell \bar{\nu}]$ collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 208 | 4-2 | 50 |
| 565 | Study of (W/Z)H production and Higgs boson couplings using $H \rightarrow W W^*$ decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1 | 5-4 | 14 |
| 564 | Search for metastable heavy charged particles with large ionisation energy loss in collisions at $[B \rightarrow D^* \ell \bar{\nu}]$ TeV using the ATLAS experiment. <i>European Physical Journal C</i> , 2015 , 75, 407 | 4-2 | 18 |
| 563 | Measurement of the production and lepton charge asymmetry of $[B \rightarrow D^* \ell \bar{\nu}]$ bosons in Pb+Pb collisions at $[B \rightarrow D^* \ell \bar{\nu}]$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 23 | 4-2 | 31 |
| 562 | Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector 2015 , 75, 1 | | 3 |
| 561 | ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider 2015 , 75, 1 | | 3 |
| 560 | Measurement of the inclusive jet cross-section in proton-proton collisions at ($\sqrt{s}=7$) TeV using 4.5 fb ⁻¹ of data with the ATLAS detector 2015 , 2015, 1 | | 3 |
| 559 | Measurement of the top quark pair production charge asymmetry in proton-proton collisions at (\sqrt{s}) = 7 TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5-4 | 24 |
| 558 | Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5-4 | 29 |
| 557 | The differential production cross section of the $[B \rightarrow D^* \ell \bar{\nu}]$ (1020) meson in $[B \rightarrow D^* \ell \bar{\nu}] = 7$ TeV $[B \rightarrow D^* \ell \bar{\nu}]$ collisions measured with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 2895 | 4-2 | 12 |
| 556 | Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2014 , 74, 2941 | 4-2 | 160 |
| 555 | Measurement of the underlying event in jet events from 7 (text {TeV}) proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 1 | 4-2 | 18 |
| 554 | Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $[B \rightarrow D^* \ell \bar{\nu}]$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 2982 | 4-2 | 18 |

| | | | |
|-----|--|-----|-----|
| 553 | Light-quark and gluon jet discrimination in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3023 | 4.2 | 46 |
| 552 | Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $(\sqrt{s}) = 8$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 14 |
| 551 | Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $(\sqrt{s}) = 8$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 76 |
| 550 | Measurement of the production cross section of prompt J/ψ mesons in association with a W boson in pp collisions at $(\sqrt{s}) = 7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 24 |
| 549 | Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 17 |
| 548 | Measurement of the production of a W boson in association with a charm quark in pp collisions at $(\sqrt{s}) = 7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 37 |
| 547 | Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at $(\sqrt{s}) = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 120 |
| 546 | Search for supersymmetry at $(\sqrt{s}) = 8$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 39 |
| 545 | Measurement of the low-mass Drell-Yan differential cross section at $(\sqrt{s}) = 7$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 18 |
| 544 | Search for direct top-squark pair production in final states with two leptons in pp collisions at $(\sqrt{s}) = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 52 |
| 543 | Measurement of τ_1 and τ_2 production with $(\sqrt{s}) = 7$ TeV pp collisions at ATLAS. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 26 |
| 542 | Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 6 |
| 541 | Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $(\sqrt{s}) = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 40 |
| 540 | Search for direct top squark pair production in events with a [Formula: see text] boson, [Formula: see text]-jets and missing transverse momentum in [Formula: see text] TeV [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 2883 | 4.2 | 41 |
| 539 | Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 67 |
| 538 | Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2014 , 74, 3130 | 4.2 | 166 |
| 537 | The Physics of the B Factories. <i>European Physical Journal C</i> , 2014 , 74, 1 | 4.2 | 233 |
| 536 | Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in [Formula: see text] collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3117 | 4.2 | 17 |

| | | | |
|-----|---|-----|-----|
| 535 | A measurement of the ratio of the production cross sections for [Formula: see text] and [Formula: see text] bosons in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3168 | 4.2 | 16 |
| 534 | Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at ($\sqrt{s}=8$) TeV with ATLAS. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 30 |
| 533 | Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fb ⁻¹ of (\sqrt{s}) = 8 TeV proton-proton collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 9 |
| 532 | Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using ($\sqrt{s}=8$) TeV proton-proton collision data. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 108 |
| 531 | Measurement of the [Formula: see text] production cross-section using [Formula: see text] events with [Formula: see text]-tagged jets in [Formula: see text] collisions at [Formula: see text] and 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3109 | 4.2 | 107 |
| 530 | Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in (\sqrt{s}) = 8 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 54 |
| 529 | Study of the reaction $e+e \rightarrow \tau^+\tau^-$ via initial-state radiation at BaBar. <i>Physical Review D</i> , 2014 , 89, | 4.9 | 59 |
| 528 | Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at [Formula: see text] TeV in 2010. <i>European Physical Journal C</i> , 2014 , 74, 3034 | 4.2 | 45 |
| 527 | Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. <i>European Physical Journal C</i> , 2014 , 74, 1 | 4.2 | 160 |
| 526 | Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3134 | 4.2 | 31 |
| 525 | Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3157 | 4.2 | 52 |
| 524 | Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3195 | 4.2 | 21 |
| 523 | Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at (\sqrt{s}) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 36 |
| 522 | Measurement of the production cross-section of $\tau^+\tau^- \rightarrow J/\psi \rightarrow \mu^+\mu^-$ in pp collisions at (\sqrt{s}) = 7 TeV at ATLAS. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 16 |
| 521 | Measurement of the Z/ τ boson transverse momentum distribution in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 79 |
| 520 | Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at (\sqrt{s}) = 8 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 31 |
| 519 | Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 26 |
| 518 | Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 38 |

| | | | |
|-----|--|-----|-----|
| 517 | Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1 | 5.4 | 29 |
| 516 | Measurement of the production cross section of jets in association with a Z boson in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 50 |
| 515 | Measurement of the cross-section for W boson production in association with b-jets in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 34 |
| 514 | Search for third generation scalar leptoquarks in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 30 |
| 513 | Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 124 |
| 512 | Measurement of ZZ production in pp collisions at ($\sqrt{s}=7$) TeV and limits on anomalous ZZZ and ZZ couplings with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 45 |
| 511 | Search for charged Higgs bosons through the violation of lepton universality in (\overline{t}) events using pp collision data at ($\sqrt{s}=7$) TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 14 |
| 510 | Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 47 |
| 509 | Measurement of splitting scales in \rightarrow events at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2432 | 4.2 | 8 |
| 508 | Search for a light charged Higgs boson in the decay channel [Formula: see text] in [Formula: see text] events using collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2465 | 4.2 | 76 |
| 507 | Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in ($\sqrt{s}=8$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 92 |
| 506 | Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at ($\sqrt{s}=8$) TeV proton-proton collisions using the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 64 |
| 505 | Measurement of the differential cross-section of B + meson production in pp collisions at ($\sqrt{s}=7$) TeV at ATLAS. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 24 |
| 504 | Performance of jet substructure techniques for large-R jets in proton-proton collisions at ($\sqrt{s}=7$) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5.4 | 43 |
| 503 | Improved luminosity determination in collisions at [Formula: see text] using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013 , 73, 2518 | 4.2 | 276 |
| 502 | Measurement of the inclusive jet cross-section in collisions at [Formula: see text] and comparison to the inclusive jet cross-section at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2509 | 4.2 | 71 |
| 501 | Multi-channel search for squarks and gluinos in [Formula: see text] collisions with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013 , 73, 2362 | 4.2 | 25 |
| 500 | Measurement of jet shapes in top-quark pair events at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2676 | 4.2 | 18 |

| | | | |
|-----|---|-----|-----|
| 499 | Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at ($\sqrt{s_{NN}}$) = 2.76 TeV with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5-4 | 143 |
| 498 | Measurement of the top quark charge in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5-4 | 15 |
| 497 | ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5-4 | 72 |
| 496 | Measurement of isolated-photon pair production in pp collisions at ($\sqrt{s}=7$;TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5-4 | 44 |
| 495 | Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5-4 | 55 |
| 494 | Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at ($\sqrt{s}=7$;TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1 | 5-4 | 15 |
| 493 | Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at ($\sqrt{s} = 7$ mTeV). <i>European Physical Journal C</i> , 2013 , 73, 1 | 4-2 | 55 |
| 492 | Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at ($\sqrt{s} = 7$ mTeV). <i>European Physical Journal C</i> , 2013 , 73, 1 | 4-2 | 44 |
| 491 | Measurement of the flavour composition of dijet events in pp collisions at ($\sqrt{s}=7$ mTeV) with the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 1 | 4-2 | 12 |
| 490 | Jet energy resolution in proton-proton collisions at [Formula: see text] recorded in 2010 with the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2306 | 4-2 | 153 |
| 489 | Measurement of the [Formula: see text] production cross section in the tau + jets channel using the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2328 | 4-2 | 30 |
| 488 | Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>New Journal of Physics</i> , 2013 , 15, 043009 | 2-9 | 15 |
| 487 | Branching fraction measurement of $B^+ \rightarrow \mu^+ \nu_\mu$ decays. <i>Physical Review D</i> , 2013 , 87, | 4-9 | 13 |
| 486 | Measurement of CP asymmetries and branching fractions in charmless two-body B-meson decays to pions and kaons. <i>Physical Review D</i> , 2013 , 87, | 4-9 | 31 |
| 485 | A search for (\overline{t}) resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at ($\sqrt{s} = 7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5-4 | 39 |
| 484 | Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at ($\sqrt{s}=7$) TeV with ATLAS. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5-4 | 11 |
| 483 | Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5-4 | 53 |
| 482 | Search for high-mass resonances decaying to dilepton final states in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5-4 | 49 |

| | | | |
|-----|--|-----|-----|
| 481 | Search for anomalous production of prompt like-sign lepton pairs at ($\sqrt{s}=7\text{TeV}$) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5.4 | 16 |
| 480 | Search for pair production of massive particles decaying into three quarks with the ATLAS detector in ($\sqrt{s}=7\text{TeV}$) pp collisions at the LHC. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5.4 | 45 |
| 479 | Search for R-parity-violating supersymmetry in events with four or more leptons in ($\sqrt{s}=7\text{TeV}$) pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1 | 5.4 | 13 |
| 478 | Search for $B \rightarrow \bar{D} + X$ decays in events with a fully reconstructed B meson. <i>Physical Review D</i> , 2012 , 85, | 4.9 | 1 |
| 477 | Measurement of the semileptonic branching fraction of the Bs meson. <i>Physical Review D</i> , 2012 , 85, | 4.9 | 11 |
| 476 | Search for CP violation in the decay $B \rightarrow K_s^0(D^0)$. <i>Physical Review D</i> , 2012 , 85, | 4.9 | 24 |
| 475 | Observation and study of the baryonic B-meson decays $B \rightarrow D^{(*)} p \bar{p}$. <i>Physical Review D</i> , 2012 , 85, | 4.9 | 17 |
| 474 | B^0 meson decays to $\bar{D} K^0$, $f_0 K^0$, and K^{*+} , including higher K^* resonances. <i>Physical Review D</i> , 2012 , 85, | 4.9 | 6 |
| 473 | Study of CP violation in Dalitz-plot analyses of $B^0 \rightarrow K + K \bar{K} S^0$, $B^+ \rightarrow K + K \bar{K}^+$, and $B^+ \rightarrow K S^0 K S^0 K^+$. <i>Physical Review D</i> , 2012 , 85, | 4.9 | 58 |
| 472 | Search for the $Z_1(4050)^+$ and $Z_2(4250)^+$ states in $B^0 \rightarrow \bar{D}^1 K^{\pm}$ and $B^+ \rightarrow \bar{D}^1 K S^0$. <i>Physical Review D</i> , 2012 , 85, | 4.9 | 42 |
| 471 | Measurement of $W \mp Z$ production in proton-proton collisions at ($\sqrt{s}=7\text{TeV}$) with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1 | 4.2 | 54 |
| 470 | Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1 | 4.2 | 24 |
| 469 | Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1 | 4.2 | 11 |
| 468 | Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in ($\sqrt{s}=7\text{TeV}$) proton-proton collisions. <i>European Physical Journal C</i> , 2012 , 72, 1 | 4.2 | 31 |
| 467 | ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at ($\sqrt{s}=7\text{TeV}$). <i>European Physical Journal C</i> , 2012 , 72, 1 | 4.2 | 34 |
| 466 | Search for doubly charged Higgs bosons in like-sign dilepton final states at ($\sqrt{s}=7\text{TeV}$) with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1 | 4.2 | 104 |
| 465 | Precise measurement of the $e^+e^- \rightarrow \mu^+\mu^-$ cross section with the initial-state radiation method at BABAR. <i>Physical Review D</i> , 2012 , 86, | 4.9 | 110 |
| 464 | Measurement of branching fractions and rate asymmetries in the rare decays $B \rightarrow K^{(*)} \mu^+\mu^-$. <i>Physical Review D</i> , 2012 , 86, | 4.9 | 82 |

| | | | |
|-----|--|-----|------|
| 463 | Cross sections for the reactions $e+e\rightarrow K+K\rightarrow K+K\pi\pi$, and $K+K\rightarrow K+K\pi$ measured using initial-state radiation events. <i>Physical Review D</i> , 2012 , 86, | 4.9 | 41 |
| 462 | Search for the decay modes $B\rightarrow h\pi\pi$. <i>Physical Review D</i> , 2012 , 86, | 4.9 | 21 |
| 461 | Exclusive measurements of $b\rightarrow s\ell\ell$ transition rate and photon energy spectrum. <i>Physical Review D</i> , 2012 , 86, | 4.9 | 40 |
| 460 | Initial-state radiation measurement of the $e+e\rightarrow\mu\mu\pi\pi$ cross section. <i>Physical Review D</i> , 2012 , 85, | 4.9 | 19 |
| 459 | Study of the baryonic B decay $B\rightarrow p\pi^+\pi^0$. <i>Physical Review D</i> , 2012 , 86, | 4.9 | 14 |
| 458 | Search for low-mass dark-sector Higgs bosons. <i>Physical Review Letters</i> , 2012 , 108, 211801 | 7.4 | 52 |
| 457 | Search for lepton-number violating processes in $B\rightarrow h\ell\ell$ decays. <i>Physical Review D</i> , 2012 , 85, | 4.9 | 24 |
| 456 | Amplitude analysis and measurement of the time-dependent CP asymmetry of $B^0\rightarrow K_S^0 K_S^0 K_S^0$ decays. <i>Physical Review D</i> , 2012 , 85, | 4.9 | 14 |
| 455 | Study of the reaction $e+e\rightarrow J/\psi\mu\mu$ via initial-state radiation at BABAR. <i>Physical Review D</i> , 2012 , 86, | 4.9 | 75 |
| 454 | Search for resonances decaying to $\mu\mu\pi\pi$ in two-photon interactions. <i>Physical Review D</i> , 2012 , 86, | 4.9 | 8 |
| 453 | Study of $B\rightarrow Xu\pi$ decays in $BB\pi$ events tagged by a fully reconstructed B-meson decay and determination of $ V_{ub} $. <i>Physical Review D</i> , 2012 , 86, | 4.9 | 20 |
| 452 | Search for the decay $D^0\rightarrow\pi^+\pi^0$ and measurement of the branching fraction for $D^0\rightarrow\pi^+\pi^0$. <i>Physical Review D</i> , 2012 , 85, | 4.9 | 19 |
| 451 | Heavy quarkonium: progress, puzzles, and opportunities. <i>European Physical Journal C</i> , 2011 , 71, 1 | 4.2 | 1102 |
| 450 | Amplitude analysis of $B^0\rightarrow K^+\pi^-$ and evidence of direct CP violation in $B\rightarrow K^*\pi$ decays. <i>Physical Review D</i> , 2011 , 83, | 4.9 | 21 |
| 449 | Measurements of branching fractions, polarizations, and direct CP-violation asymmetries in $B\rightarrow DK^{*+}$ and $B\rightarrow f_0(980)K^{*+}$ decays. <i>Physical Review D</i> , 2011 , 83, | 4.9 | 7 |
| 448 | Study of radiative bottomonium transitions using converted photons. <i>Physical Review D</i> , 2011 , 84, | 4.9 | 12 |
| 447 | Search for $b\rightarrow u$ transitions in $B\rightarrow [K^*\pi^0]DK$ decays. <i>Physical Review D</i> , 2011 , 84, | 4.9 | 11 |
| 446 | Search for CP violation in the decay $D\rightarrow KS^0$. <i>Physical Review D</i> , 2011 , 83, | 4.9 | 19 |

| | | | |
|-----|--|-----|----|
| 445 | Searches for rare or forbidden semileptonic charm decays. <i>Physical Review D</i> , 2011 , 84, | 4.9 | 33 |
| 444 | Studies of $B \rightarrow K^* \ell^+ \ell^-$ and $B \rightarrow \pi^+ \ell^+ \ell^-$ at BABAR and a search for a second-class current. <i>Physical Review D</i> , 2011 , 83, | 4.9 | 27 |
| 443 | Searches for the baryon- and lepton-number violating decays $B_0 \rightarrow \ell^+ \ell^- B \ell^+ \ell^-$ and $B \ell^+ \ell^-$ <i>Physical Review D</i> , 2011 , 83, | 4.9 | 13 |
| 442 | Observation of $B(1S)$ and $B(2S)$ decays to $K+K^* \ell^+ \ell^-$ in two-photon interactions. <i>Physical Review D</i> , 2011 , 84, | 4.9 | 17 |
| 441 | Observation of the baryonic B decay $B_{cb} \rightarrow \ell^+ \ell^- K^0$ <i>Physical Review D</i> , 2011 , 84, | 4.9 | 2 |
| 440 | Observation of the rare decay $B_{cb} \rightarrow K^* \ell^+ \ell^-$ and measurement of the quasi-two-body contributions $B_{cb} \rightarrow K^*(892) \ell^+ \ell^-$, $B_{cb} \rightarrow f_0(980) K^+$, and $B_{cb} \rightarrow \rho^0 K^+$. <i>Physical Review D</i> , 2011 , 84, | 4.9 | 13 |
| 439 | Measurement of partial branching fractions of inclusive charmless B meson decays to K^+ , K^0 , and π^+ . <i>Physical Review D</i> , 2011 , 83, | 4.9 | 3 |
| 438 | Study of dipion bottomonium transitions and search for the $hb(1P)$ state. <i>Physical Review D</i> , 2011 , 84, | 4.9 | 8 |
| 437 | Measurement of the mass and width of the $D_{s1}(2536)^+$ meson. <i>Physical Review D</i> , 2011 , 83, | 4.9 | 10 |
| 436 | Evidence for the $hb(1P)$ meson in the decay $(B_{cb}) \rightarrow \rho^0 hb(1P)$. <i>Physical Review D</i> , 2011 , 84, | 4.9 | 22 |
| 435 | Study of $B \rightarrow \ell^+ \ell^-$ and $B \rightarrow \ell^+ \ell^- \pi^0$ decays and determination of $ V_{ub} $. <i>Physical Review D</i> , 2011 , 83, | 4.9 | 76 |
| 434 | Search for production of invisible final states in single-photon decays of $B(1S)$. <i>Physical Review Letters</i> , 2011 , 107, 021804 | 7.4 | 43 |
| 433 | Measurement of the $B \rightarrow D^* \ell^+ \ell^- K$ branching fractions. <i>Physical Review D</i> , 2011 , 83, | 4.9 | 20 |
| 432 | Branching fraction measurements of the color-suppressed decays $B_{cb} \rightarrow D^* \ell^+ \ell^-$, $D^* \ell^+ \ell^- D^* \ell^+ \ell^-$ and $D^* \ell^+ \ell^-$ and measurement of the polarization in the decay $B_{cb} \rightarrow D^* \ell^+ \ell^-$ <i>Physical Review D</i> , 2011 , 84, | 4.9 | 11 |
| 431 | Analysis of the $D^+ \rightarrow K^* \ell^+ \ell^-$ decay channel. <i>Physical Review D</i> , 2011 , 83, | 4.9 | 25 |
| 430 | Study of $(B_{cb}, 2S) \rightarrow \ell^+ \ell^-$ and $(B_{cb}, 2S) \rightarrow \pi^0 \ell^+ \ell^-$ hadronic transitions. <i>Physical Review D</i> , 2011 , 84, | 4.9 | 12 |
| 429 | Measurement of the $B \rightarrow \ell^+ \ell^-$ and $B \rightarrow \ell^+ \ell^- \pi^0$ transition form factors. <i>Physical Review D</i> , 2011 , 84, | 4.9 | 86 |
| 428 | Search for the decay $B_0 \rightarrow \ell^+ \ell^-$ <i>Physical Review D</i> , 2011 , 83, | 4.9 | 4 |

| | | | |
|-----|--|-----|----|
| 427 | Dalitz plot analysis of $D_s^+ \rightarrow K^+ K^0$. <i>Physical Review D</i> , 2011 , 83, | 4.9 | 30 |
| 426 | Measurement of the $B^0 \rightarrow \pi^+ \pi^-$ and $B^+ \rightarrow \pi^+ \pi^0$ branching fractions, the $B^0 \rightarrow \pi^+ \pi^-$ and $B^+ \rightarrow \pi^+ \pi^0$ form-factor shapes, and determination of $ V_{ub} $. <i>Physical Review D</i> , 2011 , 83, | 4.9 | 29 |
| 425 | Publisher's Note: Study of radiative bottomonium transitions using converted photons [Phys. Rev. DPRVDAQ1550-7998 84, 072002 (2011)]. <i>Physical Review D</i> , 2011 , 84, | 4.9 | 2 |
| 424 | Measurements of branching fractions and CP asymmetries and studies of angular distributions for $B \rightarrow \pi^+ \pi^- K$ decays. <i>Physical Review D</i> , 2011 , 84, | 4.9 | 5 |
| 423 | Search for hadronic decays of a light Higgs boson in the radiative decay $H \rightarrow \gamma \gamma$. <i>Physical Review Letters</i> , 2011 , 107, 221803 | 7.4 | 41 |
| 422 | Search for CP violation using T-odd correlations in $D^+ \rightarrow K^+ K_S^0$ and $D_s^+ \rightarrow K^+ K_S^0$ decays. <i>Physical Review D</i> , 2011 , 84, | 4.9 | 12 |
| 421 | Observation of the decay $B^- \rightarrow D(s) K^-$. <i>Physical Review Letters</i> , 2011 , 107, 041804 | 7.4 | 7 |
| 420 | Heavy quarkonium: progress, puzzles, and opportunities. <i>Advances in the Physics of Particles and Nuclei</i> , 2011 , 1-178 | | 1 |
| 419 | Test of lepton universality in τ decays at BABAR. <i>Physical Review Letters</i> , 2010 , 104, 191801 | 7.4 | 19 |
| 418 | Search for $b \rightarrow u$ transitions in $B \rightarrow DK$ and $D^* K$ decays. <i>Physical Review D</i> , 2010 , 82, | 4.9 | 22 |
| 417 | Evidence for direct CP violation in the measurement of the Cabbibo-Kobayashi-Maskawa angle α with $B^0 \rightarrow D^{(*)} K^{(*)}$ decays. <i>Physical Review Letters</i> , 2010 , 105, 121801 | 7.4 | 42 |
| 416 | Search for charged lepton flavor violation in narrow ψ decays. <i>Physical Review Letters</i> , 2010 , 104, 151802 | 7.4 | 14 |
| 415 | Measurement of D^0 - \bar{D}^0 mixing parameters using $D^0 \rightarrow K(S)^0 \pi^0$ and $D^0 \rightarrow K(S)^0 K^+ K^-$ decays. <i>Physical Review Letters</i> , 2010 , 105, 081803 | 7.4 | 70 |
| 414 | Search for $f(2120)$ in radiative J/ψ decays. <i>Physical Review Letters</i> , 2010 , 105, 172001 | 7.4 | 6 |
| 413 | Measurement of CP observables in $B \rightarrow DCPK$ decays and constraints on the CKM angle α <i>Physical Review D</i> , 2010 , 82, | 4.9 | 26 |
| 412 | Exclusive production of $D_s^+ D_s^-$ and $D_s^+ D_s^{*-}$ via $e^+ e^-$ annihilation with initial-state radiation. <i>Physical Review D</i> , 2010 , 82, | 4.9 | 21 |
| 411 | Measurements of charged current lepton universality and $ V_{us} $ using tau lepton decays to $e^- \pi^0$, $e^- \pi^+ \pi^-$, and $K^- \pi^0$. <i>Physical Review Letters</i> , 2010 , 105, 051602 | 7.4 | 38 |
| 410 | Measurement of $ V_{cb} $ and the form-factor slope in $B \rightarrow D \ell \nu(\ell)$ decays in events tagged by a fully reconstructed B meson. <i>Physical Review Letters</i> , 2010 , 104, 011802 | 7.4 | 57 |

| | | | |
|-----|--|-----|-----|
| 409 | Searches for Lepton flavor violation in the decays $\tau\{+/-\}\rightarrow e\{+/-\}\gamma$ and $\tau\{+/-\}\rightarrow\mu\{+/-\}\gamma$. <i>Physical Review Letters</i> , 2010 , 104, 021802 | 7.4 | 328 |
| 408 | Measurement of the $B\rightarrow\bar{D}$ transition form factor. <i>Physical Review D</i> , 2010 , 81, | 4.9 | 35 |
| 407 | Measurement of branching fractions of B decays to $K_1(1270)$ and $K_1(1400)$ and determination of the CKM angle β from $B_0\rightarrow a_1(1260)\pi$. <i>Physical Review D</i> , 2010 , 81, | 4.9 | 13 |
| 406 | Observation of the $\chi(13D_J)$ bottomonium state through decays to $\pi\pi(1S)$. <i>Physical Review D</i> , 2010 , 82, | 4.9 | 28 |
| 405 | Search for the rare decay $B\rightarrow K\pi$. <i>Physical Review D</i> , 2010 , 82, | 4.9 | 20 |
| 404 | Correlated leading baryon-antibaryon production in $e^+e^-\rightarrow c\bar{c}\rightarrow\bar{d}+\pi^+\bar{c}$. <i>Physical Review D</i> , 2010 , 82, | 4.9 | 2 |
| 403 | Search for B^+ meson decay to $a_1(1260)K^*(892)$. <i>Physical Review D</i> , 2010 , 82, | 4.9 | 4 |
| 402 | Evidence for the decay $X(3872)\rightarrow J/\psi\pi$. <i>Physical Review D</i> , 2010 , 82, | 4.9 | 119 |
| 401 | Search for $B^+\rightarrow D+K_0$ and $B^+\rightarrow D+K^*0$ decays. <i>Physical Review D</i> , 2010 , 82, | 4.9 | 2 |
| 400 | Search for $B^+\rightarrow\pi^+\pi^0$ recoiling against $B\rightarrow D_0\pi$. <i>Physical Review D</i> , 2010 , 81, | 4.9 | 65 |
| 399 | B-meson decays to $\pi^+\pi^0$, and π^+K^* . <i>Physical Review D</i> , 2010 , 82, | 4.9 | 9 |
| 398 | Observation of the rare decay $B_0\rightarrow KS_0K\pi$. <i>Physical Review D</i> , 2010 , 82, | 4.9 | 6 |
| 397 | Observation of inclusive $D^*\pi$ production in the decay of $\chi(1S)$. <i>Physical Review D</i> , 2010 , 81, | 4.9 | 4 |
| 396 | Measurement of the absolute branching fractions for $D_s\rightarrow\pi\pi$ and extraction of the decay constant f_{D_s} . <i>Physical Review D</i> , 2010 , 82, | 4.9 | 24 |
| 395 | Limits on lepton-flavor violating decays into three charged leptons. <i>Physical Review D</i> , 2010 , 81, | 4.9 | 42 |
| 394 | Observation of new resonances decaying to D^0 and $D^*\pi$ in inclusive e^+e^- collisions near $s=10.58$ GeV. <i>Physical Review D</i> , 2010 , 82, | 4.9 | 111 |
| 393 | Observation of the decay $B^0\rightarrow\bar{d}+p\pi^0$. <i>Physical Review D</i> , 2010 , 82, | 4.9 | 6 |
| 392 | Study of $B\rightarrow X\pi$ decays and determination of $ V_{td}/V_{ts} $. <i>Physical Review D</i> , 2010 , 82, | 4.9 | 28 |

| | | | |
|-----|--|-----|-----|
| 391 | Observation of the $\eta(2P)$ meson in the reaction $\psi \rightarrow DD^*$ at BABAR. <i>Physical Review D</i> , 2010 , 81, | 4.9 | 60 |
| 390 | Search for CP violation using T-odd correlations in $D^0 \rightarrow K^+ K^{\mp} \pi^0$ decays. <i>Physical Review D</i> , 2010 , 81, | 4.9 | 21 |
| 389 | Measurement and interpretation of moments in inclusive semileptonic decays $B^{\pm} \rightarrow X c^{\pm}$. <i>Physical Review D</i> , 2010 , 81, | 4.9 | 22 |
| 388 | Recent results in charm and charmonium physics. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 2010 , 209, 80-85 | | |
| 387 | Precise measurement of the $e^+e^- \rightarrow \pi^+\pi^-(\gamma)$ cross section with the initial state radiation method at BABAR. <i>Physical Review Letters</i> , 2009 , 103, 231801 | 7.4 | 163 |
| 386 | Search for dimuon decays of a light scalar boson in radiative transitions $Upsilon \rightarrow \gamma A^0$. <i>Physical Review Letters</i> , 2009 , 103, 081803 | 7.4 | 139 |
| 385 | Measurement of semileptonic B decays into orbitally excited charmed mesons. <i>Physical Review Letters</i> , 2009 , 103, 051803 | 7.4 | 26 |
| 384 | Search for second-class currents in $\tau_{\mu} \rightarrow \omega \pi^+ \pi^- \nu_{\tau}$. <i>Physical Review Letters</i> , 2009 , 103, 041802 | 7.4 | 9 |
| 383 | Measurements of the semileptonic decays $B^{\pm} \rightarrow D^{\pm} \pi^0$ and $B^{\pm} \rightarrow D^{\pm} \pi^{\pm}$ using a global fit to $D X^{\pm}$ final states. <i>Physical Review D</i> , 2009 , 79, | 4.9 | 43 |
| 382 | Measurement of the $\psi \rightarrow \pi^0$ transition form factor. <i>Physical Review D</i> , 2009 , 80, | 4.9 | 246 |
| 381 | Measurements of the χ mass and the mass difference of the χ and χ' at BABAR. <i>Physical Review D</i> , 2009 , 80, | 4.9 | 26 |
| 380 | Measurements of time-dependent CP asymmetries in $B^0 \rightarrow D^{(*)} D^{(*)} \pi^0$ decays. <i>Physical Review D</i> , 2009 , 79, | 4.9 | 14 |
| 379 | Search for a low-mass higgs boson in $Upsilon(3S) \rightarrow \gamma A^0(0)$, $A^0(0) \rightarrow \tau^+ \tau^-$ at BABAR. <i>Physical Review Letters</i> , 2009 , 103, 181801 | 7.4 | 51 |
| 378 | Improved measurement of $B^+ \rightarrow \rho^+ \rho^0$ and determination of the quark-mixing phase angle α . <i>Physical Review Letters</i> , 2009 , 102, 141802 | 7.4 | 20 |
| 377 | Improved limits on lepton-flavor-violating tau decays to $l \pi^0$, $l \rho^0$, $l K$, and $l \bar{K}$. <i>Physical Review Letters</i> , 2009 , 103, 021801 | 7.4 | 10 |
| 376 | Measurement of $B^{\pm} \rightarrow K^{*} \gamma$ branching fractions and CP and Isospin asymmetries. <i>Physical Review Letters</i> , 2009 , 103, 211802 | 7.4 | 28 |
| 375 | Evidence for the $\eta(b)(1S)$ meson in radiative $Upsilon(2S)$ decay. <i>Physical Review Letters</i> , 2009 , 103, 161801 | 7.4 | 67 |
| 374 | Search for invisible decays of the $Upsilon(1S)$. <i>Physical Review Letters</i> , 2009 , 103, 251801 | 7.4 | 35 |

| | | | |
|-----|---|-----|-----|
| 373 | Evidence for $X(3872) \rightarrow \psi(2S)\gamma$ in $B(\pm) \rightarrow X(3872)K(\pm)$ decays and a study of $B \rightarrow c\bar{c}\gamma$. <i>Physical Review Letters</i> , 2009 , 102, 132001 | 7-4 | 134 |
| 372 | Measurement of the $e^+e^- \rightarrow b\bar{b}$ Cross Section between $\sqrt{s}=10.54$ and 11.20 GeV. <i>Physical Review Letters</i> , 2009 , 102, 012001 | 7-4 | 57 |
| 371 | Direct CP, lepton flavor, and isospin asymmetries in the decays $B \rightarrow K^{(*)}l+l$. <i>Physical Review Letters</i> , 2009 , 102, 091803 | 7-4 | 58 |
| 370 | Dalitz plot analysis of $B \rightarrow \pi\pi$ decays. <i>Physical Review D</i> , 2009 , 79, | 4-9 | 42 |
| 369 | Measurement of D^0 - \bar{D}^0 mixing from a time-dependent amplitude analysis of $D^0 \rightarrow K\pi\pi$ decays. <i>Physical Review Letters</i> , 2009 , 103, 211801 | 7-4 | 34 |
| 368 | Measurement of $B \rightarrow X\gamma$ decays and determination of $ V_{td}/V_{ts} $. <i>Physical Review Letters</i> , 2009 , 102, 161803 | 7-4 | 2 |
| 367 | Model-independent search for the decay $B \rightarrow l+\pi$. <i>Physical Review D</i> , 2009 , 80, | 4-9 | 14 |
| 366 | Observation and polarization measurement of $B^0 \rightarrow a_1(1260)a_1(1260)$ decay. <i>Physical Review D</i> , 2009 , 80, | 4-9 | 4 |
| 365 | Dalitz plot analysis of $B \rightarrow D+\pi$. <i>Physical Review D</i> , 2009 , 79, | 4-9 | 41 |
| 364 | Observation of B meson decays to K^* and improved measurements for B and \bar{B} . <i>Physical Review D</i> , 2009 , 79, | 4-9 | 14 |
| 363 | Branching fractions and CP-violating asymmetries in radiative B decays to $K\pi$. <i>Physical Review D</i> , 2009 , 79, | 4-9 | 5 |
| 362 | Constraints on the CKM angle ϕ_n in $B^0 \rightarrow D^0 K^{*0}$ and $B^0 \rightarrow \bar{D}^0 K^{*0}$ from a Dalitz analysis of D^0 and \bar{D}^0 decays to $KS\pi$. <i>Physical Review D</i> , 2009 , 79, | 4-9 | 10 |
| 361 | Observation of the baryonic B-decay $B^0 \rightarrow \bar{p}K^0$. <i>Physical Review D</i> , 2009 , 80, | 4-9 | 4 |
| 360 | Search for B^0 meson decays to $\bar{D}KS^0$, $\bar{K}S^0$, and $\bar{K}S^0$. <i>Physical Review D</i> , 2009 , 80, | 4-9 | 3 |
| 359 | Measurement of the $B \rightarrow D^*l$ and $B \rightarrow D^*l$ branching fractions. <i>Physical Review D</i> , 2009 , 79, | 4-9 | 9 |
| 358 | Search for the decay $B \rightarrow K_S^0 K_S^0$. <i>Physical Review D</i> , 2009 , 79, | 4-9 | 12 |
| 357 | Measurement of the semileptonic decays $B \rightarrow D^*l$ and $B \rightarrow D^*l$. <i>Physical Review D</i> , 2009 , 79, | 4-9 | 18 |
| 356 | Time-dependent amplitude analysis of $B^0 \rightarrow KS^0\pi$. <i>Physical Review D</i> , 2009 , 80, | 4-9 | 37 |

| | | | |
|-----|--|-----|-----|
| 355 | Angular distributions in the decay $B \rightarrow K^* l^+ l^-$. <i>Physical Review D</i> , 2009 , 79, | 4.9 | 63 |
| 354 | Search for Lepton Flavor Violating Decays $B \rightarrow l \bar{l} s^0$ with the BABAR Experiment. <i>Physical Review D</i> , 2009 , 79, | 4.9 | 9 |
| 353 | Evidence for $B \rightarrow K^* 0 K^{*+}$. <i>Physical Review D</i> , 2009 , 79, | 4.9 | 5 |
| 352 | Search for $b \rightarrow u$ transitions in $B^0 \rightarrow D^0 K^* 0$ decays. <i>Physical Review D</i> , 2009 , 80, | 4.9 | 14 |
| 351 | B meson decays to charmless meson pairs containing $\bar{b} \rightarrow \bar{u}$ mesons. <i>Physical Review D</i> , 2009 , 80, | 4.9 | 14 |
| 350 | Measurement of $D^0 \bar{D}^0$ mixing using the ratio of lifetimes for the decays $D^0 \rightarrow K^+ \bar{K}^0$ and $K^+ K^0$. <i>Physical Review D</i> , 2009 , 80, | 4.9 | 30 |
| 349 | Dalitz plot analysis of $D_{s^{++}} \rightarrow \bar{K}^+ \bar{K}^0$. <i>Physical Review D</i> , 2009 , 79, | 4.9 | 31 |
| 348 | Search for B-meson decays to $b \bar{1} \bar{K}^0$ and $b 1 K^*$. <i>Physical Review D</i> , 2009 , 80, | 4.9 | 6 |
| 347 | Search for the $Z(4430)$ at BABAR. <i>Physical Review D</i> , 2009 , 79, | 4.9 | 108 |
| 346 | Search for the rare leptonic decays $B \rightarrow l^+ l^- (\bar{l} = e, \mu)$. <i>Physical Review D</i> , 2009 , 79, | 4.9 | 14 |
| 345 | Measurement of the branching fraction and ρ polarization in $B^0 \rightarrow \rho^+ \rho^-$. <i>Physical Review D</i> , 2009 , 79, | 4.9 | 11 |
| 344 | Measurement of time-dependent CP asymmetry in $B^0 \rightarrow c \bar{c} K^*(*)^0$ decays. <i>Physical Review D</i> , 2009 , 79, | 4.9 | 84 |
| 343 | Measurement of time dependent CP asymmetry parameters in B^0 meson decays to $\bar{K}^0 S^0$, $\bar{K}^0 K^0$, and $\bar{D}^0 K^0 S^0$. <i>Physical Review D</i> , 2009 , 79, | 4.9 | 24 |
| 342 | Exclusive initial-state-radiation production of the $D \bar{D}^0$, $D^* \bar{D}^0$, and $D^* \bar{D}^{*+}$ systems. <i>Physical Review D</i> , 2009 , 79, | 4.9 | 75 |
| 341 | Study of D_{sJ} decays to $D^* K$ in inclusive $e^+ e^-$ interactions. <i>Physical Review D</i> , 2009 , 80, | 4.9 | 86 |
| 340 | Measurement of CP violation observables and parameters for the decays $B_{\bar{c}} \rightarrow D K^* \bar{D}$. <i>Physical Review D</i> , 2009 , 80, | 4.9 | 8 |
| 339 | Observation of the bottomonium ground state in the decay $\text{Upsilon}(3S) \rightarrow \gamma e^+ e^-$. <i>Physical Review Letters</i> , 2008 , 101, 071801 | 7.4 | 132 |
| 338 | Measurement of the branching fractions of the rare decays $B^0 \rightarrow D_s^*(*)^+ \bar{D}^0$ and $B^0 \rightarrow D_s^*(*)^0 \bar{K}^0$. <i>Physical Review D</i> , 2008 , 78, | 4.9 | 10 |

| | | | |
|-----|--|-----|----|
| 337 | Measurement of the mass difference $m(B_0) - m(B^+)$. <i>Physical Review D</i> , 2008 , 78, | 4.9 | 4 |
| 336 | Study of hadronic transitions between χ states and observation of $\chi(4S) \rightarrow \chi(1S)$ decay. <i>Physical Review D</i> , 2008 , 78, | 4.9 | 25 |
| 335 | Search for $B \rightarrow K^* \chi$ decays. <i>Physical Review D</i> , 2008 , 78, | 4.9 | 11 |
| 334 | Time-dependent Dalitz plot analysis of $B_0 \rightarrow D^* K_0^0$ decays. <i>Physical Review D</i> , 2008 , 77, | 4.9 | 7 |
| 333 | Dalitz plot analysis of the decay $B_0(B^0) \rightarrow K_0^0 \chi$. <i>Physical Review D</i> , 2008 , 78, | 4.9 | 25 |
| 332 | Observation of $B_0 \rightarrow \rho^0 K^* 0$ and evidence for $B^+ \rightarrow \rho^0 K^{*+}$. <i>Physical Review D</i> , 2008 , 78, | 4.9 | 6 |
| 331 | Measurement of $D^0 \bar{D}^0$ mixing using the ratio of lifetimes for the decays $D^0 \rightarrow K_S^0, K_S^{*+}$, and π^0 . <i>Physical Review D</i> , 2008 , 78, | 4.9 | 36 |
| 330 | Search for $B^+ \rightarrow \pi^0 \chi$ decays with hadronic B tags. <i>Physical Review D</i> , 2008 , 77, | 4.9 | 62 |
| 329 | Measurement of time-dependent CP asymmetry in $B_0 \rightarrow K_S^0 \chi$ decays. <i>Physical Review D</i> , 2008 , 78, | 4.9 | 19 |
| 328 | Search for the rare charmless hadronic decay $B^+ \rightarrow a_0^+ \chi$. <i>Physical Review D</i> , 2008 , 77, | 4.9 | 5 |
| 327 | Measurement of the CP-violating asymmetries in $B_0 \rightarrow K_S^0 \chi$ and of the branching fraction $B_0 \rightarrow K_0^0 \chi$. <i>Physical Review D</i> , 2008 , 77, | 4.9 | 9 |
| 326 | Study of $B \rightarrow X(3872) K$, with $X(3872) \rightarrow J/\psi \chi$. <i>Physical Review D</i> , 2008 , 77, | 4.9 | 75 |
| 325 | Search for CP violation in neutral D meson Cabibbo-suppressed three-body decays. <i>Physical Review D</i> , 2008 , 78, | 4.9 | 23 |
| 324 | Improved measurement of the CKM angle β in $B^+ \rightarrow D^{(*)} K^{(*)} \chi$ decays with a Dalitz plot analysis of D decays to $K_S^0 \pi^0$ and $K_S^0 K^+ K^-$. <i>Physical Review D</i> , 2008 , 78, | 4.9 | 63 |
| 323 | Study of $B^+ \rightarrow \rho^+ \chi$ and $B^+ \rightarrow \rho^+ K^0 \chi$ decays at BABAR. <i>Physical Review D</i> , 2008 , 77, | 4.9 | 32 |
| 322 | Study of the decay $D_s^+ \rightarrow K^+ K^0 \pi^+$. <i>Physical Review D</i> , 2008 , 78, | 4.9 | 25 |
| 321 | Improved measurement of CP observables in $B^+ \rightarrow D^0 K^0 \chi$ decays. <i>Physical Review D</i> , 2008 , 77, | 4.9 | 10 |
| 320 | Observation of $e^+ e^- \rightarrow \pi^+ \pi^- \chi$ near $s=10.58$ GeV. <i>Physical Review D</i> , 2008 , 78, | 4.9 | 10 |

| | | | |
|-----|---|-----|-----|
| 319 | Measurement of the $B \rightarrow X_s \gamma$ branching fraction and photon energy spectrum using the recoil method. <i>Physical Review D</i> , 2008 , 77, | 4.9 | 55 |
| 318 | Study of resonances in exclusive B decays to $D \pi^* D^* K$. <i>Physical Review D</i> , 2008 , 77, | 4.9 | 100 |
| 317 | Time-dependent and time-integrated angular analysis of $B \rightarrow K_S^0 \pi^0$ and $K_S^0 \eta$. <i>Physical Review D</i> , 2008 , 78, | 4.9 | 36 |
| 316 | Searches for the decays $B^0 \rightarrow \eta \pi^0$ and $B^+ \rightarrow \rho^+ \pi^0$ using hadronic tag reconstruction. <i>Physical Review D</i> , 2008 , 77, | 4.9 | 20 |
| 315 | Measurements of branching fractions for $B^+ \rightarrow \pi^+ \rho^0$ and $B^0 \rightarrow \rho^0 \pi^0$. <i>Physical Review D</i> , 2008 , 78, | 4.9 | 9 |
| 314 | Search for $B^0 \rightarrow K^+ K^* \pi^-$. <i>Physical Review D</i> , 2008 , 78, | 4.9 | 4 |
| 313 | Observation of $B^+ \rightarrow b_1^+ K^0$ and search for B-meson decays to $b_1^0 K^0$ and $b_1^0 \pi^0$. <i>Physical Review D</i> , 2008 , 78, | 4.9 | 10 |
| 312 | Measurement of the $B \rightarrow \eta$ branching fraction and a search for a second-class current in the $B \rightarrow \eta(958) \pi$ decay. <i>Physical Review D</i> , 2008 , 77, | 4.9 | 24 |
| 311 | Search for the decays $B^0 \rightarrow e^+ e^- \pi^0$ and $B^0 \rightarrow \eta \pi^0$. <i>Physical Review D</i> , 2008 , 77, | 4.9 | 4 |
| 310 | Determination of the form factors for the decay $B^0 \rightarrow D^* \pi^0$ and of the CKM matrix element $ V_{cb} $. <i>Physical Review D</i> , 2008 , 77, | 4.9 | 43 |
| 309 | Measurements of $e^+ e^- \rightarrow K^+ K^- K^0 K^0$, and $K_S^0 K^0 \pi^0 \pi^0$ cross sections using initial state radiation events. <i>Physical Review D</i> , 2008 , 77, | 4.9 | 127 |
| 308 | Measurement of the branching fraction, polarization, and CP asymmetries in $B^0 \rightarrow \pi^0 \pi^0$ decay, and implications for the CKM angle ϕ_1 . <i>Physical Review D</i> , 2008 , 78, | 4.9 | 24 |
| 307 | Search for decays of B^0 mesons into $e^+ e^- \pi^0 \pi^0$ and $e^+ e^- \eta \pi^0$ final states. <i>Physical Review D</i> , 2008 , 77, | 4.9 | 14 |
| 306 | Measurement of the branching fractions of the radiative charm decays $D^0 \rightarrow K^* \pi^0 \gamma$ and $D^0 \rightarrow \rho^0 \pi^0 \gamma$. <i>Physical Review D</i> , 2008 , 78, | 4.9 | 11 |
| 305 | Study of B-meson decays to ηK^* , $\eta(2S) K^*$, and $\eta' K^*$. <i>Physical Review D</i> , 2008 , 78, | 4.9 | 19 |
| 304 | Search for the highly suppressed decays $B \rightarrow K^+ \pi^-$ and $B \rightarrow K^0 \pi^0$. <i>Physical Review D</i> , 2008 , 78, | 4.9 | 12 |
| 303 | Observation of $B^+ \rightarrow \pi^+ \pi^0$ and search for B^0 decays to $\pi^0 \pi^0$, $\pi^0 \eta$, and η . <i>Physical Review D</i> , 2008 , 78, | 4.9 | 9 |
| 302 | Exclusive branching-fraction measurements of semileptonic tau decays into three charged hadrons, into $\phi \pi^0 \nu_\tau$, and into $\phi K^0 \nu_\tau$. <i>Physical Review Letters</i> , 2008 , 100, 011801 | 7.4 | 55 |

| | | | |
|-----|--|-----|----|
| 301 | Measurement of the decay $B(-) \rightarrow D^{*0}e(-)\nu_{\text{e}}$. <i>Physical Review Letters</i> , 2008 , 100, 231803 | 7.4 | 15 |
| 300 | Observation of the semileptonic decays $B \rightarrow D^*\tau\nu_{\text{tau}}$ and evidence for $B \rightarrow D\tau\nu_{\text{tau}}$. <i>Physical Review Letters</i> , 2008 , 100, 021801 | 7.4 | 79 |
| 299 | Study of excited charm-strange baryons with evidence for new baryons $\Xi(3055)^+$ and $\Xi(3123)^+$. <i>Physical Review D</i> , 2008 , 77, | 4.9 | 61 |
| 298 | Measurements of partial branching fractions for $B \rightarrow X\nu_{\text{u}}$ and determination of $ V_{\text{ub}} $. <i>Physical Review Letters</i> , 2008 , 100, 171802 | 7.4 | 15 |
| 297 | Measurement of the absolute branching fraction of $D^0 \rightarrow K\pi^+$. <i>Physical Review Letters</i> , 2008 , 100, 051802 | 7.4 | 8 |
| 296 | Search for CP violation in the decays $D^0 \rightarrow K^-K^+$ and $D^0 \rightarrow \pi^-\pi^+$. <i>Physical Review Letters</i> , 2008 , 100, 061803 | 7.4 | 60 |
| 295 | Observation of $B^+ \rightarrow a_1^+(1260)K^0$ and $B^0 \rightarrow a_1^-(1260)K^+$. <i>Physical Review Letters</i> , 2008 , 100, 051803 | 7.4 | 15 |
| 294 | Publisher's Note: Erratum: Measurement of Branching Fractions and Mass Spectra of $B \rightarrow K\pi$ [Phys. Rev. Lett. 98, 211804 (2007)] [Phys. Rev. Lett. 100, 189903 (2008)]. <i>Physical Review Letters</i> , 2008 , 100, | 7.4 | 2 |
| 293 | Measurement of the spin of the $\Upsilon(1530)$ resonance. <i>Physical Review D</i> , 2008 , 78, | 4.9 | 13 |
| 292 | Measurement of ratios of branching fractions and CP-violating asymmetries of $B_{\text{c}} \rightarrow D^*K_{\text{c}}$ decays. <i>Physical Review D</i> , 2008 , 78, | 4.9 | 7 |
| 291 | Evidence for CP violation in $B^0 \rightarrow J/\psi\pi^0$ decays. <i>Physical Review Letters</i> , 2008 , 101, 021801 | 7.4 | 20 |
| 290 | Measurement of the branching fractions of exclusive $B \rightarrow D^{(*)}(\pi)l^- \nu_l$ decays in events with a fully reconstructed B meson. <i>Physical Review Letters</i> , 2008 , 100, 151802 | 7.4 | 20 |
| 289 | Evidence for direct CP violation from Dalitz-plot analysis of $B_{\text{c}} \rightarrow K_{\text{c}}^*K_{\text{c}}$. <i>Physical Review D</i> , 2008 , 78, | 4.9 | 58 |
| 288 | Measurements of $B(B^0 \rightarrow \bar{D}^0\rho^0)$ and $B(B^+ \rightarrow \bar{D}^0\rho^+)$ and studies of \bar{D}^0 resonances. <i>Physical Review D</i> , 2008 , 78, | 4.9 | 47 |
| 287 | Observation and polarization measurements of $B^{+/-} \rightarrow \pi K^1$ $^{+/-}$ and $B^{+/-} \rightarrow \pi K^2$ $^{*+/-}$. <i>Physical Review Letters</i> , 2008 , 101, 161801 | 7.4 | 21 |
| 286 | Searches for B meson decays to $\pi\phi$, $\pi\rho$, $\pi f_0(980)$, and $f_0(980)f_0(980)$ final states. <i>Physical Review Letters</i> , 2008 , 101, 201801 | 7.4 | 8 |
| 285 | Observation of tree-level B decays with ss production from gluon radiation. <i>Physical Review Letters</i> , 2008 , 100, 171803 | 7.4 | 15 |
| 284 | Measurement of the CP asymmetry in $b \rightarrow s\gamma$ using a sum of exclusive final states. <i>Physical Review Letters</i> , 2008 , 101, 171804 | 7.4 | 9 |

| | | | |
|-----|--|-----|-----|
| 283 | Observation of $B_s \rightarrow K^* K^0$ and Search for $B_s \rightarrow K^* K^* K^0$. <i>Physical Review Letters</i> , 2008 , 100, 081801 | 7.4 | 21 |
| 282 | Observation of $Y(3940) \rightarrow J/\psi \omega$ in $B \rightarrow J/\psi \omega K$ at BABAR. <i>Physical Review Letters</i> , 2008 , 101, 082001 | 7.4 | 111 |
| 281 | Measurements of $B \rightarrow \{\pi, \eta, \eta'\} \ell \nu_\ell$ branching fractions and determination of $ V_{ub} $ with semileptonically tagged B mesons. <i>Physical Review Letters</i> , 2008 , 101, 081801 | 7.4 | 22 |
| 280 | Measurement of the branching fractions of $B \rightarrow D^{**}(\ell) \nu(\ell)$ decays in events tagged by a fully reconstructed B meson. <i>Physical Review Letters</i> , 2008 , 101, 261802 | 7.4 | 28 |
| 279 | Search for CPT and lorentz violation in B_0 - \bar{B}_0 oscillations with dilepton events. <i>Physical Review Letters</i> , 2008 , 100, 131802 | 7.4 | 45 |
| 278 | Search for lepton flavor violating decays $\tau_{+/-} \rightarrow l_{+/-} \omega$. <i>Physical Review Letters</i> , 2008 , 100, 071802 | 7.4 | 15 |
| 277 | Study of B meson decays with excited eta and eta' mesons. <i>Physical Review Letters</i> , 2008 , 101, 091801 | 7.4 | 6 |
| 276 | Measurement of decay amplitudes of $B \rightarrow J/\psi^*, (\psi(2S)) K^*$, and $\bar{B}^0 K^*$ with an angular analysis. <i>Physical Review D</i> , 2007 , 76, | 4.9 | 33 |
| 275 | Observation of $B^+ \rightarrow \bar{B}^0 K^0$ and measurement of its branching fraction and charge asymmetry. <i>Physical Review D</i> , 2007 , 76, | 4.9 | 7 |
| 274 | Study of $B^0 \rightarrow \pi^0 \pi^0$, $B^0 \rightarrow \pi^0 \eta$, and $B^0 \rightarrow K^0 \eta$ decays, and isospin analysis of $B \rightarrow \pi$ decays. <i>Physical Review D</i> , 2007 , 76, | 4.9 | 42 |
| 273 | Study of the exclusive initial-state-radiation production of the $D\bar{D}^*$ system. <i>Physical Review D</i> , 2007 , 76, | 4.9 | 73 |
| 272 | Inclusive \bar{B}^+ production in e^+e^- annihilations at $s=10.54$ GeV and in $\Upsilon(4S)$ decays. <i>Physical Review D</i> , 2007 , 75, | 4.9 | 15 |
| 271 | Measurement of the $\bar{B}^0 K^0$ branching fraction. <i>Physical Review D</i> , 2007 , 76, | 4.9 | 42 |
| 270 | Search for prompt production of \bar{B} and $X(3872)$ in e^+e^- annihilations. <i>Physical Review D</i> , 2007 , 76, | 4.9 | 2 |
| 269 | Search for the decay $B^+ \rightarrow K^* \psi(892) K^+$. <i>Physical Review D</i> , 2007 , 76, | 4.9 | 9 |
| 268 | Measurement of the relative branching fractions of $B^0 \rightarrow D/D^*/D^{**} \ell^+ \ell^-$ decays in events with a fully reconstructed B meson. <i>Physical Review D</i> , 2007 , 76, | 4.9 | 9 |
| 267 | Search for neutral B-meson decays to $a_0 \pi a_0 K$, η , and η' . <i>Physical Review D</i> , 2007 , 75, | 4.9 | 10 |
| 266 | Measurement of CP asymmetry in $B^0 \rightarrow K_s^0 \pi^0 \pi^0$ decays. <i>Physical Review D</i> , 2007 , 76, | 4.9 | 10 |

| | | | |
|-----|---|-----|-----|
| 265 | Search for D^0D^0 mixing using doubly flavor tagged semileptonic decay modes. <i>Physical Review D</i> , 2007 , 76, | 4.9 | 28 |
| 264 | Search for the reactions $e^+e^- \rightarrow \mu^+\mu^-$ and $e^+e^- \rightarrow e^+\mu^-$ <i>Physical Review D</i> , 2007 , 75, | 4.9 | 8 |
| 263 | Measurements of the branching fractions of $B^0 \rightarrow K^*0K^+K^-$, $B^0 \rightarrow K^*0\pi^+K^-$, $B^0 \rightarrow K^*0K^+\pi^-$ and $B^0 \rightarrow K^*0\pi^+\pi^-$ <i>Physical Review D</i> , 2007 , 76, | 4.9 | 11 |
| 262 | Search for $B^0 \rightarrow \pi^+(K^+\pi^-)$ decays with large $K^+\pi^-$ invariant mass. <i>Physical Review D</i> , 2007 , 76, | 4.9 | 13 |
| 261 | $e^+e^- \rightarrow K^+K^-\pi^+\pi^-$ and $K^+K^-\pi^+\pi^-$ cross sections measured with initial-state radiation. <i>Physical Review D</i> , 2007 , 76, | 4.9 | 86 |
| 260 | Measurement of the $B^0 \rightarrow \pi^0\pi^0$ branching fraction and direct CP asymmetry. <i>Physical Review D</i> , 2007 , 75, | 4.9 | 11 |
| 259 | Improved measurement of time-dependent CP asymmetries and the CP-odd fraction in the decay $B^0 \rightarrow D^{*+}D^{*-}$ <i>Physical Review D</i> , 2007 , 76, | 4.9 | 7 |
| 258 | Measurement of CP asymmetries in $B^0 \rightarrow K_S^0 K_S^0 K_S^0$ decays. <i>Physical Review D</i> , 2007 , 76, | 4.9 | 5 |
| 257 | Branching fraction measurement of $B^0 \rightarrow D^{(*)+}\pi^-$ and $B^0 \rightarrow D^{(*)0}\pi^-$ and isospin analysis of $B^0 \rightarrow D^{(*)+}\pi^-$ decays. <i>Physical Review D</i> , 2007 , 75, | 4.9 | 9 |
| 256 | Improved measurements of the branching fractions for $B^0 \rightarrow \pi^+\pi^-$ and $B^0 \rightarrow K^+\pi^-$ and a search for $B^0 \rightarrow K^+K^-\pi^0$ <i>Physical Review D</i> , 2007 , 75, | 4.9 | 33 |
| 255 | Branching fraction and charge asymmetry measurements in $B \rightarrow J/\psi$ decays. <i>Physical Review D</i> , 2007 , 76, | 4.9 | 11 |
| 254 | Study of inclusive B^0 and B^+ decays to flavor-tagged D, Ds, and \bar{B}^+ . <i>Physical Review D</i> , 2007 , 75, | 4.9 | 9 |
| 253 | Measurement of B decays to π^+K^- <i>Physical Review D</i> , 2007 , 75, | 4.9 | 7 |
| 252 | Study of $e^+e^- \rightarrow \pi^+\pi^0$, $\pi^0\pi^0$ using initial state radiation with BABAR. <i>Physical Review D</i> , 2007 , 76, | 4.9 | 81 |
| 251 | Branching fraction and CP-violation charge asymmetry measurements for B-meson decays to $K^0\pi^0$, $\pi^+K^-\pi^0$, $\pi^0K^+\pi^0$, $\pi^0K^0\pi^0$, and $\pi^0\pi^0$. <i>Physical Review D</i> , 2007 , 76, | 4.9 | 14 |
| 250 | The $e^+e^- \rightarrow 2(\pi^+\pi^-)$, $2(\pi^0\pi^0)$, $2(\pi^+\pi^-)K^+K^-$ and $K^+K^-\pi^+\pi^-$ cross sections measured with initial-state radiation. <i>Physical Review D</i> , 2007 , 76, | 4.9 | 111 |
| 249 | Charm and charmonium spectroscopy in BaBar. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 2007 , 174, 130-133 | | |
| 248 | Precision measurements of the total and partial widths of the $\chi(2S)$ charmonium meson with a new complementary-scan technique in $p\bar{p}$ annihilations. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2007 , 654, 74-79 | 4.2 | 12 |

| | | | |
|-----|---|-----|-----|
| 247 | Prospects for e+e- physics at Frascati between the L and the P. <i>European Physical Journal C</i> , 2007 , 50, 729 | 4.2 | 15 |
| 246 | Study of B0 → ππ decays and constraints on the CKM angle β. <i>Physical Review D</i> , 2007 , 76, | 4.9 | 46 |
| 245 | Amplitude analysis of the B+ → πK*(892)+/- decay. <i>Physical Review Letters</i> , 2007 , 99, 201802 | 7.4 | 24 |
| 244 | Observation of the decay B+ → K+K-π+. <i>Physical Review Letters</i> , 2007 , 99, 221801 | 7.4 | 36 |
| 243 | Improved limits on the lepton-flavor violating decays τ → ℓℓℓ. <i>Physical Review Letters</i> , 2007 , 99, 251803 | 7.4 | 36 |
| 242 | Measurements of CP-violating asymmetries in the decay B0 → K+K-K0. <i>Physical Review Letters</i> , 2007 , 99, 161802 | 7.4 | 32 |
| 241 | Evidence for charged B meson decays to a1±(1260)π0 and a1(0)(1260)π±. <i>Physical Review Letters</i> , 2007 , 99, 261801 | 7.4 | 12 |
| 240 | Measurement of CP-violating asymmetries in B0 → ππ using a time-dependent Dalitz plot analysis. <i>Physical Review D</i> , 2007 , 76, | 4.9 | 28 |
| 239 | Measurements of B+ branching fractions of Cabibbo-suppressed decay modes involving L and D. <i>Physical Review D</i> , 2007 , 75, | 4.9 | 7 |
| 238 | Search for b → u transitions in B → [K+D]DK. <i>Physical Review D</i> , 2007 , 76, | 4.9 | 4 |
| 237 | Search for B+ → ππ. <i>Physical Review D</i> , 2007 , 76, | 4.9 | 39 |
| 236 | Observation of a Charmed Baryon Decaying to D;0p at a Mass Near 2.94 GeV/c;2. <i>Physical Review Letters</i> , 2007 , 98, 012001 | 7.4 | 97 |
| 235 | Evidence for the Rare Decay B+ → Ds+D. <i>Physical Review Letters</i> , 2007 , 98, | 7.4 | 4 |
| 234 | Measurement of the CP asymmetry and branching fraction of B0 → ρ0K0. <i>Physical Review Letters</i> , 2007 , 98, 051803 | 7.4 | 6 |
| 233 | Improved measurement of CP violation in neutral B decays to cc[over]s. <i>Physical Review Letters</i> , 2007 , 99, 171803 | 7.4 | 31 |
| 232 | Search for the Decay B+ → K+ τ+/- μ+/- . <i>Physical Review Letters</i> , 2007 , 99, 201801 | 7.4 | 12 |
| 231 | Amplitude analysis of the decay D0 → Kπ+D. <i>Physical Review D</i> , 2007 , 76, | 4.9 | 24 |
| 230 | Evidence of a broad structure at an invariant mass of 4.32 GeV/c2 in the reaction e+e- → π+π-ψ(2S) measured at BABAR. <i>Physical Review Letters</i> , 2007 , 98, 212001 | 7.4 | 200 |

| | | | |
|-----|--|-----|-----|
| 229 | Observation of decays $B_0 \rightarrow D_s^{(*)} \pi^-$ and $B_0 \rightarrow D_s^{(*)} K^+$. <i>Physical Review Letters</i> , 2007 , 98, 081801 | 7.4 | 9 |
| 228 | Measurement of the Time-Dependent CP Asymmetry in $B_{(s)} \rightarrow D_{CP}^{(*)} h_{(s)}$ Decays. <i>Physical Review Letters</i> , 2007 , 99, 081801 | 7.4 | 8 |
| 227 | Observation of CP violation in $B(0) \rightarrow K^{(+)} \pi^{(-)}$ and $B(0) \rightarrow \pi^{(+)} \pi^{(-)}$. <i>Physical Review Letters</i> , 2007 , 99, 021603 | 7.4 | 54 |
| 226 | Measurement of the pseudoscalar decay constant f_D using charm-tagged events in e^+e^- collisions at square root $s=10.58$ GeV. <i>Physical Review Letters</i> , 2007 , 98, 141801 | 7.4 | 39 |
| 225 | Search for lepton flavor violating decays $\tau^{(\pm)} \rightarrow l^{(\pm)} \pi^0$, $l^{(\pm)} \eta$, $l^{(\pm)} \eta'$. <i>Physical Review Letters</i> , 2007 , 98, 061803 | 7.4 | 33 |
| 224 | Search for the rare decay $B \rightarrow \pi l^+ l^-$. <i>Physical Review Letters</i> , 2007 , 99, 051801 | 7.4 | 17 |
| 223 | Measurement of $\cos 2\beta$ in $B_{(s)} \rightarrow D_{(s)}^{(*)} h_{(s)}$ decays with a time-dependent Dalitz plot analysis of $D \rightarrow K_{(s)} \pi^{(\pm)} \pi^{(\mp)}$. <i>Physical Review Letters</i> , 2007 , 99, 231802 | 7.4 | 17 |
| 222 | Measurement of CP violation parameters with a Dalitz plot analysis of $B_{(s)} \rightarrow D \pi^{(\pm)} \pi^{(\mp)} K^{(\pm)}$. <i>Physical Review Letters</i> , 2007 , 99, 251801 | 7.4 | 31 |
| 221 | Vector-tensor and vector-vector decay amplitude analysis of $B_0 \rightarrow \phi K^0$. <i>Physical Review Letters</i> , 2007 , 98, 051801 | 7.4 | 40 |
| 220 | Measurement of branching fractions and mass spectra of $B \rightarrow K \pi \gamma$. <i>Physical Review Letters</i> , 2007 , 98, 211804 | 7.4 | 7 |
| 219 | Evidence for D_0 - \bar{D}_0 mixing. <i>Physical Review Letters</i> , 2007 , 98, 211802 | 7.4 | 186 |
| 218 | Production and decay of Ω_c^0 . <i>Physical Review Letters</i> , 2007 , 99, 062001 | 7.4 | 21 |
| 217 | Measurement of the $B_0 \rightarrow \pi^{(-)} l^{(+)} \nu$ form-factor shape and branching fraction, and determination of $ V_{ub} $ with a loose neutrino reconstruction technique. <i>Physical Review Letters</i> , 2007 , 98, 091801 | 7.4 | 52 |
| 216 | Evidence for $B(0) \rightarrow \rho(0) \rho(0)$ decays and implications for the Cabibbo-Kobayashi-Maskawa angle α . <i>Physical Review Letters</i> , 2007 , 98, 111801 | 7.4 | 11 |
| 215 | Observation of $B \rightarrow \eta' K^*$ and evidence for $B^+ \rightarrow \eta' \rho^+$. <i>Physical Review Letters</i> , 2007 , 98, 051802 | 7.4 | 7 |
| 214 | Branching fraction measurements of $B^+ \rightarrow \rho^+ \gamma$, $B_0 \rightarrow \rho^0 \gamma$, and $B_0 \rightarrow \omega \gamma$. <i>Physical Review Letters</i> , 2007 , 98, 151802 | 7.4 | 22 |
| 213 | Measurement of CP-violating asymmetries in $B_0 \rightarrow D^{(*)} \pi^{(\mp)}$. <i>Physical Review Letters</i> , 2007 , 99, 071801 | 7.4 | 19 |
| 212 | Measurements of CP-violating asymmetries in $B_0 \rightarrow a_1^{(\pm)} \pi^{(\mp)}$ decays. <i>Physical Review Letters</i> , 2007 , 98, 181803 | 7.4 | 25 |

| | | | |
|-----|--|-----|-----|
| 211 | Observation of CP violation in $B \rightarrow \eta' K^0$ decays. <i>Physical Review Letters</i> , 2007 , 98, 031801 | 7.4 | 21 |
| 210 | Observation of B Meson decays to $b_1 \pi$ and $b_1 K$. <i>Physical Review Letters</i> , 2007 , 99, 241803 | 7.4 | 15 |
| 209 | Evidence for the $B^0 \rightarrow \rho \pi K^* 0$ and $B^+ \rightarrow \rho K^* +$ decays and study of the decay dynamics of B meson decays into $\rho \pi$ final states. <i>Physical Review D</i> , 2007 , 76, | 4.9 | 28 |
| 208 | Measurement of the hadronic form factor in $D^0 \rightarrow K \bar{B} + \bar{B}$ decays. <i>Physical Review D</i> , 2007 , 76, | 4.9 | 42 |
| 207 | Measurement of branching fractions and resonance contributions for $B^0 \rightarrow D^0 K + \pi^-$ and search for $B^0 \rightarrow D^0 K + \pi^-$ decays. <i>Physical Review Letters</i> , 2006 , 96, 011803 | 7.4 | 13 |
| 206 | Measurement of the spin of the omega(-) hyperon. <i>Physical Review Letters</i> , 2006 , 97, 112001 | 7.4 | 17 |
| 205 | Observation of $e^+ e^-$ annihilation into the $C = +1$ hadronic final states $\rho(0) \rho(0)$ and $\phi \rho(0)$. <i>Physical Review Letters</i> , 2006 , 97, 112002 | 7.4 | 8 |
| 204 | Observation of $B^+ \rightarrow K^0 K^+$ and $B^0 \rightarrow K^0 K^0$. <i>Physical Review Letters</i> , 2006 , 97, 171805 | 7.4 | 52 |
| 203 | Measurement of the inclusive electron spectrum in charmless semileptonic B decays near the kinematic end point and determination of $ V_{ub} $. <i>Physical Review D</i> , 2006 , 73, | 4.9 | 40 |
| 202 | Measurements of the absolute branching fractions of $B^+ / - \rightarrow K^+ / - X(cc)$. <i>Physical Review Letters</i> , 2006 , 96, 052002 | 7.4 | 60 |
| 201 | Structure at 2175 MeV in $e^+ e^- \rightarrow \rho f_0(980)$ observed via initial-state radiation. <i>Physical Review D</i> , 2006 , 74, | 4.9 | 102 |
| 200 | Measurement of branching fractions and charge asymmetries in B decays to an eta meson and a K^* meson. <i>Physical Review Letters</i> , 2006 , 97, 201802 | 7.4 | 18 |
| 199 | Measurements of neutral B decay branching fractions to $K S^0 \pi$ final states and the charge asymmetry of $B^0 \rightarrow K^* + \pi$. <i>Physical Review D</i> , 2006 , 73, | 4.9 | 26 |
| 198 | Measurement of the B_{D^*} lifetime and the $B^0 B_{D^*}$ oscillation frequency using partially reconstructed $B_{D^*} \rightarrow D^* + \pi$ decays. <i>Physical Review D</i> , 2006 , 73, | 4.9 | 14 |
| 197 | Measurements of branching fractions, polarizations, and direct CP-violation asymmetries in $B \rightarrow \rho K^*$ and $B \rightarrow f_0(980) K^*$ decays. <i>Physical Review Letters</i> , 2006 , 97, 201801 | 7.4 | 41 |
| 196 | Observation of Upsilon(4S) decays to $\pi^+ \pi^- \text{Upsilon}(1S)$ and $\pi^+ \pi^- \text{Upsilon}(2S)$. <i>Physical Review Letters</i> , 2006 , 96, 232001 | 7.4 | 39 |
| 195 | Study of $e^+ e^- \rightarrow \rho \pi$ using initial state radiation with BABAR. <i>Physical Review D</i> , 2006 , 73, | 4.9 | 180 |
| 194 | Measurement of the $B \rightarrow \pi l \nu$ branching fraction and determination of absolute value of V_{ub} with tagged B mesons. <i>Physical Review Letters</i> , 2006 , 97, 211801 | 7.4 | 36 |

| | | | |
|-----|--|-----|-----|
| 193 | Observation of an excited charm baryon Omega c* decaying to Omega c0gamma. <i>Physical Review Letters</i> , 2006 , 97, 232001 | 7.4 | 86 |
| 192 | Observation of B(+)-->phipiK(+) and evidence for B(0)-->phipiK(0) below eta(c) threshold. <i>Physical Review Letters</i> , 2006 , 97, 261803 | 7.4 | 4 |
| 191 | Search for D0-D0 mixing and branching-ratio measurement in the decay D0-->K+ pi- pi0. <i>Physical Review Letters</i> , 2006 , 97, 221803 | 7.4 | 17 |
| 190 | Search for lepton flavor violation in the decay tau+/->e+/-gamma. <i>Physical Review Letters</i> , 2006 , 96, 041801 | 7.4 | 91 |
| 189 | Measurements of branching fraction, polarization, and charge asymmetry of B(+/-)-->rho(+/-)rho(0) and a search for B(+/-)-->rho(+/-)f(0)(980). <i>Physical Review Letters</i> , 2006 , 97, 261801 | 7.4 | 23 |
| 188 | Dalitz plot analysis of the decay B+->K+K- pi0. <i>Physical Review D</i> , 2006 , 74, | 4.9 | 52 |
| 187 | Measurement of the B and B transition form factors at q2=112 GeV2. <i>Physical Review D</i> , 2006 , 74, | 4.9 | 59 |
| 186 | Measurements of branching fractions, rate asymmetries, and angular distributions in the rare decays B->K+K- and B->K*0 pi0. <i>Physical Review D</i> , 2006 , 73, | 4.9 | 119 |
| 185 | Measurement of the absolute branching fractions B->D pi D* with a missing mass method. <i>Physical Review D</i> , 2006 , 74, | 4.9 | 8 |
| 184 | Measurement of the branching fraction and photon energy moments of B->Xs gamma and A(CP)(B->X(s+d gamma)). <i>Physical Review Letters</i> , 2006 , 97, 171803 | 7.4 | 52 |
| 183 | Observation of a new Ds meson decaying to DK at a mass of 2.86 GeV/c2. <i>Physical Review Letters</i> , 2006 , 97, 222001 | 7.4 | 117 |
| 182 | Determinations of from inclusive semileptonic decays with reduced model dependence. <i>Physical Review Letters</i> , 2006 , 96, 221801 | 7.4 | 20 |
| 181 | Search for the rare decay B0-->tau+tau- at BABAR. <i>Physical Review Letters</i> , 2006 , 96, 241802 | 7.4 | 27 |
| 180 | Observation of B0 meson decay to a 1 +/(1260)pi +/. <i>Physical Review Letters</i> , 2006 , 97, 051802 | 7.4 | 39 |
| 179 | Search for T, CP, and CPT violation in B0-B0 mixing with inclusive dilepton events. <i>Physical Review Letters</i> , 2006 , 96, 251802 | 7.4 | 65 |
| 178 | Measurement of branching fractions and CP-violating charge asymmetries for B-meson decays to D(*)D pi(*), and implications for the Cabibbo-Kobayashi-Maskawa angle. <i>Physical Review D</i> , 2006 , 73, | 4.9 | 20 |
| 177 | Study of the decay B0->D*+ pi0. <i>Physical Review D</i> , 2006 , 74, | 4.9 | 12 |
| 176 | Search for the decay B0->KS0KS0K0L0. <i>Physical Review D</i> , 2006 , 74, | 4.9 | 3 |

| | | | |
|-----|---|-----|-----|
| 175 | Measurement of the $D^{*+} \rightarrow \pi^0$ and $D^{*+} \rightarrow K^0$ branching fractions. <i>Physical Review D</i> , 2006 , 74, | 4.9 | 10 |
| 174 | Measurement of the $B \rightarrow D^0 K^* \pi$ branching fraction. <i>Physical Review D</i> , 2006 , 73, | 4.9 | 6 |
| 173 | Precise branching ratio measurements of the decays $D^0 \rightarrow \pi^0$ and $D^0 \rightarrow K^* \pi^0$ relative to the $D^0 \rightarrow K^* \pi^0$ decay. <i>Physical Review D</i> , 2006 , 74, | 4.9 | 7 |
| 172 | Branching fraction measurements of charged B decays to $K^* + K + K \pi$, $K^* + K \pi$, $K^* + K + \pi$ and $K^* + \pi$ final states. <i>Physical Review D</i> , 2006 , 74, | 4.9 | 10 |
| 171 | Searches for B^0 decays to K^0 , $\pi^0 \pi^0$, π^0 , and π^+ . <i>Physical Review D</i> , 2006 , 74, | 4.9 | 12 |
| 170 | Study of the X(3872) and Y(4260) in $B^0 \rightarrow J/\psi K^0$ and $B \rightarrow J/\psi K^* \pi$ decays. <i>Physical Review D</i> , 2006 , 73, | 4.9 | 76 |
| 169 | Measurement of the branching fraction and time-dependent CP asymmetry in the decay $B^0 \rightarrow D^{*+} D^{*-} K^0$. <i>Physical Review D</i> , 2006 , 74, | 4.9 | 20 |
| 168 | The $e^+e^- \rightarrow 3(\pi^0)$, $2(\pi^0)$ and $K^+K^0(\pi^0)$ cross sections at center-of-mass energies from production threshold to 4.5 GeV measured with initial-state radiation. <i>Physical Review D</i> , 2006 , 73, | 4.9 | 107 |
| 167 | Measurements of the branching fraction and time-dependent CP asymmetries of $B^0 \rightarrow J/\psi$ decays. <i>Physical Review D</i> , 2006 , 74, | 4.9 | 10 |
| 166 | Search for rare quark-annihilation decays, $B \rightarrow D_s^{(*)} \pi$. <i>Physical Review D</i> , 2006 , 73, | 4.9 | 7 |
| 165 | Study of the $D_s J^*(2317)^+$ and $D_s J(2460)^+$ mesons in inclusive $cc\bar{c}$ production near $\sqrt{s}=10.6$ GeV. <i>Physical Review D</i> , 2006 , 74, | 4.9 | 35 |
| 164 | Search for the rare decays $B^0 \rightarrow D_s^{(*)} + a_0(2)\pi$. <i>Physical Review D</i> , 2006 , 73, | 4.9 | 5 |
| 163 | Search for the decay of a B^0 or B^0 meson to $K^* \pi^0 K^0$ or $K^* \pi^0 \pi^0$. <i>Physical Review D</i> , 2006 , 74, | 4.9 | 7 |
| 162 | Measurements of CP-violating asymmetries and branching fractions in B decays to K^0 and π^0 . <i>Physical Review D</i> , 2006 , 74, | 4.9 | 10 |
| 161 | Branching fraction limits for B^0 decays to $\pi^0 \pi^0$ and π^0 . <i>Physical Review D</i> , 2006 , 73, | 4.9 | 12 |
| 160 | Measurement of $B^0 \rightarrow D^{(*)} K^0 \pi^{(*)} \pi^0$ branching fractions. <i>Physical Review D</i> , 2006 , 74, | 4.9 | 15 |
| 159 | Measurement of the ratio $B(B^{+-} \rightarrow X e) / B(B^0 \rightarrow X e)$. <i>Physical Review D</i> , 2006 , 74, | 4.9 | 8 |
| 158 | Measurement of branching fractions in radiative B decays to K^0 and search for B decays to $\pi^0 K^0$. <i>Physical Review D</i> , 2006 , 74, | 4.9 | 10 |

| | | | |
|-----|---|-----|-----|
| 157 | Search for doubly charmed baryons $\bar{c}c^+$ and $\bar{c}c^{++}$ in BABAR. <i>Physical Review D</i> , 2006 , 74, | 4.9 | 116 |
| 156 | Measurement of time-dependent CP asymmetries in $B^0 \rightarrow D^{(*)} \pi^0$ and $B^0 \rightarrow D \pi^0$ decays. <i>Physical Review D</i> , 2006 , 73, | 4.9 | 18 |
| 155 | Measurements of the $B \rightarrow D^*$ form factors using the decay $B^0 \rightarrow D^* + e \bar{\nu}_e$. <i>Physical Review D</i> , 2006 , 74, | 4.9 | 20 |
| 154 | Search for $B^+ \rightarrow \pi^0 \pi^+$ and $B^0 \rightarrow \pi^0 \pi^0$ decays. <i>Physical Review D</i> , 2006 , 74, | 4.9 | 14 |
| 153 | Measurements of the decays $B^0 \rightarrow D^0 p \bar{p}$, $B^0 \rightarrow D^0 p \bar{p} \pi^0$, $B^0 \rightarrow D^0 p \bar{p} \pi^+$, and $B^0 \rightarrow D^0 p \bar{p} \pi^-$. <i>Physical Review D</i> , 2006 , 74, | 4.9 | 27 |
| 152 | Study of $B \rightarrow D^{(*)} D_s(J)^{(*)}$ decays and measurement of D_s^{\pm} and $D_s J(2460)^{\pm}$ branching fractions. <i>Physical Review D</i> , 2006 , 74, | 4.9 | 29 |
| 151 | Search for the decay $B^+ \rightarrow \pi^0 \pi^+$. <i>Physical Review D</i> , 2006 , 73, | 4.9 | 12 |
| 150 | Observation of the exclusive reaction $e^+e^- \rightarrow \pi^0 \pi^+$ at $s=10.58$ GeV. <i>Physical Review D</i> , 2006 , 74, | 4.9 | 8 |
| 149 | Search for B meson decays to $\pi^0 K$. <i>Physical Review D</i> , 2006 , 74, | 4.9 | 3 |
| 148 | Search for $B^+ \rightarrow X(3872) K^+$, $X(3872) \rightarrow J/\psi \pi^0$. <i>Physical Review D</i> , 2006 , 74, | 4.9 | 106 |
| 147 | Search for the charmed pentaquark candidate $\bar{c}(3100)^0$ in e^+e^- annihilations at $s=10.58$ GeV. <i>Physical Review D</i> , 2006 , 73, | 4.9 | 10 |
| 146 | Search for the decay $B^0 \rightarrow a_1 \pi^0$. <i>Physical Review D</i> , 2006 , 74, | 4.9 | 12 |
| 145 | Measurement of CP observables for the decays $B_{\pm}^0 \rightarrow D^0 \rho^{\pm} K^{\mp}$. <i>Physical Review D</i> , 2006 , 73, | 4.9 | 12 |
| 144 | Search for the decay $B^0 \rightarrow 3\pi^0$. <i>Physical Review D</i> , 2006 , 73, | 4.9 | 4 |
| 143 | B meson decays to K^* , $\rho \pi$, and $\rho 0$. <i>Physical Review D</i> , 2006 , 74, | 4.9 | 14 |
| 142 | Performance and Aging Studies of BaBar Resistive Plate Chambers. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 2006 , 158, 139-142 | | 3 |
| 141 | A description of the ratio between electric and magnetic proton form factors by using space-like, time-like data and dispersion relations. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 2006 , 162, 46-52 | | 2 |
| 140 | A description of the ratio between electric and magnetic proton form factors by using space-like, time-like data and dispersion relations. <i>European Physical Journal C</i> , 2006 , 46, 421-428 | 4.2 | 21 |

| | | | |
|-----|---|-----|-----|
| 139 | Search for the rare decay $B_{\text{c}}^0 \rightarrow D^* \pi^0$ <i>Physical Review D</i> , 2005 , 72, | 4.9 | 1 |
| 138 | Measurement of the total width, the electronic width, and the mass of the $\Upsilon(10580)$ resonance. <i>Physical Review D</i> , 2005 , 72, | 4.9 | 23 |
| 137 | Time-integrated and time-dependent angular analyses of $B \rightarrow J/\psi K^0$ A measurement of $\cos 2\phi$ with no sign ambiguity from strong phases. <i>Physical Review D</i> , 2005 , 71, | 4.9 | 72 |
| 136 | Amplitude analysis of the decay $B_{\text{c}}^+ \rightarrow \pi^+ \pi^0$. <i>Physical Review D</i> , 2005 , 72, | 4.9 | 30 |
| 135 | Search for the rare decays $B^+ \rightarrow D^*(*) + K_S^0$. <i>Physical Review D</i> , 2005 , 72, | 4.9 | 5 |
| 134 | Dalitz plot analysis of $D^0 \rightarrow K^+ K^- K^0$ <i>Physical Review D</i> , 2005 , 72, | 4.9 | 18 |
| 133 | Search for the radiative decay $B^0 \rightarrow \gamma \pi^0$ <i>Physical Review D</i> , 2005 , 72, | 4.9 | 6 |
| 132 | Measurements of B meson decays to K^* and π <i>Physical Review D</i> , 2005 , 71, | 4.9 | 5 |
| 131 | Measurement of the $B^+ \rightarrow \rho^+ K^+$ branching fraction and study of the decay dynamics. <i>Physical Review D</i> , 2005 , 72, | 4.9 | 65 |
| 130 | Study of $B \rightarrow \pi$ and $B \rightarrow \eta$ decays and determination of $ V_{ub} $. <i>Physical Review D</i> , 2005 , 72, | 4.9 | 27 |
| 129 | Measurement of the $B_{\text{c}}^0 \rightarrow D^* + \pi^0$ decay rate and $ V_{cb} $. <i>Physical Review D</i> , 2005 , 71, | 4.9 | 12 |
| 128 | Study of $p\bar{p} \rightarrow$ two neutral pseudoscalar mesons at the $\Upsilon(13P0)$ formation energy. <i>Physical Review D</i> , 2005 , 72, | 4.9 | 3 |
| 127 | $e^+e^- \rightarrow \pi^+ \pi^- K^+ K^-$ and $K^+ K^- K^+ K^-$ cross sections at center-of-mass energies 0.54–1.5 GeV measured with initial-state radiation. <i>Physical Review D</i> , 2005 , 71, | 4.9 | 109 |
| 126 | Measurement of the time-dependent CP-violating asymmetry in $B^0 \rightarrow K_S^0 \pi^0$ decays. <i>Physical Review D</i> , 2005 , 72, | 4.9 | 22 |
| 125 | Measurement of CP observables for the decays $B_{\text{c}}^+ \rightarrow D^0 K^+ \pi^0$. <i>Physical Review D</i> , 2005 , 72, | 4.9 | 12 |
| 124 | Search for $b \rightarrow u$ transitions in $B_{\text{c}}^+ \rightarrow D^0 K^+$ and $B_{\text{c}}^+ \rightarrow D^* K^+$ <i>Physical Review D</i> , 2005 , 72, | 4.9 | 19 |
| 123 | Search for the W-exchange decays $B^0 \rightarrow D_s^*(*) D_s^*(*)^+$. <i>Physical Review D</i> , 2005 , 72, | 4.9 | 7 |
| 122 | Evidence for the decay $B_{\text{c}}^+ \rightarrow K^* \pi^0$. <i>Physical Review D</i> , 2005 , 71, | 4.9 | 10 |

| | | | |
|-----|--|-----|-----|
| 121 | Search for a charged partner of the X(3872) in the B meson decay $B \rightarrow X\bar{K}, X\bar{E}J/\psi$. <i>Physical Review D</i> , 2005 , 71, | 4.9 | 71 |
| 120 | Measurement of the branching fraction and the CP-violating asymmetry for the decay $B^0 \rightarrow KS^0$. <i>Physical Review D</i> , 2005 , 71, | 4.9 | 19 |
| 119 | Study of the $B \rightarrow 3h\bar{h} + \bar{h}$ decay. <i>Physical Review D</i> , 2005 , 72, | 4.9 | 13 |
| 118 | Measurement of CP asymmetries in $B^0 \rightarrow \pi^0 K^0$ and $B^0 \rightarrow K^+ K^- s^0$ decays. <i>Physical Review D</i> , 2005 , 71, | 4.9 | 36 |
| 117 | Results of a search for the $hc(P11)$ state of charmonium in the ψ' and J/ψ decay modes. <i>Physical Review D</i> , 2005 , 72, | 4.9 | 58 |
| 116 | Search for the decay $B \rightarrow 4\pi(0)$ <i>Physical Review D</i> , 2005 , 72, | 4.9 | 9 |
| 115 | Measurement of the branching fraction and decay rate asymmetry of $B \rightarrow D\pi K$ <i>Physical Review D</i> , 2005 , 72, | 4.9 | 3 |
| 114 | Dalitz-plot analysis of the decays $B \rightarrow K\pi\pi$. <i>Physical Review D</i> , 2005 , 72, | 4.9 | 89 |
| 113 | Study of b->c interference in the decay $B \rightarrow [K+\pi]DK^*$ <i>Physical Review D</i> , 2005 , 72, | 4.9 | 8 |
| 112 | Study of the $B \rightarrow J/\psi\pi$ decay and measurement of the $B \rightarrow X(3872)K$ branching fraction. <i>Physical Review D</i> , 2005 , 71, | 4.9 | 333 |
| 111 | Measurement of the $B^0 \rightarrow D^* D_s^{*+}$ and $D_s^{*+} \rightarrow \pi$ branching fractions. <i>Physical Review D</i> , 2005 , 71, | 4.9 | 25 |
| 110 | Measurement of double charmonium production in e^+e^- annihilations at $s=10.6$ GeV. <i>Physical Review D</i> , 2005 , 72, | 4.9 | 136 |
| 109 | Search for CP violation and a measurement of the relative branching fraction in $D^{*+} \rightarrow K\bar{K} + \pi$ decays. <i>Physical Review D</i> , 2005 , 71, | 4.9 | 16 |
| 108 | Measurement of the branching ratios $(D_s^{*+} \rightarrow D_s + \pi) / (D_s^{*+} \rightarrow D_s + \eta)$ and $(D^{*0} \rightarrow D^0 \pi) / (D^{*0} \rightarrow D^0 \eta)$ <i>Physical Review D</i> , 2005 , 72, | 4.9 | 11 |
| 107 | Measurement of the ratio $B(B \rightarrow D^* 0 K) / B(B \rightarrow D^* 0 \pi)$ and of the CP asymmetry of $B \rightarrow DCP^+ 0 K$ decays. <i>Physical Review D</i> , 2005 , 71, | 4.9 | 13 |
| 106 | Measurement of the resonance parameters of the (13P1) and (13P2) states of charmonium formed in antiproton-proton annihilations. <i>Nuclear Physics B</i> , 2005 , 717, 34-47 | 2.8 | 14 |
| 105 | Search for $B \rightarrow J/\psi$ decays. <i>Physical Review D</i> , 2005 , 71, | 4.9 | 8 |
| 104 | Measurement of the angular distribution in . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2005 , 610, 177-182 | 4.2 | 14 |

| | | | |
|-----|--|-----|-----|
| 103 | Performance of second generation BABAR resistive plate chambers. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2005 , 552, 276-291 | 1.2 | 14 |
| 102 | What can we learn about the ratio $ G_E^p(q^2)/G_M^p(q^2) $ by using space-like, time-like data and dispersion relations?. <i>Nuclear Physics A</i> , 2005 , 755, 286-289 | 1.3 | 8 |
| 101 | E835 at FNAL: Charmonium Spectroscopy in Annihilations. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 2005 , 142, 98-103 | | 4 |
| 100 | Precision measurement of the Ξ^+ baryon mass. <i>Physical Review D</i> , 2005 , 72, | 4.9 | 30 |
| 99 | Measurement of time-dependent CP asymmetries and the CP-odd fraction in the decay $B^0 \rightarrow D^*+D^{*-}$. <i>Physical Review Letters</i> , 2005 , 95, 151804 | 7.4 | 9 |
| 98 | Determination of $ V_{ub} $ from measurements of the electron and neutrino momenta in inclusive semileptonic B decays. <i>Physical Review Letters</i> , 2005 , 95, 111801 | 7.4 | 20 |
| 97 | Measurement of the branching fraction of $\Gamma(4S) \rightarrow B^0B^0$. <i>Physical Review Letters</i> , 2005 , 95, 042001 | 7.4 | 12 |
| 96 | Measurements of the branching fraction and CP-violation asymmetries in $B^0 \rightarrow f_0(980)K^0_S$. <i>Physical Review Letters</i> , 2005 , 94, 041802 | 7.4 | 20 |
| 95 | Limit on the $B^0 \rightarrow \rho^0\rho^0$ branching fraction and implications for the Cabibbo-Kobayashi-Maskawa angle α . <i>Physical Review Letters</i> , 2005 , 94, 131801 | 7.4 | 20 |
| 94 | Branching fraction and CP asymmetries of $B^0 \rightarrow K^0_S K^0_S K^0_S$. <i>Physical Review Letters</i> , 2005 , 95, 011801 | 7.4 | 12 |
| 93 | Measurements of the $B \rightarrow X_S \gamma$ branching fraction and photon spectrum from a sum of exclusive final states. <i>Physical Review D</i> , 2005 , 72, | 4.9 | 86 |
| 92 | Improved measurement of CP asymmetries in $B^0 \rightarrow (cc)K(0^{(*)})$ decays. <i>Physical Review Letters</i> , 2005 , 94, 161803 | 7.4 | 92 |
| 91 | Measurement of time-dependent CP-violating asymmetries and constraints on $\sin(2\beta)$ with partial reconstruction of $B \rightarrow D^* \pi$ decays. <i>Physical Review D</i> , 2005 , 71, | 4.9 | 23 |
| 90 | Observation of a broad structure in the $\pi^+ \pi^- J/\psi$ mass spectrum around 4.26 GeV/c ² . <i>Physical Review Letters</i> , 2005 , 95, 142001 | 7.4 | 526 |
| 89 | Measurement of time-dependent CP asymmetries in $B^0 \rightarrow D^{(*)+/-} D^{+/-}$ decays. <i>Physical Review Letters</i> , 2005 , 95, 131802 | 7.4 | 7 |
| 88 | Search for radiative penguin decays $B^{(+)} \rightarrow \rho^{(+)} \gamma$, $B^{(0)} \rightarrow \rho^{(0)} \gamma$, and $B^{(0)} \rightarrow \omega \gamma$. <i>Physical Review Letters</i> , 2005 , 94, 011801 | 7.4 | 11 |
| 87 | Search for lepton-flavor and lepton-number violation in the decay $\tau^{(-)} \rightarrow l^{(+)} h^{(-)} h'^{(-)}$. <i>Physical Review Letters</i> , 2005 , 95, 191801 | 7.4 | 32 |
| 86 | Production and decay of $\xi_c(0)$ at BABAR. <i>Physical Review Letters</i> , 2005 , 95, 142003 | 7.4 | 9 |

| | | | |
|----|--|-----|-----|
| 85 | Measurement of branching fractions and charge asymmetries for exclusive B decays to charmonium. <i>Physical Review Letters</i> , 2005 , 94, 141801 | 7.4 | 26 |
| 84 | Improved measurements of CP-violating asymmetry amplitudes in $B^0 \rightarrow \pi^+ \pi^-$ decays. <i>Physical Review Letters</i> , 2005 , 95, 151803 | 7.4 | 26 |
| 83 | Measurement of branching fractions and charge asymmetries in B^+ decays to $\eta \pi^+$, ηK^+ , $\eta \rho^+$, and $\eta' \pi^+$, and search for B^0 decays to ηK^0 and $\eta \omega$. <i>Physical Review Letters</i> , 2005 , 95, 131803 | 7.4 | 16 |
| 82 | Measurements of branching fractions and time-dependent CP-violating asymmetries in $B \rightarrow \eta' K$ decays. <i>Physical Review Letters</i> , 2005 , 94, 191802 | 7.4 | 36 |
| 81 | Search for lepton flavor violation in the decay $\tau_{\pm} \rightarrow \mu_{\pm} \gamma$. <i>Physical Review Letters</i> , 2005 , 95, 041802 | 7.4 | 121 |
| 80 | Improved Measurement of the Cabibbo-Kobayashi-Maskawa angle α using $B^0(B) \rightarrow \rho^+ \rho^-$ decays. <i>Physical Review Letters</i> , 2005 , 95, 041805 | 7.4 | 31 |
| 79 | Evidence for $B^+ \rightarrow K^0 K^+$ and $B^0 \rightarrow K^0 K^0$, and measurement of the branching fraction and search for direct CP violation in $B^+ \rightarrow K^0 \pi^+$. <i>Physical Review Letters</i> , 2005 , 95, 221801 | 7.4 | 8 |
| 78 | Measurement of the branching ratios $B \rightarrow e^+ e^- J/\psi$ and $B \rightarrow J/\psi$. <i>Physical Review D</i> , 2005 , 71, | 4.9 | 3 |
| 77 | Search for factorization-suppressed $B \rightarrow \chi(c) K^*$ decays. <i>Physical Review Letters</i> , 2005 , 94, 171801 | 7.4 | 11 |
| 76 | Branching fractions and CP asymmetries in $B^0 \rightarrow \pi^0 \pi^0$, $B^+ \rightarrow \pi^+ \pi^0$, and $B^+ \rightarrow K^+ \pi^0$ decays and isospin analysis of the $B \rightarrow \pi \pi$ system. <i>Physical Review Letters</i> , 2005 , 94, 181802 | 7.4 | 36 |
| 75 | Search for the decay $B^+ \rightarrow K^+ \nu \bar{\nu}$. <i>Physical Review Letters</i> , 2005 , 94, 101801 | 7.4 | 34 |
| 74 | Search for strange-pentaquark production in $e^+ e^-$ annihilation at $\sqrt{s} = 10.58$ GeV. <i>Physical Review Letters</i> , 2005 , 95, 042002 | 7.4 | 27 |
| 73 | Measurement of the Cabibbo-Kobayashi-Maskawa angle γ in $B^+ \rightarrow D^* K^+$ decays with a Dalitz analysis of $D \rightarrow K(S) \pi \pi^+$. <i>Physical Review Letters</i> , 2005 , 95, 121802 | 7.4 | 65 |
| 72 | Limits on the decay-rate difference of neutral B mesons and on CP, T, and CPT violation in $B^0 \bar{B}^0$ oscillations. <i>Physical Review D</i> , 2004 , 70, | 4.9 | 36 |
| 71 | Bound on the ratio of decay amplitudes for $B^0 \rightarrow J/\psi K^0$ and $B^0 \rightarrow J/\psi \bar{K}^0$. <i>Physical Review Letters</i> , 2004 , 93, 081801 | 7.4 | 4 |
| 70 | Measurement of the $B \rightarrow Xsl^+ l^-$ branching fraction with a sum over exclusive modes. <i>Physical Review Letters</i> , 2004 , 93, 081802 | 7.4 | 139 |
| 69 | Measurements of moments of the hadronic mass distribution in semileptonic B decays. <i>Physical Review D</i> , 2004 , 69, | 4.9 | 34 |
| 68 | Measurement of the inclusive charmless semileptonic branching ratio of B mesons and determination of $ V_{ub} $. <i>Physical Review Letters</i> , 2004 , 92, 071802 | 7.4 | 35 |

| | | | |
|----|--|-----|-----|
| 67 | Study of the $e^+e^- \rightarrow B^0$ process using initial state radiation with BABAR. <i>Physical Review D</i> , 2004 , 70, | 4.9 | 122 |
| 66 | Measurement of time-dependent CP asymmetries in $B^0 \rightarrow D^{(*)+} \pi^-$ decays and constraints on $\sin(2\beta + \gamma)$. <i>Physical Review Letters</i> , 2004 , 92, 251801 | 7.4 | 12 |
| 65 | Study of the decay $B^0(B^-) \rightarrow \rho^+ \rho^-$, and constraints on the Cabibbo-Kobayashi-Maskawa angle α . <i>Physical Review Letters</i> , 2004 , 93, 231801 | 7.4 | 35 |
| 64 | Measurement of time-dependent CP-violating asymmetries in $B^0 \rightarrow K^* \gamma (K^* \rightarrow K(0) \pi^0)$ decays. <i>Physical Review Letters</i> , 2004 , 93, 201801 | 7.4 | 13 |
| 63 | Measurement of branching fractions of color-suppressed decays of the B^0 meson to $D^{(*)} \pi^0$, $D^{(*)} \pi^+ \pi^-$ and $D^0 \pi^0$. <i>Physical Review D</i> , 2004 , 69, | 4.9 | 20 |
| 62 | Measurement of the branching fraction for $B^0 \rightarrow \rho^0 K^0$. <i>Physical Review D</i> , 2004 , 69, | 4.9 | 11 |
| 61 | Search for lepton-flavor violation in the decay $\tau \rightarrow l^+ l^- l$. <i>Physical Review Letters</i> , 2004 , 92, 121801 | 7.4 | 65 |
| 60 | Measurements of CP-violating asymmetries in $B^0 \rightarrow K(0)(s) \pi^0$ decays. <i>Physical Review Letters</i> , 2004 , 93, 131805 | 7.4 | 18 |
| 59 | Study of high momentum η' production in $B \rightarrow \eta' X_s$. <i>Physical Review Letters</i> , 2004 , 93, 061801 | 7.4 | 10 |
| 58 | Search for B^0 decays to invisible final states and to $\nu \nu \gamma$. <i>Physical Review Letters</i> , 2004 , 93, 091802 | 7.4 | 10 |
| 57 | Observation of $B^0 \rightarrow \omega K^0$, $B^+ \rightarrow \eta \pi^+$, and $B^+ \rightarrow \eta K^+$ and study of related decays. <i>Physical Review Letters</i> , 2004 , 92, 061801 | 7.4 | 18 |
| 56 | Observation of a narrow meson decaying to $D_s^+ \pi^-$ at a mass of $2.458 \text{ GeV}/c^2$. <i>Physical Review D</i> , 2004 , 69, | 4.9 | 71 |
| 55 | Measurement of the B^+/B^0 production ratio from the $\psi(4S)$ meson using $B^+ \rightarrow J/\psi K^+$ and $B^0 \rightarrow J/\psi K^0$ decays. <i>Physical Review D</i> , 2004 , 69, | 4.9 | 31 |
| 54 | Searches for B^0 decays to combinations of two charmless isoscalar mesons. <i>Physical Review Letters</i> , 2004 , 93, 181806 | 7.4 | 11 |
| 53 | Branching fractions and CP asymmetries in $B^0 \rightarrow K^+ K^- K^0 S$ and $B^+ \rightarrow K^+ K^0 S K^0 S$. <i>Physical Review Letters</i> , 2004 , 93, 181805 | 7.4 | 15 |
| 52 | Measurement of branching fractions and charge asymmetries in $B^+ \rightarrow \rho^+ \pi^0$ and $B^+ \rightarrow \rho^0 \pi^+$ decays, and search for $B^0 \rightarrow \rho^0 \pi^0$. <i>Physical Review Letters</i> , 2004 , 93, 051802 | 7.4 | 24 |
| 51 | Search for B-meson decays to two-body final states with $a_0(980)$ mesons. <i>Physical Review D</i> , 2004 , 70, | 4.9 | 13 |
| 50 | Measurement of the direct CP asymmetry in $b \rightarrow s \gamma$ Decays. <i>Physical Review Letters</i> , 2004 , 93, 021804 | 7.4 | 25 |

| | | | |
|----|--|-----|----|
| 49 | Observation of the decay $B_0 \rightarrow \bar{D}^0 \pi^0$ and measurement of the branching fraction and polarization. <i>Physical Review D</i> , 2004 , 69, | 4.9 | 26 |
| 48 | Measurement of branching fractions and CP and isospin asymmetries for $B \rightarrow K^* \pi$. <i>Physical Review D</i> , 2004 , 70, | 4.9 | 47 |
| 47 | Limits on the decay-rate difference of neutral B mesons and on CP, T, and CPT violation in $B(0-0)B$ oscillations. <i>Physical Review Letters</i> , 2004 , 92, 181801 | 7.4 | 30 |
| 46 | Search for the rare leptonic decay $B_{u,d} \rightarrow \mu^+ \nu(\mu)$. <i>Physical Review Letters</i> , 2004 , 92, 221803 | 7.4 | 5 |
| 45 | Observation of the decay $B \rightarrow J/\psi \eta' K$ and search for $X(3872) \rightarrow J/\psi \eta'$. <i>Physical Review Letters</i> , 2004 , 93, 041801 | 7.4 | 50 |
| 44 | Measurements of neutral B decay branching fractions to KS_0 final states. <i>Physical Review D</i> , 2004 , 70, | 4.9 | 2 |
| 43 | Measurement of the average Γ multiplicity in B meson decay. <i>Physical Review D</i> , 2004 , 69, | 4.9 | 1 |
| 42 | Determination of the Branching Fraction for $B \rightarrow X_c D$ Decays and of $ V_{cb} $ from Hadronic-Mass and Lepton-Energy Moments. <i>Physical Review Letters</i> , 2004 , 93, | 7.4 | 57 |
| 41 | Measurements of branching fractions in $B \rightarrow K$ and $B \rightarrow \bar{D}^0$ and search for direct CP violation in $B \rightarrow \bar{D}^0 K$. <i>Physical Review D</i> , 2004 , 69, | 4.9 | 17 |
| 40 | Study of $B_{u,d} \rightarrow J/\psi \pi^{\pm}$ and $B_{u,d} \rightarrow J/\psi K^{\pm}$ decays: measurement of the ratio of branching fractions and search for direct CP violation. <i>Physical Review Letters</i> , 2004 , 92, 241802 | 7.4 | 13 |
| 39 | Measurement of the $B_0 \rightarrow \pi K^0$ decay amplitudes. <i>Physical Review Letters</i> , 2004 , 93, 231804 | 7.4 | 66 |
| 38 | Measurement of the branching fractions for inclusive B and B^0 decays to flavor-tagged D, Ds, and \bar{D} . <i>Physical Review D</i> , 2004 , 70, | 4.9 | 9 |
| 37 | Search for flavor-changing neutral current and Lepton-flavor violating decays of $D_0 \rightarrow l^+ l^-$. <i>Physical Review Letters</i> , 2004 , 93, 191801 | 7.4 | 14 |
| 36 | Study of $B \rightarrow D^{(*)} s J + D^{(*)}$ decays. <i>Physical Review Letters</i> , 2004 , 93, 181801 | 7.4 | 48 |
| 35 | Measurements of branching fractions and CP-violating asymmetries in B meson decays to charmless two-body states containing a $K(0)$. <i>Physical Review Letters</i> , 2004 , 92, 201802 | 7.4 | 12 |
| 34 | Search for $D_0 D^0$ mixing using semileptonic decay modes. <i>Physical Review D</i> , 2004 , 70, | 4.9 | 20 |
| 33 | Branching fraction measurements of $B \rightarrow \bar{D}^0 K$ decays. <i>Physical Review D</i> , 2004 , 70, | 4.9 | 9 |
| 32 | Search for $B_{u,d} \rightarrow [K(-/+)\pi(+/-)](D)K^{\pm}$ and upper limit on the $b \rightarrow u$ amplitude in $B_{u,d} \rightarrow DK^{\pm}$. <i>Physical Review Letters</i> , 2004 , 93, 131804 | 7.4 | 5 |

| | | | |
|----|---|-----|-----|
| 31 | Measurement of the branching fraction and polarization for the decay $B \rightarrow D^* 0 K^{*-}$. <i>Physical Review Letters</i> , 2004 , 92, 141801 | 7.4 | 8 |
| 30 | Measurement of the time-dependent CP asymmetry in the $B_0 \rightarrow \phi K_0$ decay. <i>Physical Review Letters</i> , 2004 , 93, 071801 | 7.4 | 17 |
| 29 | Direct CP violating asymmetry in $B_0 \rightarrow K + \pi$ decays. <i>Physical Review Letters</i> , 2004 , 93, 131801 | 7.4 | 136 |
| 28 | Measurement of $\sin 2\beta$ with hadronic and previously unused muonic J/ψ decays. <i>Physical Review D</i> , 2004 , 69, | 4.9 | 2 |
| 27 | Measurement of time-dependent CP asymmetries and constraints on $\sin(2\beta + \gamma)$ with partial reconstruction of $B_0 \rightarrow D^{*-} + \pi^{\pm}$ decays. <i>Physical Review Letters</i> , 2004 , 92, 251802 | 7.4 | 12 |
| 26 | Measurements of the branching fractions of charged B decays to $K \pi \pi$ final states. <i>Physical Review D</i> , 2004 , 70, | 4.9 | 23 |
| 25 | Measurement of the electron energy spectrum and its moments in inclusive $B \rightarrow X e \ell$ decays. <i>Physical Review D</i> , 2004 , 69, | 4.9 | 59 |
| 24 | Measurement of the $B_0 \rightarrow K_2^*(1430) 0$ and $B^+ \rightarrow K_2^*(1430)^+$ branching fractions. <i>Physical Review D</i> , 2004 , 70, | 4.9 | 24 |
| 23 | Search for the decay $B_0 \rightarrow J/\psi$. <i>Physical Review D</i> , 2004 , 70, | 4.9 | 9 |
| 22 | J/ψ production via initial state radiation in $e^+e^- \rightarrow \mu^+\mu^-$ at an e^+e^- center-of-mass energy near 10.6 GeV. <i>Physical Review D</i> , 2004 , 69, | 4.9 | 44 |
| 21 | Measurement of the branching fractions and CP asymmetry of $B \rightarrow D(0) ((CP)) K^-$ decays with the BABAR detector. <i>Physical Review Letters</i> , 2004 , 92, 202002 | 7.4 | 10 |
| 20 | Measurements of the mass and width of the $\eta(c)$ meson and of an $\eta(c)(2S)$ candidate. <i>Physical Review Letters</i> , 2004 , 92, 142002 | 7.4 | 76 |
| 19 | E835 at FNAL: Charmonium Spectroscopy in $p \bar{p}$ Annihilations. <i>AIP Conference Proceedings</i> , 2004 , | 0 | 5 |
| 18 | Recent results from FNAL E835 on the study of charmonium states in annihilations. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 2004 , 126, 250-254 | | 1 |
| 17 | Experiment E835 at Fermilab. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2004 , 519, 558-609 | 1.2 | 23 |
| 16 | Measurement of the two photon decay of the $\psi(13P_0)$ state of charmonium. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2004 , 584, 16-21 | 4.2 | 7 |
| 15 | B meson decays to $(P)K^*$, $(P)\pi(P)0$, 0 , and 0 . <i>Physical Review D</i> , 2004 , 70, | 4.9 | 56 |
| 14 | Measurements of the magnetic form factor of the proton for timelike momentum transfers. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2003 , 559, 20-25 | 4.2 | 59 |

| | | | |
|----|--|-----|-----|
| 13 | Measurement of the resonance parameters of the charmonium ground state, $\bar{\chi}(11S0)$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2003 , 566, 45-50 | 4.2 | 12 |
| 12 | Observation of a narrow meson state decaying to $D^{(*)}(\pi^0)$ at a mass of 2.32 GeV/c ² . <i>Physical Review Letters</i> , 2003 , 90, 242001 | 7.4 | 509 |
| 11 | Observation of a significant excess of $\pi^0\pi^0$ events in B meson decays. <i>Physical Review Letters</i> , 2003 , 91, 241801 | 7.4 | 34 |
| 10 | Limits on D^0 - \bar{D}^0 mixing and CP violation from the ratio of lifetimes for decay to $K\pi^+$, $K\bar{K}^+$, and $\pi^-\pi^+$. <i>Physical Review Letters</i> , 2003 , 91, 121801 | 7.4 | 33 |
| 9 | Measurements of branching fractions and CP-violating asymmetries in $B^0 \rightarrow \rho^{(\pm)}h^{(\mp)}$ decays. <i>Physical Review Letters</i> , 2003 , 91, 201802 | 7.4 | 46 |
| 8 | Interference study of the $\chi_{c0}(13P0)$ in the reaction $pp \rightarrow \pi^0\pi^0$. <i>Physical Review Letters</i> , 2003 , 91, 091801 | 7.4 | 11 |
| 7 | Rates, polarizations, and asymmetries in charmless vector-vector B meson decays. <i>Physical Review Letters</i> , 2003 , 91, 171802 | 7.4 | 117 |
| 6 | Evidence for the rare decay $B \rightarrow K^*l^+l^-$ and measurement of the $B \rightarrow Kl^+l^-$ branching fraction. <i>Physical Review Letters</i> , 2003 , 91, 221802 | 7.4 | 55 |
| 5 | Measurement of time-dependent CP asymmetries and the CP-odd fraction in the decay $B^0 \rightarrow D^{(*)}D^{(*)}$. <i>Physical Review Letters</i> , 2003 , 91, 131801 | 7.4 | 13 |
| 4 | New measurements of the resonance parameters of the $\bar{\chi}_0(13P0)$ state of charmonium. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2002 , 533, 237-242 | 4.2 | 28 |
| 3 | E835 at FNAL: Charmonium spectroscopy in annihilations. <i>Nuclear Physics A</i> , 2001 , 692, 308-314 | 1.3 | 2 |
| 2 | The new scintillating fiber detector of E835 at Fermilab. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2001 , 461, 219-221 ^{1,2} | | 1 |
| 1 | The new scintillating fiber detector of E835 at Fermilab. <i>IEEE Transactions on Nuclear Science</i> , 2001 , 48, 1122-1126 | 1.7 | 2 |