Xiaokai Song

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7229756/publications.pdf Version: 2024-02-01

	257101	433756
1,637	24	31
citations	h-index	g-index
113	113	807
docs citations	times ranked	citing authors
	1,637 citations 113 docs citations	1,63724citationsh-index113113docs citationstimes ranked

#	Article	IF	CITATIONS
1	Proteomic Analysis of the Excretory and Secretory Proteins of Haemonchus contortus (HcESP) Binding to Goat PBMCs In Vivo Revealed Stage-Specific Binding Profiles. PLoS ONE, 2016, 11, e0159796.	1.1	65
2	The optimal immunization procedure of DNA vaccine pcDNA–TA4–IL-2 of Eimeria tenella and its cross-immunity to Eimeria necatrix and Eimeria acervulina. Veterinary Parasitology, 2009, 159, 30-36.	0.7	61
3	Arginine kinase from Haemonchus contortus decreased the proliferation and increased the apoptosis of goat PBMCs in vitro. Parasites and Vectors, 2017, 10, 311.	1.0	42
4	Transcriptional and proteomic analysis reveal recombinant galectins of Haemonchus contortus down-regulated functions of goat PBMC and modulation of several signaling cascades in vitro. Journal of Proteomics, 2014, 98, 123-137.	1.2	41
5	Transmembrane protein 63A is a partner protein of Haemonchus contortus galectin in the regulation of goat peripheral blood mononuclear cells. Parasites and Vectors, 2015, 8, 211.	1.0	37
6	Detection of Toxoplasma gondii in shellfish and fish in parts of China. Veterinary Parasitology, 2014, 200, 85-89.	0.7	35
7	Construction of DNA vaccines encoding Eimeria acervulina cSZ-2 with chicken IL-2 and IFN-Î ³ and their efficacy against poultry coccidiosis. Research in Veterinary Science, 2011, 90, 72-77.	0.9	33
8	Identification and Molecular Characterization of Microneme 5 of Eimeria acervulina. PLoS ONE, 2014, 9, e115411.	1.1	31
9	Proteomic analysis of Eimeria acervulina sporozoite proteins interaction with duodenal epithelial cells by shotgun LC–MS/MS. Molecular and Biochemical Parasitology, 2015, 202, 29-33.	0.5	31
10	Protective immunity induced by Eimeria common antigen 14–3-3 against Eimeria tenella, Eimeria acervulina and Eimeria maxima. BMC Veterinary Research, 2018, 14, 337.	0.7	31
11	Changes of cytokines and IgG antibody in chickens vaccinated with DNA vaccines encoding Eimeria acervulina lactate dehydrogenase. Veterinary Parasitology, 2010, 173, 219-227.	0.7	30
12	Characterization of a secreted cystatin of the parasitic nematode Haemonchus contortus and its immune-modulatory effect on goat monocytes. Parasites and Vectors, 2017, 10, 425.	1.0	30
13	Recombinant <i>Haemonchus contortus</i> 24 kDa excretory/secretory protein (rHcES-24) modulate the immune functions of goat PBMCs <i>in vitro</i> . Oncotarget, 2016, 7, 83926-83937.	0.8	29
14	Protective Efficacy of Coccidial Common Antigen Glyceraldehyde 3-Phosphate Dehydrogenase (GAPDH) against Challenge with Three Eimeria Species. Frontiers in Microbiology, 2017, 8, 1245.	1.5	29
15	Induction of protective immunity against Eimeria tenella, Eimeria necatrix, Eimeria maxima and Eimeria acervulina infections using multivalent epitope DNA vaccines. Vaccine, 2015, 33, 2764-2770.	1.7	28
16	Transmembrane protein 147 (TMEM147): another partner protein of Haemonchus contortus galectin on the goat peripheral blood mononuclear cells (PBMC). Parasites and Vectors, 2016, 9, 355.	1.0	28
17	The Serine/Threonine-Protein Phosphatase 1 From Haemonchus contortus Is Actively Involved in Suppressive Regulatory Roles on Immune Functions of Goat Peripheral Blood Mononuclear Cells. Frontiers in Immunology, 2018, 9, 1627.	2.2	28
18	Efficacy of chimeric DNA vaccines encoding Eimeria tenella 5401 and chicken IFN-Î ³ or IL-2 against coccidiosis in chickens. Experimental Parasitology, 2015, 156, 19-25.	0.5	26

#	Article	IF	CITATIONS
19	Immune protection of microneme 7 (EmMIC7) against <i>Eimeria maxima</i> challenge in chickens. Avian Pathology, 2015, 44, 392-400.	0.8	26
20	Partial protection against four species of chicken coccidia induced by multivalent subunit vaccine. Veterinary Parasitology, 2015, 212, 80-85.	0.7	26
21	Immune protection duration and efficacy stability of DNA vaccine encoding Eimeria tenella TA4 and chicken IL-2 against coccidiosis. Research in Veterinary Science, 2017, 111, 31-35.	0.9	26
22	Analysis of humoral immune response and cytokines in chickens vaccinated with Eimeria brunetti apical membrane antigen-1 (EbAMA1) DNA vaccine. Experimental Parasitology, 2014, 144, 65-72.	0.5	25
23	Identification of common immunodominant antigens of Eimeria tenella, Eimeria acervulina and Eimeria maxima by immunoproteomic analysis. Oncotarget, 2017, 8, 34935-34945.	0.8	25
24	Immunoglobulin and cytokine changes induced following immunization with a DNA vaccine encoding Toxoplasma gondii selenium-dependent glutathione reductase protein. Experimental Parasitology, 2014, 146, 1-10.	0.5	24
25	Toxoplasma gondii Elongation Factor 1-Alpha (TgEF-1α) Is a Novel Vaccine Candidate Antigen against Toxoplasmosis. Frontiers in Microbiology, 2017, 08, 168.	1.5	24
26	The N- and C-terminal carbohydrate recognition domains of Haemonchus contortus galectin bind to distinct receptors of goat PBMC and contribute differently to its immunomodulatory functions in host-parasite interactions. Parasites and Vectors, 2017, 10, 409.	1.0	24
27	Construction of Eimeria tenella multi-epitope DNA vaccines and their protective efficacies against experimental infection. Veterinary Immunology and Immunopathology, 2015, 166, 79-87.	0.5	23
28	Recombinant protein of Haemonchus contortus 14-3-3 isoform 2 (rHcftt-2) decreased the production of IL-4 and suppressed the proliferation of goat PBMCs inÂvitro. Experimental Parasitology, 2016, 171, 57-66.	0.5	23
29	Advances in the Development of Anti-Haemonchus contortus Vaccines: Challenges, Opportunities, and Perspectives. Vaccines, 2020, 8, 555.	2.1	23
30	The molecular characterization and immune protection of microneme 2 of Eimeria acervulina. Veterinary Parasitology, 2016, 215, 96-105.	0.7	21
31	Identification of differentially expressed proteins between free-living and activated third-stage larvae of Haemonchus contortus. Veterinary Parasitology, 2016, 215, 72-77.	0.7	21
32	Molecular characterisation and the protective immunity evaluation of Eimeria maxima surface antigen gene. Parasites and Vectors, 2018, 11, 325.	1.0	21
33	Eimeria maxima microneme protein 2 delivered as DNA vaccine and recombinant protein induces immunity against experimental homogenous challenge. Parasitology International, 2015, 64, 408-416.	0.6	19
34	HcTTR: a novel antagonist against goat interleukin 4 derived from the excretory and secretory products of Haemonchus contortus. Veterinary Research, 2019, 50, 42.	1.1	19
35	Proteomic analysis revealed T cell hyporesponsiveness induced by Haemonchus contortus excretory and secretory proteins. Veterinary Research, 2020, 51, 65.	1.1	19
36	Galectin Domain Containing Protein from Haemonchus contortus Modulates the Immune Functions of Goat PBMCs and Regulates CD4+ T-Helper Cells In Vitro. Biomolecules, 2020, 10, 116.	1.8	19

#	Article	IF	CITATIONS
37	The Molecular Characterization and Immunity Identification of Microneme 3 of <i>Eimeria acervulina</i> . Journal of Eukaryotic Microbiology, 2016, 63, 709-721.	0.8	18
38	Protective immunity against Eimeria maxima induced by vaccines of Em14-3-3 antigen. Veterinary Parasitology, 2018, 253, 79-86.	0.7	18
39	The molecular characterization and protective efficacy of microneme 3 of Eimeria mitis in chickens. Veterinary Parasitology, 2018, 258, 114-123.	0.7	18
40	Hepatocellular carcinoma-associated antigen 59 of Haemonchus contortus modulates the functions of PBMCs and the differentiation and maturation of monocyte-derived dendritic cells of goats in vitro. Parasites and Vectors, 2019, 12, 105.	1.0	18
41	Characterization of a secreted macrophage migration inhibitory factor homologue of the parasitic nematode Haemonchus Contortus acting at the parasite-host cell interface. Oncotarget, 2017, 8, 40052-40064.	0.8	18
42	Proteomic analysis of protein interactions between Eimeria maxima sporozoites and chicken jejunal epithelial cells by shotgun LC-MS/MS. Parasites and Vectors, 2018, 11, 226.	1.0	16
43	EtMIC3 and its receptors BAG1 and ENDOUL are essential for site-specific invasion of Eimeria tenella in chickens. Veterinary Research, 2020, 51, 90.	1.1	15
44	Identification and immunogenicity of microneme protein 2 (EbMIC2) of Eimeria brunetti. Experimental Parasitology, 2016, 162, 7-17.	0.5	14
45	Immunological changes induced by Toxoplasma gondii Glutathione-S-Transferase (TgGST) delivered as a DNA vaccine. Research in Veterinary Science, 2015, 99, 157-164.	0.9	13
46	Combined Use of Indirect ELISA and Western Blotting with Recombinant Hepatocellular Carcinoma-Associated Antigen 59 Is a Potential Immunodiagnostic Tool for the Detection of Prepatent Haemonchus contortus Infection in Goat. Animals, 2019, 9, 548.	1.0	13
47	Immunodiagnostic potential of recombinant tropomyosin during prepatent Haemonchus contortus infection in goat. Research in Veterinary Science, 2020, 128, 197-204.	0.9	13
48	Characterization of Haemonchus contortus Excretory/Secretory Antigen (ES-15) and Its Modulatory Functions on Goat Immune Cells In Vitro. Pathogens, 2020, 9, 162.	1.2	13
49	A Novel α/β Hydrolase Domain Protein Derived From Haemonchus contortus Acts at the Parasite-Host Interface. Frontiers in Immunology, 2020, 11, 1388.	2.2	13
50	Haemonchus contortus transthyretin domain - containing protein (HcTTR): A promising vaccine candidate against Haemonchus contortus infection. Veterinary Parasitology, 2020, 279, 109045.	0.7	13
51	<i>Toxoplasma gondii</i> excretory/secretory antigens (TgESAs) suppress pro-inflammatory cytokine secretion by inhibiting TLR-induced NF-I®B activation in LPS-stimulated murine macrophages. Oncotarget, 2017, 8, 88351-88359.	0.8	13
52	Recombinant protein of <i>Haemonchus contortus</i> small GTPase ADP-ribosylation factor 1 (HcARF1) modulate the cell mediated immune response <i>in vitro</i> . Oncotarget, 2017, 8, 112211-112221.	0.8	13
53	Protective immunity against acute toxoplasmosis in BALB/c mice induced by a DNA vaccine encoding Toxoplasma gondii elongation factor 1-alpha. BMC Infectious Diseases, 2015, 15, 448.	1.3	11
54	Characterization of a novel aspartyl protease inhibitor from Haemonchus contortus. Parasites and Vectors, 2017, 10, 191.	1.0	11

#	Article	IF	CITATIONS
55	Recombinant Miro domain-containing protein of Haemonchus contortus (rMiro-1) activates goat peripheral blood mononuclear cells in vitro. Veterinary Parasitology, 2017, 243, 100-104.	0.7	11
56	Optimization of Immunization Procedure for Eimeria tenella DNA Vaccine pVAX1-pEtK2-IL-2 and Its Stability. Acta Parasitologica, 2019, 64, 745-752.	0.4	11
57	Y75B8A.8 (HC8) protein of Haemonchus contortus : A functional inhibitor of host ILâ€2. Parasite Immunology, 2019, 41, e12625.	0.7	11
58	Haemonchus contortus: siRNA mediated knockdown of matrix metalloproteinase 12A (MMP-12) results in reduction of infectivity. Parasites and Vectors, 2020, 13, 151.	1.0	11
59	Eimeria maxima Rhomboid-like Protein 5 Provided Partial Protection against Homologous Challenge in Forms of Recombinant Protein and DNA Plasmid in Chickens. Vaccines, 2022, 10, 32.	2.1	10
60	Evaluation of the persistence, integration, histopathology and environmental release of DNA vaccine encoding Eimeria tenella TA4 and chicken IL-2. Veterinary Parasitology, 2016, 229, 22-30.	0.7	9
61	Molecular cloning of enolase from Trichinella spiralis and the protective immunity in mice. Acta Parasitologica, 2018, 63, 252-260.	0.4	9
62	Recombinant ubiquitin-conjugating enzyme of Eimeria maxima induces immunogenic maturation in chicken splenic-derived dendritic cells and drives Th1 polarization in-vitro. Microbial Pathogenesis, 2020, 143, 104162.	1.3	9
63	Immunization of Goats with Recombinant Protein 14-3-3 Isoform 2(rHcftt-2) Induced Moderate Protection against Haemonchus contortus Challenge. Pathogens, 2020, 9, 46.	1.2	9
64	Immunomodulatory dynamics of excretory and secretory products on Th9 immune response during Haemonchus contortusÂinfection in goat. PLoS Neglected Tropical Diseases, 2020, 14, e0008218.	1.3	9
65	Protection studies of an excretory–secretory protein HcABHD against Haemonchus contortus infection. Veterinary Research, 2021, 52, 3.	1.1	9
66	Poly (D, L-lactide-co-glycolide) delivery system improve the protective efficacy of recombinant antigen TA4 against Eimeria tenella infection. Poultry Science, 2021, 100, 101083.	1.5	9
67	A multiepitope vaccine encoding four Eimeria epitopes with PLGA nanospheres: a novel vaccine candidate against coccidiosis in laying chickens. Veterinary Research, 2022, 53, 27.	1.1	9
68	Chicken mannose-binding lectin function in relation to antibacterial activity towards Salmonella enterica. Immunobiology, 2015, 220, 555-563.	0.8	8
69	Effects of Recombinant Toxoplasma gondii Citrate Synthase I on the Cellular Functions of Murine Macrophages In vitro. Frontiers in Microbiology, 2017, 8, 1376.	1.5	8
70	Unveiling the immunomodulatory properties of Haemonchus contortus adhesion regulating molecule 1 interacting with goat T cells. Parasites and Vectors, 2020, 13, 424.	1.0	8
71	Protective Efficacy of Rhomboid-Like Protein 3 as a Candidate Antigen Against Eimeria maxima in Chickens. Frontiers in Microbiology, 2021, 12, 614229.	1.5	8
72	Nano vaccines for T. gondii Ribosomal P2 Protein With Nanomaterials as a Promising DNA Vaccine Against Toxoplasmosis. Frontiers in Immunology, 2022, 13, 839489.	2.2	8

#	Article	IF	CITATIONS
73	Characterization of a rhodanese homologue from Haemonchus contortus and its immune-modulatory effects on goat immune cells in vitro. Parasites and Vectors, 2020, 13, 454.	1.0	7
74	Modulation Effects of Toxoplasma gondii Histone H2A1 on Murine Macrophages and Encapsulation with Polymer as a Vaccine Candidate. Vaccines, 2020, 8, 731.	2.1	7
75	Recombinant Toxoplasma gondii Ribosomal Protein P2 Modulates the Functions of Murine Macrophages In Vitro and Provides Immunity against Acute Toxoplasmosis In Vivo. Vaccines, 2021, 9, 357.	2.1	7
76	Identification of immune protective genes of Eimeria maxima through cDNA expression library screening. Parasites and Vectors, 2017, 10, 85.	1.0	6
77	Unveiling the Immunomodulatory Characteristics of Haemonchus contortus Ephrin Domain Containing Protein in the Parasiteâ ϵ "Host Interactions. Animals, 2020, 10, 2137.	1.0	6
78	Molecular characterization of a potential receptor of <i>Eimeria acervulina</i> microneme protein 3 from chicken duodenal epithelial cells. Parasite, 2020, 27, 18.	0.8	6
79	Recombinant elongation factor 1 alpha ofHaemonchus contortusaffects the functions of goat PBMCs. Parasite Immunology, 2020, 42, e12703.	0.7	6
80	Identification of a novel methyltransferase-type 12 protein from Haemonchus contortus and its effects on functions of goat PBMCs. Parasites and Vectors, 2020, 13, 154.	1.0	6
81	With Chitosan and PLGA as the Delivery Vehicle, Toxoplasma gondii Oxidoreductase-Based DNA Vaccines Decrease Parasite Burdens in Mice. Frontiers in Immunology, 2021, 12, 726615.	2.2	6
82	InÂvitro effects of 5 recombinant antigens of Eimeria maxima on maturation, differentiation, and immunogenic functions of dendritic cells derived from chicken spleen. Poultry Science, 2020, 99, 5331-5343.	1.5	5
83	Nanoparticles (PLGA and Chitosan)-Entrapped ADP-Ribosylation Factor 1 of Haemonchus contortus Enhances the Immune Responses in ICR Mice. Vaccines, 2020, 8, 726.	2.1	5
84	Development and Potential Application of Ras Domain Containing Protein from Haemonchus contortus for Diagnosis of Goat Infection. Animals, 2020, 10, 138.	1.0	5
85	Rhomboid protein 2 of Eimeria maxima provided partial protection against infection by homologous species. Veterinary Research, 2021, 52, 29.	1.1	5
86	Haemonchus contortus hepatocellular carcinoma-associated antigen 59 with poly (lactic-co-glycolic) Tj ETQq0 0 Parasitology, 2021, 292, 109398.	0 rgBT /0 0.7	verlock 10 Tf 5
87	Nanoparticles of Chitosan/Poly(D,L-Lactide-Co-Glycolide) Enhanced the Immune Responses of Haemonchus contortus HCA59 Antigen in Model Mice. International Journal of Nanomedicine, 2021, Volume 16, 3125-3139.	3.3	5
88	The excretory–secretory antigen HcADRM1 to generate protective immunity against Haemonchus contortus. Parasitology, 2021, 148, 1497-1508.	0.7	5
89	Modulation of goat monocyte function by HCcyst-2, a secreted cystatin from Haemonchus contortus. Oncotarget, 2017, 8, 44108-44120.	0.8	5
90	Em14-3-3 delivered by PLGA and chitosan nanoparticles conferred improved protection in chicken against Eimeria maxima. Parasitology Research, 2022, 121, 675-689.	0.6	5

#	Article	IF	CITATIONS
91	<i>Toxoplasma gondii</i> Histone 4 Affects Some Functions of Murine Anaâ€1 Macrophages In Vitro. Journal of Eukaryotic Microbiology, 2018, 65, 860-869.	0.8	4
92	Succinate Coenzyme A Ligase Beta-Like Protein from Trichinella spiralis Suppresses the Immune Functions of Rat PBMCs in Vitro and Inhibits the Secretions of Interleukin-17 in Vivo. Vaccines, 2019, 7, 167.	2.1	4
93	Glyceraldehyde-3-phosphate dehydrogenase from Eimeria acervulina modulates the functions of chicken dendritic cells to boost Th1 type immune response and stimulates autologous CD4+ T cells differentiation in-vitro. Veterinary Research, 2020, 51, 138.	1.1	4
94	Adhesion-Regulating Molecule from Haemonchus contortus: Potential Antigen for Diagnosis of Early Infection in Goats. Pathogens, 2020, 9, 34.	1.2	4
95	Characterization of Membrane-Associated Progesterone Receptor Component-2 (MAPRC2) from Trichinella spiralis and Its Interaction with Progesterone and Mifepristone. Vaccines, 2021, 9, 934.	2.1	4
96	Characteristics of Biotin lipoyl attachment and 2â€oxoacid dehydrogenase acyltransferase of the parasitic nematode Haemonchus contortus and its modulatory functions on goat PBMCs in vitro. Parasite Immunology, 2021, 43, e12895.	0.7	4
97	In vitro characterization of Haemonchus contortus trehalose-6-phosphate phosphatase and its immunomodulatory effects on peripheral blood mononuclear cells (PBMCs). Parasites and Vectors, 2021, 14, 611.	1.0	4
98	Protective immunity against acute toxoplasmosis in BALB/c mice induced by a DNA vaccine encoding Toxoplasma gondii 10kDa excretory–secretory antigen (TgESA10). Veterinary Parasitology, 2015, 214, 40-48.	0.7	3
99	HcFAR, a functional inhibitor of goat TGF-β1 identified from excretory and secretory products of Haemonchus contortus. Veterinary Parasitology, 2020, 286, 109236.	0.7	3
100	Tropomyosin: An Excretory/Secretory Protein from Haemonchus contortus Mediates the Immuno-Suppressive Potential of Goat Peripheral Blood Mononuclear Cells In Vitro. Vaccines, 2020, 8, 109.	2.1	3
101	Actin-depolymerizing factor from Eimeria tenella promotes immunogenic function of chicken dendritic cells. Parasitology Research, 2021, 120, 579-592.	0.6	3
102	Nano DNA Vaccine Encoding Toxoplasma gondii Histone Deacetylase SIR2 Enhanced Protective Immunity in Mice. Pharmaceutics, 2021, 13, 1582.	2.0	3
103	The GT1-TPS Structural Domain Protein From Haemonchus contortus Could Be Suppressive Antigen of Goat PBMCs. Frontiers in Immunology, 2021, 12, 787091.	2.2	3
104	Immunization With Recombinant Haemonchus contortus Y75B8A.8 Partially Protects Local Crossbred Female Goats From Haemonchus contortus Infection. Frontiers in Veterinary Science, 2022, 9, 765700.	0.9	3
105	Molecular Docking and In Silico Simulation of Trichinella spiralis Membrane-Associated Progesterone Receptor Component 2 (Ts-MAPRC2) and Its Interaction with Human PGRMC1. BioMed Research International, 2022, 2022, 1-10.	0.9	3
106	Characterization of a phosphotyrosyl phosphatase activator homologue of the parasitic nematode Haemonchus contortus and its immunomodulatory effect on goat peripheral blood mononuclear cells in vitro. International Journal for Parasitology, 2020, 50, 1157-1166.	1.3	2
107	Modulatory functions of recombinant electron transfer flavoprotein α subunit protein from Haemonchus contortus on goat immune cells in vitro. Veterinary Parasitology, 2020, 288, 109300.	0.7	2
108	Recombinant cold shock domain containing protein is a potential antigen to detect specific antibody during early and late infections of Haemonchus contortus in goat. BMC Veterinary Research, 2020, 16, 36.	0.7	2

#	Article	IF	CITATIONS
109	Toxoplasma gondii Proteasome Subunit Alpha Type 1 with Chitosan: A Promising Alternative to Traditional Adjuvant. Pharmaceutics, 2021, 13, 752.	2.0	2
110	Histone deacetylase SIR2 in Toxoplasma gondii modulates functions of murine macrophages in vitro and protects mice against acute toxoplasmosis in vivo. Microbial Pathogenesis, 2021, 154, 104835.	1.3	2
111	Trichinella spiralis: Knockdown of gamma interferon inducible lysosomal thiol reductase (GILT) results in the reduction of worm burden. PLoS Neglected Tropical Diseases, 2021, 15, e0009958.	1.3	2
112	Proteomics analysis reveals that the proto-oncogene eIF-5A indirectly influences the growth, invasion and replication of Toxoplasma gondii tachyzoite. Parasites and Vectors, 2021, 14, 283.	1.0	1
113	Recombinant dynein light intermediate chain of Haemonchus contortus affects the functions of goat immune cells in vitro. Parasitology Research, 2022, , .	0.6	0