

Koji Kono

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7231711/publications.pdf>

Version: 2024-02-01

116
papers

4,947
citations

159585

30
h-index

98798

67
g-index

121
all docs

121
docs citations

121
times ranked

7643
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical Features and Survival of Young Adults with Stage IV Gastric Cancer: a Japanese Population-Based Study. <i>Journal of Gastrointestinal Cancer</i> , 2023, 54, 56-61.	1.3	2
2	Fruit and vegetable consumption and risk of esophageal cancer in the Asian region: a systematic review and meta-analysis. <i>Esophagus</i> , 2022, 19, 27-38.	1.9	7
3	Immune escape mechanism behind resistance to anti-PD-1 therapy in gastrointestinal tract metastasis in malignant melanoma patients with multiple metastases. <i>Cancer Immunology, Immunotherapy</i> , 2022, 71, 2293-2300.	4.2	6
4	Clinical impact of gastrectomy for gastric cancer patients with positive lavage cytology without gross peritoneal dissemination. <i>Journal of Surgical Oncology</i> , 2022, 125, 615-620.	1.7	8
5	Impact of histological subtype on prognosis in stage IV colorectal cancer: A population-based cohort study. <i>PLoS ONE</i> , 2022, 17, e0264652.	2.5	9
6	Incidence of upper extremity deep vein thrombosis in the retrosternal reconstruction after esophagectomy. <i>BMC Surgery</i> , 2022, 22, 91.	1.3	4
7	Endoscopic imaging modalities for diagnosing the invasion depth of superficial esophageal squamous cell carcinoma: a systematic review. <i>Esophagus</i> , 2022, 19, 375-383.	1.9	3
8	Short-term outcomes of neoadjuvant chemotherapy with capecitabine plus oxaliplatin for patients with locally advanced rectal cancer followed by total or tumor-specific mesorectal excision with or without lateral pelvic lymph node dissection. <i>Fukushima Journal of Medical Sciences</i> , 2022, , .	0.4	0
9	Combination of oligo-fractionated irradiation with nivolumab can induce immune modulation and replacement of T cell clones in patients with gastric cancer (phase I/II clinical study).. <i>Journal of Clinical Oncology</i> , 2022, 40, 4027-4027.	1.6	0
10	Therapeutic potential of anti-VEGF receptor 2 therapy targeting for M2-tumor-associated macrophages in colorectal cancer. <i>Cancer Immunology, Immunotherapy</i> , 2021, 70, 289-298.	4.2	29
11	Extensive peritoneal lavage with saline after curative gastrectomy for gastric cancer (EXPEL): a multicentre randomised controlled trial. <i>The Lancet Gastroenterology and Hepatology</i> , 2021, 6, 120-127.	8.1	31
12	Comprehensive registry of esophageal cancer in Japan, 2013. <i>Esophagus</i> , 2021, 18, 1-24.	1.9	79
13	<i>Ficus pumila</i> L. improves the prognosis of patients infected with HTLV-1, an RNA virus. <i>Nutrition Journal</i> , 2021, 20, 16.	3.4	5
14	Circulating tumor cells after neoadjuvant chemotherapy are related with recurrence in esophageal squamous cell carcinoma. <i>Esophagus</i> , 2021, 18, 566-573.	1.9	7
15	Neoadjuvant Chemotherapy Induces IL34 Signaling and Promotes Chemoresistance via Tumor-Associated Macrophage Polarization in Esophageal Squamous Cell Carcinoma. <i>Molecular Cancer Research</i> , 2021, 19, 1085-1095.	3.4	13
16	Stromal expression of cancer-associated fibroblast-related molecules, versican and lumican, is strongly associated with worse relapse-free and overall survival times in patients with esophageal squamous cell carcinoma. <i>Oncology Letters</i> , 2021, 21, 445.	1.8	13
17	Ingestion of Okinawa Island Vegetables Increases IgA Levels and Prevents the Spread of Influenza RNA Viruses. <i>Nutrients</i> , 2021, 13, 1773.	4.1	4
18	Benefit of intensive chemotherapy for elderly patients aged 80 years or older with metastatic colorectal cancer: a state-wide multicenter cohort study. <i>International Journal of Clinical Oncology</i> , 2021, 26, 1248-1256.	2.2	3

#	ARTICLE	IF	CITATIONS
19	Landscape of EBV-positive gastric cancer. <i>Gastric Cancer</i> , 2021, 24, 983-989.	5.3	32
20	Impact of Primary Tumor Resection on Mortality in Patients with Stage IV Colorectal Cancer with Unresectable Metastases: A Multicenter Retrospective Cohort Study. <i>World Journal of Surgery</i> , 2021, 45, 3230-3239.	1.6	3
21	The effects of T-DXd on the expression of HLA class I and chemokines CXCL9/10/11 in HER2-overexpressing gastric cancer cells. <i>Scientific Reports</i> , 2021, 11, 16891.	3.3	8
22	A grading system for predicting the prognosis of gastric cancer with liver metastasis. <i>Japanese Journal of Clinical Oncology</i> , 2021, 51, 1601-1607.	1.3	4
23	PD-L1 overexpression in EBV-positive gastric cancer is caused by unique genomic or epigenomic mechanisms. <i>Scientific Reports</i> , 2021, 11, 1982.	3.3	24
24	The potential for reducing alcohol consumption to prevent esophageal cancer morbidity in Asian heavy drinkers: a systematic review and meta-analysis. <i>Esophagus</i> , 2021, 19, 39.	1.9	3
25	Functional benefits of the double flap technique after proximal gastrectomy for gastric cancer. <i>BMC Surgery</i> , 2021, 21, 392.	1.3	13
26	Clinical Impact of Primary Tumor Site in Stage IV Colorectal Cancer: A Statewide Cohort Study. <i>Anticancer Research</i> , 2021, 41, 5693-5702.	1.1	3
27	KRT17 as a prognostic biomarker for stage II colorectal cancer. <i>Carcinogenesis</i> , 2020, 41, 591-599.	2.8	24
28	Characterization of tumor-infiltrating immune cells in relation to microbiota in colorectal cancers. <i>Cancer Immunology, Immunotherapy</i> , 2020, 69, 23-32.	4.2	20
29	Immune suppression caused by PD-L2 expression on tumor cells in gastric cancer. <i>Gastric Cancer</i> , 2020, 23, 961-973.	5.3	21
30	Current status of immune checkpoint inhibitors for gastric cancer. <i>Gastric Cancer</i> , 2020, 23, 565-578.	5.3	133
31	A TGF β -Dependent Stromal Subset Underlies Immune Checkpoint Inhibitor Efficacy in DNA Mismatch Repair-Deficient/Microsatellite Instability-High Colorectal Cancer. <i>Molecular Cancer Research</i> , 2020, 18, 1402-1413.	3.4	20
32	Tuberculous peritonitis; The effectiveness of diagnostic laparoscopy and the perioperative infectious prevention: A case report. <i>International Journal of Surgery Case Reports</i> , 2020, 72, 326-329.	0.6	5
33	Higher modified Glasgow Prognostic Score and multiple stapler firings for rectal transection are risk factors for anastomotic leakage after low anterior resection in rectal cancer. <i>Fukushima Journal of Medical Sciences</i> , 2020, 66, 10-16.	0.4	6
34	Extensive peritoneal lavage after curative gastrectomy for gastric cancer study (EXPEL): An international multicenter randomized controlled trial.. <i>Journal of Clinical Oncology</i> , 2020, 38, 279-279.	1.6	5
35	Diagnosis and treatment of gastric hamartomatous inverted polyp (GHIP) using a modified combination of laparoscopic and endoscopic approaches to neoplasia with a non-exposure technique (modified CLEAN-NET): a case report. <i>Surgical Case Reports</i> , 2020, 6, 200.	0.6	8
36	Phospho-STAT1 expression as a potential biomarker for anti-PD-1/anti-PD-L1 immunotherapy for breast cancer. <i>International Journal of Oncology</i> , 2019, 54, 2030-2038.	3.3	34

#	ARTICLE	IF	CITATIONS
37	MLH1 germline mutation associated with Lynch syndrome in a family followed for more than 45 years. BMC Medical Genetics, 2019, 20, 67.	2.1	9
38	Cluster of differentiation 8 and programmed cell death ligand 1 expression in triple-negative breast cancer combined with autosomal dominant polycystic kidney disease and tuberous sclerosis complex: a case report. Journal of Medical Case Reports, 2019, 13, 381.	0.8	1
39	Microanatomy of inferior mesenteric artery sheath in colorectal cancer surgery. Journal of the Anus, Rectum and Colon, 2019, 3, 167-174.	1.1	4
40	Resveratrol inhibits IL-33-mediated mast cell activation by targeting the MK2/3-PI3K/Akt axis. Scientific Reports, 2019, 9, 18423.	3.3	33
41	Correlation of inflammation-related markers with MDSC and IL-17, and use as prognostic indicators in patients with advanced gastric and colorectal cancers.. Journal of Clinical Oncology, 2019, 37, e14204-e14204.	1.6	2
42	A subset of patients with MSS/MSI-low colorectal cancer showed increased CD8(+) TILs together with up-regulated IFN- γ . Oncology Letters, 2019, 18, 5977-5985.	1.8	33
43	IL-17A in oncology. Annals of Cancer Research and Therapy, 2019, 27, 59-63.	0.3	2
44	Immunogenic tumor cell death induced by chemotherapy in patients with breast cancer and esophageal squamous cell carcinoma. Oncology Reports, 2018, 39, 151-159.	2.6	39
45	Augmentation of antibody-dependent cellular cytotoxicity with defucosylated monoclonal antibodies in patients with GI-tract cancer. Oncology Letters, 2018, 15, 2604-2610.	1.8	12
46	Implication of Highly Cytotoxic Natural Killer Cells for Esophageal Squamous Cell Carcinoma Treatment. Journal of Immunotherapy, 2018, 41, 261-273.	2.4	12
47	Serum transthyretin level is associated with prognosis of patients with gastric cancer. Journal of Surgical Research, 2018, 227, 145-150.	1.6	19
48	Clinical Significance of Soluble Intercellular Adhesion Molecule-1 and Interleukin-6 in Patients with Extrahepatic Cholangiocarcinoma. Journal of Investigative Surgery, 2018, 31, 475-482.	1.3	5
49	Current status of cancer immunotherapy for esophageal squamous cell carcinoma. Esophagus, 2018, 15, 1-9.	1.9	19
50	PD-1 expression is mainly regulated by interferon gamma associated with JAK-STAT pathway in gastric cancer. Cancer Science, 2018, 109, 43-53.	3.9	239
51	PS02.071: EVALUATION OF CIRCULATING TUMOR CELLS IN ESOPHAGEAL CANCER PATIENTS. Ecological Management and Restoration, 2018, 31, 140-140.	0.4	0
52	PS02.247: TWO CASES OF NEUROENDOCRINE CARCINOMA OF ESOPHAGOGASTRIC JUNCTION. Ecological Management and Restoration, 2018, 31, 193-193.	0.4	0
53	PS02.094: EVALUATION OF ADDITIONAL TREATMENT AFTER NON-CURATIVE ENDOSCOPIC SUBMUCOSAL RESECTION FOR ESOPHAGEAL CANCER. Ecological Management and Restoration, 2018, 31, 147-148.	0.4	0
54	Poland syndrome accompanied by internal iliac artery supply disruption sequence: a case report. Journal of Medical Case Reports, 2018, 12, 312.	0.8	4

#	ARTICLE	IF	CITATIONS
55	Angiogenesis: Managing the Culprits behind Tumorigenesis and Metastasis. <i>Medicina (Lithuania)</i> , 2018, 54, 8.	2.0	53
56	Regulation on introducing process of the highly difficult new medical technologies: A survey on the current status of practice guidelines in Japan and overseas. <i>BioScience Trends</i> , 2018, 12, 560-568.	3.4	3
57	Epithelial-mesenchymal transition-converted tumor cells can induce T-cell apoptosis through upregulation of programmed death ligand 1 expression in esophageal squamous cell carcinoma. <i>Cancer Medicine</i> , 2018, 7, 3321-3330.	2.8	21
58	Immunotherapy for esophageal squamous cell carcinoma: a review. <i>Fukushima Journal of Medical Sciences</i> , 2018, 64, 46-53.	0.4	36
59	Prognostic impact of preoperative lymphocyte-to-monocyte ratio in patients with colorectal cancer with special reference to myeloid-derived suppressor cells. <i>Fukushima Journal of Medical Sciences</i> , 2018, 64, 64-72.	0.4	20
60	Advances in cancer immunotherapy for gastroenterological malignancy. <i>Annals of Gastroenterological Surgery</i> , 2018, 2, 244-245.	2.4	19
61	Correlation of VEGF with immune suppression involving MDSC, malnutrition, and prognosis in patients with gastric and colorectal cancer.. <i>Journal of Clinical Oncology</i> , 2018, 36, 582-582.	1.6	1
62	Correlation of IL-17 with immune suppression involving MDSC, malnutrition, and prognosis in patients with gastric and colorectal cancer.. <i>Journal of Clinical Oncology</i> , 2018, 36, 83-83.	1.6	2
63	Identification of microRNAs that target PD-L1 in mismatch repair-deficient colorectal cancer.. <i>Journal of Clinical Oncology</i> , 2018, 36, 85-85.	1.6	0
64	Development of a prognostic nomogram for metastatic colorectal cancer patients: The study protocol of a multicenter, retrospective, observational, cohort study. <i>Annals of Cancer Research and Therapy</i> , 2018, 26, 116-119.	0.3	0
65	An anti-ASCT2 monoclonal antibody suppresses gastric cancer growth by inducing oxidative stress and antibody dependent cellular toxicity in preclinical models. <i>American Journal of Cancer Research</i> , 2018, 8, 1499-1513.	1.4	17
66	Upregulation of thioredoxin-1 in activated human NK cells confers increased tolerance to oxidative stress. <i>Cancer Immunology, Immunotherapy</i> , 2017, 66, 605-613.	4.2	26
67	DNA double-strand break repair pathway regulates PD-L1 expression in cancer cells. <i>Nature Communications</i> , 2017, 8, 1751.	12.8	497
68	Intraperitoneal chemotherapy for gastric cancer with peritoneal disease: experience from Singapore and Japan. <i>Gastric Cancer</i> , 2017, 20, 122-127.	5.3	28
69	Significance of Circulating Galectin-3 in Patients with Pancreatobiliary Cancer. <i>Anticancer Research</i> , 2017, 37, 4979-4986.	1.1	10
70	IL-17 and VEGF are significantly associated with disease progression involving systemic inflammation in patients with gastric and colorectal cancers. <i>Annals of Cancer Research and Therapy</i> , 2017, 25, 67-76.	0.3	5
71	Significance of Circulating Galectin-3 in Patients with Hepato-biliary and Pancreatic Cancer. <i>Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association)</i> , 2017, 78, 633-637.	0.0	0
72	Isolated from <i>Mesua ferrea</i> oleo-gum resin induces apoptosis in HCT 116 cells through ROS-mediated modulation of multiple proteins in the apoptotic pathways: A mechanistic study. <i>Toxicology Letters</i> , 2016, 257, 84-96.	0.8	28

#	ARTICLE	IF	CITATIONS
73	Accumulation of CD11c+CD163+ Adipose Tissue Macrophages through Upregulation of Intracellular 11 β -HSD1 in Human Obesity. <i>Journal of Immunology</i> , 2016, 197, 3735-3745.	0.8	46
74	Inhibition of MMP activity can restore NKG2D ligand expression in gastric cancer, leading to improved NK cell susceptibility. <i>Journal of Gastroenterology</i> , 2016, 51, 1101-1111.	5.1	32
75	Multiple immunological mechanisms of cancer cachexia in patients with solid tumors.. <i>Journal of Clinical Oncology</i> , 2016, 34, 667-667.	1.6	0
76	Carbon-ion beams induce production of an immune mediator protein, high mobility group box 1, at levels comparable with X-ray irradiation. <i>Journal of Radiation Research</i> , 2015, 56, 509-514.	1.6	51
77	Regenerative medicine for oesophageal reconstruction after cancer treatment. <i>Lancet Oncology</i> , The, 2015, 16, e84-e92.	10.7	30
78	A serum microRNA biomarker panel for detection of gastric cancer.. <i>Journal of Clinical Oncology</i> , 2015, 33, 4060-4060.	1.6	2
79	Consensus guidelines for the detection of immunogenic cell death. <i>Oncolmmunology</i> , 2014, 3, e955691.	4.6	686
80	Therapeutic potential of highly cytotoxic natural killer cells for gastric cancer. <i>International Journal of Cancer</i> , 2014, 135, 1390-1398.	5.1	44
81	Inhibition of mitogen-activated protein kinase pathway can induce upregulation of human leukocyte antigen class I without <sc>PD</sc> -1 upregulation in contrast to interferon- β treatment. <i>Cancer Science</i> , 2014, 105, 1236-1244.	3.9	24
82	Radiotherapy-Induced Anti-Tumor Immunity Contributes to the Therapeutic Efficacy of Irradiation and Can Be Augmented by CTLA-4 Blockade in a Mouse Model. <i>PLoS ONE</i> , 2014, 9, e92572.	2.5	105
83	Increased prevalence of tumor-infiltrating regulatory T cells is closely related to their lower sensitivity to H2O2-induced apoptosis in gastric and esophageal cancer. <i>Cancer Immunology, Immunotherapy</i> , 2013, 62, 161-170.	4.2	11
84	The MAPK Pathway Is a Predominant Regulator of HLA-A Expression in Esophageal and Gastric Cancer. <i>Journal of Immunology</i> , 2013, 191, 6261-6272.	0.8	79
85	Immunogenic tumor cell death induced by chemoradiotherapy in a clinical setting. <i>Oncolmmunology</i> , 2013, 2, e22197.	4.6	14
86	Expression of MHC Class I on breast cancer cells correlates inversely with HER2 expression. <i>Oncolmmunology</i> , 2012, 1, 1104-1110.	4.6	64
87	Immunogenic Tumor Cell Death Induced by Chemoradiotherapy in Patients with Esophageal Squamous Cell Carcinoma. <i>Cancer Research</i> , 2012, 72, 3967-3976.	0.9	209
88	Multicenter, phase II clinical trial of cancer vaccination for advanced esophageal cancer with three peptides derived from novel cancer-testis antigens. <i>Journal of Translational Medicine</i> , 2012, 10, 141.	4.4	124
89	Potential Therapeutic Significance of HER-Family in Esophageal Squamous Cell Carcinoma. <i>Annals of Thoracic and Cardiovascular Surgery</i> , 2012, 18, 506-513.	0.8	14
90	H2O2 production within tumor microenvironment inversely correlated with infiltration of CD56dim NK cells in gastric and esophageal cancer: possible mechanisms of NK cell dysfunction. <i>Cancer Immunology, Immunotherapy</i> , 2011, 60, 1801-1810.	4.2	65

#	ARTICLE	IF	CITATIONS
91	Vaccination with multiple peptides derived from novel cancer-associated testis antigens can induce specific T cell responses and clinical responses in advanced esophageal cancer. <i>Cancer Science</i> , 2009, 100, 1502-1509.	3.9	124
92	Protein-Bound Polysaccharide K Partially Prevents Apoptosis of Circulating T Cells Induced by Anti-Cancer Drug S-1 in Patients with Gastric Cancer. <i>Oncology</i> , 2008, 74, 143-149.	1.9	16
93	Transient Bloodletting of the Short Gastric Vein in the Reconstructed Gastric Tube Improves Gastric Microcirculation During Esophagectomy. <i>World Journal of Surgery</i> , 2007, 31, 780-784.	1.6	29
94	Trypsin Activity and Bile Acid Concentrations in the Esophagus After Distal Gastrectomy. <i>Digestive Diseases and Sciences</i> , 2006, 51, 1159-1164.	2.3	13
95	CD4(+)CD25high regulatory T cells increase with tumor stage in patients with gastric and esophageal cancers. <i>Cancer Immunology, Immunotherapy</i> , 2006, 55, 1064-1071.	4.2	265
96	A CASE OF LYMPH NODE METASTASIS IN THE ABDOMINAL CAVITY FROM MALIGNANT FIBROUS HISTIOCYTOMA OF THE PALM OF THE RIGHT HAND. <i>Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan)</i> Tj ETQq0 000rgBT /Overlock 10		
97	Oral trypsin inhibitor can improve reflux esophagitis after distal gastrectomy concomitant with decreased trypsin activity. <i>American Journal of Surgery</i> , 2005, 190, 412-417.	1.8	25
98	A CASE OF ESOPHAGEAL CANCER WITH SYNCHRONOUS INTRAGASTRIC WALL METASTASIS AND ADRENAL METASTASIS. <i>Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association)</i> , 2005, 66, 2870-2876.	0.0	5
99	Trastuzumab (Herceptin) Enhances Class I-Restricted Antigen Presentation Recognized by HER-2/neu-Specific T Cytotoxic Lymphocytes. <i>Clinical Cancer Research</i> , 2004, 10, 2538-2544.	7.0	56
100	A CASE OF GASTRIC CANCER WITH METASTASIS TO THE LONGISSIMUS MUSCLE. <i>Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association)</i> , 2004, 65, 1553-1557.	0.0	1
101	Macrophages in tumor-draining lymph node with different characteristics induce T-cell apoptosis in patients with advanced stage-gastric cancer. <i>International Journal of Cancer</i> , 2003, 104, 393-399.	5.1	16
102	Improved quality of life with jejunal pouch reconstruction after total gastrectomy. <i>American Journal of Surgery</i> , 2003, 185, 150-154.	1.8	76
103	Clinicopathologic Features of Gastric Cancers Producing Alpha-Fetoprotein. <i>Digestive Surgery</i> , 2002, 19, 359-365.	1.2	120
104	Frequencies of HER-2/neu overexpression relating to HLA haplotype in patients with gastric cancer. <i>International Journal of Cancer</i> , 2002, 98, 216-220.	5.1	14
105	Prognostic significance of adoptive immunotherapy with tumor-associated lymphocytes in patients with advanced gastric cancer: a randomized trial. <i>Clinical Cancer Research</i> , 2002, 8, 1767-71.	7.0	72
106	Impaired antibody-dependent cellular cytotoxicity mediated by herceptin in patients with gastric cancer. <i>Cancer Research</i> , 2002, 62, 5813-7.	0.9	95
107	Dendritic cells pulsed with HER-2/neu-derived peptides can induce specific T-cell responses in patients with gastric cancer. <i>Clinical Cancer Research</i> , 2002, 8, 3394-400.	7.0	101
108	T-cell dysfunction in a patient with short bowel syndrome: Report of a case. <i>Surgery Today</i> , 1999, 29, 1253-1256.	1.5	7

#	ARTICLE	IF	CITATIONS
109	Identification of HER2/neu-derived peptide epitopes recognized by gastric cancer-specific cytotoxic T lymphocytes. <i>International Journal of Cancer</i> , 1998, 78, 202-208.	5.1	75
110	Expression of signal transducing T-cell receptor $\zeta\eta$ molecules after adoptive immunotherapy in patients with gastric and colon cancer. , 1998, 78, 301-305.		28
111	A RESECTED CASE OF SYNCHRONOUS QUADRUPLE CANCER OF THE ORAL CAVITY, PHARYNX, ESOPHAGUS AND STOMACH. <i>Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association)</i> , 1998, 59, 1706-1710.	0.0	1
112	CD28 is not required for rejection of unmanipulated syngeneic and autologous tumors. <i>European Journal of Immunology</i> , 1997, 27, 1988-1993.	2.9	17
113	Mechanisms of escape from CD8+ T-cell clones specific for the HER-2/NEU proto-oncogene expressed in ovarian carcinomas: Related and unrelated to decreased MHC class 1 expression. , 1997, 70, 112-119.		27
114	Differences in the recognition of tumor-specific CD8+ T cells derived from solid tumor, metastatic lymph nodes and ascites in patients with gastric cancer. , 1997, 71, 978-981.		18
115	Hydrogen peroxide secreted by tumor-derived macrophages downmodulates signal-transducing zeta molecules and inhibits tumor-specific T cell and natural killer cell-mediated cytotoxicity. <i>European Journal of Immunology</i> , 1996, 26, 1308-1313.	2.9	321
116	Immunosuppression in human tumor-host interaction: role of cytokines and alterations in signal-transducing molecules. <i>Seminars in Immunopathology</i> , 1996, 18, 227-242.	4.0	36