

# Andrew P Bradley

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7233321/andrew-p-bradley-publications-by-year.pdf>

**Version:** 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

118  
papers

6,265  
citations

29  
h-index

78  
g-index

133  
ext. papers

7,600  
ext. citations

3.6  
avg, IF

6.46  
L-index

#	Paper	IF	Citations
118	Validation and algorithmic audit of a deep learning system for the detection of proximal femoral fractures in patients in the emergency department: a diagnostic accuracy study.. <i>The Lancet Digital Health</i> , <b>2022</b> ,	14.4	2
117	Taking the "Confusion Out of" Multinomial Confusion Matrices and "Imbalanced Classes". <i>Communications in Computer and Information Science</i> , <b>2021</b> , 16-30	0.3	1
116	Towards data-driven quantification of skin ageing using reflectance confocal microscopy. <i>International Journal of Cosmetic Science</i> , <b>2021</b> , 43, 466-473	2.7	
115	Fully Automatic Computer-aided Mass Detection and Segmentation via Pseudo-color Mammograms and Mask R-CNN <b>2020</b> ,		4
114	A Starling-like total work controller for rotary blood pumps: An in vitro evaluation. <i>Artificial Organs</i> , <b>2020</b> , 44, E40-E53	2.6	1
113	Investigation of the inherent left-right flow balancing of rotary total artificial hearts by means of a resistance box. <i>Artificial Organs</i> , <b>2020</b> , 44, 584-593	2.6	1
112	Producing Radiologist-Quality Reports for Interpretable Deep Learning. <b>2019</b> ,		9
111	Pre and post-hoc diagnosis and interpretation of malignancy from breast DCE-MRI. <i>Medical Image Analysis</i> , <b>2019</b> , 58, 101562	15.4	11
110	Model Agnostic Saliency For Weakly Supervised Lesion Detection From Breast DCE-MRI <b>2019</b> ,		4
109	Deep Reinforcement Learning for Detecting Breast Lesions from DCE-MRI. <i>Advances in Computer Vision and Pattern Recognition</i> , <b>2019</b> , 163-178	1.1	0
108	Multi-scale sifting for mammographic mass detection and segmentation. <i>Biomedical Physics and Engineering Express</i> , <b>2019</b> , 5, 025022	1.5	3
107	Why rankings of biomedical image analysis competitions should be interpreted with care. <i>Nature Communications</i> , <b>2018</b> , 9, 5217	17.4	112
106	Training Medical Image Analysis Systems like Radiologists. <i>Lecture Notes in Computer Science</i> , <b>2018</b> , 546-554		17
105	How to Exploit Weaknesses in Biomedical Challenge Design and Organization. <i>Lecture Notes in Computer Science</i> , <b>2018</b> , 388-395	0.9	5
104	Evaluation of Three Algorithms for the Segmentation of Overlapping Cervical Cells. <i>IEEE Journal of Biomedical and Health Informatics</i> , <b>2017</b> , 21, 441-450	7.2	61
103	A Parametric Simulation of Neuronal Noise From Microelectrode Recordings. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , <b>2017</b> , 25, 1-10	4.8	4
102	A deep learning approach for the analysis of masses in mammograms with minimal user intervention. <i>Medical Image Analysis</i> , <b>2017</b> , 37, 114-128	15.4	175

101	Closed-form equation to estimate the dielectric properties of biological tissues as a function of age. <i>Bioelectromagnetics</i> , <b>2017</b> , 38, 474-481	1.6	4
100	Precision Radiology: Predicting longevity using feature engineering and deep learning methods in a radiomics framework. <i>Scientific Reports</i> , <b>2017</b> , 7, 1648	4.9	86
99	Fully automated classification of mammograms using deep residual neural networks <b>2017</b> ,		29
98	Identifying relevant biomarkers of brain injury from structural MRI: Validation using automated approaches in children with unilateral cerebral palsy. <i>PLoS ONE</i> , <b>2017</b> , 12, e0181605	3.7	3
97	Automated Analysis of Unregistered Multi-View Mammograms With Deep Learning. <i>IEEE Transactions on Medical Imaging</i> , <b>2017</b> , 36, 2355-2365	11.7	94
96	Multi-scale mass segmentation for mammograms via cascaded random forests <b>2017</b> ,		10
95	<b>2017</b> ,		15
94	<b>2017</b> ,		9
93	<b>2017</b> ,		4
92	Deep Learning Models for Classifying Mammogram Exams Containing Unregistered Multi-View Images and Segmentation Maps of Lesions <b>2017</b> , 321-339		11
91	Combining Deep Learning and Structured Prediction for Segmenting Masses in Mammograms. <i>Advances in Computer Vision and Pattern Recognition</i> , <b>2017</b> , 225-240	1.1	3
90	Deep Reinforcement Learning for Active Breast Lesion Detection from DCE-MRI. <i>Lecture Notes in Computer Science</i> , <b>2017</b> , 665-673	0.9	37
89	The Automated Learning of Deep Features for Breast Mass Classification from Mammograms. <i>Lecture Notes in Computer Science</i> , <b>2016</b> , 106-114	0.9	47
88	A two-stage method to correct aberrations induced by slide slant in bright-field microscopy. <i>Micron</i> , <b>2016</b> , 87, 18-32	2.3	1
87	A method for quantitative analysis of clump thickness in cervical cytology slides. <i>Micron</i> , <b>2016</b> , 80, 73-82	2.3	10
86	Automated Segmentation of Skin Strata in Reflectance Confocal Microscopy Depth Stacks. <i>PLoS ONE</i> , <b>2016</b> , 11, e0153208	3.7	15
85	Alterations in regional shape on ipsilateral and contralateral cortex contrast in children with unilateral cerebral palsy and are predictive of multiple outcomes. <i>Human Brain Mapping</i> , <b>2016</b> , 37, 3588-603	5.0	11
84	Temporal associations between arousal and body/limb movement in children with suspected obstructed sleep apnoea. <i>Physiological Measurement</i> , <b>2016</b> , 37, 115-27	2.9	3

83	Using ventricular modeling to robustly probe significant deep gray matter pathologies: Application to cerebral palsy. <i>Human Brain Mapping</i> , <b>2016</b> , 37, 3795-3809	5.9	5
82	Dielectric properties of dog brain tissue measured in vitro across the 0.3-3 GHz band. <i>Bioelectromagnetics</i> , <b>2016</b> , 37, 549-556	1.6	5
81	Automated, quantitative measures of grey and white matter lesion burden correlates with motor and cognitive function in children with unilateral cerebral palsy. <i>NeuroImage: Clinical</i> , <b>2016</b> , 11, 751-759	5.3	17
80	Multisite accelerometry for sleep and wake classification in children. <i>Physiological Measurement</i> , <b>2015</b> , 36, 133-47	2.9	7
79	Unregistered Multiview Mammogram Analysis with Pre-trained Deep Learning Models. <i>Lecture Notes in Computer Science</i> , <b>2015</b> , 652-660	0.9	84
78	Deep structured learning for mass segmentation from mammograms <b>2015</b> ,		29
77	Expectation-Maximization with Image-Weighted Markov Random Fields to Handle Severe Pathology <b>2015</b> ,		2
76	Tree RE-weighted belief propagation using deep learning potentials for mass segmentation from mammograms <b>2015</b> ,		15
75	Multiple instance learning for breast MRI based on generic spatio-temporal features <b>2015</b> ,		3
74	Anatomical Skin Segmentation in Reflectance Confocal Microscopy with Weak Labels <b>2015</b> ,		7
73	Automated Mass Detection in Mammograms Using Cascaded Deep Learning and Random Forests <b>2015</b> ,		97
72	An improved joint optimization of multiple level set functions for the segmentation of overlapping cervical cells. <i>IEEE Transactions on Image Processing</i> , <b>2015</b> , 24, 1261-72	8.7	111
71	Deep Learning and Structured Prediction for the Segmentation of Mass in Mammograms. <i>Lecture Notes in Computer Science</i> , <b>2015</b> , 605-612	0.9	54
70	Modeling of a rotary blood pump. <i>Artificial Organs</i> , <b>2014</b> , 38, 182-90	2.6	5
69	Physiological control of dual rotary pumps as a biventricular assist device using a master/slave approach. <i>Artificial Organs</i> , <b>2014</b> , 38, 766-74	2.6	24
68	An algorithm for microscopic specimen delineation and focus candidate selection. <i>Micron</i> , <b>2014</b> , 66, 51-62	3	3
67	Multiple Instance Learning for Breast Cancer Magnetic Resonance Imaging <b>2014</b> ,		2
66	A preliminary investigation into the use of an auditory brainstem response (ABR) simulator for training audiology students in waveform analysis. <i>International Journal of Audiology</i> , <b>2014</b> , 53, 514-21	2.6	4

65	The filtered words test and the influence of lexicality. <i>Journal of Speech, Language, and Hearing Research</i> , <b>2014</b> , 57, 1722-30	2.8	4
64	Analysis of the non-Markov parameter in continuous-time signal processing. <i>Physical Review E</i> , <b>2014</b> , 89, 022109	2.4	
63	A hybrid mock circulation loop for a total artificial heart. <i>Artificial Organs</i> , <b>2014</b> , 38, 775-82	2.6	22
62	Characterization of movements during restless sleep in children: a pilot study. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , <b>2014</b> , 2014, 274-7	0.9	
61	Half-AUC for the evaluation of sensitive or specific classifiers. <i>Pattern Recognition Letters</i> , <b>2014</b> , 38, 93-98	4.7	6
60	Extended Naïve Bayes for Group Based Classification. <i>Advances in Intelligent Systems and Computing</i> , <b>2014</b> , 497-505	0.4	
59	Ethics for Biomedical Engineers <b>2013</b> ,		1
58	Evaluation of a morphological filter in mean cardiac output determination: application to left ventricular assist devices. <i>Medical and Biological Engineering and Computing</i> , <b>2013</b> , 51, 891-9	3.1	2
57	Conducting shorter VEP tests to estimate visual acuity via assessment of SNR. <i>Documenta Ophthalmologica</i> , <b>2013</b> , 126, 21-8	2.2	6
56	ROC curve equivalence using the Kolmogorov-Smirnov test. <i>Pattern Recognition Letters</i> , <b>2013</b> , 34, 470-475	4.7	13
55	The audiological health of horn players. <i>Journal of Occupational and Environmental Hygiene</i> , <b>2013</b> , 10, 590-6	2.9	6
54	Effect of posterized naturalistic stimuli on SSVEP-based BCI. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , <b>2013</b> , 2013, 3105-8	0.9	1
53	Automated nucleus and cytoplasm segmentation of overlapping cervical cells. <i>Lecture Notes in Computer Science</i> , <b>2013</b> , 16, 452-60	0.9	39
52	Ethics and Data Mining in Biomedical Engineering <b>2013</b> , 77-97		
51	Illumination Effects in Quantitative Virtual Microscopy. <i>Lecture Notes in Computer Science</i> , <b>2013</b> , 449-456	6.9	
50	A Comparison of Multiple Instance and Group Based Learning <b>2012</b> ,		2
49	Enhancing the classification accuracy of Steady-State Visual Evoked Potential-based Brain-Computer Interface using Component Synchrony Measure <b>2012</b> ,		3
48	Stimulus specificity of a steady-state visual-evoked potential-based brain-computer interface. <i>Journal of Neural Engineering</i> , <b>2012</b> , 9, 036008	5	55

47	Effect of competing stimuli on SSVEP-based BCI. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , <b>2011</b> , 2011, 6307-10	0.9	14
46	Low-frequency spectroscopic analysis of monomeric and fibrillar lysozyme. <i>Applied Spectroscopy</i> , <b>2011</b> , 65, 260-4	3.1	15
45	New spatiotemporal features for improved discrimination of benign and malignant lesions in dynamic contrast-enhanced-magnetic resonance imaging of the breast. <i>Journal of Computer Assisted Tomography</i> , <b>2011</b> , 35, 645-52	2.2	9
44	Fast assessment of canine hearing using high click-rate BAER. <i>Veterinary Journal</i> , <b>2011</b> , 187, 136-8	2.5	4
43	Spectral and synchrony differences in auditory brainstem responses evoked by chirps of varying durations. <i>Journal of the Acoustical Society of America</i> , <b>2010</b> , 128, 1896-907	2.2	11
42	On chirp stimuli and neural synchrony in the suprathreshold auditory brainstem response. <i>Journal of the Acoustical Society of America</i> , <b>2010</b> , 128, 235-46	2.2	25
41	Far-infrared spectroscopy of protein higher-order structures. <i>Applied Spectroscopy</i> , <b>2010</b> , 64, 1259-64	3.1	25
40	On the Estimation of Extrinsic and Intrinsic Parameters of Optical Microscope Calibration <b>2010</b> ,		2
39	Intelligible support vector machines for diagnosis of diabetes mellitus. <i>IEEE Transactions on Information Technology in Biomedicine</i> , <b>2010</b> , 14, 1114-20		153
38	Denoising of dynamic contrast-enhanced MR images using dynamic nonlocal means. <i>IEEE Transactions on Medical Imaging</i> , <b>2010</b> , 29, 302-10	11.7	46
37	Rule extraction from support vector machines: A review. <i>Neurocomputing</i> , <b>2010</b> , 74, 178-190	5.4	134
36	Nearest neighbour group-based classification. <i>Pattern Recognition</i> , <b>2010</b> , 43, 3458-3467	7.7	29
35	Progress Towards Universal Neonatal Hearing Screening: A World Review. <i>Australian and New Zealand Journal of Audiology</i> , <b>2009</b> , 31, 3-14		4
34	Feature and Classifier Selection for Automatic Classification of Lesions in Dynamic Contrast-Enhanced MRI of the Breast <b>2009</b> ,		6
33	The Effect of Domain Knowledge on Rule Extraction from Support Vector Machines. <i>Lecture Notes in Computer Science</i> , <b>2009</b> , 311-321	0.9	
32	A new denoising method for dynamic contrast-enhanced MRI. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , <b>2008</b> , 2008, 847-50	0.9	2
31	The effects of electrode montage on the amplitude of wave V in the auditory brainstem response to maximum length sequence stimuli. <i>Audiology and Neuro-Otology</i> , <b>2008</b> , 13, 7-12	2.2	7
30	Group-based meta-classification <b>2008</b> ,		1

29	Nature of orchestral noise. <i>Journal of the Acoustical Society of America</i> , <b>2008</b> , 124, 926-39	2.2	33
28	Estimation of neuronal firing rates with the three-state biological point process model. <i>Journal of Neuroscience Methods</i> , <b>2008</b> , 174, 281-91	3	5
27	A Comparison of DCT and DWT Block Based Watermarking on Medical Image Quality. <i>Lecture Notes in Computer Science</i> , <b>2008</b> , 454-466	0.9	2
26	An evaluation of four parametric models of contrast enhancement for dynamic magnetic resonance imaging of the breast. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , <b>2007</b> , 2007, 71-4		9
25	Automatic Segmentation of Enhancing Breast Tissue in Dynamic Contrast-Enhanced MR Images <b>2007</b> ,		2
24	Teaching histology to first-year veterinary science students using virtual microscopy and traditional microscopy: a comparison of student responses. <i>Journal of Veterinary Medical Education</i> , <b>2007</b> , 34, 177-82 <sup>1,3</sup>		3 <sup>1</sup>
23	Screening of obstructive and central apnoea/hypopnoea in children using variability: A preliminary study. <i>Acta Paediatrica, International Journal of Paediatrics</i> , <b>2007</b> , 95, 561-564	3.1	
22	A system to generate patient-specific stimuli for use with the auditory brainstem response test. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , <b>2007</b> , 2007, 2452-5		1
21	Visual quality assessment of watermarked medical images <b>2007</b> ,		3
20	Correspondence-free determination of the affine fundamental matrix. <i>IEEE Transactions on Pattern Analysis and Machine Intelligence</i> , <b>2007</b> , 29, 82-97	13.3	12
19	Rule Extraction from Support Vector Machines: A Sequential Covering Approach. <i>IEEE Transactions on Knowledge and Data Engineering</i> , <b>2007</b> , 19, 729-741	4.2	57
18	Over-complete discrete wavelet transformation of the normal auditory brainstem response improves prediction of outcome following severe acute closed head injury. <i>Audiology and Neuro-Otology</i> , <b>2006</b> , 11, 249-58	2.2	1
17	Precision-recall operating characteristic (P-ROC) curves in imprecise environments <b>2006</b> ,		46
16	On the dual structure of the auditory brainstem response in dogs. <i>Clinical Neurophysiology</i> , <b>2006</b> , 117, 2211-20	4.3	3
15	Rule Extraction from Support Vector Machines: Measuring the Explanation Capability Using the Area under the ROC Curve <b>2006</b> ,		17
14	Physiologic parameters that affect pulse transit time difference between the upper and lower limbs in children. <i>Journal of Human Hypertension</i> , <b>2006</b> , 20, 221-3	2.6	4
13	Screening of obstructive and central apnoea/hypopnoea in children using variability: a preliminary study. <i>Acta Paediatrica, International Journal of Paediatrics</i> , <b>2006</b> , 95, 561-4	3.1	25
12	Use of pulse transit time to distinguish respiratory events from tidal breathing in sleeping children. <i>Chest</i> , <b>2005</b> , 128, 3013-9	5.3	27

11	Automated analysis of the auditory brainstem response using derivative estimation wavelets. <i>Audiology and Neuro-Otology</i> , <b>2005</b> , 10, 6-21	2.2	13
10	On wavelet analysis of auditory evoked potentials. <i>Clinical Neurophysiology</i> , <b>2004</b> , 115, 1114-28	4.3	53
9	Sample size estimation using the receiver operating characteristic curve <b>2004</b> ,		8
8	Visual attention for region of interest coding in JPEG 2000. <i>Journal of Visual Communication and Image Representation</i> , <b>2003</b> , 14, 232-250	2.7	46
7	A wavelet visible difference predictor. <i>IEEE Transactions on Image Processing</i> , <b>1999</b> , 8, 717-30	8.7	80
6	Perceptual quality metrics applied to still image compression. <i>Signal Processing</i> , <b>1998</b> , 70, 177-200	4.4	227
5	The use of the area under the ROC curve in the evaluation of machine learning algorithms. <i>Pattern Recognition</i> , <b>1997</b> , 30, 1145-1159	7.7	357 <sup>8</sup>
4	The multiscale classifier. <i>IEEE Transactions on Pattern Analysis and Machine Intelligence</i> , <b>1996</b> , 18, 124-131	3.3	33
3	ROC curves and the X2 test. <i>Pattern Recognition Letters</i> , <b>1996</b> , 17, 287-294	4.7	19
2	Over-sampling for accurate masking threshold calculation wavelet packet audio coders		1
1	Automated analysis of the auditory brainstem response		3