

Geir Selbk

List of Publications by Citations

Source: <https://exaly.com/author-pdf/723391/geir-selbaek-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

182
papers

8,870
citations

35
h-index

92
g-index

199
ext. papers

13,277
ext. citations

5.6
avg, IF

6
L-index

#	Paper	IF	Citations
182	Dementia prevention, intervention, and care. <i>Lancet, The</i> , 2017 , 390, 2673-2734	40	2763
181	Dementia prevention, intervention, and care: 2020 report of the Lancet Commission. <i>Lancet, The</i> , 2020 , 396, 413-446	40	1387
180	Genome-wide meta-analysis identifies new loci and functional pathways influencing Alzheimer's disease risk. <i>Nature Genetics</i> , 2019 , 51, 404-413	36.3	771
179	The prevalence of psychiatric symptoms and behavioural disturbances and the use of psychotropic drugs in Norwegian nursing homes. <i>International Journal of Geriatric Psychiatry</i> , 2007 , 22, 843-9	3.9	275
178	Loss-of-function variants in ABCA7 confer risk of Alzheimer's disease. <i>Nature Genetics</i> , 2015 , 47, 445-7	36.3	222
177	Common brain disorders are associated with heritable patterns of apparent aging of the brain. <i>Nature Neuroscience</i> , 2019 , 22, 1617-1623	25.5	157
176	The prevalence and course of neuropsychiatric symptoms in nursing home patients with dementia: a systematic review. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 161-9	5.9	143
175	The course of neuropsychiatric symptoms in nursing-home patients with dementia over a 53-month follow-up period. <i>International Psychogeriatrics</i> , 2014 , 26, 81-91	3.4	98
174	The course of psychiatric and behavioral symptoms and the use of psychotropic medication in patients with dementia in Norwegian nursing homes--a 12-month follow-up study. <i>American Journal of Geriatric Psychiatry</i> , 2008 , 16, 528-36	6.5	97
173	The effect of person-centred dementia care to prevent agitation and other neuropsychiatric symptoms and enhance quality of life in nursing home patients: a 10-month randomized controlled trial. <i>Dementia and Geriatric Cognitive Disorders</i> , 2013 , 36, 340-53	2.6	79
172	Geriatric assessment is superior to oncologists' clinical judgement in identifying frailty. <i>British Journal of Cancer</i> , 2017 , 117, 470-477	8.7	78
171	The reliability and validity of the Norwegian version of the Neuropsychiatric Inventory, nursing home version (NPI-NH). <i>International Psychogeriatrics</i> , 2008 , 20, 375-82	3.4	74
170	Quality of life among elderly patients with dementia in institutions. <i>Dementia and Geriatric Cognitive Disorders</i> , 2011 , 31, 435-42	2.6	70
169	Stability of the factor structure of the Neuropsychiatric Inventory in a 31-month follow-up study of a large sample of nursing-home patients with dementia. <i>International Psychogeriatrics</i> , 2012 , 24, 62-73	3.4	63
168	Prevalence and Severity of Dementia in Nursing Home Residents. <i>Dementia and Geriatric Cognitive Disorders</i> , 2015 , 40, 166-77	2.6	62
167	A psychometric evaluation of the Hospital Anxiety and Depression Scale for the medically hospitalized elderly. <i>Nordic Journal of Psychiatry</i> , 2011 , 65, 338-44	2.3	59
166	Alcohol consumption and risk of dementia up to 27 years later in a large, population-based sample: the HUNT study, Norway. <i>European Journal of Epidemiology</i> , 2015 , 30, 1049-56	12.1	58

165	Whole-genome sequencing identifies rare genotypes in COMP and CHADL associated with high risk of hip osteoarthritis. <i>Nature Genetics</i> , 2017 , 49, 801-805	36.3	56
164	Short- and long-term mortality risk associated with the use of antipsychotics among 26,940 dementia outpatients: a population-based study. <i>American Journal of Geriatric Psychiatry</i> , 2014 , 22, 321-31	6.5	50
163	Factors associated with depression in Norwegian nursing homes. <i>International Journal of Geriatric Psychiatry</i> , 2009 , 24, 417-25	3.9	50
162	Disrupted global metastability and static and dynamic brain connectivity across individuals in the Alzheimer's disease continuum. <i>Scientific Reports</i> , 2017 , 7, 40268	4.9	49
161	A 52 month follow-up of functional decline in nursing home residents - degree of dementia contributes. <i>BMC Geriatrics</i> , 2014 , 14, 45	4.1	48
160	Analgesic prescribing patterns in Norwegian nursing homes from 2000 to 2011: trend analyses of four data samples. <i>Age and Ageing</i> , 2016 , 45, 54-60	3	46
159	Variables associated to quality of life among nursing home patients with dementia. <i>Ageing and Mental Health</i> , 2014 , 18, 1013-21	3.5	46
158	Are the neuroprotective effects of exercise training systemically mediated?. <i>Progress in Cardiovascular Diseases</i> , 2019 , 62, 94-101	8.5	44
157	The course of neuropsychiatric symptoms in patients with dementia in Norwegian nursing homes. <i>International Psychogeriatrics</i> , 2011 , 23, 1231-9	3.4	44
156	Needs and quality of life of people with middle-stage dementia and their family carers from the European Actifcare study. When informal care alone may not suffice. <i>Ageing and Mental Health</i> , 2018 , 22, 897-902	3.5	43
155	Resourse Use and Disease Cause in dementia - Nursing Home (REDIC-NH), a longitudinal cohort study; design and patient characteristics at admission to Norwegian nursing homes. <i>BMC Health Services Research</i> , 2017 , 17, 365	2.9	43
154	MRI-Based Classification Models in Prediction of Mild Cognitive Impairment and Dementia in Late-Life Depression. <i>Frontiers in Aging Neuroscience</i> , 2017 , 9, 13	5.3	42
153	Trends in psychotropic drug prescribing in Norwegian nursing homes from 1997 to 2009: a comparison of six cohorts. <i>International Journal of Geriatric Psychiatry</i> , 2013 , 28, 868-76	3.9	40
152	A genome-wide association study with 1,126,563 individuals identifies new risk loci for Alzheimer's disease. <i>Nature Genetics</i> , 2021 , 53, 1276-1282	36.3	40
151	Predictors for Nursing Home Admission and Death among Community-Dwelling People 70 Years and Older Who Receive Domiciliary Care. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2015 , 5, 320-9 ^{2.5}	2.5	38
150	COSMOS--improving the quality of life in nursing home patients: protocol for an effectiveness-implementation cluster randomized clinical hybrid trial. <i>Implementation Science</i> , 2015 , 10, 131	8.4	38
149	A consensus guideline for antipsychotic drug use for dementia in care homes. Bridging the gap between scientific evidence and clinical practice. <i>International Psychogeriatrics</i> , 2015 , 27, 1849-59	3.4	37
148	Mortality in nursing home residents: A longitudinal study over three years. <i>PLoS ONE</i> , 2018 , 13, e0203489 ⁷	7	37

147	The pattern of depressive symptoms and factor analysis of the Cornell Scale among patients in Norwegian nursing homes. <i>International Journal of Geriatric Psychiatry</i> , 2008 , 23, 1058-65	3.9	35
146	Screening for depression in elderly medical inpatients from rural area of Norway: prevalence and associated factors. <i>International Journal of Geriatric Psychiatry</i> , 2010 , 25, 150-9	3.9	34
145	Progression of Alzheimer's Disease: A Longitudinal Study in Norwegian Memory Clinics. <i>Journal of Alzheimer's Disease</i> , 2018 , 61, 1221-1232	4.3	33
144	Multi-psychotropic drug prescription and the association to neuropsychiatric symptoms in three Norwegian nursing home cohorts between 2004 and 2011. <i>BMC Geriatrics</i> , 2016 , 16, 115	4.1	33
143	Access to timely formal dementia care in Europe: protocol of the Actifcare (ACcess to Timely Formal Care) study. <i>BMC Health Services Research</i> , 2016 , 16, 423	2.9	32
142	MRI-assessed atrophy subtypes in Alzheimer's disease and the cognitive reserve hypothesis. <i>PLoS ONE</i> , 2017 , 12, e0186595	3.7	32
141	Dementia and neuropsychiatric symptoms in nursing-home patients in Nord-Trøndelag County. <i>Tidsskrift for Den Norske Laegeforening</i> , 2012 , 132, 1956-9	3.5	32
140	Associations between pain and depression in nursing home patients at different stages of dementia. <i>Journal of Affective Disorders</i> , 2017 , 218, 8-14	6.6	31
139	The Effect of a Multicomponent Intervention on Quality of Life in Residents of Nursing Homes: A Randomized Controlled Trial (COSMOS). <i>Journal of the American Medical Directors Association</i> , 2019 , 20, 330-339	5.9	31
138	Do behavioral disturbances predict falls among nursing home residents?. <i>Aging Clinical and Experimental Research</i> , 2012 , 24, 251-6	4.8	29
137	Comparison of automated volumetry of the hippocampus using NeuroQuant and visual assessment of the medial temporal lobe in Alzheimer's disease. <i>Acta Radiologica</i> , 2018 , 59, 997-1001	2	29
136	Dissociable diffusion MRI patterns of white matter microstructure and connectivity in Alzheimer's disease spectrum. <i>Scientific Reports</i> , 2017 , 7, 45131	4.9	28
135	Targeted Interdisciplinary Model for Evaluation and Treatment of Neuropsychiatric Symptoms: A Cluster Randomized Controlled Trial. <i>American Journal of Geriatric Psychiatry</i> , 2018 , 26, 25-38	6.5	28
134	Temporal changes in cardiorespiratory fitness and risk of dementia incidence and mortality: a population-based prospective cohort study. <i>Lancet Public Health</i> , 2019 , 4, e565-e574	22.4	28
133	Persistent use of psychotropic drugs in nursing home residents in Norway. <i>BMC Geriatrics</i> , 2017 , 17, 52	4.1	28
132	Trajectories of depressive symptoms and their relationship to the progression of dementia. <i>Journal of Affective Disorders</i> , 2017 , 222, 146-152	6.6	27
131	Determinants of quality of life in young onset dementia - results from a European multicenter assessment. <i>Aging and Mental Health</i> , 2017 , 21, 24-30	3.5	27
130	New insights into the genetic etiology of Alzheimer's disease and related dementias.. <i>Nature Genetics</i> , 2022 ,	36.3	27

129	Neuroanatomical correlates of late-life depression and associated cognitive changes. <i>Neurobiology of Aging</i> , 2015 , 36, 3090-3099	5.6	26
128	Factors associated with consumption of alcohol in older adults - a comparison between two cultures, China and Norway: the CLHLS and the HUNT-study. <i>BMC Geriatrics</i> , 2017 , 17, 172	4.1	26
127	Cancer-related pain and symptoms among nursing home residents: a systematic review. <i>Journal of Pain and Symptom Management</i> , 2014 , 48, 699-710.e1	4.8	26
126	Meta-analysis of Alzheimer's disease on 9,751 samples from Norway and IGAP study identifies four risk loci. <i>Scientific Reports</i> , 2018 , 8, 18088	4.9	25
125	Trends in potentially inappropriate medication prescribing to nursing home patients: comparison of three cross-sectional studies. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 192-200	2.6	24
124	Survival and years of life lost in various aetiologies of dementia, mild cognitive impairment (MCI) and subjective cognitive decline (SCD) in Norway. <i>PLoS ONE</i> , 2018 , 13, e0204436	3.7	24
123	Tolerability of buprenorphine transdermal system in nursing home patients with advanced dementia: a randomized, placebo-controlled trial (DEP.PAIN.DEM). <i>Clinical Interventions in Aging</i> , 2018 , 13, 935-946	4	24
122	Are coping strategies and locus of control orientation associated with health-related quality of life in older adults with and without depression?. <i>Archives of Gerontology and Geriatrics</i> , 2016 , 64, 130-7	4	23
121	Distinguishing early and late brain aging from the Alzheimer's disease spectrum: consistent morphological patterns across independent samples. <i>NeuroImage</i> , 2017 , 158, 282-295	7.9	23
120	A 36-month follow-up of decline in activities of daily living in individuals receiving domiciliary care. <i>BMC Geriatrics</i> , 2015 , 15, 47	4.1	23
119	Common variants in Alzheimer's disease and risk stratification by polygenic risk scores. <i>Nature Communications</i> , 2021 , 12, 3417	17.4	23
118	Psychiatric and behavioural symptoms and the use of psychotropic medication in Special Care Units and Regular Units in Norwegian nursing homes. <i>Scandinavian Journal of Caring Sciences</i> , 2008 , 22, 568-73 ²⁻³		22
117	Quality of Life, Care Resource Use, and Costs of Dementia in 8 European Countries in a Cross-Sectional Cohort of the Actifcare Study. <i>Journal of Alzheimer's Disease</i> , 2018 , 66, 1027-1040	4.3	22
116	Fully automated structural MRI of the brain in clinical dementia workup. <i>Acta Radiologica</i> , 2017 , 58, 740-747		21
115	The Reliability and Validity of the Norwegian Version of the Quality of Life in Late-Stage Dementia Scale. <i>Dementia and Geriatric Cognitive Disorders</i> , 2015 , 40, 233-42	2.6	21
114	The course of depressive symptoms as measured by the Cornell scale for depression in dementia over 74 months in 1158 nursing home residents. <i>Journal of Affective Disorders</i> , 2015 , 175, 209-16	6.6	20
113	Locus of control and coping strategies in older persons with and without depression. <i>Aging and Mental Health</i> , 2016 , 20, 831-9	3.5	20
112	Multimodal imaging improves brain age prediction and reveals distinct abnormalities in patients with psychiatric and neurological disorders. <i>Human Brain Mapping</i> , 2021 , 42, 1714-1726	5.9	20

111	The course of neuropsychiatric symptoms in nursing home residents from admission to 30-month follow-up. <i>PLoS ONE</i> , 2018 , 13, e0206147	3.7	20
110	Potentially inappropriate medications and drug-drug interactions in home-dwelling people with mild dementia. <i>International Journal of Geriatric Psychiatry</i> , 2017 , 32, 183-192	3.9	19
109	Modifiable factors affecting older patients' quality of life and physical function during cancer treatment. <i>Journal of Geriatric Oncology</i> , 2019 , 10, 904-912	3.6	19
108	Severity of Neuropsychiatric Symptoms in Nursing Home Residents. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2016 , 6, 28-42	2.5	19
107	Current and Future Prevalence Estimates of Mild Cognitive Impairment, Dementia, and Its Subtypes in a Population-Based Sample of People 70 Years and Older in Norway: The HUNT Study. <i>Journal of Alzheimer's Disease</i> , 2021 , 79, 1213-1226	4.3	19
106	Association between vascular comorbidity and progression of Alzheimer's disease: a two-year observational study in Norwegian memory clinics. <i>BMC Geriatrics</i> , 2018 , 18, 120	4.1	18
105	Mobility and cognition at admission to the nursing home - a cross-sectional study. <i>BMC Geriatrics</i> , 2018 , 18, 30	4.1	18
104	Examining the association between genetic liability for schizophrenia and psychotic symptoms in Alzheimer's disease. <i>Translational Psychiatry</i> , 2019 , 9, 273	8.6	18
103	Cohort profile: the Health and Memory Study (HMS): a dementia cohort linked to the HUNT study in Norway. <i>International Journal of Epidemiology</i> , 2014 , 43, 1759-68	7.8	18
102	Comparing comorbidity scales: Attending physician score versus the Cumulative Illness Rating Scale for Geriatrics. <i>Journal of Geriatric Oncology</i> , 2016 , 7, 90-8	3.6	17
101	Signs of Imminent Dying and Change in Symptom Intensity During Pharmacological Treatment in Dying Nursing Home Patients: A Prospective Trajectory Study. <i>Journal of the American Medical Directors Association</i> , 2016 , 17, 821-7	5.9	16
100	Caregiver profiles in dementia related to quality of life, depression and perseverance time in the European Actifcare study: the importance of social health. <i>Aging and Mental Health</i> , 2017 , 21, 49-57	3.5	15
99	Comorbid Dementia and Cancer in Residents of Nursing Homes: Secondary Analyses of a Cross-Sectional Study. <i>Cancer Nursing</i> , 2018 , 41, E13-E20	2.6	15
98	The course of depression in late life as measured by the Montgomery and Asberg Depression Rating Scale in an observational study of hospitalized patients. <i>BMC Psychiatry</i> , 2015 , 15, 191	4.2	14
97	Burden of Care and Patient's Neuropsychiatric Symptoms Influence Carer's Evaluation of Cognitive Impairment. <i>Dementia and Geriatric Cognitive Disorders</i> , 2015 , 40, 256-67	2.6	14
96	Quality of Life in People with Young-Onset Alzheimer's Dementia and Frontotemporal Dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 2018 , 45, 91-104	2.6	14
95	Use of alcohol and drugs with addiction potential among older women and men in a population-based study. The Nord-Trøndelag Health Study 2006-2008 (HUNT3). <i>PLoS ONE</i> , 2017 , 12, e0184428	3.7	13
94	The genetic architecture of human brainstem structures and their involvement in common brain disorders. <i>Nature Communications</i> , 2020 , 11, 4016	17.4	13

93	Factors associated with perceived health in elderly medical inpatients: a particular focus on personal coping recourses. <i>Aging and Mental Health</i> , 2012 , 16, 795-803	3.5	12
92	Nursing home admission during the first year after hospitalization - the contribution of cognitive impairment. <i>PLoS ONE</i> , 2014 , 9, e86116	3.7	11
91	Symptoms of Anxiety in Older Adults with Depression, Dementia, or Psychosis: A Principal Component Analysis of the Geriatric Anxiety Inventory. <i>Dementia and Geriatric Cognitive Disorders</i> , 2016 , 42, 310-322	2.6	11
90	Antipsychotic Drug Use Is Not Associated With Long-Term Mortality Risk in Norwegian Nursing Home Patients. <i>Journal of the American Medical Directors Association</i> , 2016 , 17, 464.e1-7	5.9	11
89	Physical diagnoses in nursing home residents - is dementia or severity of dementia of importance?. <i>BMC Geriatrics</i> , 2018 , 18, 254	4.1	11
88	Time from Symptom Debut to Dementia Assessment by the Specialist Healthcare Service in Norway. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2018 , 8, 117-127	2.5	10
87	Anxiety Symptoms in Older Adults with Depression Are Associated with Suicidality. <i>Dementia and Geriatric Cognitive Disorders</i> , 2018 , 45, 180-189	2.6	10
86	The impact of attending day care designed for home-dwelling people with dementia on nursing home admission: a 24-month controlled study. <i>BMC Health Services Research</i> , 2018 , 18, 864	2.9	10
85	TIME to reduce agitation in persons with dementia in nursing homes. A process evaluation of a complex intervention. <i>BMC Health Services Research</i> , 2019 , 19, 349	2.9	9
84	Confirmatory factor analysis of the Cornell scale for depression in dementia among patient with dementia of various degrees. <i>Journal of Affective Disorders</i> , 2015 , 188, 173-8	6.6	9
83	TIME - Targeted interdisciplinary model for evaluation and treatment of neuropsychiatric symptoms: protocol for an effectiveness-implementation cluster randomized hybrid trial. <i>BMC Psychiatry</i> , 2016 , 16, 233	4.2	9
82	Optimizing access to and use of formal dementia care: Qualitative findings from the European Actifcare study. <i>Health and Social Care in the Community</i> , 2019 , 27, e814-e823	2.6	9
81	The impact of the Dementia ABC educational programme on competence in person-centred dementia care and job satisfaction of care staff. <i>International Journal of Older People Nursing</i> , 2017 , 12, e12139	2.3	9
80	Factors associated with a depressive disorder in Alzheimer's disease are different from those found for other dementia disorders. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2012 , 2, 19-28	2.5	9
79	Cortisol levels among older people with and without depression and dementia. <i>International Psychogeriatrics</i> , 2019 , 31, 597-601	3.4	9
78	Is there equity in initial access to formal dementia care in Europe? The Andersen Model applied to the Actifcare cohort. <i>International Journal of Geriatric Psychiatry</i> , 2020 , 35, 45-52	3.9	9
77	The Validity of the Norwegian Version of the Cognitive Function Instrument. <i>Dementia and Geriatric Cognitive Disorders</i> , 2018 , 46, 217-228	2.6	9
76	Associations of Changes in Cardiorespiratory Fitness and Symptoms of Anxiety and Depression With Brain Volumes: The HUNT Study. <i>Frontiers in Behavioral Neuroscience</i> , 2019 , 13, 53	3.5	7

75	Can depression in psychogeriatric inpatients at one year follow-up be explained by locus of control and coping strategies?. <i>Aging and Mental Health</i> , 2018 , 22, 379-388	3.5	7
74	Factors associated with alcohol consumption and prescribed drugs with addiction potential among older women and men - the Nord-Trøndelag health study (HUNT2 and HUNT3), Norway, a population-based longitudinal study. <i>BMC Geriatrics</i> , 2019 , 19, 113	4.1	6
73	A high cerebrospinal fluid soluble TREM2 level is associated with slow clinical progression of Alzheimer's disease. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2020 , 12, e12128	5.2	6
72	Being stuck in a vice: The process of coping with severe depression in late life. <i>International Journal of Qualitative Studies on Health and Well-being</i> , 2015 , 10, 27187	2	6
71	The Agreement between the MMSE and IQCODE Tests in a Community-Based Sample of Subjects Aged 70 Years or Older Receiving In-Home Nursing: An Explorative Study. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2015 , 5, 32-41	2.5	6
70	Concomitant use of anti-dementia drugs with psychotropic drugs in Norway--a population-based study. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 1319-26	2.6	6
69	Reliability and validity of the Norwegian version of the Severe Impairment Battery (SIB). <i>International Journal of Geriatric Psychiatry</i> , 2008 , 23, 896-902	3.9	6
68	Quality of Life in People with Young-Onset Dementia: A Nordic Two-Year Observational Multicenter Study. <i>Journal of Alzheimer's Disease</i> , 2019 , 67, 197-210	4.3	6
67	Quality of life of family carers of persons with young-onset compared to late-onset dementia. <i>Aging and Mental Health</i> , 2020 , 24, 1394-1401	3.5	6
66	Impact of Untimely Access to Formal Care on Costs and Quality of Life in Community Dwelling People with Dementia. <i>Journal of Alzheimer's Disease</i> , 2018 , 66, 1165-1174	4.3	6
65	Relationship quality and sense of coherence in dementia: Results of a European cohort study. <i>International Journal of Geriatric Psychiatry</i> , 2019 , 34, 745-755	3.9	5
64	Leisure-Time Physical Activity Is Associated With Reduced Risk of Dementia-Related Mortality in Adults With and Without Psychological Distress: The Cohort of Norway. <i>Frontiers in Aging Neuroscience</i> , 2018 , 10, 151	5.3	5
63	The changing alcohol drinking patterns among older adults show that women are closing the gender gap in more frequent drinking: the Tromsø study, 1994-2016. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2021 , 16, 45	3.4	5
62	Genome-wide association identifies the first risk loci for psychosis in Alzheimer disease. <i>Molecular Psychiatry</i> , 2021 ,	15.1	5
61	Trajectories and risk factors of dementia progression: a memory clinic cohort followed up to 3 years from diagnosis. <i>International Psychogeriatrics</i> , 2021 , 33, 779-789	3.4	4
60	Characteristics of patients assessed for cognitive decline in primary healthcare, compared to patients assessed in specialist healthcare. <i>Scandinavian Journal of Primary Health Care</i> , 2020 , 38, 107-116 ^{2.7}	2.7	4
59	The Loss in Expectation of Life due to Early-Onset Mild Cognitive Impairment and Early-Onset Dementia in Norway. <i>Dementia and Geriatric Cognitive Disorders</i> , 2019 , 47, 355-365	2.6	4
58	The use of direct care in nursing home residents: A longitudinal cohort study over 31 years. <i>International Journal of Geriatric Psychiatry</i> , 2019 , 34, 337-351	3.9	4

57	Carers' experiences of timely access to and use of dementia care services in eight European countries. <i>Ageing and Society</i> , 2021 , 41, 403-420	1.7	4
56	Neuropsychiatric symptoms and comorbidity: Associations with dementia progression rate in a memory clinic cohort. <i>International Journal of Geriatric Psychiatry</i> , 2021 , 36, 960-969	3.9	4
55	Staff's perspectives on the organization of homecare services to people with dementia-A qualitative study. <i>Nursing Open</i> , 2021 , 8, 1797-1804	2.1	4
54	The effect of anxiety on cognition in older adult inpatients with depression: results from a multicenter observational study. <i>Heliyon</i> , 2019 , 5, e02235	3.6	3
53	Mortality in older adults with frequent alcohol consumption and use of drugs with addiction potential - The Nord Trøndelag Health Study 2006-2008 (HUNT3), Norway, a population-based study. <i>PLoS ONE</i> , 2019 , 14, e0214813	3.7	3
52	Depressive symptoms among the medically hospitalized older individuals -- a 1-year follow-up study. <i>International Journal of Geriatric Psychiatry</i> , 2013 , 28, 199-207	3.9	3
51	Development of best practice recommendations to enhance access to and use of formal community care services for people with dementia in Europe: a Delphi process conducted by the Actifcare project. <i>Aging and Mental Health</i> , 2021 , 25, 2298-2309	3.5	3
50	Physical performance across the cognitive spectrum and between dementia subtypes in a population-based sample of older adults: The HUNT study. <i>Archives of Gerontology and Geriatrics</i> , 2021 , 95, 104400	4	3
49	Pain in nursing home residents with dementia and its association to quality of life. <i>Aging and Mental Health</i> , 2021 , 1-11	3.5	3
48	A validation study of the ICECAP-O in informal carers of people with dementia from eight European Countries. <i>Quality of Life Research</i> , 2020 , 29, 237-251	3.7	3
47	Deep neural networks learn general and clinically relevant representations of the ageing brain.. <i>NeuroImage</i> , 2022 , 256, 119210	7.9	3
46	Trajectories of physical performance in nursing home residents with dementia. <i>Aging Clinical and Experimental Research</i> , 2020 , 32, 2603-2610	4.8	2
45	Toward a Sequential Strategy for Diagnosing Neurocognitive Disorders: A Consensus from the "Act On Dementia" European Joint Action. <i>Journal of Alzheimer's Disease</i> , 2019 , 72, 363-372	4.3	2
44	Time from dementia diagnosis to nursing-home admission and death among persons with dementia: A multistate survival analysis. <i>PLoS ONE</i> , 2020 , 15, e0243513	3.7	2
43	The Association Between Circulating Inflammatory Markers and the Progression of Alzheimer Disease in Norwegian Memory Clinic Patients With Mild Cognitive Impairment or Dementia. <i>Alzheimer Disease and Associated Disorders</i> , 2020 , 34, 47-53	2.5	2
42	Course of activities of daily living in nursing home residents with dementia from admission to 36-month follow-up. <i>BMC Geriatrics</i> , 2020 , 20, 488	4.1	2
41	Self-management and Health Promotion in Early-stage dementia with e-learning for carers (SHAPE): study protocol for a multi-centre randomised controlled trial. <i>BMC Public Health</i> , 2020 , 20, 1508	4.1	2
40	Associations between unmet needs for daytime activities and company and scores on the Neuropsychiatric Inventory-Questionnaire in people with dementia: a longitudinal study. <i>Aging and Mental Health</i> , 2021 , 1-10	3.5	2

39	Control Beliefs among People with Dementia: A Systematic Review. <i>Dementia and Geriatric Cognitive Disorders</i> , 2021 , 50, 205-223	2.6	2
38	Do caregiver profiles predict the use of dementia care services? Findings from the Actifcare study. <i>Aging and Mental Health</i> , 2020 , 24, 272-279	3.5	2
37	Interventions to enhance access to and utilization of formal community care services for home dwelling persons with dementia and their informal carers. A scoping review. <i>Aging and Mental Health</i> , 2020 , 24, 200-211	3.5	2
36	The Truth behind the Zeros: A New Approach to Principal Component Analysis of the Neuropsychiatric Inventory. <i>Multivariate Behavioral Research</i> , 2021 , 56, 70-85	2.3	2
35	Does Psychotropic Drug Prescription Change in Nursing Home Patients the First 6 Months After Admission?. <i>Journal of the American Medical Directors Association</i> , 2021 , 22, 101-108.e1	5.9	2
34	Sex Differences on Montreal Cognitive Assessment and Mini-Mental State Examination Scores and the Value of Self-Report of Memory Problems among Community Dwelling People 70 Years and above: The HUNT Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2021 , 50, 74-84	2.6	2
33	Neuropsychiatric symptoms and brain morphology in patients with mild cognitive impairment and Alzheimer's disease with dementia. <i>International Psychogeriatrics</i> , 2021 , 33, 1217-1228	3.4	2
32	Vitamin D Levels, APOE Allele, and MRI Volumetry Assessed by NeuroQuant in Norwegian Adults with Cognitive Symptoms. <i>Journal of Alzheimer's Disease</i> , 2021 , 79, 311-321	4.3	2
31	Quality of life of family carers of persons with young-onset dementia: A Nordic two-year observational multicenter study. <i>PLoS ONE</i> , 2019 , 14, e0219859	3.7	1
30	Genome-Wide Association Identifies the First Risk Loci for Psychosis in Alzheimer Disease		1
29	Profiles of Met and Unmet Needs in People with Dementia According to Caregivers' Perspective: Results from a European Multicenter Study. <i>Journal of the American Medical Directors Association</i> , 2020 , 21, 1609-1616.e1	5.9	1
28	Blood pressure in dementia, mild cognitive impairment, and subjective cognitive decline related to time of death. <i>Brain and Behavior</i> , 2021 , 11, e02166	3.4	1
27	Alcohol consumption among older adults with symptoms of cognitive decline consulting specialist health care. <i>Aging and Mental Health</i> , 2021 , 1-9	3.5	1
26	Anxiety symptom levels are persistent in older adults with a mental disorder: A 33-month follow-up study. <i>International Journal of Geriatric Psychiatry</i> , 2019 , 34, 601-608	3.9	1
25	Applicability of the locus of control of behaviour scale for people with dementia. <i>Aging and Mental Health</i> , 2020 , 24, 2111-2116	3.5	1
24	A validation study of the CarerQol instrument in informal caregivers of people with dementia from eight European countries. <i>Quality of Life Research</i> , 2021 , 30, 577-588	3.7	1
23	Dementia risk: time matters. <i>Lancet Public Health</i> , 2021 , 6, e85-e86	22.4	1
22	Locus of Control and Its Associations with Depressive Symptoms amongst People with Dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 2021 , 50, 258-265	2.6	1

21	Trajectories of relationship quality in dementia: a longitudinal study in eight European countries. <i>Aging and Mental Health</i> , 2021 , 1-9	3.5	1
20	Vitamin D in Alzheimer's Disease: Low Levels in Cerebrospinal Fluid Despite Normal Amounts in Serum.. <i>Journal of Alzheimer's Disease</i> , 2022 , 86, 1301-1314	4.3	1
19	Mortality in nursing home residents stratified according to subtype of dementia: a longitudinal study over three years.. <i>BMC Geriatrics</i> , 2022 , 22, 282	4.1	1
18	Effects of 5 Years Aerobic Exercise on Cognition in Older Adults: The Generation 100 Study: A Randomized Controlled Trial. <i>Sports Medicine</i> , 2021 , 1	10.6	1
17	Hippocampal Atrophy Subtypes of Alzheimer's Disease Using Automatic MRI in a Memory Clinic Cohort: Clinical Implications.. <i>Dementia and Geriatric Cognitive Disorders</i> , 2022 , 1-10	2.6	1
16	Elderly patients with no previous psychiatric history: suicidality and other factors relating to psychiatric acute admissions. <i>BJPsych Open</i> , 2020 , 6, e63	5	0
15	Gait, physical function, and physical activity in three groups of home-dwelling older adults with different severity of cognitive impairment - a cross-sectional study. <i>BMC Geriatrics</i> , 2021 , 21, 670	4.1	0
14	Cerebrospinal fluid markers for synaptic function and Alzheimer type changes in late life depression. <i>Scientific Reports</i> , 2021 , 11, 20375	4.9	0
13	The course of depressive symptoms and mortality in older patients with cancer. <i>Aging and Mental Health</i> , 2021 , 1-8	3.5	0
12	Exploring life-space in the nursing home. An observational longitudinal study. <i>BMC Geriatrics</i> , 2021 , 21, 396	4.1	0
11	Obtaining EQ-5D-5L utilities from the disease specific quality of life Alzheimer's disease scale: development and results from a mapping study. <i>Quality of Life Research</i> , 2021 , 30, 867-879	3.7	0
10	Person-centered dementia care in home care services - highly recommended but still challenging to obtain: a qualitative interview study. <i>BMC Health Services Research</i> , 2021 , 21, 723	2.9	0
9	Do prescription rates of psychotropic drugs change over three years from nursing home admission?. <i>BMC Geriatrics</i> , 2021 , 21, 496	4.1	0
8	Targeted Interdisciplinary Model for Evaluation and Treatment of Neuropsychiatric Symptoms (TIME) in home care services: a cluster randomized feasibility trial.. <i>BMC Health Services Research</i> , 2022 , 22, 415	2.9	0
7	Cohort profile: Norwegian survey of health and ageing (NORSE). <i>BMC Public Health</i> , 2021 , 21, 2229	4.1	0
6	A systematic review of self-report measures used in epidemiological studies to assess alcohol consumption among older adults.. <i>PLoS ONE</i> , 2021 , 16, e0261292	3.7	0
5	One-Year Change in Locus of Control among People with Dementia.. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2021 , 11, 298-305	2.5	0
4	[F10503]: TREATMENT OF SEVERE AGITATION IN NURSING HOMES WITH THE TIME MODEL: RESULTS FROM A CLUSTER-RANDOMIZED CONTROLLED TRIAL 2017 , 13, P179-P180		

- 3 Does Elevated Alcohol Consumption Delay the Diagnostic Assessment of Cognitive Impairment among Older Adults?. *Dementia and Geriatric Cognitive Disorders Extra*, **2022**, 12, 14-23 2.5
- 2 Reply to the letter to the editor 'Geriatric-oncology and palliative care: cautionary on using geriatric assessment as a sole basis to limit care'. *Palliative Medicine*, **2020**, 34, 255-256 5.5
- 1 O2-05-05: MODERATE-TO-VIGOROUS PHYSICAL ACTIVITY, PSYCHOLOGICAL DISTRESS, AND DEMENTIA: THE HUNT STUDY AND THE HEALTH AND MEMORY STUDY IN NORD-TRØNDELAG **2018**, 14, P628-P629