

Geir Selbæk

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/723391/publications.pdf>

Version: 2024-02-01

187
papers

17,555
citations

66336

42
h-index

18128

120
g-index

199
all docs

199
docs citations

199
times ranked

19832
citing authors

#	ARTICLE	IF	CITATIONS
1	Dementia prevention, intervention, and care: 2020 report of the Lancet Commission. <i>Lancet</i> , The, 2020, 396, 413-446.	13.7	4,658
2	Dementia prevention, intervention, and care. <i>Lancet</i> , The, 2017, 390, 2673-2734.	13.7	4,228
3	Genome-wide meta-analysis identifies new loci and functional pathways influencing Alzheimer's disease risk. <i>Nature Genetics</i> , 2019, 51, 404-413.	21.4	1,625
4	New insights into the genetic etiology of Alzheimer's disease and related dementias. <i>Nature Genetics</i> , 2022, 54, 412-436.	21.4	700
5	A genome-wide association study with 1,126,563 individuals identifies new risk loci for Alzheimer's disease. <i>Nature Genetics</i> , 2021, 53, 1276-1282.	21.4	430
6	Common brain disorders are associated with heritable patterns of apparent aging of the brain. <i>Nature Neuroscience</i> , 2019, 22, 1617-1623.	14.8	358
7	The prevalence of psychiatric symptoms and behavioural disturbances and the use of psychotropic drugs in Norwegian nursing homes. <i>International Journal of Geriatric Psychiatry</i> , 2007, 22, 843-849.	2.7	322
8	Loss-of-function variants in ABCA7 confer risk of Alzheimer's disease. <i>Nature Genetics</i> , 2015, 47, 445-447.	21.4	283
9	The Prevalence and Course of Neuropsychiatric Symptoms in Nursing Home Patients With Dementia: A Systematic Review. <i>Journal of the American Medical Directors Association</i> , 2013, 14, 161-169.	2.5	177
10	Common variants in Alzheimer's disease and risk stratification by polygenic risk scores. <i>Nature Communications</i> , 2021, 12, 3417.	12.8	140
11	The Course of Psychiatric and Behavioral Symptoms and the Use of Psychotropic Medication in Patients With Dementia in Norwegian Nursing Homes—A 12-Month Follow-Up Study. <i>American Journal of Geriatric Psychiatry</i> , 2008, 16, 528-536.	1.2	116
12	The course of neuropsychiatric symptoms in nursing-home patients with dementia over a 53-month follow-up period. <i>International Psychogeriatrics</i> , 2014, 26, 81-91.	1.0	114
13	Geriatric assessment is superior to oncologists' clinical judgement in identifying frailty. <i>British Journal of Cancer</i> , 2017, 117, 470-477.	6.4	109
14	The Effect of Person-Centred Dementia Care to Prevent Agitation and Other Neuropsychiatric Symptoms and Enhance Quality of Life in Nursing Home Patients: A 10-Month Randomized Controlled Trial. <i>Dementia and Geriatric Cognitive Disorders</i> , 2013, 36, 340-353.	1.5	96
15	Disrupted global metastability and static and dynamic brain connectivity across individuals in the Alzheimer's disease continuum. <i>Scientific Reports</i> , 2017, 7, 40268.	3.3	94
16	The reliability and validity of the Norwegian version of the Neuropsychiatric Inventory, Nursing Home Version (NPI-NH). <i>International Psychogeriatrics</i> , 2008, 20, 375-82.	1.0	93
17	Prevalence and Severity of Dementia in Nursing Home Residents. <i>Dementia and Geriatric Cognitive Disorders</i> , 2015, 40, 166-177.	1.5	89
18	Quality of Life among Elderly Patients with Dementia in Institutions. <i>Dementia and Geriatric Cognitive Disorders</i> , 2011, 31, 435-442.	1.5	84

#	ARTICLE	IF	CITATIONS
19	Are the neuroprotective effects of exercise training systemically mediated?. Progress in Cardiovascular Diseases, 2019, 62, 94-101.	3.1	76
20	A psychometric evaluation of the Hospital Anxiety and Depression Scale for the medically hospitalized elderly. Nordic Journal of Psychiatry, 2011, 65, 338-344.	1.3	75
21	Whole-genome sequencing identifies rare genotypes in COMP and CHADL associated with high risk of hip osteoarthritis. Nature Genetics, 2017, 49, 801-805.	21.4	75
22	Current and Future Prevalence Estimates of Mild Cognitive Impairment, Dementia, and Its Subtypes in a Population-Based Sample of People 70 Years and Older in Norway: The HUNT Study. Journal of Alzheimer's Disease, 2021, 79, 1213-1226.	2.6	74
23	MRI-Based Classification Models in Prediction of Mild Cognitive Impairment and Dementia in Late-Life Depression. Frontiers in Aging Neuroscience, 2017, 9, 13.	3.4	73
24	Stability of the factor structure of the Neuropsychiatric Inventory in a 31-month follow-up study of a large sample of nursing-home patients with dementia. International Psychogeriatrics, 2012, 24, 62-73.	1.0	72
25	Alcohol consumption and risk of dementia up to 27 years later in a large, population-based sample: the HUNT study, Norway. European Journal of Epidemiology, 2015, 30, 1049-1056.	5.7	72
26	Mortality in nursing home residents: A longitudinal study over three years. PLoS ONE, 2018, 13, e0203480.	2.5	71
27	Multimodal imaging improves brain age prediction and reveals distinct abnormalities in patients with psychiatric and neurological disorders. Human Brain Mapping, 2021, 42, 1714-1726.	3.6	68
28	Short- and Long-term Mortality Risk Associated with the Use of Antipsychotics Among 26,940 Dementia Outpatients: A Population-Based Study. American Journal of Geriatric Psychiatry, 2014, 22, 321-331.	1.2	64
29	A 52-month follow-up of functional decline in nursing home residents " degree of dementia contributes. BMC Geriatrics, 2014, 14, 45.	2.7	58
30	Factors associated with depression in Norwegian nursing homes. International Journal of Geriatric Psychiatry, 2009, 24, 417-425.	2.7	57
31	Needs and quality of life of people with middle-stage dementia and their family carers from the European Actifcare study. When informal care alone may not suffice. Aging and Mental Health, 2018, 22, 897-902.	2.8	57
32	Analgesic prescribing patterns in Norwegian nursing homes from 2000 to 2011: trend analyses of four data samples. Age and Ageing, 2016, 45, 54-60.	1.6	55
33	Resource Use and Disease Course in dementia - Nursing Home (REDIC-NH), a longitudinal cohort study; design and patient characteristics at admission to Norwegian nursing homes. BMC Health Services Research, 2017, 17, 365.	2.2	53
34	Variables associated to quality of life among nursing home patients with dementia. Aging and Mental Health, 2014, 18, 1013-1021.	2.8	52
35	Temporal changes in cardiorespiratory fitness and risk of dementia incidence and mortality: a population-based prospective cohort study. Lancet Public Health, The, 2019, 4, e565-e574.	10.0	52
36	MRI-assessed atrophy subtypes in Alzheimer's disease and the cognitive reserve hypothesis. PLoS ONE, 2017, 12, e0186595.	2.5	51

#	ARTICLE	IF	CITATIONS
37	The course of neuropsychiatric symptoms in patients with dementia in Norwegian nursing homes. <i>International Psychogeriatrics</i> , 2011, 23, 1231-1239.	1.0	50
38	The Effect of a Multicomponent Intervention on Quality of Life in Residents of Nursing Homes: A Randomized Controlled Trial (COSMOS). <i>Journal of the American Medical Directors Association</i> , 2019, 20, 330-339.	2.5	50
39	A consensus guideline for antipsychotic drug use for dementia in care homes. Bridging the gap between scientific evidence and clinical practice. <i>International Psychogeriatrics</i> , 2015, 27, 1849-1859.	1.0	47
40	Predictors for Nursing Home Admission and Death among Community-Dwelling People 70 Years and Older Who Receive Domiciliary Care. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2015, 5, 320-329.	1.3	47
41	Meta-analysis of Alzheimer's disease on 9,751 samples from Norway and ICAP study identifies four risk loci. <i>Scientific Reports</i> , 2018, 8, 18088.	3.3	47
42	COSMOS—improving the quality of life in nursing home patients: protocol for an effectiveness-implementation cluster randomized clinical hybrid trial. <i>Implementation Science</i> , 2015, 10, 131.	6.9	46
43	Deep neural networks learn general and clinically relevant representations of the ageing brain. <i>NeuroImage</i> , 2022, 256, 119210.	4.2	46
44	Trends in psychotropic drug prescribing in Norwegian nursing homes from 1997 to 2009: a comparison of six cohorts. <i>International Journal of Geriatric Psychiatry</i> , 2013, 28, 868-876.	2.7	45
45	Progression of Alzheimer's Disease: A Longitudinal Study in Norwegian Memory Clinics. <i>Journal of Alzheimer's Disease</i> , 2018, 61, 1221-1232.	2.6	44
46	Comparison of automated volumetry of the hippocampus using NeuroQuant® and visual assessment of the medial temporal lobe in Alzheimer's disease. <i>Acta Radiologica</i> , 2018, 59, 997-1001.	1.1	44
47	Dissociable diffusion MRI patterns of white matter microstructure and connectivity in Alzheimer's disease spectrum. <i>Scientific Reports</i> , 2017, 7, 45131.	3.3	43
48	Screening for depression in elderly medical inpatients from rural area of Norway: prevalence and associated factors. <i>International Journal of Geriatric Psychiatry</i> , 2010, 25, 150-159.	2.7	42
49	Survival and years of life lost in various aetiologies of dementia, mild cognitive impairment (MCI) and subjective cognitive decline (SCD) in Norway. <i>PLoS ONE</i> , 2018, 13, e0204436.	2.5	42
50	Mobility and cognition at admission to the nursing home — a cross-sectional study. <i>BMC Geriatrics</i> , 2018, 18, 30.	2.7	42
51	Distinguishing early and late brain aging from the Alzheimer's disease spectrum: consistent morphological patterns across independent samples. <i>NeuroImage</i> , 2017, 158, 282-295.	4.2	41
52	Associations between pain and depression in nursing home patients at different stages of dementia. <i>Journal of Affective Disorders</i> , 2017, 218, 8-14.	4.1	39
53	Trajectories of depressive symptoms and their relationship to the progression of dementia. <i>Journal of Affective Disorders</i> , 2017, 222, 146-152.	4.1	39
54	The pattern of depressive symptoms and factor analysis of the Cornell Scale among patients in Norwegian nursing homes. <i>International Journal of Geriatric Psychiatry</i> , 2008, 23, 1058-1065.	2.7	38

#	ARTICLE	IF	CITATIONS
55	Multi-psychotropic drug prescription and the association to neuropsychiatric symptoms in three Norwegian nursing home cohorts between 2004 and 2011. <i>BMC Geriatrics</i> , 2016, 16, 115.	2.7	38
56	Modifiable factors affecting older patients' quality of life and physical function during cancer treatment. <i>Journal of Geriatric Oncology</i> , 2019, 10, 904-912.	1.0	38
57	Persistent use of psychotropic drugs in nursing home residents in Norway. <i>BMC Geriatrics</i> , 2017, 17, 52.	2.7	37
58	Do behavioral disturbances predict falls among nursing home residents?. <i>Aging Clinical and Experimental Research</i> , 2012, 24, 251-256.	2.9	36
59	Cancer-Related Pain and Symptoms Among Nursing Home Residents: A Systematic Review. <i>Journal of Pain and Symptom Management</i> , 2014, 48, 699-710.e1.	1.2	36
60	Access to timely formal dementia care in Europe: protocol of the Actifcare (ACcess to Timely Formal) Tj ETQq0 0 0 rBT /Overlock 10 Tf	2.2	36
61	Targeted Interdisciplinary Model for Evaluation and Treatment of Neuropsychiatric Symptoms: A Cluster Randomized Controlled Trial. <i>American Journal of Geriatric Psychiatry</i> , 2018, 26, 25-38.	1.2	36
62	Examining the association between genetic liability for schizophrenia and psychotic symptoms in Alzheimer's disease. <i>Translational Psychiatry</i> , 2019, 9, 273.	4.8	36
63	Trends in potentially inappropriate medication prescribing to nursing home patients: comparison of three cross-sectional studies. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 192-200.	1.9	35
64	Tolerability of buprenorphine transdermal system in nursing home patients with advanced dementia: a randomized, placebo-controlled trial (DEP.PAIN.DEM). <i>Clinical Interventions in Aging</i> , 2018, Volume 13, 935-946.	2.9	35
65	Demens og nevropsykiatriske symptomer hos sykehjemspasienter i Nord-Trøndelag. <i>Tidsskrift for Den Norske Laegeforening</i> , 2012, 132, 1956-1959.	0.2	35
66	Neuroanatomical correlates of late-life depression and associated cognitive changes. <i>Neurobiology of Aging</i> , 2015, 36, 3090-3099.	3.1	34
67	Factors associated with consumption of alcohol in older adults - a comparison between two cultures, China and Norway: the CLHLS and the HUNT-study. <i>BMC Geriatrics</i> , 2017, 17, 172.	2.7	34
68	Determinants of quality of life in young onset dementia " results from a European multicenter assessment. <i>Aging and Mental Health</i> , 2017, 21, 24-30.	2.8	32
69	Locus of control and coping strategies in older persons with and without depression. <i>Aging and Mental Health</i> , 2016, 20, 831-839.	2.8	30
70	The course of neuropsychiatric symptoms in nursing home residents from admission to 30-month follow-up. <i>PLoS ONE</i> , 2018, 13, e0206147.	2.5	30
71	Quality of Life, Care Resource Use, and Costs of Dementia in 8 European Countries in a Cross-Sectional Cohort of the Actifcare Study. <i>Journal of Alzheimer's Disease</i> , 2018, 66, 1027-1040.	2.6	30
72	Genome-wide association identifies the first risk loci for psychosis in Alzheimer disease. <i>Molecular Psychiatry</i> , 2021, 26, 5797-5811.	7.9	30

#	ARTICLE	IF	CITATIONS
73	Are coping strategies and locus of control orientation associated with health-related quality of life in older adults with and without depression?. <i>Archives of Gerontology and Geriatrics</i> , 2016, 64, 130-137.	3.0	28
74	A 36-month follow-up of decline in activities of daily living in individuals receiving domiciliary care. <i>BMC Geriatrics</i> , 2015, 15, 47.	2.7	27
75	The course of depressive symptoms as measured by the Cornell scale for depression in dementia over 74 months in 1158 nursing home residents. <i>Journal of Affective Disorders</i> , 2015, 175, 209-216.	4.1	27
76	Caregiver profiles in dementia related to quality of life, depression and perseverance time in the European Actifcare study: the importance of social health. <i>Aging and Mental Health</i> , 2017, 21, 49-57.	2.8	27
77	Psychiatric and behavioural symptoms and the use of psychotropic medication in Special Care Units and Regular Units in Norwegian nursing homes. <i>Scandinavian Journal of Caring Sciences</i> , 2008, 22, 568-573.	2.1	26
78	The Reliability and Validity of the Norwegian Version of the Quality of Life in Late-Stage Dementia Scale. <i>Dementia and Geriatric Cognitive Disorders</i> , 2015, 40, 233-242.	1.5	26
79	Fully automated structural MRI of the brain in clinical dementia workup. <i>Acta Radiologica</i> , 2017, 58, 740-747.	1.1	26
80	Association between vascular comorbidity and progression of Alzheimer's disease: a two-year observational study in Norwegian memory clinics. <i>BMC Geriatrics</i> , 2018, 18, 120.	2.7	26
81	The genetic architecture of human brainstem structures and their involvement in common brain disorders. <i>Nature Communications</i> , 2020, 11, 4016.	12.8	26
82	Physical diagnoses in nursing home residents - is dementia or severity of dementia of importance?. <i>BMC Geriatrics</i> , 2018, 18, 254.	2.7	24
83	Severity of Neuropsychiatric Symptoms in Nursing Home Residents. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2016, 6, 28-42.	1.3	23
84	Comparing comorbidity scales: Attending physician score versus the Cumulative Illness Rating Scale for Geriatrics. <i>Journal of Geriatric Oncology</i> , 2016, 7, 90-98.	1.0	23
85	Burden of Care and Patient's Neuropsychiatric Symptoms Influence Carer's Evaluation of Cognitive Impairment. <i>Dementia and Geriatric Cognitive Disorders</i> , 2015, 40, 256-267.	1.5	22
86	Signs of Imminent Dying and Change in Symptom Intensity During Pharmacological Treatment in Dying Nursing Home Patients: A Prospective Trajectory Study. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 821-827.	2.5	22
87	Potentially inappropriate medications and drug-drug interactions in home-dwelling people with mild dementia. <i>International Journal of Geriatric Psychiatry</i> , 2017, 32, 183-192.	2.7	22
88	Cohort Profile: The Health and Memory Study (HMS): a dementia cohort linked to the HUNT study in Norway. <i>International Journal of Epidemiology</i> , 2014, 43, 1759-1768.	1.9	21
89	The course of depression in late life as measured by the Montgomery and Asberg Depression Rating Scale in an observational study of hospitalized patients. <i>BMC Psychiatry</i> , 2015, 15, 191.	2.6	20
90	Comorbid Dementia and Cancer in Residents of Nursing Homes. <i>Cancer Nursing</i> , 2018, 41, E13-E20.	1.5	20

#	ARTICLE	IF	CITATIONS
91	Neuropsychiatric symptoms and brain morphology in patients with mild cognitive impairment and Alzheimer's disease with dementia. <i>International Psychogeriatrics</i> , 2021, 33, 1217-1228.	1.0	20
92	Cortisol levels among older people with and without depression and dementia. <i>International Psychogeriatrics</i> , 2019, 31, 597-601.	1.0	19
93	Physical performance across the cognitive spectrum and between dementia subtypes in a population-based sample of older adults: The HUNT study. <i>Archives of Gerontology and Geriatrics</i> , 2021, 95, 104400.	3.0	19
94	Use of alcohol and drugs with addiction potential among older women and men in a population-based study. The Nord-Trøndelag Health Study 2006-2008 (HUNT3). <i>PLoS ONE</i> , 2017, 12, e0184428.	2.5	18
95	Time from Symptom Debut to Dementia Assessment by the Specialist Healthcare Service in Norway. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2018, 8, 117-127.	1.3	18
96	Quality of Life in People with Young-Onset Alzheimer's Dementia and Frontotemporal Dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 2018, 45, 91-104.	1.5	17
97	Optimizing access to and use of formal dementia care: Qualitative findings from the European Actifcare study. <i>Health and Social Care in the Community</i> , 2019, 27, e814-e823.	1.6	16
98	A high cerebrospinal fluid soluble TREM2 level is associated with slow clinical progression of Alzheimer's disease. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2020, 12, e12128.	2.4	16
99	The changing alcohol drinking patterns among older adults show that women are closing the gender gap in more frequent drinking: the TromsÅ study, 1994-2016. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2021, 16, 45.	2.2	16
100	Anxiety Symptoms in Older Adults with Depression Are Associated with Suicidality. <i>Dementia and Geriatric Cognitive Disorders</i> , 2018, 45, 180-189.	1.5	15
101	Antipsychotic Drug Use Is Not Associated With Long-Term Mortality Risk in Norwegian Nursing Home Patients. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 464.e1-464.e7.	2.5	14
102	The impact of the Dementia ABC educational programme on competence in person-centred dementia care and job satisfaction of care staff. <i>International Journal of Older People Nursing</i> , 2017, 12, e12139.	1.3	14
103	The impact of attending day care designed for home-dwelling people with dementia on nursing home admission: a 24-month controlled study. <i>BMC Health Services Research</i> , 2018, 18, 864.	2.2	14
104	Factors associated with perceived health in elderly medical inpatients: A particular focus on personal coping recourses. <i>Aging and Mental Health</i> , 2012, 16, 795-803.	2.8	13
105	TIME to reduce agitation in persons with dementia in nursing homes. A process evaluation of a complex intervention. <i>BMC Health Services Research</i> , 2019, 19, 349.	2.2	13
106	Factors associated with alcohol consumption and prescribed drugs with addiction potential among older women and men - the Nord-Trøndelag health study (HUNT2 and HUNT3), Norway, a population-based longitudinal study. <i>BMC Geriatrics</i> , 2019, 19, 113.	2.7	13
107	Associations of Changes in Cardiorespiratory Fitness and Symptoms of Anxiety and Depression With Brain Volumes: The HUNT Study. <i>Frontiers in Behavioral Neuroscience</i> , 2019, 13, 53.	2.0	13
108	Is there equity in initial access to formal dementia care in Europe? The Andersen Model applied to the Actifcare cohort. <i>International Journal of Geriatric Psychiatry</i> , 2020, 35, 45-52.	2.7	13

#	ARTICLE	IF	CITATIONS
109	Nursing Home Admission during the First Year after Hospitalization – The Contribution of Cognitive Impairment. <i>PLoS ONE</i> , 2014, 9, e86116.	2.5	13
110	The Validity of the Norwegian Version of the Cognitive Function Instrument. <i>Dementia and Geriatric Cognitive Disorders</i> , 2018, 46, 217-228.	1.5	12
111	Relationship quality and sense of coherence in dementia: Results of a European cohort study. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 745-755.	2.7	12
112	Characteristics of patients assessed for cognitive decline in primary healthcare, compared to patients assessed in specialist healthcare. <i>Scandinavian Journal of Primary Health Care</i> , 2020, 38, 107-116.	1.5	12
113	Pain in nursing home residents with dementia and its association to quality of life. <i>Aging and Mental Health</i> , 2021, , 1-11.	2.8	12
114	A systematic review of self-report measures used in epidemiological studies to assess alcohol consumption among older adults. <i>PLoS ONE</i> , 2021, 16, e0261292.	2.5	12
115	Confirmatory factor analysis of the Cornell scale for depression in dementia among patient with dementia of various degrees. <i>Journal of Affective Disorders</i> , 2015, 188, 173-178.	4.1	11
116	Symptoms of Anxiety in Older Adults with Depression, Dementia, or Psychosis: A Principal Component Analysis of the Geriatric Anxiety Inventory. <i>Dementia and Geriatric Cognitive Disorders</i> , 2016, 42, 310-322.	1.5	11
117	TIME – Targeted interdisciplinary model for evaluation and treatment of neuropsychiatric symptoms: protocol for an effectiveness-implementation cluster randomized hybrid trial. <i>BMC Psychiatry</i> , 2016, 16, 233.	2.6	11
118	Can depression in psychogeriatric inpatients at one year follow-up be explained by locus of control and coping strategies?. <i>Aging and Mental Health</i> , 2018, 22, 379-388.	2.8	11
119	The effect of anxiety on cognition in older adult inpatients with depression: results from a multicenter observational study. <i>Heliyon</i> , 2019, 5, e02235.	3.2	11
120	A validation study of the CarerQol instrument in informal caregivers of people with dementia from eight European countries. <i>Quality of Life Research</i> , 2021, 30, 577-588.	3.1	11
121	Staff's perspectives on the organization of homecare services to people with dementia – A qualitative study. <i>Nursing Open</i> , 2021, 8, 1797-1804.	2.4	11
122	Person-centered dementia care in home care services – highly recommended but still challenging to obtain: a qualitative interview study. <i>BMC Health Services Research</i> , 2021, 21, 723.	2.2	11
123	Time from dementia diagnosis to nursing-home admission and death among persons with dementia: A multistate survival analysis. <i>PLoS ONE</i> , 2020, 15, e0243513.	2.5	11
124	Effects of 5 Years Aerobic Exercise on Cognition in Older Adults: The Generation 100 Study: A Randomized Controlled Trial. <i>Sports Medicine</i> , 2022, 52, 1689-1699.	6.5	11
125	Factors Associated with a Depressive Disorder in Alzheimer's Disease Are Different from Those Found for Other Dementia Disorders. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2012, 2, 19-28.	1.3	10
126	Leisure-Time Physical Activity Is Associated With Reduced Risk of Dementia-Related Mortality in Adults With and Without Psychological Distress: The Cohort of Norway. <i>Frontiers in Aging Neuroscience</i> , 2018, 10, 151.	3.4	10

#	ARTICLE	IF	CITATIONS
127	Quality of life of family carers of persons with young-onset compared to late-onset dementia. <i>Aging and Mental Health</i> , 2020, 24, 1394-1401.	2.8	10
128	Gait, physical function, and physical activity in three groups of home-dwelling older adults with different severity of cognitive impairment – a cross-sectional study. <i>BMC Geriatrics</i> , 2021, 21, 670.	2.7	10
129	Concomitant use of anti-dementia drugs with psychotropic drugs in Norway – a population-based study. <i>Pharmacoepidemiology and Drug Safety</i> , 2011, 20, 1319-1326.	1.9	9
130	Being stuck in a vice: The process of coping with severe depression in late life. <i>International Journal of Qualitative Studies on Health and Well-being</i> , 2015, 10, 27187.	1.6	9
131	Impact of Untimely Access to Formal Care on Costs and Quality of Life in Community Dwelling People with Dementia. <i>Journal of Alzheimer's Disease</i> , 2018, 66, 1165-1174.	2.6	9
132	Course of activities of daily living in nursing home residents with dementia from admission to 36-month follow-up. <i>BMC Geriatrics</i> , 2020, 20, 488.	2.7	9
133	Trajectories and risk factors of dementia progression: a memory clinic cohort followed up to 3 years from diagnosis. <i>International Psychogeriatrics</i> , 2021, 33, 779-789.	1.0	9
134	Sex Differences on Montreal Cognitive Assessment and Mini-Mental State Examination Scores and the Value of Self-Report of Memory Problems among Community Dwelling People 70 Years and above: The HUNT Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2021, 50, 74-84.	1.5	9
135	Neuropsychiatric symptoms and comorbidity: Associations with dementia progression rate in a memory clinic cohort. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 960-969.	2.7	9
136	Cerebrospinal fluid markers for synaptic function and Alzheimer type changes in late life depression. <i>Scientific Reports</i> , 2021, 11, 20375.	3.3	9
137	The Montreal Cognitive Assessment: Normative Data from a Large, Population-Based Sample of Cognitive Healthy Older Adults in Norway – The HUNT Study. <i>Journal of Alzheimer's Disease</i> , 2022, 86, 589-599.	2.6	9
138	Reliability and validity of the Norwegian version of the Severe Impairment Battery (SIB). <i>International Journal of Geriatric Psychiatry</i> , 2008, 23, 896-902.	2.7	8
139	The Agreement between the MMSE and IQCODE Tests in a Community-Based Sample of Subjects Aged 70 Years or Older Receiving In-Home Nursing: An Explorative Study. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2015, 5, 32-41.	1.3	8
140	The Loss in Expectation of Life due to Early-Onset Mild Cognitive Impairment and Early-Onset Dementia in Norway. <i>Dementia and Geriatric Cognitive Disorders</i> , 2019, 47, 355-365.	1.5	8
141	Mortality in older adults with frequent alcohol consumption and use of drugs with addiction potential – The Nord Trøndelag Health Study 2006-2008 (HUNT3), Norway, a population-based study. <i>PLoS ONE</i> , 2019, 14, e0214813.	2.5	8
142	Quality of Life in People with Young-Onset Dementia: A Nordic Two-Year Observational Multicenter Study. <i>Journal of Alzheimer's Disease</i> , 2019, 67, 197-210.	2.6	8
143	A validation study of the ICECAP-O in informal carers of people with dementia from eight European Countries. <i>Quality of Life Research</i> , 2020, 29, 237-251.	3.1	8
144	Development of best practice recommendations to enhance access to and use of formal community care services for people with dementia in Europe: a Delphi process conducted by the Actifcare project. <i>Aging and Mental Health</i> , 2021, 25, 2298-2309.	2.8	8

#	ARTICLE	IF	CITATIONS
145	Vitamin D Levels, APOE Allele, and MRI Volumetry Assessed by NeuroQuant in Norwegian Adults with Cognitive Symptoms. <i>Journal of Alzheimer's Disease</i> , 2021, 79, 311-321.	2.6	8
146	The use of direct care in nursing home residents: A longitudinal cohort study over 3 years. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 337-351.	2.7	7
147	Do caregiver profiles predict the use of dementia care services? Findings from the Actifcare study. <i>Aging and Mental Health</i> , 2020, 24, 272-279.	2.8	7
148	Interventions to enhance access to and utilization of formal community care services for home dwelling persons with dementia and their informal carers. A scoping review. <i>Aging and Mental Health</i> , 2020, 24, 200-211.	2.8	7
149	The Association Between Circulating Inflammatory Markers and the Progression of Alzheimer Disease in Norwegian Memory Clinic Patients With Mild Cognitive Impairment or Dementia. <i>Alzheimer Disease and Associated Disorders</i> , 2020, 34, 47-53.	1.3	7
150	Profiles of Met and Unmet Needs in People with Dementia According to Caregivers' Perspective: Results from a European Multicenter Study. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 1609-1616.e1.	2.5	7
151	Trajectories of physical performance in nursing home residents with dementia. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 2603-2610.	2.9	7
152	The Truth behind the Zeros: A New Approach to Principal Component Analysis of the Neuropsychiatric Inventory. <i>Multivariate Behavioral Research</i> , 2021, 56, 70-85.	3.1	7
153	Does Psychotropic Drug Prescription Change in Nursing Home Patients the First 6 Months After Admission?. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 101-108.e1.	2.5	7
154	Carers' experiences of timely access to and use of dementia care services in eight European countries. <i>Ageing and Society</i> , 2021, 41, 403-420.	1.7	7
155	Associations between unmet needs for daytime activities and company and scores on the Neuropsychiatric Inventory-Questionnaire in people with dementia: a longitudinal study. <i>Aging and Mental Health</i> , 2022, 26, 725-734.	2.8	7
156	Locus of Control and Its Associations with Depressive Symptoms amongst People with Dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 2021, 50, 258-265.	1.5	7
157	Depressive symptoms among the medically hospitalized older individuals: a 1-year follow-up study. <i>International Journal of Geriatric Psychiatry</i> , 2013, 28, 199-207.	2.7	6
158	Toward a Sequential Strategy for Diagnosing Neurocognitive Disorders: A Consensus from the Act On Dementia European Joint Action. <i>Journal of Alzheimer's Disease</i> , 2019, 72, 363-372.	2.6	6
159	The impact of medication reviews by general practitioners on psychotropic drug use and behavioral and psychological symptoms in home-dwelling people with dementia: results from the multicomponent cluster randomized controlled LIVE@Home.Path trial. <i>BMC Medicine</i> , 2022, 20, .	5.5	6
160	Blood pressure in dementia, mild cognitive impairment, and subjective cognitive decline related to time of death. <i>Brain and Behavior</i> , 2021, 11, e02166.	2.2	5
161	Vitamin D in Alzheimer's Disease: Low Levels in Cerebrospinal Fluid Despite Normal Amounts in Serum. <i>Journal of Alzheimer's Disease</i> , 2022, 86, 1301-1314.	2.6	5
162	Obtaining EQ-5D-5L utilities from the disease specific quality of life Alzheimer's disease scale: development and results from a mapping study. <i>Quality of Life Research</i> , 2021, 30, 867-879.	3.1	4

#	ARTICLE	IF	CITATIONS
163	Control Beliefs among People with Dementia: A Systematic Review. <i>Dementia and Geriatric Cognitive Disorders</i> , 2021, 50, 205-223.	1.5	4
164	Exploring life-space in the nursing home. An observational longitudinal study. <i>BMC Geriatrics</i> , 2021, 21, 396.	2.7	4
165	Trajectories of relationship quality in dementia: a longitudinal study in eight European countries. <i>Aging and Mental Health</i> , 2022, 26, 2307-2315.	2.8	4
166	Hippocampal Atrophy Subtypes of Alzheimer's Disease Using Automatic MRI in a Memory Clinic Cohort: Clinical Implications. <i>Dementia and Geriatric Cognitive Disorders</i> , 2022, 51, 80-89.	1.5	4
167	Alpha-2-adrenergic receptor agonists for the prevention of delirium and cognitive decline after open heart surgery (ALPHA2PREVENT): protocol for a multicentre randomised controlled trial. <i>BMJ Open</i> , 2022, 12, e057460.	1.9	4
168	Quality of life of family carers of persons with young-onset dementia: A Nordic two-year observational multicenter study. <i>PLoS ONE</i> , 2019, 14, e0219859.	2.5	3
169	Dementia risk: time matters. <i>Lancet Public Health</i> , The, 2021, 6, e85-e86.	10.0	3
170	The course of depressive symptoms and mortality in older patients with cancer. <i>Aging and Mental Health</i> , 2022, 26, 1153-1160.	2.8	3
171	Using Polygenic Hazard Scores to Predict Age at Onset of Alzheimer's Disease in Nordic Populations. <i>Journal of Alzheimer's Disease</i> , 2022, 88, 1533-1544.	2.6	3
172	Self-management and Health Promotion in Early-stage dementia with e-learning for carers (SHAPE): study protocol for a multi-centre randomised controlled trial. <i>BMC Public Health</i> , 2020, 20, 1508.	2.9	2
173	Alcohol consumption among older adults with symptoms of cognitive decline consulting specialist health care. <i>Aging and Mental Health</i> , 2021, , 1-9.	2.8	2
174	Do prescription rates of psychotropic drugs change over three years from nursing home admission?. <i>BMC Geriatrics</i> , 2021, 21, 496.	2.7	2
175	Mortality in nursing home residents stratified according to subtype of dementia: a longitudinal study over three years. <i>BMC Geriatrics</i> , 2022, 22, 282.	2.7	2
176	[F1003]: TREATMENT OF SEVERE AGITATION IN NURSING HOMES WITH THE TIME MODEL: RESULTS FROM A CLUSTER-RANDOMIZED CONTROLLED TRIAL. <i>Alzheimer's and Dementia</i> , 2017, 13, P179.	0.8	1
177	Anxiety symptom levels are persistent in older adults with a mental disorder: A 33-month follow-up study. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 601-608.	2.7	1
178	Applicability of the locus of control of behaviour scale for people with dementia. <i>Aging and Mental Health</i> , 2020, 24, 2111-2116.	2.8	1
179	Elderly patients with no previous psychiatric history: suicidality and other factors relating to psychiatric acute admissions. <i>BJPsych Open</i> , 2020, 6, e63.	0.7	1
180	Does Elevated Alcohol Consumption Delay the Diagnostic Assessment of Cognitive Impairment among Older Adults?. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2022, 12, 14-23.	1.3	1

#	ARTICLE	IF	CITATIONS
181	The Effect of the NorGePâ€“NH on Quality of Life and Drug Prescriptions in Norwegian Nursing Homes: A Randomized Controlled Trial. Pharmacy (Basel, Switzerland), 2022, 10, 32.	1.6	1
182	Targeted Interdisciplinary Model for Evaluation and Treatment of Neuropsychiatric Symptoms (TIME) in home care services: a cluster randomized feasibility trial. BMC Health Services Research, 2022, 22, 415.	2.2	1
183	Cohort profile: Norwegian survey of health and ageing (NORSE). BMC Public Health, 2021, 21, 2229.	2.9	1
184	One-Year Change in Locus of Control among People with Dementia. Dementia and Geriatric Cognitive Disorders Extra, 2022, 11, 298-305.	1.3	1
185	O2â€“05â€“05: MODERATEâ€“Oâ€“VIGOROUS PHYSICAL ACTIVITY, PSYCHOLOGICAL DISTRESS, AND DEMENTIA: THE HUNT STUDY AND THE HEALTH AND MEMORY STUDY IN NORDâ€“RÅˆNDELAG. Alzheimer's and Dementia, 2018, 14, P628.	0.8	0
186	Reply to the letter to the editor â€“Geriatric-oncology and palliative care: cautionary on using geriatric assessment as a sole basis to limit careâ€“™. Palliative Medicine, 2020, 34, 255-256.	3.1	0
187	Selfâ€“reported quality of life in people with dementia attending a dayâ€“care programme in Norway: A 24â€“month quasiâ€“experimental study. Health and Social Care in the Community, 2021, , .	1.6	0