

Geir Selbæk

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/723391/publications.pdf>

Version: 2024-02-01

187
papers

17,555
citations

66336

42
h-index

18128

120
g-index

199
all docs

199
docs citations

199
times ranked

19832
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 1 | Associations between unmet needs for daytime activities and company and scores on the Neuropsychiatric Inventory-Questionnaire in people with dementia: a longitudinal study. <i>Aging and Mental Health</i> , 2022, 26, 725-734. | 2.8 | 7 |
| 2 | The course of depressive symptoms and mortality in older patients with cancer. <i>Aging and Mental Health</i> , 2022, 26, 1153-1160. | 2.8 | 3 |
| 3 | Trajectories of relationship quality in dementia: a longitudinal study in eight European countries. <i>Aging and Mental Health</i> , 2022, 26, 2307-2315. | 2.8 | 4 |
| 4 | The Montreal Cognitive Assessment: Normative Data from a Large, Population-Based Sample of Cognitive Healthy Older Adults in Norway – The HUNT Study. <i>Journal of Alzheimer's Disease</i> , 2022, 86, 589-599. | 2.6 | 9 |
| 5 | Does Elevated Alcohol Consumption Delay the Diagnostic Assessment of Cognitive Impairment among Older Adults?. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2022, 12, 14-23. | 1.3 | 1 |
| 6 | The Effect of the NorGePä€NH on Quality of Life and Drug Prescriptions in Norwegian Nursing Homes: A Randomized Controlled Trial. <i>Pharmacy (Basel, Switzerland)</i> , 2022, 10, 32. | 1.6 | 1 |
| 7 | Targeted Interdisciplinary Model for Evaluation and Treatment of Neuropsychiatric Symptoms (TIME) in home care services: a cluster randomized feasibility trial. <i>BMC Health Services Research</i> , 2022, 22, 415. | 2.2 | 1 |
| 8 | Vitamin D in Alzheimer – TM's Disease: Low Levels in Cerebrospinal Fluid Despite Normal Amounts in Serum. <i>Journal of Alzheimer's Disease</i> , 2022, 86, 1301-1314. | 2.6 | 5 |
| 9 | New insights into the genetic etiology of Alzheimer – TM's disease and related dementias. <i>Nature Genetics</i> , 2022, 54, 412-436. | 21.4 | 700 |
| 10 | Mortality in nursing home residents stratified according to subtype of dementia: a longitudinal study over three years. <i>BMC Geriatrics</i> , 2022, 22, 282. | 2.7 | 2 |
| 11 | Effects of 5 Years Aerobic Exercise on Cognition in Older Adults: The Generation 100 Study: A Randomized Controlled Trial. <i>Sports Medicine</i> , 2022, 52, 1689-1699. | 6.5 | 11 |
| 12 | One-Year Change in Locus of Control among People with Dementia. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2022, 11, 298-305. | 1.3 | 1 |
| 13 | Hippocampal Atrophy Subtypes of Alzheimer – TM's Disease Using Automatic MRI in a Memory Clinic Cohort: Clinical Implications. <i>Dementia and Geriatric Cognitive Disorders</i> , 2022, 51, 80-89. | 1.5 | 4 |
| 14 | Deep neural networks learn general and clinically relevant representations of the ageing brain. <i>NeuroImage</i> , 2022, 256, 119210. | 4.2 | 46 |
| 15 | The impact of medication reviews by general practitioners on psychotropic drug use and behavioral and psychological symptoms in home-dwelling people with dementia: results from the multicomponent cluster randomized controlled LIVE@Home.Path trial. <i>BMC Medicine</i> , 2022, 20, . | 5.5 | 6 |
| 16 | Alpha-2-adrenergic receptor agonists for the prevention of delirium and cognitive decline after open heart surgery (ALPHA2PREVENT): protocol for a multicentre randomised controlled trial. <i>BMJ Open</i> , 2022, 12, e057460. | 1.9 | 4 |
| 17 | Using Polygenic Hazard Scores to Predict Age at Onset of Alzheimer – TM's Disease in Nordic Populations. <i>Journal of Alzheimer's Disease</i> , 2022, 88, 1533-1544. | 2.6 | 3 |
| 18 | Development of best practice recommendations to enhance access to and use of formal community care services for people with dementia in Europe: a Delphi process conducted by the Actifcare project. <i>Aging and Mental Health</i> , 2021, 25, 2298-2309. | 2.8 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 19 | Trajectories and risk factors of dementia progression: a memory clinic cohort followed up to 3 years from diagnosis. <i>International Psychogeriatrics</i> , 2021, 33, 779-789. | 1.0 | 9 |
| 20 | The Truth behind the Zeros: A New Approach to Principal Component Analysis of the Neuropsychiatric Inventory. <i>Multivariate Behavioral Research</i> , 2021, 56, 70-85. | 3.1 | 7 |
| 21 | Multimodal imaging improves brain age prediction and reveals distinct abnormalities in patients with psychiatric and neurological disorders. <i>Human Brain Mapping</i> , 2021, 42, 1714-1726. | 3.6 | 68 |
| 22 | Does Psychotropic Drug Prescription Change in Nursing Home Patients the First 6 Months After Admission?. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 101-108.e1. | 2.5 | 7 |
| 23 | A validation study of the CarerQol instrument in informal caregivers of people with dementia from eight European countries. <i>Quality of Life Research</i> , 2021, 30, 577-588. | 3.1 | 11 |
| 24 | Obtaining EQ-5D-5L utilities from the disease specific quality of life Alzheimer's disease scale: development and results from a mapping study. <i>Quality of Life Research</i> , 2021, 30, 867-879. | 3.1 | 4 |
| 25 | Carers' experiences of timely access to and use of dementia care services in eight European countries. <i>Ageing and Society</i> , 2021, 41, 403-420. | 1.7 | 7 |
| 26 | Sex Differences on Montreal Cognitive Assessment and Mini-Mental State Examination Scores and the Value of Self-Report of Memory Problems among Community Dwelling People 70 Years and above: The HUNT Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2021, 50, 74-84. | 1.5 | 9 |
| 27 | Dementia risk: time matters. <i>Lancet Public Health</i> , The, 2021, 6, e85-e86. | 10.0 | 3 |
| 28 | Neuropsychiatric symptoms and comorbidity: Associations with dementia progression rate in a memory clinic cohort. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 960-969. | 2.7 | 9 |
| 29 | Current and Future Prevalence Estimates of Mild Cognitive Impairment, Dementia, and Its Subtypes in a Population-Based Sample of People 70 Years and Older in Norway: The HUNT Study. <i>Journal of Alzheimer's Disease</i> , 2021, 79, 1213-1226. | 2.6 | 74 |
| 30 | Staff's perspectives on the organization of homecare services to people with dementia – A qualitative study. <i>Nursing Open</i> , 2021, 8, 1797-1804. | 2.4 | 11 |
| 31 | Self-reported quality of life in people with dementia attending a day care programme in Norway: A 24-month quasi-experimental study. <i>Health and Social Care in the Community</i> , 2021, , . | 1.6 | 0 |
| 32 | Blood pressure in dementia, mild cognitive impairment, and subjective cognitive decline related to time of death. <i>Brain and Behavior</i> , 2021, 11, e02166. | 2.2 | 5 |
| 33 | The changing alcohol drinking patterns among older adults show that women are closing the gender gap in more frequent drinking: the TromsÅ study, 1994–2016. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2021, 16, 45. | 2.2 | 16 |
| 34 | Common variants in Alzheimer's disease and risk stratification by polygenic risk scores. <i>Nature Communications</i> , 2021, 12, 3417. | 12.8 | 140 |
| 35 | Control Beliefs among People with Dementia: A Systematic Review. <i>Dementia and Geriatric Cognitive Disorders</i> , 2021, 50, 205-223. | 1.5 | 4 |
| 36 | Exploring life-space in the nursing home. An observational longitudinal study. <i>BMC Geriatrics</i> , 2021, 21, 396. | 2.7 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 37 | Genome-wide association identifies the first risk loci for psychosis in Alzheimer disease. <i>Molecular Psychiatry</i> , 2021, 26, 5797-5811. | 7.9 | 30 |
| 38 | Physical performance across the cognitive spectrum and between dementia subtypes in a population-based sample of older adults: The HUNT study. <i>Archives of Gerontology and Geriatrics</i> , 2021, 95, 104400. | 3.0 | 19 |
| 39 | Alcohol consumption among older adults with symptoms of cognitive decline consulting specialist health care. <i>Aging and Mental Health</i> , 2021, , 1-9. | 2.8 | 2 |
| 40 | Pain in nursing home residents with dementia and its association to quality of life. <i>Aging and Mental Health</i> , 2021, , 1-11. | 2.8 | 12 |
| 41 | Person-centered dementia care in home care services – highly recommended but still challenging to obtain: a qualitative interview study. <i>BMC Health Services Research</i> , 2021, 21, 723. | 2.2 | 11 |
| 42 | Locus of Control and Its Associations with Depressive Symptoms amongst People with Dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 2021, 50, 258-265. | 1.5 | 7 |
| 43 | Neuropsychiatric symptoms and brain morphology in patients with mild cognitive impairment and Alzheimer’s disease with dementia. <i>International Psychogeriatrics</i> , 2021, 33, 1217-1228. | 1.0 | 20 |
| 44 | Do prescription rates of psychotropic drugs change over three years from nursing home admission?. <i>BMC Geriatrics</i> , 2021, 21, 496. | 2.7 | 2 |
| 45 | A genome-wide association study with 1,126,563 individuals identifies new risk loci for Alzheimer’s disease. <i>Nature Genetics</i> , 2021, 53, 1276-1282. | 21.4 | 430 |
| 46 | Vitamin D Levels, APOE Allele, and MRI Volumetry Assessed by NeuroQuant in Norwegian Adults with Cognitive Symptoms. <i>Journal of Alzheimer’s Disease</i> , 2021, 79, 311-321. | 2.6 | 8 |
| 47 | Cerebrospinal fluid markers for synaptic function and Alzheimer type changes in late life depression. <i>Scientific Reports</i> , 2021, 11, 20375. | 3.3 | 9 |
| 48 | Gait, physical function, and physical activity in three groups of home-dwelling older adults with different severity of cognitive impairment – a cross-sectional study. <i>BMC Geriatrics</i> , 2021, 21, 670. | 2.7 | 10 |
| 49 | Cohort profile: Norwegian survey of health and ageing (NORSE). <i>BMC Public Health</i> , 2021, 21, 2229. | 2.9 | 1 |
| 50 | A systematic review of self-report measures used in epidemiological studies to assess alcohol consumption among older adults. <i>PLoS ONE</i> , 2021, 16, e0261292. | 2.5 | 12 |
| 51 | Do caregiver profiles predict the use of dementia care services? Findings from the Actifcare study. <i>Aging and Mental Health</i> , 2020, 24, 272-279. | 2.8 | 7 |
| 52 | Quality of life of family carers of persons with young-onset compared to late-onset dementia. <i>Aging and Mental Health</i> , 2020, 24, 1394-1401. | 2.8 | 10 |
| 53 | Interventions to enhance access to and utilization of formal community care services for home dwelling persons with dementia and their informal carers. A scoping review. <i>Aging and Mental Health</i> , 2020, 24, 200-211. | 2.8 | 7 |
| 54 | Applicability of the locus of control of behaviour scale for people with dementia. <i>Aging and Mental Health</i> , 2020, 24, 2111-2116. | 2.8 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 55 | Is there equity in initial access to formal dementia care in Europe? The Andersen Model applied to the Actifcare cohort. <i>International Journal of Geriatric Psychiatry</i> , 2020, 35, 45-52. | 2.7 | 13 |
| 56 | A validation study of the ICECAP-O in informal carers of people with dementia from eight European Countries. <i>Quality of Life Research</i> , 2020, 29, 237-251. | 3.1 | 8 |
| 57 | Reply to the letter to the editor "Geriatric-oncology and palliative care: cautionary on using geriatric assessment as a sole basis to limit care". <i>Palliative Medicine</i> , 2020, 34, 255-256. | 3.1 | 0 |
| 58 | The Association Between Circulating Inflammatory Markers and the Progression of Alzheimer Disease in Norwegian Memory Clinic Patients With Mild Cognitive Impairment or Dementia. <i>Alzheimer Disease and Associated Disorders</i> , 2020, 34, 47-53. | 1.3 | 7 |
| 59 | Profiles of Met and Unmet Needs in People with Dementia According to Caregivers' Perspective: Results from a European Multicenter Study. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 1609-1616.e1. | 2.5 | 7 |
| 60 | Course of activities of daily living in nursing home residents with dementia from admission to 36-month follow-up. <i>BMC Geriatrics</i> , 2020, 20, 488. | 2.7 | 9 |
| 61 | The genetic architecture of human brainstem structures and their involvement in common brain disorders. <i>Nature Communications</i> , 2020, 11, 4016. | 12.8 | 26 |
| 62 | Dementia prevention, intervention, and care: 2020 report of the Lancet Commission. <i>Lancet</i> , The, 2020, 396, 413-446. | 13.7 | 4,658 |
| 63 | Self-management and Health Promotion in Early-stage dementia with e-learning for carers (SHAPE): study protocol for a multi-centre randomised controlled trial. <i>BMC Public Health</i> , 2020, 20, 1508. | 2.9 | 2 |
| 64 | A high cerebrospinal fluid soluble TREM2 level is associated with slow clinical progression of Alzheimer's disease. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2020, 12, e12128. | 2.4 | 16 |
| 65 | Characteristics of patients assessed for cognitive decline in primary healthcare, compared to patients assessed in specialist healthcare. <i>Scandinavian Journal of Primary Health Care</i> , 2020, 38, 107-116. | 1.5 | 12 |
| 66 | Elderly patients with no previous psychiatric history: suicidality and other factors relating to psychiatric acute admissions. <i>BJPsych Open</i> , 2020, 6, e63. | 0.7 | 1 |
| 67 | Trajectories of physical performance in nursing home residents with dementia. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 2603-2610. | 2.9 | 7 |
| 68 | Time from dementia diagnosis to nursing-home admission and death among persons with dementia: A multistate survival analysis. <i>PLoS ONE</i> , 2020, 15, e0243513. | 2.5 | 11 |
| 69 | The Loss in Expectation of Life due to Early-Onset Mild Cognitive Impairment and Early-Onset Dementia in Norway. <i>Dementia and Geriatric Cognitive Disorders</i> , 2019, 47, 355-365. | 1.5 | 8 |
| 70 | Quality of life of family carers of persons with young-onset dementia: A Nordic two-year observational multicenter study. <i>PLoS ONE</i> , 2019, 14, e0219859. | 2.5 | 3 |
| 71 | Optimizing access to and use of formal dementia care: Qualitative findings from the European Actifcare study. <i>Health and Social Care in the Community</i> , 2019, 27, e814-e823. | 1.6 | 16 |
| 72 | Examining the association between genetic liability for schizophrenia and psychotic symptoms in Alzheimer's disease. <i>Translational Psychiatry</i> , 2019, 9, 273. | 4.8 | 36 |

| # | ARTICLE | IF | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 73 | Toward a Sequential Strategy for Diagnosing Neurocognitive Disorders: A Consensus from the "Act On Dementia" European Joint Action. <i>Journal of Alzheimer's Disease</i> , 2019, 72, 363-372. | 2.6 | 6 |
| 74 | Temporal changes in cardiorespiratory fitness and risk of dementia incidence and mortality: a population-based prospective cohort study. <i>Lancet Public Health</i> , The, 2019, 4, e565-e574. | 10.0 | 52 |
| 75 | Modifiable factors affecting older patients' quality of life and physical function during cancer treatment. <i>Journal of Geriatric Oncology</i> , 2019, 10, 904-912. | 1.0 | 38 |
| 76 | The effect of anxiety on cognition in older adult inpatients with depression: results from a multicenter observational study. <i>Heliyon</i> , 2019, 5, e02235. | 3.2 | 11 |
| 77 | Common brain disorders are associated with heritable patterns of apparent aging of the brain. <i>Nature Neuroscience</i> , 2019, 22, 1617-1623. | 14.8 | 358 |
| 78 | TIME to reduce agitation in persons with dementia in nursing homes. A process evaluation of a complex intervention. <i>BMC Health Services Research</i> , 2019, 19, 349. | 2.2 | 13 |
| 79 | Factors associated with alcohol consumption and prescribed drugs with addiction potential among older women and men " the Nord-Trøndelag health study (HUNT2 and HUNT3), Norway, a population-based longitudinal study. <i>BMC Geriatrics</i> , 2019, 19, 113. | 2.7 | 13 |
| 80 | Mortality in older adults with frequent alcohol consumption and use of drugs with addiction potential " The Nord Trøndelag Health Study 2006-2008 (HUNT3), Norway, a population-based study. <i>PLoS ONE</i> , 2019, 14, e0214813. | 2.5 | 8 |
| 81 | Associations of Changes in Cardiorespiratory Fitness and Symptoms of Anxiety and Depression With Brain Volumes: The HUNT Study. <i>Frontiers in Behavioral Neuroscience</i> , 2019, 13, 53. | 2.0 | 13 |
| 82 | Are the neuroprotective effects of exercise training systemically mediated?. <i>Progress in Cardiovascular Diseases</i> , 2019, 62, 94-101. | 3.1 | 76 |
| 83 | Relationship quality and sense of coherence in dementia: Results of a European cohort study. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 745-755. | 2.7 | 12 |
| 84 | Cortisol levels among older people with and without depression and dementia. <i>International Psychogeriatrics</i> , 2019, 31, 597-601. | 1.0 | 19 |
| 85 | The use of direct care in nursing home residents: A longitudinal cohort study over 3 years. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 337-351. | 2.7 | 7 |
| 86 | Anxiety symptom levels are persistent in older adults with a mental disorder: A 33-month follow-up study. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 601-608. | 2.7 | 1 |
| 87 | Genome-wide meta-analysis identifies new loci and functional pathways influencing Alzheimer's disease risk. <i>Nature Genetics</i> , 2019, 51, 404-413. | 21.4 | 1,625 |
| 88 | The Effect of a Multicomponent Intervention on Quality of Life in Residents of Nursing Homes: A Randomized Controlled Trial (COSMOS). <i>Journal of the American Medical Directors Association</i> , 2019, 20, 330-339. | 2.5 | 50 |
| 89 | Quality of Life in People with Young-Onset Dementia: A Nordic Two-Year Observational Multicenter Study. <i>Journal of Alzheimer's Disease</i> , 2019, 67, 197-210. | 2.6 | 8 |
| 90 | Time from Symptom Debut to Dementia Assessment by the Specialist Healthcare Service in Norway. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2018, 8, 117-127. | 1.3 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 91 | Progression of Alzheimer's Disease: A Longitudinal Study in Norwegian Memory Clinics. <i>Journal of Alzheimer's Disease</i> , 2018, 61, 1221-1232. | 2.6 | 44 |
| 92 | Quality of Life in People with Young-Onset Alzheimer's Dementia and Frontotemporal Dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 2018, 45, 91-104. | 1.5 | 17 |
| 93 | Can depression in psychogeriatric inpatients at one year follow-up be explained by locus of control and coping strategies?. <i>Aging and Mental Health</i> , 2018, 22, 379-388. | 2.8 | 11 |
| 94 | Targeted Interdisciplinary Model for Evaluation and Treatment of Neuropsychiatric Symptoms: A Cluster Randomized Controlled Trial. <i>American Journal of Geriatric Psychiatry</i> , 2018, 26, 25-38. | 1.2 | 36 |
| 95 | Needs and quality of life of people with middle-stage dementia and their family carers from the European Actifcare study. When informal care alone may not suffice. <i>Aging and Mental Health</i> , 2018, 22, 897-902. | 2.8 | 57 |
| 96 | Comparison of automated volumetry of the hippocampus using NeuroQuant® and visual assessment of the medial temporal lobe in Alzheimer's disease. <i>Acta Radiologica</i> , 2018, 59, 997-1001. | 1.1 | 44 |
| 97 | Comorbid Dementia and Cancer in Residents of Nursing Homes. <i>Cancer Nursing</i> , 2018, 41, E13-E20. | 1.5 | 20 |
| 98 | Physical diagnoses in nursing home residents - is dementia or severity of dementia of importance?. <i>BMC Geriatrics</i> , 2018, 18, 254. | 2.7 | 24 |
| 99 | The impact of attending day care designed for home-dwelling people with dementia on nursing home admission: a 24-month controlled study. <i>BMC Health Services Research</i> , 2018, 18, 864. | 2.2 | 14 |
| 100 | The course of neuropsychiatric symptoms in nursing home residents from admission to 30-month follow-up. <i>PLoS ONE</i> , 2018, 13, e0206147. | 2.5 | 30 |
| 101 | O2â€05â€05: MODERATEâ€TOâ€VIGOROUS PHYSICAL ACTIVITY, PSYCHOLOGICAL DISTRESS, AND DEMENTIA: THE HUNT STUDY AND THE HEALTH AND MEMORY STUDY IN NORDâ€TRÂˆNDELÂ€G. <i>Alzheimer's and Dementia</i> , 2018, 14, P628. | 0.8 | 0 |
| 102 | Meta-analysis of Alzheimer's disease on 9,751 samples from Norway and IGAP study identifies four risk loci. <i>Scientific Reports</i> , 2018, 8, 18088. | 3.3 | 47 |
| 103 | Impact of Untimely Access to Formal Care on Costs and Quality of Life in Community Dwelling People with Dementia. <i>Journal of Alzheimer's Disease</i> , 2018, 66, 1165-1174. | 2.6 | 9 |
| 104 | Survival and years of life lost in various aetiologies of dementia, mild cognitive impairment (MCI) and subjective cognitive decline (SCD) in Norway. <i>PLoS ONE</i> , 2018, 13, e0204436. | 2.5 | 42 |
| 105 | Mortality in nursing home residents: A longitudinal study over three years. <i>PLoS ONE</i> , 2018, 13, e0203480. | 2.5 | 71 |
| 106 | Quality of Life, Care Resource Use, and Costs of Dementia in 8 European Countries in a Cross-Sectional Cohort of the Actifcare Study. <i>Journal of Alzheimer's Disease</i> , 2018, 66, 1027-1040. | 2.6 | 30 |
| 107 | The Validity of the Norwegian Version of the Cognitive Function Instrument. <i>Dementia and Geriatric Cognitive Disorders</i> , 2018, 46, 217-228. | 1.5 | 12 |
| 108 | Tolerability of buprenorphine transdermal system in nursing home patients with advanced dementia: a randomized, placebo-controlled trial (DEP.PAIN.DEM). <i>Clinical Interventions in Aging</i> , 2018, Volume 13, 935-946. | 2.9 | 35 |

| # | ARTICLE | IF | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 109 | Association between vascular comorbidity and progression of Alzheimer's disease: a two-year observational study in Norwegian memory clinics. <i>BMC Geriatrics</i> , 2018, 18, 120. | 2.7 | 26 |
| 110 | Leisure-Time Physical Activity Is Associated With Reduced Risk of Dementia-Related Mortality in Adults With and Without Psychological Distress: The Cohort of Norway. <i>Frontiers in Aging Neuroscience</i> , 2018, 10, 151. | 3.4 | 10 |
| 111 | Mobility and cognition at admission to the nursing home – a cross-sectional study. <i>BMC Geriatrics</i> , 2018, 18, 30. | 2.7 | 42 |
| 112 | Anxiety Symptoms in Older Adults with Depression Are Associated with Suicidality. <i>Dementia and Geriatric Cognitive Disorders</i> , 2018, 45, 180-189. | 1.5 | 15 |
| 113 | Potentially inappropriate medications and drug-drug interactions in home-dwelling people with mild dementia. <i>International Journal of Geriatric Psychiatry</i> , 2017, 32, 183-192. | 2.7 | 22 |
| 114 | Disrupted global metastability and static and dynamic brain connectivity across individuals in the Alzheimer's disease continuum. <i>Scientific Reports</i> , 2017, 7, 40268. | 3.3 | 94 |
| 115 | Associations between pain and depression in nursing home patients at different stages of dementia. <i>Journal of Affective Disorders</i> , 2017, 218, 8-14. | 4.1 | 39 |
| 116 | Dissociable diffusion MRI patterns of white matter microstructure and connectivity in Alzheimer's disease spectrum. <i>Scientific Reports</i> , 2017, 7, 45131. | 3.3 | 43 |
| 117 | Whole-genome sequencing identifies rare genotypes in COMP and CHADL associated with high risk of hip osteoarthritis. <i>Nature Genetics</i> , 2017, 49, 801-805. | 21.4 | 75 |
| 118 | Trends in potentially inappropriate medication prescribing to nursing home patients: comparison of three cross-sectional studies. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 192-200. | 1.9 | 35 |
| 119 | Dementia prevention, intervention, and care. <i>Lancet</i> , 2017, 390, 2673-2734. | 13.7 | 4,228 |
| 120 | Trajectories of depressive symptoms and their relationship to the progression of dementia. <i>Journal of Affective Disorders</i> , 2017, 222, 146-152. | 4.1 | 39 |
| 121 | Resource Use and Disease Course in dementia - Nursing Home (REDIC-NH), a longitudinal cohort study; design and patient characteristics at admission to Norwegian nursing homes. <i>BMC Health Services Research</i> , 2017, 17, 365. | 2.2 | 53 |
| 122 | Persistent use of psychotropic drugs in nursing home residents in Norway. <i>BMC Geriatrics</i> , 2017, 17, 52. | 2.7 | 37 |
| 123 | Distinguishing early and late brain aging from the Alzheimer's disease spectrum: consistent morphological patterns across independent samples. <i>NeuroImage</i> , 2017, 158, 282-295. | 4.2 | 41 |
| 124 | Geriatric assessment is superior to oncologists' clinical judgement in identifying frailty. <i>British Journal of Cancer</i> , 2017, 117, 470-477. | 6.4 | 109 |
| 125 | Determinants of quality of life in young onset dementia – results from a European multicenter assessment. <i>Aging and Mental Health</i> , 2017, 21, 24-30. | 2.8 | 32 |
| 126 | Fully automated structural MRI of the brain in clinical dementia workup. <i>Acta Radiologica</i> , 2017, 58, 740-747. | 1.1 | 26 |

| # | ARTICLE | IF | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 127 | The impact of the Dementia ABC educational programme on competence in person-centred dementia care and job satisfaction of care staff. <i>International Journal of Older People Nursing</i> , 2017, 12, e12139. | 1.3 | 14 |
| 128 | Caregiver profiles in dementia related to quality of life, depression and perseverance time in the European Actifcare study: the importance of social health. <i>Aging and Mental Health</i> , 2017, 21, 49-57. | 2.8 | 27 |
| 129 | [F1â€“05â€“03]: TREATMENT OF SEVERE AGITATION IN NURSING HOMES WITH THE TIME MODEL: RESULTS FROM A CLUSTER-RANDOMIZED CONTROLLED TRIAL. <i>Alzheimer's and Dementia</i> , 2017, 13, P179. | 0.8 | 1 |
| 130 | MRI-Based Classification Models in Prediction of Mild Cognitive Impairment and Dementia in Late-Life Depression. <i>Frontiers in Aging Neuroscience</i> , 2017, 9, 13. | 3.4 | 73 |
| 131 | Use of alcohol and drugs with addiction potential among older women and men in a population-based study. The Nord-TrÃndelag Health Study 2006-2008 (HUNT3). <i>PLoS ONE</i> , 2017, 12, e0184428. | 2.5 | 18 |
| 132 | Factors associated with consumption of alcohol in older adults - a comparison between two cultures, China and Norway: the CLHLS and the HUNT-study. <i>BMC Geriatrics</i> , 2017, 17, 172. | 2.7 | 34 |
| 133 | MRI-assessed atrophy subtypes in Alzheimerâ€™s disease and the cognitive reserve hypothesis. <i>PLoS ONE</i> , 2017, 12, e0186595. | 2.5 | 51 |
| 134 | Symptoms of Anxiety in Older Adults with Depression, Dementia, or Psychosis: A Principal Component Analysis of the Geriatric Anxiety Inventory. <i>Dementia and Geriatric Cognitive Disorders</i> , 2016, 42, 310-322. | 1.5 | 11 |
| 135 | Multi-psychotropic drug prescription and the association to neuropsychiatric symptoms in three Norwegian nursing home cohorts between 2004 and 2011. <i>BMC Geriatrics</i> , 2016, 16, 115. | 2.7 | 38 |
| 136 | Antipsychotic Drug Use Is Not Associated With Long-Term Mortality Risk in Norwegian Nursing Home Patients. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 464.e1-464.e7. | 2.5 | 14 |
| 137 | Signs of Imminent Dying and Change in Symptom Intensity During Pharmacological Treatment in Dying Nursing Home Patients: A Prospective Trajectory Study. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 821-827. | 2.5 | 22 |
| 138 | Severity of Neuropsychiatric Symptoms in Nursing Home Residents. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2016, 6, 28-42. | 1.3 | 23 |
| 139 | TIME â€“ Targeted interdisciplinary model for evaluation and treatment of neuropsychiatric symptoms: protocol for an effectiveness-implementation cluster randomized hybrid trial. <i>BMC Psychiatry</i> , 2016, 16, 233. | 2.6 | 11 |
| 140 | Access to timely formal dementia care in Europe: protocol of the Actifcare (ACcess to Timely Formal) Tj ETQq0 0 0 rBT /Overlock 10 Tf | 2.2 | 36 |
| 141 | Analgesic prescribing patterns in Norwegian nursing homes from 2000 to 2011: trend analyses of four data samples. <i>Age and Ageing</i> , 2016, 45, 54-60. | 1.6 | 55 |
| 142 | Comparing comorbidity scales: Attending physician score versus the Cumulative Illness Rating Scale for Geriatrics. <i>Journal of Geriatric Oncology</i> , 2016, 7, 90-98. | 1.0 | 23 |
| 143 | Locus of control and coping strategies in older persons with and without depression. <i>Aging and Mental Health</i> , 2016, 20, 831-839. | 2.8 | 30 |
| 144 | Are coping strategies and locus of control orientation associated with health-related quality of life in older adults with and without depression?. <i>Archives of Gerontology and Geriatrics</i> , 2016, 64, 130-137. | 3.0 | 28 |

| # | ARTICLE | IF | CITATIONS |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 145 | A consensus guideline for antipsychotic drug use for dementia in care homes. Bridging the gap between scientific evidence and clinical practice. <i>International Psychogeriatrics</i> , 2015, 27, 1849-1859. | 1.0 | 47 |
| 146 | Predictors for Nursing Home Admission and Death among Community-Dwelling People 70 Years and Older Who Receive Domiciliary Care. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2015, 5, 320-329. | 1.3 | 47 |
| 147 | Being stuck in a vice: The process of coping with severe depression in late life. <i>International Journal of Qualitative Studies on Health and Well-being</i> , 2015, 10, 27187. | 1.6 | 9 |
| 148 | The Agreement between the MMSE and IQCODE Tests in a Community-Based Sample of Subjects Aged 70 Years or Older Receiving In-Home Nursing: An Explorative Study. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2015, 5, 32-41. | 1.3 | 8 |
| 149 | A 36-month follow-up of decline in activities of daily living in individuals receiving domiciliary care. <i>BMC Geriatrics</i> , 2015, 15, 47. | 2.7 | 27 |
| 150 | COSMOS—improving the quality of life in nursing home patients: protocol for an effectiveness-implementation cluster randomized clinical hybrid trial. <i>Implementation Science</i> , 2015, 10, 131. | 6.9 | 46 |
| 151 | The Reliability and Validity of the Norwegian Version of the Quality of Life in Late-Stage Dementia Scale. <i>Dementia and Geriatric Cognitive Disorders</i> , 2015, 40, 233-242. | 1.5 | 26 |
| 152 | The course of depressive symptoms as measured by the Cornell scale for depression in dementia over 74 months in 1158 nursing home residents. <i>Journal of Affective Disorders</i> , 2015, 175, 209-216. | 4.1 | 27 |
| 153 | Prevalence and Severity of Dementia in Nursing Home Residents. <i>Dementia and Geriatric Cognitive Disorders</i> , 2015, 40, 166-177. | 1.5 | 89 |
| 154 | Alcohol consumption and risk of dementia up to 27 years later in a large, population-based sample: the HUNT study, Norway. <i>European Journal of Epidemiology</i> , 2015, 30, 1049-1056. | 5.7 | 72 |
| 155 | Loss-of-function variants in ABCA7 confer risk of Alzheimer's disease. <i>Nature Genetics</i> , 2015, 47, 445-447. | 21.4 | 283 |
| 156 | The course of depression in late life as measured by the Montgomery and Asberg Depression Rating Scale in an observational study of hospitalized patients. <i>BMC Psychiatry</i> , 2015, 15, 191. | 2.6 | 20 |
| 157 | Neuroanatomical correlates of late-life depression and associated cognitive changes. <i>Neurobiology of Aging</i> , 2015, 36, 3090-3099. | 3.1 | 34 |
| 158 | Burden of Care and Patient's Neuropsychiatric Symptoms Influence Carer's Evaluation of Cognitive Impairment. <i>Dementia and Geriatric Cognitive Disorders</i> , 2015, 40, 256-267. | 1.5 | 22 |
| 159 | Confirmatory factor analysis of the Cornell scale for depression in dementia among patient with dementia of various degrees. <i>Journal of Affective Disorders</i> , 2015, 188, 173-178. | 4.1 | 11 |
| 160 | Cohort Profile: The Health and Memory Study (HMS): a dementia cohort linked to the HUNT study in Norway. <i>International Journal of Epidemiology</i> , 2014, 43, 1759-1768. | 1.9 | 21 |
| 161 | Variables associated to quality of life among nursing home patients with dementia. <i>Aging and Mental Health</i> , 2014, 18, 1013-1021. | 2.8 | 52 |
| 162 | The course of neuropsychiatric symptoms in nursing-home patients with dementia over a 53-month follow-up period. <i>International Psychogeriatrics</i> , 2014, 26, 81-91. | 1.0 | 114 |

| # | ARTICLE | IF | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 163 | Short- and Long-term Mortality Risk Associated with the Use of Antipsychotics Among 26,940 Dementia Outpatients: A Population-Based Study. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 321-331. | 1.2 | 64 |
| 164 | A 52-month follow-up of functional decline in nursing home residents – degree of dementia contributes. <i>BMC Geriatrics</i> , 2014, 14, 45. | 2.7 | 58 |
| 165 | Cancer-Related Pain and Symptoms Among Nursing Home Residents: A Systematic Review. <i>Journal of Pain and Symptom Management</i> , 2014, 48, 699-710.e1. | 1.2 | 36 |
| 166 | Nursing Home Admission during the First Year after Hospitalization – The Contribution of Cognitive Impairment. <i>PLoS ONE</i> , 2014, 9, e86116. | 2.5 | 13 |
| 167 | Depressive symptoms among the medically hospitalized older individuals – a 1-year follow-up study. <i>International Journal of Geriatric Psychiatry</i> , 2013, 28, 199-207. | 2.7 | 6 |
| 168 | The Prevalence and Course of Neuropsychiatric Symptoms in Nursing Home Patients With Dementia: A Systematic Review. <i>Journal of the American Medical Directors Association</i> , 2013, 14, 161-169. | 2.5 | 177 |
| 169 | The Effect of Person-Centred Dementia Care to Prevent Agitation and Other Neuropsychiatric Symptoms and Enhance Quality of Life in Nursing Home Patients: A 10-Month Randomized Controlled Trial. <i>Dementia and Geriatric Cognitive Disorders</i> , 2013, 36, 340-353. | 1.5 | 96 |
| 170 | Trends in psychotropic drug prescribing in Norwegian nursing homes from 1997 to 2009: a comparison of six cohorts. <i>International Journal of Geriatric Psychiatry</i> , 2013, 28, 868-876. | 2.7 | 45 |
| 171 | Factors associated with perceived health in elderly medical inpatients: A particular focus on personal coping resources. <i>Aging and Mental Health</i> , 2012, 16, 795-803. | 2.8 | 13 |
| 172 | Factors Associated with a Depressive Disorder in Alzheimer's Disease Are Different from Those Found for Other Dementia Disorders. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2012, 2, 19-28. | 1.3 | 10 |
| 173 | Stability of the factor structure of the Neuropsychiatric Inventory in a 31-month follow-up study of a large sample of nursing-home patients with dementia. <i>International Psychogeriatrics</i> , 2012, 24, 62-73. | 1.0 | 72 |
| 174 | Do behavioral disturbances predict falls among nursing home residents?. <i>Aging Clinical and Experimental Research</i> , 2012, 24, 251-256. | 2.9 | 36 |
| 175 | Demens og nevropsykiatriske symptomer hos sykehjemspasienter i Nord-Trøndelag. <i>Tidsskrift for Den Norske Lægeforening</i> , 2012, 132, 1956-1959. | 0.2 | 35 |
| 176 | The course of neuropsychiatric symptoms in patients with dementia in Norwegian nursing homes. <i>International Psychogeriatrics</i> , 2011, 23, 1231-1239. | 1.0 | 50 |
| 177 | Concomitant use of anti-dementia drugs with psychotropic drugs in Norway – a population-based study. <i>Pharmacoepidemiology and Drug Safety</i> , 2011, 20, 1319-1326. | 1.9 | 9 |
| 178 | A psychometric evaluation of the Hospital Anxiety and Depression Scale for the medically hospitalized elderly. <i>Nordic Journal of Psychiatry</i> , 2011, 65, 338-344. | 1.3 | 75 |
| 179 | Quality of Life among Elderly Patients with Dementia in Institutions. <i>Dementia and Geriatric Cognitive Disorders</i> , 2011, 31, 435-442. | 1.5 | 84 |
| 180 | Screening for depression in elderly medical inpatients from rural area of Norway: prevalence and associated factors. <i>International Journal of Geriatric Psychiatry</i> , 2010, 25, 150-159. | 2.7 | 42 |

| # | ARTICLE | IF | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 181 | Factors associated with depression in Norwegian nursing homes. <i>International Journal of Geriatric Psychiatry</i> , 2009, 24, 417-425. | 2.7 | 57 |
| 182 | Reliability and validity of the Norwegian version of the Severe Impairment Battery (SIB). <i>International Journal of Geriatric Psychiatry</i> , 2008, 23, 896-902. | 2.7 | 8 |
| 183 | The pattern of depressive symptoms and factor analysis of the Cornell Scale among patients in Norwegian nursing homes. <i>International Journal of Geriatric Psychiatry</i> , 2008, 23, 1058-1065. | 2.7 | 38 |
| 184 | Psychiatric and behavioural symptoms and the use of psychotropic medication in Special Care Units and Regular Units in Norwegian nursing homes. <i>Scandinavian Journal of Caring Sciences</i> , 2008, 22, 568-573. | 2.1 | 26 |
| 185 | The Course of Psychiatric and Behavioral Symptoms and the Use of Psychotropic Medication in Patients With Dementia in Norwegian Nursing Homes – A 12-Month Follow-Up Study. <i>American Journal of Geriatric Psychiatry</i> , 2008, 16, 528-536. | 1.2 | 116 |
| 186 | The reliability and validity of the Norwegian version of the Neuropsychiatric Inventory, Nursing Home Version (NPI-NH). <i>International Psychogeriatrics</i> , 2008, 20, 375-82. | 1.0 | 93 |
| 187 | The prevalence of psychiatric symptoms and behavioural disturbances and the use of psychotropic drugs in Norwegian nursing homes. <i>International Journal of Geriatric Psychiatry</i> , 2007, 22, 843-849. | 2.7 | 322 |