

Jeong Youp Park

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7233914/jeong-youp-park-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

111
papers

2,242
citations

27
h-index

42
g-index

123
ext. papers

2,634
ext. citations

3.4
avg, IF

4.51
L-index

#	Paper	IF	Citations
111	Association between hepatitis B virus infection and HLA-DR type in Korea. <i>Hepatology</i> , 2000 , 31, 1371-3	11.2	103
110	First clinical trial of the "MiRo" capsule endoscope by using a novel transmission technology: electric-field propagation. <i>Gastrointestinal Endoscopy</i> , 2009 , 69, 253-9	5.2	102
109	Oct4 and Nanog expression is associated with early stages of pancreatic carcinogenesis. <i>Pancreas</i> , 2010 , 39, 622-6	2.6	101
108	Active locomotion of a paddling-based capsule endoscope in an in vitro and in vivo experiment (with videos). <i>Gastrointestinal Endoscopy</i> , 2010 , 72, 381-7	5.2	98
107	Long-term follow up of gallbladder polyps. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2009 , 24, 219-22	4	71
106	Development, validation, and responsiveness of a novel disease activity index for intestinal Behçet's disease. <i>Inflammatory Bowel Diseases</i> , 2011 , 17, 605-13	4.5	68
105	CXCL5 overexpression is associated with late stage gastric cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2007 , 133, 835-40	4.9	67
104	The clinicopathologic significance of the expression of vascular endothelial growth factor-C in intrahepatic cholangiocarcinoma. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2006 , 29, 138-42	2.7	67
103	Potential contribution of preoperative neoadjuvant concurrent chemoradiation therapy on margin-negative resection in borderline resectable pancreatic cancer. <i>Journal of Gastrointestinal Surgery</i> , 2012 , 16, 509-17	3.3	65
102	Clinical features and outcomes of primary hepatic neuroendocrine carcinomas. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012 , 27, 1306-11	4	59
101	Phase II clinical trial of ex vivo-expanded cytokine-induced killer cells therapy in advanced pancreatic cancer. <i>Cancer Immunology, Immunotherapy</i> , 2014 , 63, 939-46	7.4	57
100	Differential diagnosis between gallbladder adenomas and cholesterol polyps on contrast-enhanced harmonic endoscopic ultrasonography. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013 , 27, 1414-21	5.2	57
99	Serum CA 19-9 and CEA levels as a prognostic factor in pancreatic adenocarcinoma. <i>Yonsei Medical Journal</i> , 2013 , 54, 643-9	3	51
98	Endoscopic papillary large balloon dilatation alone is safe and effective for the treatment of difficult choledocholithiasis in cases of Billroth II gastrectomy: a single center experience. <i>Digestive Diseases and Sciences</i> , 2013 , 58, 1737-43	4	46
97	Endoscopic papillary balloon dilation with large balloon after limited sphincterotomy for retrieval of choledocholithiasis. <i>Yonsei Medical Journal</i> , 2006 , 47, 805-10	3	46
96	Hypoechoic foci on EUS are simple and strong predictive factors for neoplastic gallbladder polyps. <i>Gastrointestinal Endoscopy</i> , 2009 , 69, 1244-50	5.2	45
95	The Significance of the Prognostic Nutritional Index for All Stages of Pancreatic Cancer. <i>Nutrition and Cancer</i> , 2017 , 69, 512-519	2.8	36

94	Clinical usefulness of 18 F-fluorodeoxyglucose-positron emission tomography in patients with locally advanced pancreatic cancer planned to undergo concurrent chemoradiation therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014 , 90, 126-33	4	36
93	Statin Use and Its Impact on Survival in Pancreatic Cancer Patients. <i>Medicine (United States)</i> , 2016 , 95, e3607	1.8	36
92	Phase II study of gemcitabine and cisplatin in advanced biliary tract cancer. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2006 , 21, 999-1003	4	32
91	Bile acid analysis in biliary tract cancer. <i>Yonsei Medical Journal</i> , 2006 , 47, 817-25	3	31
90	A Pilot Study of Sequential Capsule Endoscopy Using MiroCam and PillCam SB Devices with Different Transmission Technologies. <i>Gut and Liver</i> , 2010 , 4, 192-200	4.8	31
89	Best options for preoperative biliary drainage in patients with Klatskin tumors. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2017 , 31, 422-429	5.2	30
88	Proteomic analysis of pancreatic juice for the identification of biomarkers of pancreatic cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2011 , 137, 1229-38	4.9	29
87	Phase II study of 5-fluorouracil and paclitaxel in patients with gemcitabine-refractory pancreatic cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2009 , 63, 529-33	3.5	28
86	Notch pathway activation is associated with pancreatic cancer treatment failure. <i>Pancreatology</i> , 2014 , 14, 48-53	3.8	27
85	Comparison of outcomes among secondary covered metallic, uncovered metallic, and plastic biliary stents in treating occluded primary metallic stents in malignant distal biliary obstruction. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2011 , 25, 475-82	5.2	27
84	Can metformin change the prognosis of pancreatic cancer? Retrospective study for pancreatic cancer patients with pre-existing diabetes mellitus type 2. <i>Digestive and Liver Disease</i> , 2016 , 48, 435-40	3.3	25
83	Phase II trial of S-1 and concurrent radiotherapy in patients with locally advanced pancreatic cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2009 , 63, 535-41	3.5	25
82	Preoperative serum CA 19-9 level as a predictive factor for recurrence after curative resection in biliary tract cancer. <i>Annals of Surgical Oncology</i> , 2011 , 18, 1651-6	3.1	24
81	Up-regulated claudin 7 expression in intestinal-type gastric carcinoma. <i>Oncology Reports</i> , 2007 , 18, 377-82	3.5	24
80	Benefit of neoadjuvant concurrent chemoradiotherapy for locally advanced perihilar cholangiocarcinoma. <i>World Journal of Gastroenterology</i> , 2017 , 23, 3301-3308	5.6	23
79	Clinical advantages of a metal stent with an S-shaped anti-reflux valve in malignant biliary obstruction. <i>Digestive Endoscopy</i> , 2013 , 25, 308-12	3.7	23
78	Comparison of the sixth and seventh editions of the AJCC TNM classification for gallbladder cancer. <i>Journal of Gastrointestinal Surgery</i> , 2013 , 17, 925-30	3.3	23
77	FOLFIRINOX gemcitabine/nab-paclitaxel for treatment of metastatic pancreatic cancer: Single-center cohort study. <i>World Journal of Gastrointestinal Oncology</i> , 2020 , 12, 182-194	3.4	23

76	Clinicopathologic features and outcomes of pancreatic cysts during a 12-year period. <i>Pancreas</i> , 2013 , 42, 230-8	2.6	22
75	Intraductal ultrasonography combined with percutaneous transhepatic cholangioscopy for the preoperative evaluation of longitudinal tumor extent in hilar cholangiocarcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2010 , 25, 286-92	4	22
74	Prospective phase II trial of gemcitabine in combination with irinotecan as first-line chemotherapy in patients with advanced biliary tract cancer. <i>Chemotherapy</i> , 2011 , 57, 236-43	3.2	21
73	Clinical Value of Contrast-Enhanced Harmonic Endoscopic Ultrasonography in the Differential Diagnosis of Pancreatic and Gallbladder Masses. <i>Clinical Endoscopy</i> , 2018 , 51, 80-88	2.5	20
72	Intramuscular diclofenac for the prevention of post-ERCP pancreatitis: a randomized trial. <i>Endoscopy</i> , 2015 , 47, 33-9	3.4	19
71	Combined use of CEMIP and CA 19-9 enhances diagnostic accuracy for pancreatic cancer. <i>Scientific Reports</i> , 2018 , 8, 3383	4.9	18
70	Endoscopic management of afferent loop syndrome after a pylorus preserving pancreatoduodenectomy presenting with obstructive jaundice and ascending cholangitis. <i>Clinical Endoscopy</i> , 2011 , 44, 59-64	2.5	18
69	Comparison of efficacy and safety between standard-dose and modified-dose FOLFIRINOX as a first-line treatment of pancreatic cancer. <i>World Journal of Gastrointestinal Oncology</i> , 2018 , 10, 421-430	3.4	18
68	Urgent endoscopic retrograde cholangiopancreatography is not superior to early ERCP in acute biliary pancreatitis with biliary obstruction without cholangitis. <i>PLoS ONE</i> , 2018 , 13, e0190835	3.7	17
67	Gemcitabine based neoadjuvant chemoradiotherapy therapy in patients with borderline resectable pancreatic cancer. <i>Pancreatology</i> , 2013 , 13, 539-43	3.8	17
66	MUC1 selectively targets human pancreatic cancer in orthotopic nude mouse models. <i>PLoS ONE</i> , 2015 , 10, e0122100	3.7	17
65	Safety of capsule endoscopy using human body communication in patients with cardiac devices. <i>Digestive Diseases and Sciences</i> , 2012 , 57, 1719-23	4	17
64	Cholecystectomy for Prevention of Recurrence after Endoscopic Clearance of Bile Duct Stones in Korea. <i>Yonsei Medical Journal</i> , 2016 , 57, 132-7	3	17
63	Long-term clinical outcome of large volume paracentesis with intravenous albumin in patients with spontaneous bacterial peritonitis: a randomized prospective study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2005 , 20, 1215-22	4	16
62	Concomitant Statin Use Has a Favorable Effect on Gemcitabine-Erlotinib Combination Chemotherapy for Advanced Pancreatic Cancer. <i>Yonsei Medical Journal</i> , 2016 , 57, 1124-30	3	16
61	Hepatic artery pseudoaneurysm associated with plastic biliary stent. <i>Yonsei Medical Journal</i> , 2007 , 48, 546-8	3	14
60	A randomized, multicenter, phase III study of gemcitabine combined with capecitabine versus gemcitabine alone as first-line chemotherapy for advanced pancreatic cancer in South Korea. <i>Medicine (United States)</i> , 2017 , 96, e5702	1.8	13
59	Concurrent chemoradiotherapy with doxifluridine and paclitaxel for extrahepatic bile duct cancer. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2006 , 29, 240-5	2.7	13

58	Efficacy and treatment-related adverse events of gemcitabine plus nab-paclitaxel for treatment of metastatic pancreatic cancer "in a Korean" population: A single-center cohort study. <i>Seminars in Oncology</i> , 2017 , 44, 420-427	5.5	12
57	Efficacy of concurrent chemoradiotherapy with 5-fluorouracil or gemcitabine in locally advanced biliary tract cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2014 , 73, 191-8	3.5	12
56	ATP-based chemotherapy response assay in patients with unresectable gastric cancer. <i>Oncology</i> , 2007 , 73, 439-40	3.6	12
55	Phase II Trial of Erlotinib Plus Gemcitabine Chemotherapy in Korean Patients with Advanced Pancreatic Cancer and Prognostic Factors for Chemotherapeutic Response. <i>Gut and Liver</i> , 2013 , 7, 611-5	4.8	12
54	Clinical implications and risk factors of acute pancreatitis after cardiac valve surgery. <i>Yonsei Medical Journal</i> , 2013 , 54, 154-9	3	11
53	Fluorescent-Antibody Targeting of Insulin-Like Growth Factor-1 Receptor Visualizes Metastatic Human Colon Cancer in Orthotopic Mouse Models. <i>PLoS ONE</i> , 2016 , 11, e0146504	3.7	11
52	Gastrojejunostomy by pure natural orifice transluminal endoscopic surgery using a newly designed anastomosing metal stent in a porcine model. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014 , 28, 1439-46	5.2	10
51	The sonic hedgehog pathway as a treatment target for extrahepatic biliary tract cancer. <i>Molecular Medicine Reports</i> , 2012 , 5, 12-6	2.9	10
50	High serum CA19-9 levels are associated with an increased risk of cholangiocarcinoma in patients with intrahepatic duct stones: a case-control study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013 , 27, 4210-6	5.2	9
49	Clinical characteristics of long-term survivors of inoperable pancreatic cancer: an 8-year cohort analysis in Korea. <i>Pancreas</i> , 2014 , 43, 1022-31	2.6	8
48	Targeting the insulin growth factor-1 receptor with fluorescent antibodies enables high resolution imaging of human pancreatic cancer in orthotopic mouse models. <i>Oncotarget</i> , 2016 , 7, 18262-8	3.3	8
47	Radiotherapy prolongs biliary metal stent patency in malignant pancreatobiliary obstructions. <i>Gut and Liver</i> , 2013 , 7, 480-5	4.8	8
46	A Comparison of Gastrointestinal Toxicities between Intensity-Modulated Radiotherapy and Three-Dimensional Conformal Radiotherapy for Pancreatic Cancer. <i>Gut and Liver</i> , 2016 , 10, 303-9	4.8	8
45	Efficacy and safety of palliative endobiliary radiofrequency ablation using a novel temperature-controlled catheter for malignant biliary stricture: a single-center prospective randomized phase II TRIAL. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021 , 35, 63-73	5.2	8
44	Peripheral natural killer cell activity is associated with poor clinical outcomes in pancreatic ductal adenocarcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 , 36, 516-522	4	8
43	Comparison of high flow nasal oxygen and conventional nasal cannula during gastrointestinal endoscopic sedation in the prone position: a randomized trial. <i>Canadian Journal of Anaesthesia</i> , 2021 , 68, 460-466	3	8
42	A novel lumen-apposing metal stent with an anti-reflux valve for endoscopic ultrasound-guided drainage of pseudocysts and walled-off necrosis: A pilot study. <i>PLoS ONE</i> , 2019 , 14, e0221812	3.7	7
41	Establishment of pancreatic cancer cell lines with endoscopic ultrasound-guided biopsy via conditionally reprogrammed cell culture. <i>Cancer Medicine</i> , 2019 , 8, 3339-3348	4.8	7

40	Bleeding Complications and Clinical Safety of Endoscopic Retrograde Cholangiopancreatography in Patients with Liver Cirrhosis. <i>Yonsei Medical Journal</i> , 2019 , 60, 440-445	3	7
39	Visceral Obesity is Associated with Poor Prognosis in Pancreatic Adenocarcinoma. <i>Nutrition and Cancer</i> , 2016 , 68, 201-7	2.8	7
38	Conventional versus Analgesia-Oriented Combination Sedation on Recovery Profiles and Satisfaction after ERCP: A Randomized Trial. <i>PLoS ONE</i> , 2015 , 10, e0138422	3.7	7
37	Skeletal Muscle Mass Predicts Poor Prognosis in Patients with Advanced Pancreatic Cancer Undergoing Second-Line FOLFIRINOX Chemotherapy. <i>Nutrition and Cancer</i> , 2019 , 71, 1100-1107	2.8	6
36	Combination Therapy with Capecitabine and Cisplatin as Second-Line Chemotherapy for Advanced Biliary Tract Cancer. <i>Chemotherapy</i> , 2017 , 62, 361-366	3.2	6
35	Clinicopathologic characteristics associated with complications and long-term outcomes of endoscopic papillectomy for adenoma. <i>Yonsei Medical Journal</i> , 2014 , 55, 644-50	3	6
34	The efficacy of endoscopic palliation of obstructive jaundice in hepatocellular carcinoma. <i>Yonsei Medical Journal</i> , 2014 , 55, 1267-72	3	6
33	Squamous cell carcinoma of the cornea. <i>Yonsei Medical Journal</i> , 2001 , 42, 576-9	3	6
32	Gastrointestinal hemorrhage after concurrent chemoradiotherapy in locally advanced pancreatic cancer. <i>Gut and Liver</i> , 2013 , 7, 106-11	4.8	6
31	Expert consensus on endoscopic papillectomy using a Delphi process. <i>Gastrointestinal Endoscopy</i> , 2021 , 94, 760-773.e18	5.2	6
30	Clinical characteristics of second primary pancreatic cancer. <i>PLoS ONE</i> , 2017 , 12, e0179784	3.7	5
29	Efficacy of Adjuvant Chemotherapy and Prognostic Factors for Patients with Extrahepatic Bile Duct Cancer. <i>Chemotherapy</i> , 2016 , 61, 152-8	3.2	5
28	Phase II study of cisplatin combined with weekly gemcitabine in the treatment of patients with metastatic pancreatic carcinoma. <i>Pancreatology</i> , 2006 , 6, 635-41	3.8	5
27	Single-center risk factor analysis for FOLFIRINOX associated febrile neutropenia in patients with pancreatic cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2020 , 85, 651-659	3.5	4
26	Full-dose gemcitabine is a more effective chemotherapeutic agent than 5-fluorouracil for concurrent chemoradiotherapy as first-line treatment in locally advanced pancreatic cancer. <i>Chemotherapy</i> , 2014 , 60, 191-9	3.2	4
25	The use of health functional foods in gastrointestinal cancer patients. <i>Clinical Nutrition Research</i> , 2013 , 2, 19-25	1.7	4
24	Validation of group B borderline resectable pancreatic cancer: retrospective analysis. <i>Gut and Liver</i> , 2014 , 8, 557-62	4.8	4
23	Assessment of the Risk of Colorectal Cancer Survivors Developing a Second Primary Pancreatic Cancer. <i>Gut and Liver</i> , 2017 , 11, 728-732	4.8	4

22	Analysis of Clinical Predictive Factors Affecting the Outcome of Second-Line Chemotherapy for Gemcitabine-Refractory Advanced Pancreatic Cancer. <i>Gut and Liver</i> , 2020 , 14, 135-143	4.8	3
21	Initial experience of irreversible electroporation for locally advanced pancreatic cancer in a Korean population. <i>Acta Radiologica</i> , 2021 , 62, 164-171	2	3
20	Analysis of the effects of stent insertion and the factors related to stent retrieval in chronic pancreatitis accompanying main pancreatic duct obstruction. <i>Gut and Liver</i> , 2007 , 1, 63-7	4.8	2
19	KML001, an arsenic compound, as salvage chemotherapy in refractory biliary tract cancers: A prospective study. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2019 , 18, 62-66	2.1	2
18	Preoperative prediction of futile surgery in patients with radiologically resectable or borderline resectable pancreatic adenocarcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020 , 35, 499-507	4	2
17	Longer capsule endoscopy operation time increases the rate of complete examination of the small bowel. <i>Hepato-Gastroenterology</i> , 2010 , 57, 746-50		2
16	Duodenal adenocarcinoma following a neuroendocrine tumor in the duodenum. <i>Korean Journal of Internal Medicine</i> , 2014 , 29, 96-100	2.5	1
15	Placement of a fully covered self-expandable metal stent in a young patient with chronic pancreatitis. <i>World Journal of Gastrointestinal Endoscopy</i> , 2010 , 2, 375-8	2.2	1
14	A Case of Actinomyces in a Patient Treated with Chemotherapy Due to Recurrent Pancreatic Cancer. <i>Korean Journal of Medicine</i> , 2013 , 85, 401	0.5	1
13	Radiographic portal or superior mesenteric vein invasion is an independent prognostic factor in non-metastatic pancreatic ductal adenocarcinoma: A missing block of clinical T staging?. <i>Pancreatology</i> , 2020 , 20, 952-959	3.8	1
12	Lewis Antigen Phenotype and Survival of Patients With Pancreatic Cancer. <i>Pancreas</i> , 2020 , 49, 1348-1354	4.6	1
11	Profiling of conditionally reprogrammed cell lines for in vitro chemotherapy response prediction of pancreatic cancer. <i>EBioMedicine</i> , 2021 , 65, 103218	8.8	1
10	Oncologic outcomes after radical surgery for periampullary cancer in octogenarians. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2018 , 22, 128-135	1.5	1
9	Long-term outcomes of fully covered self-expandable metal stents versus plastic stents in chronic pancreatitis. <i>Scientific Reports</i> , 2021 , 11, 15637	4.9	1
8	Usefulness of Smartphone Apps for Improving Nutritional Status of Pancreatic Cancer Patients: Randomized Controlled Trial. <i>JMIR MHealth and UHealth</i> , 2021 , 9, e21088	5.5	1
7	Fatal liver injury complicated by percutaneous catheter drainage after distal pancreatectomy in a patient with pancreatic cancer. <i>Korean Journal of Hepato-biliary-pancreatic Surgery</i> , 2014 , 18, 64-7		0
6	Optimal drainage of anastomosis stricture after living donor liver transplantation. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021 , 35, 6307-6317	5.2	0
5	Pancreaticoduodenectomy with combined hepatic artery and portal vein resection after laparoscopic division of pancreaticosplenic ligament due to FOLFIRINOX-induced hepatic toxicity related secondary hypersplenism. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2021 , 25, 307-312	1.5	0

4	Long Term Follow-up of Growth Pattern of Serous Cystic Neoplasms of the Pancreas. <i>Korean journal of gastroenterology = Taehan Sohwagi Hakhoe chi, The</i> , 2012 , 59, 448	0.6
3	Neoadjuvant chemotherapy followed by total pancreatectomy with splenectomy and combined vascular resections after preoperative percutaneous transhepatic portal vein stent placement in locally advanced pancreatic cancer with portal vein total obliteration. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2021 , 24, 554-556	1.5
2	Laparoscopic pancreaticoduodenectomy with excision of aberrant right hepatic artery after preoperative segmental embolization in mid-bile duct cancer. <i>Journal of Minimally Invasive Surgery</i> , 2021 , 24, 104-108	0.2
1	Complete response of locally advanced left-sided pancreatic cancer after modified FOLFIRINOX chemotherapy followed by conversion surgery: A case report. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2021 , 25, 390-394	1.5