

Jordi Gamir

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7234269/publications.pdf>

Version: 2024-02-01

25
papers

1,340
citations

471061

17
h-index

580395

25
g-index

26
all docs

26
docs citations

26
times ranked

1907
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | The simultaneous perception of self- and non-self-danger signals potentiates plant innate immunity responses. <i>Planta</i> , 2022, 256, . | 1.6 | 3 |
| 2 | Roots drive oligogalacturonide-induced systemic immunity in tomato. <i>Plant, Cell and Environment</i> , 2021, 44, 275-289. | 2.8 | 35 |
| 3 | Untangling plant immune responses through metabolomics. <i>Advances in Botanical Research</i> , 2021, 98, 73-105. | 0.5 | 4 |
| 4 | Expression of a Fungal Lectin in Arabidopsis Enhances Plant Growth and Resistance Toward Microbial Pathogens and a Plant-Parasitic Nematode. <i>Frontiers in Plant Science</i> , 2021, 12, 657451. | 1.7 | 13 |
| 5 | Extracellular DNA as an elicitor of broad-spectrum resistance in Arabidopsis thaliana. <i>Plant Science</i> , 2021, 312, 111036. | 1.7 | 15 |
| 6 | Exogenous strigolactones impact metabolic profiles and phosphate starvation signalling in roots. <i>Plant, Cell and Environment</i> , 2020, 43, 1655-1668. | 2.8 | 35 |
| 7 | Arabidopsis Plants Sense Non-self Peptides to Promote Resistance Against Plectosphaerella cucumerina. <i>Frontiers in Plant Science</i> , 2020, 11, 529. | 1.7 | 15 |
| 8 | Accumulating evidences of callose priming by indole- 3- carboxylic acid in response to <i>Plectosphaerella cucumerina</i> . <i>Plant Signaling and Behavior</i> , 2019, 14, 1608107. | 1.2 | 16 |
| 9 | 1-Methyltryptophan Modifies Apoplast Content in Tomato Plants Improving Resistance Against Pseudomonas syringae. <i>Frontiers in Microbiology</i> , 2018, 9, 2056. | 1.5 | 8 |
| 10 | Starch degradation, abscisic acid and vesicular trafficking are important elements in callose priming by indole-3-carboxylic acid in response to <i>Plectosphaerella cucumerina</i> infection. <i>Plant Journal</i> , 2018, 96, 518-531. | 2.8 | 34 |
| 11 | Accurate and easy method for systemin quantification and examining metabolic changes under different endogenous levels. <i>Plant Methods</i> , 2018, 14, 33. | 1.9 | 25 |
| 12 | The sterol-binding activity of PATHOGENESIS-RELATED PROTEIN 1 reveals the mode of action of an antimicrobial protein. <i>Plant Journal</i> , 2017, 89, 502-509. | 2.8 | 156 |
| 13 | The Nitrogen Availability Interferes with Mycorrhiza-Induced Resistance against Botrytis cinerea in Tomato. <i>Frontiers in Microbiology</i> , 2016, 7, 1598. | 1.5 | 49 |
| 14 | Systemic resistance in citrus to <i>Tetranychus urticae</i> induced by conspecifics is transmitted by grafting and mediated by mobile amino acids. <i>Journal of Experimental Botany</i> , 2016, 67, 5711-5723. | 2.4 | 43 |
| 15 | <i>Tetranychus urticae</i> -triggered responses promote genotype-dependent conspecific repellence or attractiveness in citrus. <i>New Phytologist</i> , 2015, 207, 790-804. | 3.5 | 52 |
| 16 | Metabolic transition in mycorrhizal tomato roots. <i>Frontiers in Microbiology</i> , 2015, 6, 598. | 1.5 | 111 |
| 17 | The "prime-ome": towards a holistic approach to priming. <i>Trends in Plant Science</i> , 2015, 20, 443-452. | 4.3 | 287 |
| 18 | Disruption of the ammonium transporter AMT1.1 alters basal defenses generating resistance against Pseudomonas syringae and Plectosphaerella cucumerina. <i>Frontiers in Plant Science</i> , 2014, 5, 231. | 1.7 | 42 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Preparing to fight back: generation and storage of priming compounds. <i>Frontiers in Plant Science</i> , 2014, 5, 295. | 1.7 | 104 |
| 20 | Different metabolic and genetic responses in citrus may explain relative susceptibility to <i>Tetranychus urticae</i> . <i>Pest Management Science</i> , 2014, 70, 1728-1741. | 1.7 | 57 |
| 21 | The plasticity of priming phenomenon activates not only common metabolomic fingerprint but also specific responses against <i>P. cucumerina</i> . <i>Plant Signaling and Behavior</i> , 2014, 9, e28916. | 1.2 | 6 |
| 22 | Targeting novel chemical and constitutive primed metabolites against <i>Plectosphaerella cucumerina</i> . <i>Plant Journal</i> , 2014, 78, 227-240. | 2.8 | 56 |
| 23 | Molecular and physiological stages of priming: how plants prepare for environmental challenges. <i>Plant Cell Reports</i> , 2014, 33, 1935-1949. | 2.8 | 61 |
| 24 | Role of two UDP-Glycosyltransferases from the L group of arabidopsis in resistance against <i>Pseudomonas syringae</i> . <i>European Journal of Plant Pathology</i> , 2014, 139, 707-720. | 0.8 | 32 |
| 25 | Identification of indole-3-carboxylic acid as mediator of priming against <i>Plectosphaerella cucumerina</i> . <i>Plant Physiology and Biochemistry</i> , 2012, 61, 169-179. | 2.8 | 80 |