
Chris J Bates

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7235053/publications.pdf Version: 2024-02-01



Chidig I Rates

#	Article	IF	CITATIONS
1	Factors associated with COVID-19-related death using OpenSAFELY. Nature, 2020, 584, 430-436.	27.8	4,674
2	Development and validation of an electronic frailty index using routine primary care electronic health record data. Age and Ageing, 2016, 45, 353-360.	1.6	844
3	HIV infection and COVID-19 death: a population-based cohort analysis of UK primary care data and linked national death registrations within the OpenSAFELY platform. Lancet HIV,the, 2021, 8, e24-e32.	4.7	340
4	Ethnic differences in SARS-CoV-2 infection and COVID-19-related hospitalisation, intensive care unit admission, and death in 17 million adults in England: an observational cohort study using the OpenSAFELY platform. Lancet, The, 2021, 397, 1711-1724.	13.7	332
5	Risk of COVID-19-related death among patients with chronic obstructive pulmonary disease or asthma prescribed inhaled corticosteroids: an observational cohort study using the OpenSAFELY platform. Lancet Respiratory Medicine,the, 2020, 8, 1106-1120.	10.7	211
6	Factors associated with deaths due to COVID-19 versus other causes: population-based cohort analysis of UK primary care data and linked national death registrations within the OpenSAFELY platform. Lancet Regional Health - Europe, The, 2021, 6, 100109.	5.6	121
7	Trends and clinical characteristics of COVID-19 vaccine recipients: a federated analysis of 57.9 million patients' primary care records <i>in situ</i> using OpenSAFELY. British Journal of General Practice, 2022, 72, e51-e62.	1.4	75
8	Clinical coding of long COVID in English primary care: a federated analysis of 58 million patient records <i>in situ</i> using OpenSAFELY. British Journal of General Practice, 2021, 71, e806-e814.	1.4	74
9	Severity of Severe Acute Respiratory System Coronavirus 2 (SARS-CoV-2) Alpha Variant (B.1.1.7) in England. Clinical Infectious Diseases, 2022, 75, e1120-e1127.	5.8	71
10	Risks of covid-19 hospital admission and death for people with learning disability: population based cohort study using the OpenSAFELY platform. BMJ, The, 2021, 374, n1592.	6.0	70
11	Use of non-steroidal anti-inflammatory drugs and risk of death from COVID-19: an OpenSAFELY cohort analysis based on two cohorts. Annals of the Rheumatic Diseases, 2021, 80, 943-951.	0.9	66
12	Risk of severe COVID-19 outcomes associated with immune-mediated inflammatory diseases and immune-modifying therapies: a nationwide cohort study in the OpenSAFELY platform. Lancet Rheumatology, The, 2022, 4, e490-e506.	3.9	61
13	Association between living with children and outcomes from covid-19: OpenSAFELY cohort study of 12 million adults in England. BMJ, The, 2021, 372, n628.	6.0	56
14	Effect of pre-exposure use of hydroxychloroquine on COVID-19 mortality: a population-based cohort study in patients with rheumatoid arthritis or systemic lupus erythematosus using the OpenSAFELY platform. Lancet Rheumatology, The, 2021, 3, e19-e27.	3.9	49
15	The Oxford Royal College of General Practitioners Clinical Informatics Digital Hub: Protocol to Develop Extended COVID-19 Surveillance and Trial Platforms. JMIR Public Health and Surveillance, 2020, 6, e19773.	2.6	44
16	OpenSAFELY: Representativeness of electronic health record platform OpenSAFELY-TPP data compared to the population of England. Wellcome Open Research, 0, 7, 191.	1.8	40
17	Overall and cause-specific hospitalisation and death after COVID-19 hospitalisation in England: A cohort study using linked primary care, secondary care, and death registration data in the OpenSAFELY platform. PLoS Medicine, 2022, 19, e1003871.	8.4	39
18	OpenSAFELY NHS Service Restoration Observatory 1: primary care clinical activity in England during the first wave of COVID-19. British Journal of General Practice, 2022, 72, e63-e74.	1.4	22

CHRIS J BATES

#	Article	IF	CITATIONS
19	Identifying Care Home Residents in Electronic Health Records - An OpenSAFELY Short Data Report. Wellcome Open Research, 2021, 6, 90.	1.8	18
20	OpenSAFELY: impact of national guidance on switching anticoagulant therapy during COVID-19 pandemic. Open Heart, 2021, 8, e001784.	2.3	17
21	Estimating primary care attendance rates for fever in infants after meningococcal B vaccination in England using national syndromic surveillance data. Vaccine, 2018, 36, 565-571.	3.8	16
22	Association between warfarin and COVID-19-related outcomes compared with direct oral anticoagulants: population-based cohort study. Journal of Hematology and Oncology, 2021, 14, 172.	17.0	8
23	A comprehensive high cost drugs dataset from the NHS in England - An OpenSAFELY-TPP Short Data Report. Wellcome Open Research, 0, 6, 360.	1.8	8
24	Rates of serious clinical outcomes in survivors of hospitalisation with COVID-19 in England: a descriptive cohort study within the OpenSAFELY platform. Wellcome Open Research, 0, 7, 142.	1.8	6
25	Study protocol: Comparison of different risk prediction modelling approaches for COVID-19 related death using the OpenSAFELY platform. Wellcome Open Research, 0, 5, 243.	1.8	3
26	Association between oral anticoagulants and COVID-19-related outcomes: a population-based cohort study. British Journal of General Practice, 2022, 72, e456-e463.	1.4	3
27	Comparison of methods for predicting COVID-19-related death in the general population using the OpenSAFELY platform. Diagnostic and Prognostic Research, 2022, 6, 6.	1.8	2