

Quan-Yuan Shan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7235313/publications.pdf>

Version: 2024-02-01

25
papers

632
citations

759233

12
h-index

610901

24
g-index

27
all docs

27
docs citations

27
times ranked

945
citing authors

#	ARTICLE	IF	CITATIONS
1	Saline-Aided Ultrasound Versus Upper Gastrointestinal Series in Neonates and Infants With Suspected Upper Gastrointestinal Obstruction: A Prospective Multicenter Comparative Study. <i>American Journal of Roentgenology</i> , 2022, 218, 526-533.	2.2	3
2	Comparison of Two Kinds of Two-Dimensional Shear Wave Elastography Techniques in the Evaluation of Jaundiced Infants Suspected of Biliary Atresia. <i>Diagnostics</i> , 2022, 12, 1092.	2.6	2
3	Outcomes after hepatectomy of patients with positive HBcAb Non-B Non-C hepatocellular carcinoma compared to overt hepatitis B virus hepatocellular carcinoma. <i>Clinical and Translational Oncology</i> , 2020, 22, 401-410.	2.4	9
4	Malignancy risk stratification and FNA recommendations for thyroid nodules: A comparison of ACR TI-RADS, AACE/ACE/AME and ATA guidelines. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2020, 41, 102625.	1.3	17
5	The Prognosis of Type III Biliary Atresia with Hilar Cyst. <i>Indian Journal of Pediatrics</i> , 2020, 88, 650-655.	0.8	3
6	CT-based radiomics for preoperative prediction of early recurrent hepatocellular carcinoma: technical reproducibility of acquisition and scanners. <i>Radiologia Medica</i> , 2020, 125, 697-705.	7.7	63
7	Postsurgical Management of Dilated Biliary Tract in Children: Ultrasound-Guided Percutaneous Transhepatic Cholangial Drainage and Subsequent Percutaneous Ultrasound Cholangiography. <i>American Journal of Roentgenology</i> , 2020, 214, 1377-1383.	2.2	7
8	Assessment of angiogenesis in rabbit orthotropic liver tumors using three-dimensional dynamic contrast-enhanced ultrasound compared with two-dimensional DCE-US. <i>Japanese Journal of Radiology</i> , 2019, 37, 701-709.	2.4	3
9	Ultrasound Evaluation of Biliary Atresia Based on Gallbladder Classification: Is 4 Hours of Fasting Necessary?. <i>Journal of Ultrasound in Medicine</i> , 2019, 38, 2447-2455.	1.7	5
10	Clinicopathological findings and imaging features of intraductal papillary neoplasm of the bile duct: comparison between contrast-enhanced ultrasound and contrast-enhanced computed tomography. <i>Abdominal Radiology</i> , 2019, 44, 2409-2417.	2.1	2
11	CT-based peritumoral radiomics signatures to predict early recurrence in hepatocellular carcinoma after curative tumor resection or ablation. <i>Cancer Imaging</i> , 2019, 19, 11.	2.8	120
12	Non-Invasive Diagnostic Criteria for Hepatocellular Carcinoma in Hepatitis B Virus-Endemic Areas: Is Cirrhosis Indispensable?. <i>Digestive Diseases</i> , 2018, 36, 228-235.	1.9	2
13	Peritumoral tissue on preoperative imaging reveals microvascular invasion in hepatocellular carcinoma: a systematic review and meta-analysis. <i>Abdominal Radiology</i> , 2018, 43, 3324-3330.	2.1	36
14	Liver stiffness measurements with supersonic shear wave elastography in the diagnosis of biliary atresia: a comparative study with grey-scale US. <i>European Radiology</i> , 2017, 27, 3474-3484.	4.5	47
15	Diagnostic nomogram for gallbladder wall thickening mimicking malignancy: using contrast-enhanced ultrasonography or multi-detector computed tomography?. <i>Abdominal Radiology</i> , 2017, 42, 2436-2446.	2.1	18
16	Elastography of shear wave speed imaging for the evaluation of liver fibrosis: A meta-analysis. <i>Hepatology Research</i> , 2016, 46, 1203-1213.	3.4	7
17	Hilar biliary neurofibroma without neurofibromatosis: case report with contrast-enhanced ultrasound findings. <i>Journal of Medical Ultrasonics (2001)</i> , 2016, 43, 537-543.	1.3	1
18	Supersonic shearwave elastography in the assessment of liver fibrosis for postoperative patients with biliary atresia. <i>Scientific Reports</i> , 2016, 6, 31057.	3.3	31

#	ARTICLE	IF	CITATIONS
19	Focal Lesions in Fatty Liver: If Quantitative Analysis Facilitates the Differentiation of Atypical Benign from Malignant Lesions. <i>Scientific Reports</i> , 2016, 6, 18640.	3.3	7
20	Ultrasound for the Diagnosis of Biliary Atresia: A Meta-Analysis. <i>American Journal of Roentgenology</i> , 2016, 206, W73-W82.	2.2	62
21	Breast Lesions: Quantitative Diagnosis Using Ultrasound Shear Wave Elastography—A Systematic Review and Meta-Analysis. <i>Ultrasound in Medicine and Biology</i> , 2016, 42, 835-847.	1.5	70
22	Elastography by acoustic radiation force impulse technology for differentiation of benign and malignant breast lesions: a meta-analysis. <i>Journal of Medical Ultrasonics (2001)</i> , 2016, 43, 47-55.	1.3	21
23	First Experience of Ultrasound-guided Percutaneous Ablation for Recurrent Hepatoblastoma after Liver Resection in Children. <i>Scientific Reports</i> , 2015, 5, 16805.	3.3	18
24	Optimizing the US Diagnosis of Biliary Atresia with a Modified Triangular Cord Thickness and Gallbladder Classification. <i>Radiology</i> , 2015, 277, 181-191.	7.3	47
25	Usefulness of Sonography in Evaluating Children Suspected of Malrotation. <i>Journal of Ultrasound in Medicine</i> , 2015, 34, 1825-1832.	1.7	31