

# Bronislava Polonsky

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/7235464/bronislava-polonsky-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

62

papers

1,126

citations

14

h-index

32

g-index

63

ext. papers

1,402

ext. citations

5.5

avg, IF

3.91

L-index

#	Paper	IF	Citations
62	Survival with cardiac-resynchronization therapy in mild heart failure. <i>New England Journal of Medicine</i> , <b>2014</b> , 370, 1694-701	59.2	220
61	Association of competitive and recreational sport participation with cardiac events in patients with arrhythmogenic right ventricular cardiomyopathy: results from the North American multidisciplinary study of arrhythmogenic right ventricular cardiomyopathy. <i>European Heart Journal</i> , <b>2015</b> , 36, 1735-43	9.5	177
60	Clinical Aspects of Type 3 Long-QT Syndrome: An International Multicenter Study. <i>Circulation</i> , <b>2016</b> , 134, 872-82	16.7	118
59	Ventricular arrhythmias in the North American multidisciplinary study of ARVC: predictors, characteristics, and treatment. <i>Journal of the American College of Cardiology</i> , <b>2014</b> , 64, 119-25	15.1	116
58	Efficacy of different beta-blockers in the treatment of long QT syndrome. <i>Journal of the American College of Cardiology</i> , <b>2014</b> , 64, 1352-8	15.1	95
57	Sex Differences in Device Therapies for Ventricular Arrhythmias or Death in the Multicenter Automatic Defibrillator Implantation Trial With Cardiac Resynchronization Therapy (MADIT-CRT) Trial. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2015</b> , 26, 862-871	2.7	31
56	Clinical Presentation and Outcomes by Sex in Arrhythmogenic Right Ventricular Cardiomyopathy: Findings from the North American ARVC Registry. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2016</b> , 27, 555-62	2.7	26
55	Sex Differences in Long-Term Outcomes With Cardiac Resynchronization Therapy in Mild Heart Failure Patients With Left Bundle Branch Block. <i>Journal of the American Heart Association</i> , <b>2015</b> , 4,	6	25
54	Clinical aspects of the three major genetic forms of long QT syndrome (LQT1, LQT2, LQT3). <i>Annals of Noninvasive Electrocardiology</i> , <b>2018</b> , 23, e12537	1.5	22
53	Digoxin therapy and associated clinical outcomes in the MADIT-CRT trial. <i>Heart Rhythm</i> , <b>2015</b> , 12, 2010-76.7		18
52	Primary prevention with the implantable cardioverter-defibrillator in high-risk long-QT syndrome patients. <i>Europace</i> , <b>2019</b> , 21, 339-346	3.9	17
51	Predicted benefit of an implantable cardioverter-defibrillator: the MADIT-ICD benefit score. <i>European Heart Journal</i> , <b>2021</b> , 42, 1676-1684	9.5	16
50	Long-Term Outcomes With Cardiac Resynchronization Therapy in Patients With Mild Heart Failure With Moderate Renal Dysfunction. <i>Circulation: Heart Failure</i> , <b>2015</b> , 8, 725-32	7.6	15
49	Atrial Fibrillation in Long QT Syndrome by Genotype. <i>Circulation: Arrhythmia and Electrophysiology</i> , <b>2019</b> , 12, e007213	6.4	14
48	Effect of obesity on the effectiveness of cardiac resynchronization to reduce the risk of first and recurrent ventricular tachyarrhythmia events. <i>Cardiovascular Diabetology</i> , <b>2016</b> , 15, 93	8.7	12
47	Readmission Patterns During Long-Term Follow-Up After Left Ventricular Assist Device Implantation. <i>American Journal of Cardiology</i> , <b>2018</b> , 122, 1021-1027	3	12
46	Inverse Relationship of Blood Pressure to Long-Term Outcomes and Benefit of Cardiac Resynchronization Therapy in Patients With Mild Heart Failure: A Multicenter Automatic Defibrillator Implantation Trial With Cardiac Resynchronization Therapy Long-Term Follow-Up Substudy. <i>Circulation: Heart Failure</i> , <b>2015</b> , 8, 921-6	7.6	10

45	Bipolar left ventricular pacing is associated with significant reduction in heart failure or death in CRT-D patients with LBBB. <i>Heart Rhythm</i> , <b>2016</b> , 13, 1468-74	6.7	10
44	Predictive value of device-derived activity level for short-term outcomes in MADIT-CRT. <i>Heart Rhythm</i> , <b>2017</b> , 14, 1081-1086	6.7	9
43	Relation of QRS Duration to Clinical Benefit of Cardiac Resynchronization Therapy in Mild Heart Failure Patients Without Left Bundle Branch Block: The Multicenter Automatic Defibrillator Implantation Trial with Cardiac Resynchronization Therapy Substudy. <i>Circulation: Heart Failure</i> , <b>2016</b> , 9, e002667	7.6	9
42	Early intervention and long-term outcome with cardiac resynchronization therapy in patients without a history of advanced heart failure symptoms. <i>European Journal of Heart Failure</i> , <b>2015</b> , 17, 964-70	12.3	9
41	Risk factors and the effect of cardiac resynchronization therapy on cardiac and non-cardiac mortality in MADIT-CRT. <i>Europace</i> , <b>2015</b> , 17, 1816-22	3.9	8
40	Long-Term Survival With Implantable Cardioverter-Defibrillator in Different Symptomatic Functional Classes of Heart Failure. <i>American Journal of Cardiology</i> , <b>2018</b> , 121, 615-620	3	8
39	Ventricular Electrical Delay Measured From Body Surface ECGs Is Associated With Cardiac Resynchronization Therapy Response in Left Bundle Branch Block Patients From the MADIT-CRT Trial (Multicenter Automatic Defibrillator Implantation-Cardiac Resynchronization Therapy). <i>Circulation: Arrhythmia and Electrophysiology</i> , <b>2018</b> , 11, e005719	6.4	8
38	Oral contraceptive use and the risk of cardiac events in patients with long QT syndrome. <i>Heart Rhythm</i> , <b>2014</b> , 11, 1170-5	6.7	8
37	Changes in Drug Utilization and Outcome With Cardiac Resynchronization Therapy: A MADIT-CRT Substudy. <i>Journal of Cardiac Failure</i> , <b>2015</b> , 21, 541-7	3.3	7
36	Smoking is associated with an increased risk of first and recurrent ventricular tachyarrhythmias in ischemic and nonischemic patients with mild heart failure: a MADIT-CRT substudy. <i>Heart Rhythm</i> , <b>2014</b> , 11, 822-7	6.7	7
35	Risk of cardiac events in Long QT syndrome patients when taking antiseizure medications. <i>Translational Research</i> , <b>2018</b> , 191, 81-92.e7	11	7
34	Effect of Cardiac Resynchronization Therapy in Patients With Insulin-Treated Diabetes Mellitus. <i>American Journal of Cardiology</i> , <b>2015</b> , 116, 393-9	3	6
33	Sex Differences in Inappropriate ICD Device Therapies: MADIT-II and MADIT-CRT. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2017</b> , 28, 94-102	2.7	6
32	Left Ventricular Reverse Remodeling in Cardiac Resynchronization Therapy and Long-Term Outcomes. <i>JACC: Clinical Electrophysiology</i> , <b>2019</b> , 5, 1001-1010	4.6	5
31	Temporal Influence of Heart Failure Hospitalizations Prior to Implantable Cardioverter Defibrillator or Cardiac Resynchronization Therapy With Defibrillator on Subsequent Outcome in Mild Heart Failure Patients (from MADIT-CRT). <i>American Journal of Cardiology</i> , <b>2015</b> , 115, 1423-7	3	5
30	Usefulness of Electrocardiographic Left Atrial Abnormality to Predict Response to Cardiac Resynchronization Therapy in Patients With Mild Heart Failure and Left Bundle Branch Block (a Multicenter Automatic Defibrillator Implantation Trial with Cardiac Resynchronization Therapy Substudy). <i>American Journal of Cardiology</i> , <b>2018</b> , 122, 268-274	3	5
29	Roles and indications for use of implantable defibrillator and resynchronization therapy in the prevention of sudden cardiac death in heart failure. <i>Heart Failure Reviews</i> , <b>2016</b> , 21, 433-46	5	5
28	Reduction in Inappropriate ICD Therapy in MADIT-RIT Patients Without History of Atrial Tachyarrhythmia. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2015</b> , 26, 879-884	2.7	5

27	Effects of Statins on First and Recurrent Supraventricular Arrhythmias in Patients With Mild Heart Failure (from the Multicenter Automatic Defibrillator Implantation Trial With Cardiac Resynchronization Therapy). <i>American Journal of Cardiology</i> , <b>2015</b> , 116, 1869-74	3	5
26	Heart failure severity, inappropriate ICD therapy, and novel ICD programming: a MADIT-RIT substudy. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2017</b> , 40, 1405-1411	1.6	4
25	Cardiac resynchronization therapy is associated with reductions in left atrial volume and inappropriate implantable cardioverter-defibrillator therapy in MADIT-CRT. <i>Heart Rhythm</i> , <b>2014</b> , 11, 1001-7	6.7	4
24	Effect of Significant Weight Change on Inappropriate Implantable Cardioverter-Defibrillator Therapy. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2017</b> , 40, 9-16	1.6	4
23	Quality of life predicting long-term outcomes in cardiac resynchronization therapy patients. <i>Europace</i> , <b>2019</b> , 21, 1865-1875	3.9	4
22	The Burden and Morphology of Premature Ventricular Contractions and their Impact on Clinical Outcomes in Patients Receiving Biventricular Pacing in the Multicenter Automatic Defibrillator Implantation Trial-Cardiac Resynchronization Therapy (MADIT-CRT). <i>Annals of Noninvasive Electrocardiology</i> , <b>2016</b> , 21, 11-8	1.5	4
21	Risk of Cardiac Events Associated With Antidepressant Therapy in Patients With Long QT Syndrome. <i>American Journal of Cardiology</i> , <b>2018</b> , 121, 182-187	3	4
20	Circadian variation and seasonal distribution of implantable defibrillator detected new onset atrial fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2020</b> , 43, 1495-1500	1.6	3
19	Need for pacing in patients who qualify for an implantable cardioverter-defibrillator: Clinical implications for the subcutaneous ICD. <i>Annals of Noninvasive Electrocardiology</i> , <b>2020</b> , 25, e12744	1.5	3
18	Right ventricular lead location, right-left ventricular lead interaction, and long-term outcomes in cardiac resynchronization therapy patients. <i>Journal of Interventional Cardiac Electrophysiology</i> , <b>2018</b> , 52, 185-194	2.4	3
17	Predictors of long-term mortality with cardiac resynchronization therapy in mild heart failure patients with left bundle branch block. <i>Clinical Cardiology</i> , <b>2018</b> , 41, 1358-1366	3.3	3
16	Quantitative T-wave morphology assessment from surface ECG is linked with cardiac events risk in genotype-positive KCNH2 mutation carriers with normal QTc values. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2019</b> , 30, 2907-2913	2.7	3
15	Risk of Ventricular Tachyarrhythmic Events in Patients Who Improved Beyond Guidelines for a Defibrillator in MADIT-CRT. <i>JACC: Clinical Electrophysiology</i> , <b>2019</b> , 5, 1172-1181	4.6	2
14	Clinical presentation at first heart failure hospitalization does not predict recurrent heart failure admission. <i>ESC Heart Failure</i> , <b>2017</b> , 4, 520-526	3.7	2
13	Effect of cardiac resynchronization therapy on the risk of ventricular tachyarrhythmias in patients with chronic kidney disease. <i>Annals of Noninvasive Electrocardiology</i> , <b>2017</b> , 22,	1.5	2
12	Effectiveness of Implantable Cardioverter-Defibrillators to Reduce Mortality in Patients With Long QT Syndrome. <i>Journal of the American College of Cardiology</i> , <b>2021</b> , 78, 2076-2088	15.1	2
11	Prognostic Usefulness of Systolic Blood Pressure One-Year Following Cardiac Resynchronization Therapy (from MADIT-CRT). <i>American Journal of Cardiology</i> , <b>2020</b> , 125, 777-782	3	1
10	Outcome by Sex in Patients With Long QT Syndrome With an Implantable Cardioverter Defibrillator. <i>Journal of the American Heart Association</i> , <b>2020</b> , 9, e016398	6	1

9	Genetic Variant Score and Arrhythmogenic Right Ventricular Cardiomyopathy Phenotype in Plakophilin-2 Mutation Carriers. <i>Cardiology</i> , <b>2021</b> , 146, 763-771	1.6	1
8	Cardiac Resynchronization Therapy and Risk of Recurrent Hospitalizations in Patients Without Left Bundle Branch Block: The Long-Term Multicenter Automatic Defibrillator Implantation Trial With Cardiac Resynchronization Therapy. <i>Circulation: Heart Failure</i> , <b>2020</b> , 13, e006925	7.6	0
7	Implantable cardioverter-defibrillator programming after first occurrence of ventricular tachycardia in the Multicenter Automatic Defibrillator Implantation Trial-Reduce Inappropriate Therapy (MADIT-RIT). <i>Heart Rhythm O2</i> , <b>2020</b> , 1, 77-82	1.5	0
6	Effectiveness of high rate and delayed detection ICD programming by race: A MADIT-RIT substudy. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2018</b> , 29, 1418-1424	2.7	0
5	Utility of 6-Minute Walk Test to Predict Response to Cardiac Resynchronization Therapy in Patients With Mild Heart Failure. <i>American Journal of Cardiology</i> , <b>2020</b> , 132, 79-86	3	0
4	Baseline adverse electrical remodeling and the risk for ventricular arrhythmia in Cardiac Resynchronization Therapy Recipients (MADIT CRT). <i>Journal of Cardiovascular Electrophysiology</i> , <b>2018</b> , 29, 1017-1023	2.7	
3	Applicability of the MADIT-CRT Response Score for Prediction of Long-Term Clinical and Arrhythmic Events by QRS Morphology. <i>Circulation: Arrhythmia and Electrophysiology</i> , <b>2020</b> , 13, e008499	6.4	
2	Smoking and the Risk of Stroke in Patients with a Left Ventricular Assist device. <i>ASAIO Journal</i> , <b>2021</b> , 67, 1217-1221	3.6	
1	Hospitalization for Heart Failure and Subsequent Ventricular Tachyarrhythmias in Patients With Left Ventricular Dysfunction. <i>JACC: Clinical Electrophysiology</i> , <b>2021</b> , 7, 1099-1107	4.6	