

# Xiang-Jian Zhang

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/7235491/xiang-jian-zhang-publications-by-citations.pdf>

**Version:** 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

115  
papers

3,772  
citations

38  
h-index

57  
g-index

115  
ext. papers

4,384  
ext. citations

4.3  
avg, IF

5.26  
L-index

#	Paper	IF	Citations
115	Curcumin upregulates transcription factor Nrf2, HO-1 expression and protects rat brains against focal ischemia. <i>Brain Research</i> , <b>2009</b> , 1282, 133-41	3.7	351
114	Ursolic acid promotes the neuroprotection by activating Nrf2 pathway after cerebral ischemia in mice. <i>Brain Research</i> , <b>2013</b> , 1497, 32-9	3.7	136
113	Polydatin modulates inflammation by decreasing NF- $\kappa$ B activation and oxidative stress by increasing Gli1, Ptch1, SOD1 expression and ameliorates blood-brain barrier permeability for its neuroprotective effect in pMCAO rat brain. <i>Brain Research Bulletin</i> , <b>2012</b> , 87, 50-9	3.9	97
112	Tanshinone II A down-regulates HMGB1, RAGE, TLR4, NF-kappaB expression, ameliorates BBB permeability and endothelial cell function, and protects rat brains against focal ischemia. <i>Brain Research</i> , <b>2010</b> , 1321, 143-51	3.7	97
111	Luteolin downregulates TLR4, TLR5, NF- $\kappa$ B and p-p38MAPK expression, upregulates the p-ERK expression, and protects rat brains against focal ischemia. <i>Brain Research</i> , <b>2012</b> , 1448, 71-81	3.7	94
110	Apelin-13 protects the brain against ischemia/reperfusion injury through activating PI3K/Akt and ERK1/2 signaling pathways. <i>Neuroscience Letters</i> , <b>2014</b> , 568, 44-9	3.3	89
109	Atorvastatin protects rat brains against permanent focal ischemia and downregulates HMGB1, HMGB1 receptors (RAGE and TLR4), NF-kappaB expression. <i>Neuroscience Letters</i> , <b>2010</b> , 471, 152-6	3.3	88
108	Chrysophanol inhibits NALP3 inflammasome activation and ameliorates cerebral ischemia/reperfusion in mice. <i>Mediators of Inflammation</i> , <b>2014</b> , 2014, 370530	4.3	84
107	Nobiletin protects against cerebral ischemia via activating the p-Akt, p-CREB, BDNF and Bcl-2 pathway and ameliorating BBB permeability in rat. <i>Brain Research Bulletin</i> , <b>2013</b> , 96, 45-53	3.9	79
106	Oxymatrine protects rat brains against permanent focal ischemia and downregulates NF-kappaB expression. <i>Brain Research</i> , <b>2009</b> , 1268, 174-180	3.7	77
105	Baicalein is neuroprotective in rat MCAO model: role of 12/15-lipoxygenase, mitogen-activated protein kinase and cytosolic phospholipase A2. <i>Pharmacology Biochemistry and Behavior</i> , <b>2010</b> , 96, 469-73	3.9	76
104	Neuroprotection of early and short-time applying berberine in the acute phase of cerebral ischemia: up-regulated pAkt, pGSK and pCREB, down-regulated NF- $\kappa$ B expression, ameliorated BBB permeability. <i>Brain Research</i> , <b>2012</b> , 1459, 61-70	3.7	73
103	Brain edema after intracerebral hemorrhage in rats: the role of inflammation. <i>Neurology India</i> , <b>2006</b> , 54, 402-7	0.7	67
102	The protection by octreotide against experimental ischemic stroke: up-regulated transcription factor Nrf2, HO-1 and down-regulated NF- $\kappa$ B expression. <i>Brain Research</i> , <b>2012</b> , 1475, 80-7	3.7	65
101	Protective effect of shikonin in experimental ischemic stroke: attenuated TLR4, p-p38MAPK, NF- $\kappa$ B, TNF- $\alpha$ and MMP-9 expression, up-regulated claudin-5 expression, ameliorated BBB permeability. <i>Neurochemical Research</i> , <b>2014</b> , 39, 97-106	4.6	62
100	Protection by silibinin against experimental ischemic stroke: up-regulated pAkt, pmTOR, HIF-1 $\alpha$ and Bcl-2, down-regulated Bax, NF- $\kappa$ B expression. <i>Neuroscience Letters</i> , <b>2012</b> , 529, 45-50	3.3	62
99	Protective effect of luteolin in experimental ischemic stroke: upregulated SOD1, CAT, Bcl-2 and claudin-5, down-regulated MDA and Bax expression. <i>Neurochemical Research</i> , <b>2012</b> , 37, 2014-24	4.6	60

98	Oxymatrine downregulates TLR4, TLR2, MyD88, and NF-kappaB and protects rat brains against focal ischemia. <i>Mediators of Inflammation</i> , <b>2009</b> , 2009, 704706	4.3	60
97	Protective effect of celastrol in rat cerebral ischemia model: down-regulating p-JNK, p-c-Jun and NF-B. <i>Brain Research</i> , <b>2012</b> , 1464, 8-13	3.7	59
96	Acetylbritannilactone Modulates MicroRNA-155-Mediated Inflammatory Response in Ischemic Cerebral Tissues. <i>Molecular Medicine</i> , <b>2015</b> , 21, 197-209	6.2	58
95	The neuroprotection of oxymatrine in cerebral ischemia/reperfusion is related to nuclear factor erythroid 2-related factor 2 (nrf2)-mediated antioxidant response: role of nrf2 and hemeoxygenase-1 expression. <i>Biological and Pharmaceutical Bulletin</i> , <b>2011</b> , 34, 595-601	2.3	58
94	Neuroprotection of early and short-time applying atorvastatin in the acute phase of cerebral ischemia: down-regulated 12/15-LOX, p38MAPK and cPLA2 expression, ameliorated BBB permeability. <i>Brain Research</i> , <b>2010</b> , 1325, 164-73	3.7	58
93	Cinnamaldehyde inhibits inflammation and brain damage in a mouse model of permanent cerebral ischaemia. <i>British Journal of Pharmacology</i> , <b>2015</b> , 172, 5009-23	8.6	56
92	The neuroprotective effects of Tanshinone IIA are associated with induced nuclear translocation of TORC1 and upregulated expression of TORC1, pCREB and BDNF in the acute stage of ischemic stroke. <i>Brain Research Bulletin</i> , <b>2010</b> , 82, 228-33	3.9	53
91	Ginsenoside Rg1 promotes cerebral angiogenesis via the PI3K/Akt/mTOR signaling pathway in ischemic mice. <i>European Journal of Pharmacology</i> , <b>2019</b> , 856, 172418	5.3	52
90	Nobiletin promotes antioxidant and anti-inflammatory responses and elicits protection against ischemic stroke in vivo. <i>Brain Research</i> , <b>2016</b> , 1636, 130-141	3.7	52
89	Two novel dual GLP-1/GIP receptor agonists are neuroprotective in the MPTP mouse model of Parkinson's disease. <i>Neuropharmacology</i> , <b>2018</b> , 133, 385-394	5.5	50
88	Apelin-13 protects against apoptosis by activating AMP-activated protein kinase pathway in ischemia stroke. <i>Peptides</i> , <b>2016</b> , 75, 96-100	3.8	50
87	Diosmin protects against cerebral ischemia/reperfusion injury through activating JAK2/STAT3 signal pathway in mice. <i>Neuroscience</i> , <b>2014</b> , 268, 318-27	3.9	50
86	Protective effect of naringenin in experimental ischemic stroke: down-regulated NOD2, RIP2, NF-B, MMP-9 and up-regulated claudin-5 expression. <i>Neurochemical Research</i> , <b>2014</b> , 39, 1405-15	4.6	47
85	Inhibition of sonic hedgehog signaling aggravates brain damage associated with the down-regulation of Gli1, Ptch1 and SOD1 expression in acute ischemic stroke. <i>Neuroscience Letters</i> , <b>2012</b> , 506, 1-6	3.3	45
84	Leonurine protects brain injury by increased activities of UCP4, SOD, CAT and Bcl-2, decreased levels of MDA and Bax, and ameliorated ultrastructure of mitochondria in experimental stroke. <i>Brain Research</i> , <b>2012</b> , 1474, 73-81	3.7	45
83	Rosmarinic acid elicits neuroprotection in ischemic stroke Nrf2 and heme oxygenase 1 signaling. <i>Neural Regeneration Research</i> , <b>2018</b> , 13, 2119-2128	4.5	45
82	Ulinastatin downregulates TLR4 and NF-kB expression and protects mouse brains against ischemia/reperfusion injury. <i>Neurological Research</i> , <b>2017</b> , 39, 367-373	2.7	43
81	Ulinastatin protects brain against cerebral ischemia/reperfusion injury through inhibiting MMP-9 and alleviating loss of ZO-1 and occludin proteins in mice. <i>Experimental Neurology</i> , <b>2018</b> , 302, 68-74	5.7	41

80	Salvianolic acids enhance cerebral angiogenesis and neurological recovery by activating JAK2/STAT3 signaling pathway after ischemic stroke in mice. <i>Journal of Neurochemistry</i> , <b>2017</b> , 143, 87-99 <sup>6</sup>	4.0	40
79	Parthenolide is neuroprotective in rat experimental stroke model: downregulating NF- $\kappa$ B, phospho-p38MAPK, and caspase-1 and ameliorating BBB permeability. <i>Mediators of Inflammation</i> , <b>2013</b> , 2013, 370804	4.3	40
78	Paeonol pretreatment attenuates cerebral ischemic injury via upregulating expression of pAkt, Nrf2, HO-1 and ameliorating BBB permeability in mice. <i>Brain Research Bulletin</i> , <b>2014</b> , 109, 61-7	3.9	39
77	Remote limb ischemic postconditioning protects mouse brain against cerebral ischemia/reperfusion injury via upregulating expression of Nrf2, HO-1 and NQO-1 in mice. <i>International Journal of Neuroscience</i> , <b>2016</b> , 126, 552-559	2	38
76	Neuroprotective effect of bicyclol in rat ischemic stroke: down-regulates TLR4, TLR9, TRAF6, NF- $\kappa$ B, MMP-9 and up-regulates claudin-5 expression. <i>Brain Research</i> , <b>2013</b> , 1528, 80-8	3.7	37
75	Probucol and atorvastatin in combination protect rat brains in MCAO model: upregulating Peroxiredoxin2, Foxo3a and Nrf2 expression. <i>Neuroscience Letters</i> , <b>2012</b> , 509, 110-5	3.3	36
74	NF- $\kappa$ B is involved in brain repair by stem cell factor and granulocyte-colony stimulating factor in chronic stroke. <i>Experimental Neurology</i> , <b>2015</b> , 263, 17-27	5.7	35
73	Molecular hydrogen stabilizes atherosclerotic plaque in low-density lipoprotein receptor-knockout mice. <i>Free Radical Biology and Medicine</i> , <b>2015</b> , 87, 58-68	7.8	34
72	Protective effect of Naoxintong against cerebral ischemia reperfusion injury in mice. <i>Journal of Ethnopharmacology</i> , <b>2016</b> , 182, 181-9	5	32
71	The many roles of statins in ischemic stroke. <i>Current Neuropharmacology</i> , <b>2014</b> , 12, 564-74	7.6	32
70	The diabetes drug semaglutide reduces infarct size, inflammation, and apoptosis, and normalizes neurogenesis in a rat model of stroke. <i>Neuropharmacology</i> , <b>2019</b> , 158, 107748	5.5	29
69	DAPT protects brain against cerebral ischemia by down-regulating the expression of Notch 1 and nuclear factor $\kappa$ B in rats. <i>Neurological Sciences</i> , <b>2012</b> , 33, 1257-64	3.5	29
68	Beneficial effects of sulindac in focal cerebral ischemia: a positive role in Wnt/ $\beta$ -catenin pathway. <i>Brain Research</i> , <b>2012</b> , 1482, 71-80	3.7	29
67	Wnt canonical pathway activator TWS119 drives microglial anti-inflammatory activation and facilitates neurological recovery following experimental stroke. <i>Journal of Neuroinflammation</i> , <b>2019</b> , 16, 256	10.1	29
66	Chemosensitive Phox2b-expressing neurons are crucial for hypercapnic ventilatory response in the nucleus tractus solitarius. <i>Journal of Physiology</i> , <b>2017</b> , 595, 4973-4989	3.9	26
65	EZH2-mediated $\beta$ -actin methylation needs lncRNA TUG1, and promotes the cortex cytoskeleton formation in VSMCs. <i>Gene</i> , <b>2017</b> , 616, 52-57	3.8	26
64	Reestablishing neuronal networks in the aged brain by stem cell factor and granulocyte-colony stimulating factor in a mouse model of chronic stroke. <i>PLoS ONE</i> , <b>2013</b> , 8, e64684	3.7	26
63	Bicyclol upregulates transcription factor Nrf2, HO-1 expression and protects rat brains against focal ischemia. <i>Brain Research Bulletin</i> , <b>2014</b> , 100, 38-43	3.9	25

62	Pretreatment by evodiamine is neuroprotective in cerebral ischemia: up-regulated pAkt, pGSK3 $\beta$ down-regulated NF- $\kappa$ B expression, and ameliorated BBB permeability. <i>Neurochemical Research</i> , <b>2014</b> , 39, 1612-20	4.6	25
61	Protective Effect of Aliskiren in Experimental Ischemic Stroke: Up-Regulated p-PI3K, p-AKT, Bcl-2 Expression, Attenuated Bax Expression. <i>Neurochemical Research</i> , <b>2016</b> , 41, 2300-10	4.6	25
60	Neuroprotection and underlying mechanisms of oxymatrine in cerebral ischemia of rats. <i>Neurological Research</i> , <b>2011</b> , 33, 319-24	2.7	24
59	Salvianolic Acids for Injection (SAFI) promotes functional recovery and neurogenesis via sonic hedgehog pathway after stroke in mice. <i>Neurochemistry International</i> , <b>2017</b> , 110, 38-48	4.4	22
58	Neuroprotective effect of early and short-time applying sophoridine in pMCAO rat brain: down-regulated TRAF6 and up-regulated p-ERK1/2 expression, ameliorated brain infarction and edema. <i>Brain Research Bulletin</i> , <b>2012</b> , 88, 379-84	3.9	22
57	Leptin Signaling in the Carotid Body Regulates a Hypoxic Ventilatory Response Through Altering TASK Channel Expression. <i>Frontiers in Physiology</i> , <b>2018</b> , 9, 249	4.6	20
56	Enhanced Hypothalamic NMDA Receptor Activity Contributes to Hyperactivity of HPA Axis in Chronic Stress in Male Rats. <i>Endocrinology</i> , <b>2018</b> , 159, 1537-1546	4.8	18
55	Cortical Neuron-Derived Exosomal MicroRNA-181c-3p Inhibits Neuroinflammation by Downregulating CXCL1 in Astrocytes of a Rat Model with Ischemic Brain Injury. <i>NeuroImmunoModulation</i> , <b>2019</b> , 26, 217-233	2.5	18
54	Ginsenoside Rb1 Promotes Motor Functional Recovery and Axonal Regeneration in Post-stroke Mice through cAMP/PKA/CREB Signaling Pathway. <i>Brain Research Bulletin</i> , <b>2020</b> , 154, 51-60	3.9	18
53	Oxidized high density lipoprotein induces macrophage apoptosis via toll-like receptor 4-dependent CHOP pathway. <i>Journal of Lipid Research</i> , <b>2017</b> , 58, 164-177	6.3	17
52	D4F alleviates macrophage-derived foam cell apoptosis by inhibiting the NF- $\kappa$ B-dependent Fas/FasL pathway. <i>Scientific Reports</i> , <b>2017</b> , 7, 7333	4.9	17
51	Sonic hedgehog promotes neurite outgrowth of cortical neurons under oxidative stress: Involving of mitochondria and energy metabolism. <i>Experimental Cell Research</i> , <b>2017</b> , 350, 83-90	4.2	17
50	The binding capability of plasma phospholipid transfer protein, but not HDL pool size, is critical to repress LPS induced inflammation. <i>Scientific Reports</i> , <b>2016</b> , 6, 20845	4.9	17
49	Delayed Administration of the Glucagon-Like Peptide 1 Analog Liraglutide Promoting Angiogenesis after Focal Cerebral Ischemia in Mice. <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2018</b> , 27, 1318-1325 <sup>2,8</sup>	2.8	16
48	High-density lipoprotein inhibits ox-LDL-induced adipokine secretion by upregulating SR-BI expression and suppressing ER Stress pathway. <i>Scientific Reports</i> , <b>2016</b> , 6, 30889	4.9	16
47	Sonic Hedgehog Promotes Neurite Outgrowth of Primary Cortical Neurons Through Up-Regulating BDNF Expression. <i>Neurochemical Research</i> , <b>2016</b> , 41, 687-95	4.6	15
46	Protective effects of leonurine against ischemic stroke in mice by activating nuclear factor erythroid 2-related factor 2 pathway. <i>CNS Neuroscience and Therapeutics</i> , <b>2019</b> , 25, 1006-1017	6.8	15
45	Loss of neuronal CD200 contributed to microglial activation after acute cerebral ischemia in mice. <i>Neuroscience Letters</i> , <b>2018</b> , 678, 48-54	3.3	15

44	Sphingomyelin Synthase 2 Inhibition Ameliorates Cerebral Ischemic Reperfusion Injury Through Reducing the Recruitment of Toll-Like Receptor 4 to Lipid Rafts. <i>Journal of the American Heart Association</i> , <b>2019</b> , 8, e012885	6	15
43	Electroacupuncture at Qiuxu (GB 40) for treatment of migraine--a clinical multicentral random controlled study. <i>Journal of Traditional Chinese Medicine = Chung I Tsa Chih Ying Wen Pan / Sponsored By All-China Association of Traditional Chinese Medicine, Academy of Traditional Chinese Medicine</i> , <b>2009</b> , 29, 43-9		15
42	Activation of Phox2b-Expressing Neurons in the Nucleus Tractus Solitarii Drives Breathing in Mice. <i>Journal of Neuroscience</i> , <b>2019</b> , 39, 2837-2846	6.6	14
41	Atorvastatin alleviates microglia-mediated neuroinflammation via modulating the microbial composition and the intestinal barrier function in ischemic stroke mice. <i>Free Radical Biology and Medicine</i> , <b>2021</b> , 162, 104-117	7.8	14
40	The intrinsic PEDF is regulated by PPAR $\alpha$ in permanent focal cerebral ischemia of rat. <i>Neurochemical Research</i> , <b>2012</b> , 37, 2099-107	4.6	13
39	Circulating endothelial cells as potential markers of atherosclerosis. <i>Canadian Journal of Neurological Sciences</i> , <b>2008</b> , 35, 638-42	1	13
38	Regulatory T cells in ischemic stroke. <i>CNS Neuroscience and Therapeutics</i> , <b>2021</b> , 27, 643-651	6.8	13
37	Finasteride inhibited brain dopaminergic system and open-field behaviors in adolescent male rats. <i>CNS Neuroscience and Therapeutics</i> , <b>2018</b> , 24, 115-125	6.8	13
36	DL-3-N-Butylphthalide Alleviates the Blood-Brain Barrier Permeability of Focal Cerebral Ischemia Reperfusion in Mice. <i>Neuroscience</i> , <b>2019</b> , 413, 99-107	3.9	11
35	Brain damage related to hemorrhagic transformation following cerebral ischemia and the role of K ATP channels. <i>Brain Research</i> , <b>2008</b> , 1241, 168-75	3.7	11
34	Neuroadaptations of presynaptic and postsynaptic GABA receptor function in the paraventricular nucleus in response to chronic unpredictable stress. <i>British Journal of Pharmacology</i> , <b>2017</b> , 174, 2929-2940	8.6	10
33	Molecular Mechanism of Autophagy: Its Role in the Therapy of Alzheimer's Disease. <i>Current Neuropharmacology</i> , <b>2020</b> , 18, 720-739	7.6	10
32	Chronic Intermittent Hypobaric Hypoxia Ameliorates Renal Vascular Hypertension Through Up-regulating NOS in Nucleus Tractus Solitarii. <i>Neuroscience Bulletin</i> , <b>2019</b> , 35, 79-90	4.3	10
31	PGC-1 $\alpha$ Participates in the Protective Effect of Chronic Intermittent Hypobaric Hypoxia on Cardiomyocytes. <i>Cellular Physiology and Biochemistry</i> , <b>2018</b> , 50, 1891-1902	3.9	10
30	Chronic intermittent hypobaric hypoxia protects vascular endothelium by ameliorating autophagy in metabolic syndrome rats. <i>Life Sciences</i> , <b>2018</b> , 205, 145-154	6.8	9
29	Tert-butylhydroquinone enhanced angiogenesis and astrocyte activation by activating nuclear factor-E2-related factor 2/heme oxygenase-1 after focal cerebral ischemia in mice. <i>Microvascular Research</i> , <b>2019</b> , 126, 103891	3.7	9
28	Longitudinal changes of defensive and offensive factors in focal cerebral ischemia-reperfusion in rats. <i>Brain Research Bulletin</i> , <b>2009</b> , 79, 371-5	3.9	9
27	Respiratory Control by Phox2b-expressing Neurons in a Locus Coeruleus-preBöttinger Complex Circuit. <i>Neuroscience Bulletin</i> , <b>2021</b> , 37, 31-44	4.3	9

26	Limb remote ischemia per-conditioning protects the heart against ischemia-reperfusion injury through the opioid system in rats. <i>Canadian Journal of Physiology and Pharmacology</i> , <b>2018</b> , 96, 68-75	2.4	9
25	The relationship between oxidized low-density lipoprotein and related ratio and acute cerebral infarction. <i>Medicine (United States)</i> , <b>2018</b> , 97, e12642	1.8	7
24	Downregulation of Orexin Receptor in Hypothalamic Paraventricular Nucleus Decreases Blood Pressure in Obese Zucker Rats. <i>Journal of the American Heart Association</i> , <b>2019</b> , 8, e011434	6	6
23	Anti-Inflammation of Natural Components from Medicinal Plants at Low Concentrations in Brain via Inhibiting Neutrophil Infiltration after Stroke. <i>Mediators of Inflammation</i> , <b>2016</b> , 2016, 9537901	4.3	6
22	Plasma Phospholipid Transfer Protein Promotes Platelet Aggregation. <i>Thrombosis and Haemostasis</i> , <b>2018</b> , 118, 2086-2097	7	6
21	Disordered Leptin signaling in the retrotrapezoid nucleus is associated with the impaired hypercapnic ventilatory response in obesity. <i>Life Sciences</i> , <b>2020</b> , 257, 117994	6.8	3
20	miR-668 inhibitor attenuates mitochondrial membrane potential and protects against neuronal apoptosis in cerebral ischemic stroke. <i>Folia Neuropathologica</i> , <b>2020</b> , 58, 22-29	2.6	3
19	A Novel Cerebroprotein Hydrolysate, CH1, Ameliorates Chronic Focal Cerebral Ischemia Injury by Promoting White Matter Integrity via the Shh/Ptch-1/Gli-1 Signaling Pathway. <i>Neuropsychiatric Disease and Treatment</i> , <b>2020</b> , 16, 3209-3224	3.1	3
18	Elevated expression of the leptin receptor ob-R may contribute to inflammation in patients with ulcerative colitis. <i>Molecular Medicine Reports</i> , <b>2019</b> , 20, 4706-4712	2.9	3
17	Efficacy and safety of human urinary kallidinogenase for acute ischemic stroke: a meta-analysis. <i>Journal of International Medical Research</i> , <b>2020</b> , 48, 300060520943452	1.4	3
16	Hydrogen Sulfide Restored the Diurnal Variation in Cardiac Function of Aging Mice. <i>Oxidative Medicine and Cellular Longevity</i> , <b>2021</b> , 2021, 8841575	6.7	3
15	Neuroprotective effects of zonisamide on cerebral ischemia injury via inhibition of neuronal apoptosis. <i>Brazilian Journal of Medical and Biological Research</i> , <b>2021</b> , 54, e10498	2.8	3
14	Influence of human amylin on the membrane stability of rat primary hippocampal neurons. <i>Aging</i> , <b>2020</b> , 12, 8923-8938	5.6	2
13	DL-3-n-butylphthalide promotes neurite outgrowth of primary cortical neurons by Sonic Hedgehog signaling via upregulating Gap43. <i>Experimental Cell Research</i> , <b>2021</b> , 398, 112420	4.2	2
12	CIHH protects the heart against left ventricular remodelling and myocardial fibrosis by balancing the renin-angiotensin system in SHR. <i>Life Sciences</i> , <b>2021</b> , 278, 119540	6.8	2
11	Artesunate attenuates inflammatory injury and inhibits the NF- $\kappa$ B pathway in a mouse model of cerebral ischemia. <i>Journal of International Medical Research</i> , <b>2021</b> , 49, 3000605211053549	1.4	1
10	Mineralocorticoid Receptor-Dependent Impairment of Baroreflex Contributes to Hypertension in a Mouse Model of Primary Aldosteronism. <i>Frontiers in Physiology</i> , <b>2019</b> , 10, 1434	4.6	1
9	Contribution of retrotrapezoid nucleus neurons to CO <sub>2</sub> -amplified cardiorespiratory activity in spontaneously hypertensive rats. <i>Journal of Physiology</i> , <b>2021</b> , 599, 1115-1130	3.9	1

8	Alpha-lipoic acid improved motor function in MPTP-induced Parkinsonian mice by reducing neuroinflammation in the nigral and spinal cord.. <i>Neuroscience Letters</i> , <b>2022</b> , 781, 136669	3.3	1
7	Cerebroprotein hydrolysate injection is involved in promoting long-term angiogenesis, vessel diameter and density after cerebral ischemia in mice.. <i>Life Sciences</i> , <b>2022</b> , 300, 120568	6.8	1
6	Alpha-Lipoic Acid Attenuates MPTP/MPP-Induced Neurotoxicity: Roles of SIRT1-Dependent PGC-1 $\alpha$ Signaling Pathways.. <i>Neurotoxicity Research</i> , <b>2022</b> , 1	4.3	0
5	Chronic Intermittent Hypobaric Hypoxia Decreases High Blood Pressure by Stabilizing the Vascular Renin-Angiotensin System in Spontaneously Hypertensive Rats. <i>Frontiers in Physiology</i> , <b>2021</b> , 12, 639454 <sup>4.6</sup>	4.6	0
4	Oxymatrine Extends Survival by Attenuating Neuroinflammation in a Mouse Model of Amyotrophic Lateral Sclerosis. <i>Neuroscience</i> , <b>2021</b> , 465, 11-22	3.9	0
3	Liraglutide Ameliorates Cerebral Ischemia in Mice via Antipyroptotic Pathways.. <i>Neurochemical Research</i> , <b>2022</b> , 1	4.6	0
2	Rupture of Thoracic Aneurysm and Aortic Dissection With Manifestation of Subcutaneous Hematoma. <i>CJC Open</i> , <b>2019</b> , 1, 209-212	2	
1	Expression of neuroglobin after focal cerebral ischemia and its neuroprotective effect. <i>Academic Journal of Second Military Medical University</i> , <b>2009</b> , 28, 1176-1179		