

Spencer B Gibson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7238172/publications.pdf>

Version: 2024-02-01

121
papers

20,003
citations

47006

47
h-index

21540

114
g-index

122
all docs

122
docs citations

122
times ranked

32800
citing authors

#	ARTICLE	IF	CITATIONS
1	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016, 12, 1-222.	9.1	4,701
2	Guidelines for the use and interpretation of assays for monitoring autophagy. <i>Autophagy</i> , 2012, 8, 445-544.	9.1	3,122
3	Mitogen-Activated Protein Kinase: Conservation of a Three-Kinase Module From Yeast to Human. <i>Physiological Reviews</i> , 1999, 79, 143-180.	28.8	2,492
4	Guidelines for the use and interpretation of assays for monitoring autophagy in higher eukaryotes. <i>Autophagy</i> , 2008, 4, 151-175.	9.1	2,064
5	Regulation of Autophagy by Reactive Oxygen Species (ROS): Implications for Cancer Progression and Treatment. <i>Antioxidants and Redox Signaling</i> , 2009, 11, 777-790.	5.4	674
6	Mitochondrial electron-transport-chain inhibitors of complexes I and II induce autophagic cell death mediated by reactive oxygen species. <i>Journal of Cell Science</i> , 2007, 120, 4155-4166.	2.0	394
7	Caspase-dependent Cleavage of Signaling Proteins during Apoptosis. <i>Journal of Biological Chemistry</i> , 1998, 273, 7141-7147.	3.4	374
8	Hypoxia induces autophagic cell death in apoptosis-competent cells through a mechanism involving BNIP3. <i>Autophagy</i> , 2008, 4, 195-204.	9.1	321
9	Surviving cell death through epidermal growth factor (EGF) signal transduction pathways: Implications for cancer therapy. <i>Cellular Signalling</i> , 2006, 18, 2089-2097.	3.6	257
10	Increased Expression of Death Receptors 4 and 5 Synergizes the Apoptosis Response to Combined Treatment with Etoposide and TRAIL. <i>Molecular and Cellular Biology</i> , 2000, 20, 205-212.	2.3	249
11	Starvation-induced autophagy is regulated by mitochondrial reactive oxygen species leading to AMPK activation. <i>Cellular Signalling</i> , 2013, 25, 50-65.	3.6	247
12	Epidermal Growth Factor Protects Epithelial Cells against Fas-induced Apoptosis. <i>Journal of Biological Chemistry</i> , 1999, 274, 17612-17618.	3.4	225
13	Is mitochondrial generation of reactive oxygen species a trigger for autophagy?. <i>Autophagy</i> , 2008, 4, 246-248.	9.1	215
14	BNIP3 plays a role in hypoxic cell death in human epithelial cells that is inhibited by growth factors EGF and IGF. <i>Oncogene</i> , 2003, 22, 4734-4744.	5.9	199
15	BNIP3 Interacting with LC3 Triggers Excessive Mitophagy in Delayed Neuronal Death in Stroke. <i>CNS Neuroscience and Therapeutics</i> , 2014, 20, 1045-1055.	3.9	194
16	Reovirus-Induced Apoptosis Is Mediated by TRAIL. <i>Journal of Virology</i> , 2000, 74, 8135-8139.	3.4	186
17	Anti-apoptotic versus pro-apoptotic signal transduction: Checkpoints and stop signs along the road to death. <i>Oncogene</i> , 1998, 17, 1475-1482.	5.9	153
18	Brevinina-2R ¹ selectively kills cancer cells by a distinct mechanism, which involves the lysosomal-mitochondrial death pathway. <i>Journal of Cellular and Molecular Medicine</i> , 2008, 12, 1005-1022.	3.6	151

#	ARTICLE	IF	CITATIONS
19	Reactive oxygen species regulation of autophagy in cancer: Implications for cancer treatment. <i>Free Radical Biology and Medicine</i> , 2012, 53, 1399-1410.	2.9	137
20	Transcription Factor NF- κ B Differentially Regulates Death Receptor 5 Expression Involving Histone Deacetylase 1. <i>Molecular and Cellular Biology</i> , 2005, 25, 5404-5416.	2.3	136
21	Ferroptosis and autophagy induced cell death occur independently after siramesine and lapatinib treatment in breast cancer cells. <i>PLoS ONE</i> , 2017, 12, e0182921.	2.5	136
22	Single-Agent Lenalidomide in the Treatment of Previously Untreated Chronic Lymphocytic Leukemia. <i>Journal of Clinical Oncology</i> , 2011, 29, 1175-1181.	1.6	134
23	BNIP3 Expression Is Linked with Hypoxia-Regulated Protein Expression and with Poor Prognosis in Non-Small Cell Lung Cancer. <i>Clinical Cancer Research</i> , 2004, 10, 5566-5571.	7.0	129
24	MEK Kinase 1 (MEKK1) Transduces c-Jun NH2-terminal Kinase Activation in Response to Changes in the Microtubule Cytoskeleton. <i>Journal of Biological Chemistry</i> , 1999, 274, 12605-12610.	3.4	115
25	Reactive Oxygen Species (ROS) Regulates Different Types of Cell Death by Acting as a Rheostat. <i>Oxidative Medicine and Cellular Longevity</i> , 2021, 2021, 1-17.	4.0	104
26	Cancer-specific toxicity of apoptin is independent of death receptors but involves the loss of mitochondrial membrane potential and the release of mitochondrial cell-death mediators by a Nur77-dependent pathway. <i>Journal of Cell Science</i> , 2005, 118, 4485-4493.	2.0	103
27	Methods for detecting autophagy and determining autophagy-induced cell death This review is one of a selection of papers published in a Special Issue on Oxidative Stress in Health and Disease.. <i>Canadian Journal of Physiology and Pharmacology</i> , 2010, 88, 285-295.	1.4	96
28	Lysosomes as Oxidative Targets for Cancer Therapy. <i>Oxidative Medicine and Cellular Longevity</i> , 2017, 2017, 1-8.	4.0	93
29	Epidermal growth factor protects epithelial-derived cells from tumor necrosis factor-related apoptosis-inducing ligand-induced apoptosis by inhibiting cytochrome c release. <i>Cancer Research</i> , 2002, 62, 488-96.	0.9	93
30	Tyrosine kinase receptor EGFR regulates the switch in cancer cells between cell survival and cell death induced by autophagy in hypoxia. <i>Autophagy</i> , 2016, 12, 1029-1046.	9.1	86
31	The TRAIL apoptotic pathway mediates proteasome inhibitor induced apoptosis in primary chronic lymphocytic leukemia cells. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2006, 11, 1175-1193.	4.9	84
32	A matter of balance between life and death: Targeting reactive oxygen species (ROS)-induced autophagy for cancer therapy. <i>Autophagy</i> , 2010, 6, 835-837.	9.1	84
33	The pro-cell death Bcl-2 family member, BNIP3, is localized to the nucleus of human glial cells: Implications for glioblastoma multiforme tumor cell survival under hypoxia. <i>International Journal of Cancer</i> , 2006, 118, 1660-1669.	5.1	81
34	Herceptin Sensitizes ErbB2-Overexpressing Cells to Apoptosis by Reducing Antiapoptotic Mcl-1 Expression. <i>Clinical Cancer Research</i> , 2006, 12, 845-853.	7.0	74
35	EGFR Family Members' Regulation of Autophagy Is at a Crossroads of Cell Survival and Death in Cancer. <i>Cancers</i> , 2017, 9, 27.	3.7	73
36	Lysophosphatidylcholine Stimulates Activator Protein 1 and the c-Jun N-terminal Kinase Activity. <i>Journal of Biological Chemistry</i> , 1997, 272, 13683-13689.	3.4	69

#	ARTICLE	IF	CITATIONS
37	The S100A7-c-Jun Activation Domain Binding Protein 1 Pathway Enhances Prosurvival Pathways in Breast Cancer. <i>Cancer Research</i> , 2005, 65, 5696-5702.	0.9	69
38	Functional LCK Is Required for Optimal CD28-mediated Activation of the TEC Family Tyrosine Kinase EMT/ITK. <i>Journal of Biological Chemistry</i> , 1996, 271, 7079-7083.	3.4	68
39	Increased expression of Mcl-1 is responsible for the blockage of TRAIL-induced apoptosis mediated by EGF/ErbB1 signaling pathway. <i>Journal of Cellular Biochemistry</i> , 2003, 89, 1177-1192.	2.6	65
40	Differential Involvement of MEK Kinase 1 (MEKK1) in the Induction of Apoptosis in Response to Microtubule-targeted Drugs versus DNA Damaging Agents. <i>Journal of Biological Chemistry</i> , 1999, 274, 10916-10922.	3.4	62
41	On-Target Effect of FK866, a Nicotinamide Phosphoribosyl Transferase Inhibitor, by Apoptosis-Mediated Death in Chronic Lymphocytic Leukemia Cells. <i>Clinical Cancer Research</i> , 2014, 20, 4861-4872.	7.0	60
42	Dasatinib sensitizes primary chronic lymphocytic leukaemia lymphocytes to chlorambucil and fludarabine <i>in vitro</i> . <i>British Journal of Haematology</i> , 2008, 143, 698-706.	2.5	59
43	Role of the TRAIL/APO2-L death receptors in chlorambucil- and fludarabine-induced apoptosis in chronic lymphocytic leukemia. <i>Oncogene</i> , 2003, 22, 8356-8369.	5.9	57
44	The Two Faces of NF κ B in Cell Survival Responses. <i>Cell Cycle</i> , 2005, 4, 1342-1345.	2.6	53
45	Investigating the Role of Reactive Oxygen Species in Regulating Autophagy. <i>Methods in Enzymology</i> , 2013, 528, 217-235.	1.0	52
46	Lysophosphatidic Acid (LPA) Protects Primary Chronic Lymphocytic Leukemia Cells from Apoptosis through LPA Receptor Activation of the Anti-apoptotic Protein AKT/PKB. <i>Journal of Biological Chemistry</i> , 2005, 280, 9498-9508.	3.4	51
47	Lysosomal Destabilizing Drug Siramesine and the Dual Tyrosine Kinase Inhibitor Lapatinib Induce a Synergistic Ferroptosis through Reduced Heme Oxygenase-1 (HO-1) Levels. <i>Oxidative Medicine and Cellular Longevity</i> , 2019, 2019, 1-14.	4.0	49
48	Inhibition of Constitutive Activation of STAT3 by Curcubitacin-I (JSI-124) Sensitized Human B-Leukemia Cells to Apoptosis. <i>Molecular Cancer Therapeutics</i> , 2010, 9, 3302-3314.	4.1	48
49	BNIP3 (Bcl-2 19 kDa Interacting Protein) Acts as Transcriptional Repressor of Apoptosis-Inducing Factor Expression Preventing Cell Death in Human Malignant Gliomas. <i>Journal of Neuroscience</i> , 2009, 29, 4189-4199.	3.6	46
50	Poly(ADP-Ribose) Polymerase-1 Causes Mitochondrial Damage and Neuron Death Mediated by Bnip3. <i>Journal of Neuroscience</i> , 2014, 34, 15975-15987.	3.6	45
51	Death receptor-4 (DR4) expression is regulated by transcription factor NF- κ B in response to etoposide treatment. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2008, 13, 756-770.	4.9	44
52	Negative regulators of cell death pathways in cancer: perspective on biomarkers and targeted therapies. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2018, 23, 93-112.	4.9	44
53	Changes in the Apoptotic and Survival Signaling in Cancer Cells and Their Potential Therapeutic Implications. <i>Current Cancer Drug Targets</i> , 2004, 4, 147-163.	1.6	44
54	Association of interleukin-6 and interleukin-8 with poor prognosis in elderly patients with chronic lymphocytic leukemia. <i>Leukemia and Lymphoma</i> , 2012, 53, 1735-1742.	1.3	42

#	ARTICLE	IF	CITATIONS
55	Distinct roles for phosphoinositide 3-kinases \hat{I}^3 and \hat{I}^1 in malignant B cell migration. <i>Leukemia</i> , 2018, 32, 1958-1969.	7.2	40
56	The role of TRAIL death receptors in the treatment of hematological malignancies. <i>Leukemia and Lymphoma</i> , 2008, 49, 27-35.	1.3	39
57	Differential cellular responses induced by dorsomorphin and $\langle \text{sc} \rangle \text{LDN} \langle / \text{sc} \rangle$ \hat{a}^193189 in chemotherapy \hat{e} sensitive and chemotherapy \hat{e} resistant human epithelial ovarian cancer cells. <i>International Journal of Cancer</i> , 2015, 136, E455-69.	5.1	35
58	The CDK inhibitor AT7519M in patients with relapsed or refractory chronic lymphocytic leukemia (CLL) and mantle cell lymphoma. A Phase II study of the Canadian Cancer Trials Group. <i>Leukemia and Lymphoma</i> , 2017, 58, 1358-1365.	1.3	35
59	Role of Myeloid Cell Factor-1 (Mcl-1) in Chronic Lymphocytic Leukemia. <i>Leukemia and Lymphoma</i> , 2004, 45, 2017-2027.	1.3	34
60	Regulation of apoptosis in fibroblast \hat{e} like synoviocytes by the hypoxia \hat{e} induced Bcl $\hat{e}2$ family member Bcl $\hat{e}2$ /adenovirus E1B 19 \hat{e} kd protein \hat{e} interacting protein 3. <i>Arthritis and Rheumatism</i> , 2007, 56, 2854-2863.	6.7	34
61	Lysophosphatidic Acid Protects Cancer Cells from Histone Deacetylase (HDAC) Inhibitor-induced Apoptosis through Activation of HDAC. <i>Journal of Biological Chemistry</i> , 2008, 283, 16818-16829.	3.4	32
62	Role of BNIP3 in proliferation and hypoxia \hat{e} induced autophagy: implications for personalized cancer therapies. <i>Annals of the New York Academy of Sciences</i> , 2010, 1210, 8-16.	3.8	29
63	Regulation of autophagy in hematological malignancies: role of reactive oxygen species. <i>Leukemia and Lymphoma</i> , 2012, 53, 26-33.	1.3	29
64	Harnessing Oxidative Stress as an Innovative Target for Cancer Therapy. <i>Oxidative Medicine and Cellular Longevity</i> , 2018, 2018, 1-2.	4.0	29
65	RNA species generated in vaccinia virus infected cells activate cell type-specific MDA5 or RIG-I dependent interferon gene transcription and PKR dependent apoptosis. <i>Virology</i> , 2011, 413, 183-193.	2.4	27
66	Estrogen Regulation of Anti-Apoptotic Bcl-2 Family Member Mcl-1 Expression in Breast Cancer Cells. <i>PLoS ONE</i> , 2014, 9, e100364.	2.5	27
67	TAPP2 links phosphoinositide 3-kinase signaling to B-cell adhesion through interaction with the cytoskeletal protein utrophin: expression of a novel cell adhesion-promoting complex in B-cell leukemia. <i>Blood</i> , 2009, 114, 4703-4712.	1.4	25
68	Cucurbitacin-I (JSI-124) activates the JNK/c-Jun signaling pathway independent of apoptosis and cell cycle arrest in B Leukemic Cells. <i>BMC Cancer</i> , 2011, 11, 268.	2.6	25
69	Efficient CD28 signalling leads to increases in the kinase activities of the TEC family tyrosine kinase EMT/ITK/TSK and the SRC family tyrosine kinase LCK. <i>Biochemical Journal</i> , 1998, 330, 1123-1128.	3.7	24
70	Lysophosphatidic acid (LPA) induces the expression of VEGF leading to protection against apoptosis in B-cell derived malignancies. <i>Cellular Signalling</i> , 2008, 20, 1198-1208.	3.6	23
71	Risk factors for skin cancer and solid tumors in newly diagnosed patients with chronic lymphocytic leukemia and the impact of skin surveillance on survival. <i>Leukemia and Lymphoma</i> , 2019, 60, 3204-3213.	1.3	23
72	Valproic acid enhances fludarabine-induced apoptosis mediated by ROS and involving decreased AKT and ATM activation in B-cell-lymphoid neoplastic cells. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2014, 19, 191-200.	4.9	22

#	ARTICLE	IF	CITATIONS
73	Identification and Characterization of Novel Receptor-Interacting Serine/Threonine-Dependent Protein Kinase 2 Inhibitors Using Structural Similarity Analysis. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2018, 365, 354-367.	2.5	22
74	Proteasome Inhibitors Up-Regulate TRAIL/Apo2L and Its Receptors Significantly Contributing to Proteasome Inhibitor-Induced Apoptosis in Primary Chronic Lymphocytic Leukemia (CLL) Cells. <i>Blood</i> , 2004, 104, 2810-2810.	1.4	20
75	The BH3 only Bcl-2 family member BNIP3 regulates cellular proliferation. <i>PLoS ONE</i> , 2018, 13, e0204792.	2.5	19
76	Mitochondrial Respiration Correlates with Prognostic Markers in Chronic Lymphocytic Leukemia and Is Normalized by Ibrutinib Treatment. <i>Cancers</i> , 2020, 12, 650.	3.7	19
77	MEKK1-induced apoptosis requires TRAIL death receptor activation and is inhibited by AKT/PKB through inhibition of MEKK1 cleavage. <i>Oncogene</i> , 2002, 21, 6649-6656.	5.9	18
78	Death receptor 4 is preferentially recruited to lipid rafts in chronic lymphocytic leukemia cells contributing to tumor necrosis related apoptosis inducing ligand-induced synergistic apoptotic responses. <i>Leukemia and Lymphoma</i> , 2011, 52, 1290-1301.	1.3	18
79	IgA levels at diagnosis predict for infections, time to treatment, and survival in chronic lymphocytic leukemia. <i>Blood Advances</i> , 2019, 3, 2188-2198.	5.2	18
80	Antimalarial drugs trigger lysosome-mediated cell death in chronic lymphocytic leukemia (CLL) cells. <i>Leukemia Research</i> , 2018, 70, 79-86.	0.8	17
81	Three dimensions of autophagy in regulating tumor growth: cell survival/death, cell proliferation, and tumor dormancy. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2021, 1867, 166265.	3.8	17
82	Bcl-2 family member Mcl-1 expression is reduced under hypoxia by the E3 ligase FBW7 contributing to BNIP3 induced cell death in glioma cells. <i>Cancer Biology and Therapy</i> , 2016, 17, 604-613.	3.4	16
83	MEK Kinase 1 Induces Mitochondrial Permeability Transition Leading to Apoptosis Independent of Cytochrome cRelease. <i>Journal of Biological Chemistry</i> , 2002, 277, 10573-10580.	3.4	15
84	Targeting Metabolism and Autophagy in the Context of Haematologic Malignancies. <i>International Journal of Cell Biology</i> , 2012, 2012, 1-9.	2.5	15
85	An LC/MS/MS method for the simultaneous determination of individual sphingolipid species in B cells. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016, 1031, 50-60.	2.3	15
86	Phosphatidylinositol-3,4-Bisphosphate and Its Binding Protein Lamellipodin Regulate Chemotaxis of Malignant B Lymphocytes. <i>Journal of Immunology</i> , 2016, 196, 586-595.	0.8	15
87	Adhesion of ZAP-70+ chronic lymphocytic leukemia cells to stromal cells is enhanced by cytokines and blocked by inhibitors of the PI3-kinase pathway. <i>Leukemia Research</i> , 2014, 38, 109-115.	0.8	14
88	Erb-b2 Receptor Tyrosine Kinase 2 (ERBB2) Promotes ATG12-Dependent Autophagy Contributing to Treatment Resistance of Breast Cancer Cells. <i>Cancers</i> , 2021, 13, 1038.	3.7	14
89	Lysophosphatidic acid receptor expression in chronic lymphocytic leukemia leads to cell survival mediated through vascular endothelial growth factor expression. <i>Leukemia and Lymphoma</i> , 2009, 50, 2038-2048.	1.3	13
90	Frequent Occurrence of Highly Expanded but Unrelated B-Cell Clones in Patients with Multiple Myeloma. <i>PLoS ONE</i> , 2013, 8, e64927.	2.5	13

#	ARTICLE	IF	CITATIONS
91	Comparison of outcome of patients with CLL who are referred or nonreferred to a specialized <sc>CLL</sc> clinic: a Canadian population-based study. <i>Cancer Medicine</i> , 2016, 5, 971-979.	2.8	13
92	Primary del 17 chronic lymphocytic leukaemia lymphocytes are hypersensitive to dasatinib <i>in vitro</i>. <i>British Journal of Haematology</i> , 2009, 147, 396-398.	2.5	12
93	Cyclin D expression in chronic lymphocytic leukemia. <i>Leukemia and Lymphoma</i> , 2005, 46, 1275-1285.	1.3	11
94	Autophagy inhibition by TSSC4 (tumor suppressing subtransferable candidate 4) contributes to sustainable cancer cell growth. <i>Autophagy</i> , 2022, 18, 1274-1296.	9.1	11
95	MEKK1-induced apoptosis is mediated by Smac/Diablo release from the mitochondria. <i>Biochemical and Biophysical Research Communications</i> , 2005, 331, 1089-1098.	2.1	10
96	Differential expression and function of CD27 in chronic lymphocytic leukemia cells expressing ZAP-70. <i>Leukemia Research</i> , 2015, 39, 773-778.	0.8	10
97	Truncated forms of BNIP3 act as dominant negatives inhibiting hypoxia-induced cell death. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2011, 1812, 302-311.	3.8	9
98	Altered T Follicular Helper Cell Subsets and Function in Chronic Lymphocytic Leukemia. <i>Frontiers in Oncology</i> , 2021, 11, 674492.	2.8	9
99	A phase 2 study of lenalidomide and dexamethasone in previously untreated patients with chronic lymphocytic leukemia (CLL). <i>Leukemia and Lymphoma</i> , 2019, 60, 980-989.	1.3	8
100	Investigation of an NQO1 polymorphism as a possible risk and prognostic factor for chronic lymphocytic leukemia. <i>Leukemia Research</i> , 2009, 33, 74-81.	0.8	7
101	Hepatitis B and Hepatitis C Viral Infections in Patients with Chronic Lymphocytic Leukemia. <i>Canadian Journal of Gastroenterology and Hepatology</i> , 2014, 28, 131-134.	1.9	7
102	Cross-resistance and synergy with bendamustine in chronic lymphocytic leukemia. <i>Leukemia Research</i> , 2016, 50, 63-71.	0.8	7
103	Misoprostol treatment prevents hypoxia-induced cardiac dysfunction through a 14-3-3 and PKA regulatory motif on Bnip3. <i>Cell Death and Disease</i> , 2021, 12, 1105.	6.3	7
104	Autophagy in clear cell ovarian cancer, a potential marker for hypoxia and poor prognosis?[#]. <i>Journal of Pathology</i> , 2012, 228, 434-436.	4.5	6
105	Younger Patients with CLL/SLL Are Less Frequent and Have Favorable Survival in a Canadian Population Based Study: The Manitoba Cohort.. <i>Blood</i> , 2006, 108, 3335-3335.	1.4	6
106	A novel spliced variant of the TIN2 shelterin is present in chronic lymphocytic leukemia. <i>Leukemia Research</i> , 2017, 59, 66-74.	0.8	5
107	Transcriptional Modulation by Idelalisib Synergizes with Bendamustine in Chronic Lymphocytic Leukemia. <i>Cancers</i> , 2019, 11, 1519.	3.7	5
108	Expression and function of phosphoinositide 3-kinase delta in mesenchymal stromal cells from normal and leukaemic bone marrow. <i>British Journal of Haematology</i> , 2019, 185, 883-887.	2.5	5

#	ARTICLE	IF	CITATIONS
109	Antihistamines are synergistic with Bruton's tyrosine kinase inhibitor ibrutinib mediated by lysosome disruption in chronic lymphocytic leukemia (CLL) cells. <i>Leukemia Research</i> , 2020, 96, 106423.	0.8	5
110	Clinical activities of the epidermal growth factor receptor family inhibitors in breast cancer. <i>Biologics: Targets and Therapy</i> , 2007, 1, 229-39.	3.2	5
111	Growth Factors, Receptors, and Kinases: Their Exploration to Target Cancer. , 2005, , 173-195.		3
112	ZAP70 expression directly promotes chronic lymphocytic leukaemia cell adhesion to bone marrow stromal cells. <i>British Journal of Haematology</i> , 2015, 168, 139-142.	2.5	3
113	IRGging functional outcomes in glioma cells: New insights into LRIG proteins in malignant gliomas. <i>Cancer Biology and Therapy</i> , 2009, 8, 1024-1026.	3.4	2
114	Tumor Suppressing Subtransferable Candidate 4 Expression Prevents Autophagy-Induced Cell Death Following Temozolomide Treatment in Glioblastoma Cells. <i>Frontiers in Cell and Developmental Biology</i> , 2022, 10, 823251.	3.7	2
115	Buccal cell telomere length is not a useful marker for comorbidities in chronic lymphocytic leukemia. <i>Leukemia Research</i> , 2019, 86, 106220.	0.8	1
116	Epidermal Growth Factor (EGF) Receptor Signaling and Cancer. , 2010, , 119-141.		1
117	The Role of Histone Acetylation and Death Receptor 5 (DR5) Expression in the Treatment of Chronic Lymphocytic Leukemia (CLL).. <i>Blood</i> , 2005, 106, 5017-5017.	1.4	0
118	The Role of Proteasome Inhibitors and the Trail Apoptotic Pathway in the Treatment of Chronic Lymphocytic Leukemia.. <i>Blood</i> , 2005, 106, 5011-5011.	1.4	0
119	The Vascular Endothelial Growth Factor (VEGF) Autocrine Survival Signaling Pathway in Chronic Lymphocytic Leukemia (CLL) Is Regulated by Lysophosphatidic Acid (LPA).. <i>Blood</i> , 2006, 108, 2810-2810.	1.4	0
120	The Valproic Acid-Fludarabine Combination Induces a Synergistic Response in Chronic Lymphocytic Leukemia Via a Mechanism Involving the Lysosomal Protease Cathepsin B.. <i>Blood</i> , 2012, 120, 2892-2892.	1.4	0
121	Incidence and Implications of Skin Cancers in Cancercare Manitoba Chronic Lymphocytic Leukemia (CLL) Clinic Patients. <i>Blood</i> , 2016, 128, 4359-4359.	1.4	0