

# Ludovic Gpm Van Amelsvoort

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7238369/publications.pdf>

Version: 2024-02-01

92  
papers

3,162  
citations

117619

34  
h-index

168376

53  
g-index

93  
all docs

93  
docs citations

93  
times ranked

3594  
citing authors

#	ARTICLE	IF	CITATIONS
1	Efficacy of an indicated prevention strategy on sickness absence and termination of the employment contract: a 5-year follow-up study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021, 47, 258-267.	3.4	2
2	Improving measurement models in clinical epidemiology: time to move beyond the inherent assumption of an underlying reflective measurement model. <i>Journal of Clinical Epidemiology</i> , 2020, 118, 119-123.	5.0	2
3	Assessing the role of criminality in neighbourhood safety feelings and self-reported health: results from a cross-sectional study in a Dutch municipality. <i>BMC Public Health</i> , 2019, 19, 920.	2.9	8
4	Handling the reflective-formative measurement conundrum: a practical illustration based on sustainable employability. <i>Journal of Clinical Epidemiology</i> , 2018, 103, 71-81.	5.0	38
5	Time takes us all? A two-wave observational study of age and time effects on sustainable employability. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018, 44, 475-484.	3.4	12
6	Time Takes Us All? A Two Wave Study of Age and Time Effects on Sustainable Employability. <i>Proceedings - Academy of Management</i> , 2018, 2018, 10807.	0.1	0
7	Implementing the ICF in Occupational Health; building a curriculum as an exemplary case. <i>Work</i> , 2017, 57, 173-186.	1.1	6
8	Fostering functioning of workers: A new challenge for prevention in occupational health. <i>Work</i> , 2017, 57, 153-156.	1.1	13
9	Experiences of occupational physicians with the implementation of indicated prevention for long term sickness absence. <i>Work</i> , 2017, 57, 157-172.	1.1	14
10	0220...Advancing the prevention of long-term sickness absence: considering the impact of the context of legislation in effective preventive strategies. , 2017, , .		0
11	Applying a biopsychosocial perspective in occupational health: Easier said than done!. <i>Work</i> , 2017, 57, 149-151.	1.1	4
12	Addressing long-term sickness absence: moving beyond disease, illness and work-related factors for effective prevention. <i>Scandinavian Journal of Work, Environment and Health</i> , 2017, 43, 1-4.	3.4	11
13	Cardiovascular Morbidity and Mortality Among Working Individuals With Rheumatic Disease. <i>Journal of Clinical Rheumatology</i> , 2015, 21, 359-363.	0.9	2
14	Neighborhood Environment Is Associated with Overweight and Obesity, Particularly in Older Residents: Results from Cross-Sectional Study in Dutch Municipality. <i>Journal of Urban Health</i> , 2015, 92, 1038-1051.	3.6	21
15	Living Environment Matters: Relationships Between Neighborhood Characteristics and Health of the Residents in a Dutch Municipality. <i>Journal of Community Health</i> , 2015, 40, 47-56.	3.8	57
16	Approaches for predicting long-term sickness absence. Re: Schouten et al. "Screening manual and office workers for risk of long-term sickness absence: cut-off points for the Work Ability Index"; <i>Scandinavian Journal of Work, Environment and Health</i> , 2015, 41, 322-323.	3.4	2
17	The prospective relationship between work stressors and cardiovascular disease, using a comprehensive work stressor measure for exposure assessment. <i>International Archives of Occupational and Environmental Health</i> , 2014, 87, 155-164.	2.3	5
18	Effects of Cardiovascular Comorbidities on Work Participation in Rheumatic Diseases: A Prospective Cohort Study Among Working Individuals. <i>Arthritis Care and Research</i> , 2014, 66, 157-163.	3.4	7

#	ARTICLE	IF	CITATIONS
19	The impact of personal attributes on the association between cumulative exposure to work stressors and cardiovascular disease. <i>Journal of Psychosomatic Research</i> , 2013, 75, 23-31.	2.6	2
20	Cancer Risk Among Tetrafluoroethylene Synthesis and Polymerization Workers. <i>American Journal of Epidemiology</i> , 2013, 178, 350-358.	3.4	32
21	Different Approaches to Estimate Exposure to Work Stressors, Using Repeated Measurements, and the Association With Cardiovascular Disease. <i>Journal of Occupational and Environmental Medicine</i> , 2013, 55, 402-409.	1.7	1
22	Substantiating the Concept of Work Strain. <i>Journal of Occupational and Environmental Medicine</i> , 2012, 54, 363-370.	1.7	5
23	Prediction of Long-Term Sickness Absence Among Employees with Depressive Complaints. <i>Journal of Occupational Rehabilitation</i> , 2012, 22, 262-269.	2.2	16
24	The association between study characteristics and outcome in the relation between job stress and cardiovascular disease – a multilevel meta-regression analysis. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012, 38, 489-502.	3.4	19
25	CONSORT 2010 Statement – unfinished update?. <i>Journal of Clinical Epidemiology</i> , 2011, 64, 579-582.	5.0	4
26	Prevention of long-term sickness absence and major depression in high-risk employees: a randomised controlled trial. <i>Occupational and Environmental Medicine</i> , 2011, 68, 400-407.	2.8	57
27	Author's reply Depressed mood in the working population: Associations with work schedules and working hours. <i>Chronobiology International</i> , 2011, 28, 475-476.	2.0	0
28	The mutual relationship between shift work and depressive complaints – a prospective cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2011, 37, 402-410.	3.4	73
29	Experience of Health Complaints and Help Seeking Behavior in Employees Screened for Depressive Complaints and Risk of Future Sickness Absence. <i>Journal of Occupational Rehabilitation</i> , 2010, 20, 537-546.	2.2	20
30	Low level occupational benzene exposure and hematological parameters. <i>Chemico-Biological Interactions</i> , 2010, 184, 94-100.	4.0	43
31	CHANGES IN WORKING TIME ARRANGEMENTS OVER TIME AS A CONSEQUENCE OF WORK-FAMILY CONFLICT. <i>Chronobiology International</i> , 2010, 27, 1045-1061.	2.0	27
32	DEPRESSED MOOD IN THE WORKING POPULATION: ASSOCIATIONS WITH WORK SCHEDULES AND WORKING HOURS. <i>Chronobiology International</i> , 2010, 27, 1062-1079.	2.0	94
33	The effect of screening on the prevalence of diagnosed type 2 diabetes in primary care. <i>Scandinavian Journal of Primary Health Care</i> , 2009, 27, 232-237.	1.5	6
34	The incidence of anxiety and depression among employees-the role of psychosocial work characteristics. <i>Depression and Anxiety</i> , 2009, 26, 1040-1048.	4.1	61
35	Cancer mortality in workers exposed to dieldrin and aldrin: over 50 years of follow up. <i>International Archives of Occupational and Environmental Health</i> , 2009, 82, 217-225.	2.3	14
36	Screening questionnaire Balansmeter proved successful in predicting future long-term sickness absence in office workers. <i>Journal of Clinical Epidemiology</i> , 2009, 62, 408-414.e2.	5.0	28

#	ARTICLE	IF	CITATIONS
37	Spuriously precise results from meta-analysis. Is better statistical correction or a more critical methodological assessment warranted?. Journal of Clinical Epidemiology, 2009, 62, 123-125.	5.0	1
38	The relationship between primary health care organization and quality of diabetes care. European Journal of General Practice, 2009, 15, 212-218.	2.0	14
39	A weight of evidence approach to causal inference. Journal of Clinical Epidemiology, 2009, 62, 270-277.	5.0	69
40	Depressive Complaints as a Predictor of Sickness Absence Among the Working Population. Journal of Occupational and Environmental Medicine, 2009, 51, 887-895.	1.7	39
41	Structured Early Consultation with the Occupational Physician Reduces Sickness Absence Among Office Workers at High Risk for Long-Term Sickness Absence: a Randomized Controlled Trial. Journal of Occupational Rehabilitation, 2008, 18, 79-86.	2.2	64
42	Toxicological evaluation of the immune function of pesticide workers, a European wide assessment. Human and Experimental Toxicology, 2008, 27, 701-707.	2.2	17
43	Asthmatic symptoms after exposure to ethylenebisdithiocarbamates and other pesticides in the Europit field studies. Human and Experimental Toxicology, 2008, 27, 721-727.	2.2	18
44	Biological monitoring and questionnaire for assessing exposure to ethylenebisdithiocarbamates in a multicenter European field study. Human and Experimental Toxicology, 2008, 27, 681-691.	2.2	13
45	Immune effects and exposure to ethylenebisdithiocarbamate pesticides in re-entry workers in the Netherlands. Human and Experimental Toxicology, 2008, 27, 693-699.	2.2	3
46	Association of pesticide exposure, vaccination response, and interleukin-1 gene polymorphisms. Human and Experimental Toxicology, 2008, 27, 709-713.	2.2	7
47	Occupational exposure to ethylenebisdithiocarbamates in agriculture and allergy: results from the EUROPIT field study. Human and Experimental Toxicology, 2008, 27, 715-720.	2.2	5
48	Changes in serum markers indicative of health effects in vineyard workers following exposure to the fungicide mancozeb: an Italian study. Biomarkers, 2007, 12, 574-588.	1.9	17
49	Associations of fatigue and depression among fatigued employees over time: A 4-year follow-up study. Journal of Psychosomatic Research, 2007, 63, 137-142.	2.6	28
50	Vital Working Hour Schemes: The Dynamic Balance between Various Interests. Chronobiology International, 2006, 23, 1099-1104.	2.0	8
51	Relation Between Sources of Particulate Air Pollution and Biological Effect Parameters in Samples from Four European Cities: An Exploratory Study. Inhalation Toxicology, 2006, 18, 333-346.	1.6	71
52	Immunotoxicological profile and pesticides exposure in farmers. Toxicology Letters, 2006, 164, S314.	0.8	0
53	Long-term efficacy of cognitive-behavioral therapy by general practitioners for fatigue: A 4-year follow-up study. Journal of Psychosomatic Research, 2006, 61, 601-607.	2.6	16
54	Dyspnea in elderly family practice patients. Occurrence, severity, quality of life and mortality over an 8-year period. Family Practice, 2006, 23, 34-39.	1.9	43

#	ARTICLE	IF	CITATIONS
55	Work-family conflict as a risk factor for sickness absence. Occupational and Environmental Medicine, 2006, 63, 488-494.	2.8	101
56	Leisure time physical activity and sickness absenteeism; a prospective study. Occupational Medicine, 2006, 56, 210-212.	1.4	63
57	Smoking among Shift Workers: More Than a Confounding Factor. Chronobiology International, 2006, 23, 1105-1113.	2.0	81
58	The Impact of a Nationwide Introduction of New Drugs and a Treatment Protocol for Glaucoma on the Number of Glaucoma Surgeries. Journal of Glaucoma, 2005, 14, 239-242.	1.6	39
59	Psychological Distress, Fatigue and Long-Term Sickness Absence: Prospective Results From the Maastricht Cohort Study. Journal of Occupational and Environmental Medicine, 2005, 47, 941-947.	1.7	66
60	Chronic Bronchitis, Cigarette Smoking, and the Subsequent Onset of Depression and Anxiety: Results From a Prospective Population-Based Cohort Study. Psychosomatic Medicine, 2005, 67, 656-660.	2.0	62
61	Organizational Characteristics as Predictors of Work Disability: A Prospective Study Among Sick Employees of For-Profit and Not-For-Profit Organizations. Journal of Occupational Rehabilitation, 2005, 15, 435-445.	2.2	19
62	Radiation exposure and cause specific mortality among nuclear workers in belgium (1969-1994). Radiation Protection Dosimetry, 2005, 117, 373-381.	0.8	21
63	Cancer mortality in a cohort of licensed herbicide applicators. International Archives of Occupational and Environmental Health, 2004, 77, 293-295.	2.3	21
64	Short-term effects of increased urine output on male bladder function and lower urinary tract symptoms. Urology, 2004, 64, 499-503.	1.0	12
65	Predictors of outcome in fatigued employees on sick leave. Journal of Psychosomatic Research, 2004, 57, 443-449.	2.6	34
66	Psychosocial Work Characteristics as Risk Factors for Being Injured in an Occupational Accident. Journal of Occupational and Environmental Medicine, 2004, 46, 521-527.	1.7	95
67	Risk of Depression and Anxiety in Employees With Chronic Bronchitis: The Modifying Effect of Cigarette Smoking. Psychosomatic Medicine, 2004, 66, 729-734.	2.0	35
68	Effects of Job Insecurity From a Workplace Closure Threat on Fatigue and Psychological Distress. Journal of Occupational and Environmental Medicine, 2004, 46, 443-449.	1.7	36
69	Predicting the Two-Year Course of Unexplained Fatigue and the Onset of Long-Term Sickness Absence in Fatigued Employees: Results From the Maastricht Cohort Study. Journal of Occupational and Environmental Medicine, 2004, 46, 1041-1047.	1.7	35
70	Impact of One Year of Shift Work on Cardiovascular Disease Risk Factors. Journal of Occupational and Environmental Medicine, 2004, 46, 699-706.	1.7	91
71	Direction of shift rotation among three-shift workers in relation to psychological health and work-family conflict. Scandinavian Journal of Work, Environment and Health, 2004, 30, 149-156.	3.4	105
72	The effect of non-random loss to follow-up on group mean estimates in a longitudinal study. European Journal of Epidemiology, 2003, 19, 15-23.	5.7	13

#	ARTICLE	IF	CITATIONS
73	Psychological distress and depressed mood in employees with asthma, chronic bronchitis or emphysema: A population-based observational study on prevalence and the relationship with smoking cigarettes. <i>European Journal of Epidemiology</i> , 2003, 19, 147-153.	5.7	32
74	Health and psychosocial work characteristics of employees who did or did not consult the general practitioner in relation to work. <i>International Archives of Occupational and Environmental Health</i> , 2003, 76, 69-74.	2.3	5
75	Need for recovery from work: evaluating short-term effects of working hours, patterns and schedules. <i>Ergonomics</i> , 2003, 46, 664-680.	2.1	139
76	The association between chronic diseases and fatigue in the working population. <i>Journal of Psychosomatic Research</i> , 2003, 54, 339-344.	2.6	62
77	Common infections and the role of burnout in a Dutch working population. <i>Journal of Psychosomatic Research</i> , 2003, 55, 201-208.	2.6	70
78	Health problems and psychosocial work environment as predictors of long term sickness absence in employees who visited the occupational physician and/or general practitioner in relation to work: a prospective study. <i>Occupational and Environmental Medicine</i> , 2003, 60, 295-300.	2.8	81
79	Work schedules and fatigue: a prospective cohort study. <i>Occupational and Environmental Medicine</i> , 2003, 60, 47i-53.	2.8	75
80	Job Insecurity as a Risk Factor for Common Infections and Health Complaints. <i>Journal of Occupational and Environmental Medicine</i> , 2003, 45, 123-129.	1.7	32
81	Authors' response to Commentaries on Outcomes in Occupational Cancer Epidemiologya. <i>International Journal of Epidemiology</i> , 2002, 31, 513-514.	1.9	0
82	Cancer mortality in workers exposed to dieldrin and aldrin: an update. <i>Toxicology and Industrial Health</i> , 2002, 18, 63-70.	1.4	29
83	Job mobility, its determinants, and its effects: Longitudinal data from the Maastricht cohort study.. <i>Journal of Occupational Health Psychology</i> , 2002, 7, 121-129.	3.3	51
84	Fatigue as a predictor of work disability. <i>Occupational and Environmental Medicine</i> , 2002, 59, 712-713.	2.8	59
85	Association between n-3 fatty acid status in blood and electrocardiographic predictors of arrhythmia risk in healthy volunteers. <i>American Journal of Cardiology</i> , 2002, 89, 629-631.	1.6	35
86	Authors' response to Commentaries on Outcomes in Occupational Cancer Epidemiologya. <i>International Journal of Epidemiology</i> , 2002, 31, 513-514.	1.9	0
87	24-Hour Heart Rate Variability in Shift Workers: Impact of Shift Schedule. <i>Journal of Occupational Health</i> , 2001, 43, 32-38.	2.1	13
88	False positive outcomes and design characteristics in occupational cancer epidemiology studies. <i>International Journal of Epidemiology</i> , 2001, 30, 948-954.	1.9	42
89	Changes in frequency of premature complexes and heart rate variability related to shift work. <i>Occupational and Environmental Medicine</i> , 2001, 58, 678-681.	2.8	64
90	Duration of shiftwork related to body mass index and waist to hip ratio. <i>International Journal of Obesity</i> , 1999, 23, 973-978.	3.4	178

#	ARTICLE	IF	CITATIONS
91	Exercise training and heart rate variability in older people. Medicine and Science in Sports and Exercise, 1999, 31, 816-821.	0.4	98
92	Exposure to Organic Dusts, Endotoxins, and Microorganisms in the Municipal Waste Industry. International Journal of Occupational and Environmental Health, 1997, 3, 30-36.	1.2	29