

# Ludovic Gpm Van Amelsvoort

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7238369/publications.pdf>

Version: 2024-02-01

92  
papers

3,162  
citations

134610

34  
h-index

190340

53  
g-index

93  
all docs

93  
docs citations

93  
times ranked

3875  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Efficacy of an indicated prevention strategy on sickness absence and termination of the employment contract: a 5-year follow-up study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021, 47, 258-267.   | 1.7 | 2         |
| 2  | Improving measurement models in clinical epidemiology: time to move beyond the inherent assumption of an underlying reflective measurement model. <i>Journal of Clinical Epidemiology</i> , 2020, 118, 119-123.   | 2.4 | 2         |
| 3  | Assessing the role of criminality in neighbourhood safety feelings and self-reported health: results from a cross-sectional study in a Dutch municipality. <i>BMC Public Health</i> , 2019, 19, 920.  | 1.2 | 8         |
| 4  | Handling the reflective-formative measurement conundrum: a practical illustration based on sustainable employability. <i>Journal of Clinical Epidemiology</i> , 2018, 103, 71-81.   | 2.4 | 38        |
| 5  | Time takes us all? A two-wave observational study of age and time effects on sustainable employability. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018, 44, 475-484.  | 1.7 | 12        |
| 6  | Time Takes Us All? A Two Wave Study of Age and Time Effects on Sustainable Employability. <i>Proceedings - Academy of Management</i> , 2018, 2018, 10807.   | 0.0 | 0         |
| 7  | Implementing the ICF in Occupational Health; building a curriculum as an exemplary case. <i>Work</i> , 2017, 57, 173-186.   | 0.6 | 6         |
| 8  | Fostering functioning of workers: A new challenge for prevention in occupational health. <i>Work</i> , 2017, 57, 153-156.   | 0.6 | 13        |
| 9  | Experiences of occupational physicians with the implementation of indicated prevention for long term sickness absence. <i>Work</i> , 2017, 57, 157-172.   | 0.6 | 14        |
| 10 | 0220...Advancing the prevention of long-term sickness absence: considering the impact of the context of legislation in effective preventive strategies. , 2017, , .   |     | 0         |
| 11 | Applying a biopsychosocial perspective in occupational health: Easier said than done!. <i>Work</i> , 2017, 57, 149-151.   | 0.6 | 4         |
| 12 | Addressing long-term sickness absence: moving beyond disease, illness and work-related factors for effective prevention. <i>Scandinavian Journal of Work, Environment and Health</i> , 2017, 43, 1-4.   | 1.7 | 11        |
| 13 | Cardiovascular Morbidity and Mortality Among Working Individuals With Rheumatic Disease. <i>Journal of Clinical Rheumatology</i> , 2015, 21, 359-363.   | 0.5 | 2         |
| 14 | Neighborhood Environment Is Associated with Overweight and Obesity, Particularly in Older Residents: Results from Cross-Sectional Study in Dutch Municipality. <i>Journal of Urban Health</i> , 2015, 92, 1038-1051.  | 1.8 | 21        |
| 15 | Living Environment Matters: Relationships Between Neighborhood Characteristics and Health of the Residents in a Dutch Municipality. <i>Journal of Community Health</i> , 2015, 40, 47-56.   | 1.9 | 57        |
| 16 | Approaches for predicting long-term sickness absence. Re: Schouten et al. "Screening manual and office workers for risk of long-term sickness absence: cut-off points for the Work Ability Index"; <i>Scandinavian Journal of Work, Environment and Health</i> , 2015, 41, 322-323. | 1.7 | 2         |
| 17 | The prospective relationship between work stressors and cardiovascular disease, using a comprehensive work stressor measure for exposure assessment. <i>International Archives of Occupational and Environmental Health</i> , 2014, 87, 155-164.                                    | 1.1 | 5         |
| 18 | Effects of Cardiovascular Comorbidities on Work Participation in Rheumatic Diseases: A Prospective Cohort Study Among Working Individuals. <i>Arthritis Care and Research</i> , 2014, 66, 157-163.  | 1.5 | 7         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | The impact of personal attributes on the association between cumulative exposure to work stressors and cardiovascular disease. <i>Journal of Psychosomatic Research</i> , 2013, 75, 23-31.  | 1.2 | 2         |
| 20 | Cancer Risk Among Tetrafluoroethylene Synthesis and Polymerization Workers. <i>American Journal of Epidemiology</i> , 2013, 178, 350-358.   | 1.6 | 32        |
| 21 | Different Approaches to Estimate Exposure to Work Stressors, Using Repeated Measurements, and the Association With Cardiovascular Disease. <i>Journal of Occupational and Environmental Medicine</i> , 2013, 55, 402-409.                         | 0.9 | 1         |
| 22 | Substantiating the Concept of Work Strain. <i>Journal of Occupational and Environmental Medicine</i> , 2012, 54, 363-370.   | 0.9 | 5         |
| 23 | Prediction of Long-Term Sickness Absence Among Employees with Depressive Complaints. <i>Journal of Occupational Rehabilitation</i> , 2012, 22, 262-269.   | 1.2 | 16        |
| 24 | The association between study characteristics and outcome in the relation between job stress and cardiovascular disease – a multilevel meta-regression analysis. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012, 38, 489-502. | 1.7 | 19        |
| 25 | CONSORT 2010 Statement – unfinished update?. <i>Journal of Clinical Epidemiology</i> , 2011, 64, 579-582.   | 2.4 | 4         |
| 26 | Prevention of long-term sickness absence and major depression in high-risk employees: a randomised controlled trial. <i>Occupational and Environmental Medicine</i> , 2011, 68, 400-407.  | 1.3 | 57        |
| 27 | Author's reply Depressed mood in the working population: Associations with work schedules and working hours. <i>Chronobiology International</i> , 2011, 28, 475-476.  | 0.9 | 0         |
| 28 | The mutual relationship between shift work and depressive complaints – a prospective cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2011, 37, 402-410.   | 1.7 | 73        |
| 29 | Experience of Health Complaints and Help Seeking Behavior in Employees Screened for Depressive Complaints and Risk of Future Sickness Absence. <i>Journal of Occupational Rehabilitation</i> , 2010, 20, 537-546.                                 | 1.2 | 20        |
| 30 | Low level occupational benzene exposure and hematological parameters. <i>Chemico-Biological Interactions</i> , 2010, 184, 94-100.   | 1.7 | 43        |
| 31 | CHANGES IN WORKING TIME ARRANGEMENTS OVER TIME AS A CONSEQUENCE OF WORK-FAMILY CONFLICT. <i>Chronobiology International</i> , 2010, 27, 1045-1061.  | 0.9 | 27        |
| 32 | DEPRESSED MOOD IN THE WORKING POPULATION: ASSOCIATIONS WITH WORK SCHEDULES AND WORKING HOURS. <i>Chronobiology International</i> , 2010, 27, 1062-1079.   | 0.9 | 94        |
| 33 | The effect of screening on the prevalence of diagnosed type 2 diabetes in primary care. <i>Scandinavian Journal of Primary Health Care</i> , 2009, 27, 232-237.   | 0.6 | 6         |
| 34 | The incidence of anxiety and depression among employees-the role of psychosocial work characteristics. <i>Depression and Anxiety</i> , 2009, 26, 1040-1048.   | 2.0 | 61        |
| 35 | Cancer mortality in workers exposed to dieldrin and aldrin: over 50 years of follow up. <i>International Archives of Occupational and Environmental Health</i> , 2009, 82, 217-225.   | 1.1 | 14        |
| 36 | Screening questionnaire Balansmeter proved successful in predicting future long-term sickness absence in office workers. <i>Journal of Clinical Epidemiology</i> , 2009, 62, 408-414.e2.  | 2.4 | 28        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Spuriously precise results from meta-analysis. Is better statistical correction or a more critical methodological assessment warranted?. <i>Journal of Clinical Epidemiology</i> , 2009, 62, 123-125.  | 2.4 | 1         |
| 38 | The relationship between primary health care organization and quality of diabetes care. <i>European Journal of General Practice</i> , 2009, 15, 212-218.   | 0.9 | 14        |
| 39 | A weight of evidence approach to causal inference. <i>Journal of Clinical Epidemiology</i> , 2009, 62, 270-277.  | 2.4 | 69        |
| 40 | Depressive Complaints as a Predictor of Sickness Absence Among the Working Population. <i>Journal of Occupational and Environmental Medicine</i> , 2009, 51, 887-895.  | 0.9 | 39        |
| 41 | Structured Early Consultation with the Occupational Physician Reduces Sickness Absence Among Office Workers at High Risk for Long-Term Sickness Absence: a Randomized Controlled Trial. <i>Journal of Occupational Rehabilitation</i> , 2008, 18, 79-86. | 1.2 | 64        |
| 42 | Toxicological evaluation of the immune function of pesticide workers, a European wide assessment. <i>Human and Experimental Toxicology</i> , 2008, 27, 701-707.  | 1.1 | 17        |
| 43 | Asthmatic symptoms after exposure to ethylenebisdithiocarbamates and other pesticides in the Europit field studies. <i>Human and Experimental Toxicology</i> , 2008, 27, 721-727.  | 1.1 | 18        |
| 44 | Biological monitoring and questionnaire for assessing exposure to ethylenebisdithiocarbamates in a multicenter European field study. <i>Human and Experimental Toxicology</i> , 2008, 27, 681-691.   | 1.1 | 13        |
| 45 | Immune effects and exposure to ethylenebisdithiocarbamate pesticides in re-entry workers in the Netherlands. <i>Human and Experimental Toxicology</i> , 2008, 27, 693-699.   | 1.1 | 3         |
| 46 | Association of pesticide exposure, vaccination response, and interleukin-1 gene polymorphisms. <i>Human and Experimental Toxicology</i> , 2008, 27, 709-713.   | 1.1 | 7         |
| 47 | Occupational exposure to ethylenebisdithiocarbamates in agriculture and allergy: results from the EUROPIT field study. <i>Human and Experimental Toxicology</i> , 2008, 27, 715-720.   | 1.1 | 5         |
| 48 | Changes in serum markers indicative of health effects in vineyard workers following exposure to the fungicide mancozeb: an Italian study. <i>Biomarkers</i> , 2007, 12, 574-588.   | 0.9 | 17        |
| 49 | Associations of fatigue and depression among fatigued employees over time: A 4-year follow-up study. <i>Journal of Psychosomatic Research</i> , 2007, 63, 137-142.   | 1.2 | 28        |
| 50 | Vital Working Hour Schemes: The Dynamic Balance between Various Interests. <i>Chronobiology International</i> , 2006, 23, 1099-1104.   | 0.9 | 8         |
| 51 | Relation Between Sources of Particulate Air Pollution and Biological Effect Parameters in Samples from Four European Cities: An Exploratory Study. <i>Inhalation Toxicology</i> , 2006, 18, 333-346.   | 0.8 | 71        |
| 52 | Immunotoxicological profile and pesticides exposure in farmers. <i>Toxicology Letters</i> , 2006, 164, S314.   | 0.4 | 0         |
| 53 | Long-term efficacy of cognitive-behavioral therapy by general practitioners for fatigue: A 4-year follow-up study. <i>Journal of Psychosomatic Research</i> , 2006, 61, 601-607.   | 1.2 | 16        |
| 54 | Dyspnea in elderly family practice patients. Occurrence, severity, quality of life and mortality over an 8-year period. <i>Family Practice</i> , 2006, 23, 34-39.  | 0.8 | 43        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Work-family conflict as a risk factor for sickness absence. <i>Occupational and Environmental Medicine</i> , 2006, 63, 488-494.   | 1.3 | 101       |
| 56 | Leisure time physical activity and sickness absenteeism; a prospective study. <i>Occupational Medicine</i> , 2006, 56, 210-212.   | 0.8 | 63        |
| 57 | Smoking among Shift Workers: More Than a Confounding Factor. <i>Chronobiology International</i> , 2006, 23, 1105-1113.  | 0.9 | 81        |
| 58 | The Impact of a Nationwide Introduction of New Drugs and a Treatment Protocol for Glaucoma on the Number of Glaucoma Surgeries. <i>Journal of Glaucoma</i> , 2005, 14, 239-242.   | 0.8 | 39        |
| 59 | Psychological Distress, Fatigue and Long-Term Sickness Absence: Prospective Results From the Maastricht Cohort Study. <i>Journal of Occupational and Environmental Medicine</i> , 2005, 47, 941-947.  | 0.9 | 66        |
| 60 | Chronic Bronchitis, Cigarette Smoking, and the Subsequent Onset of Depression and Anxiety: Results From a Prospective Population-Based Cohort Study. <i>Psychosomatic Medicine</i> , 2005, 67, 656-660.   | 1.3 | 62        |
| 61 | Organizational Characteristics as Predictors of Work Disability: A Prospective Study Among Sick Employees of For-Profit and Not-For-Profit Organizations. <i>Journal of Occupational Rehabilitation</i> , 2005, 15, 435-445.                        | 1.2 | 19        |
| 62 | Radiation exposure and cause specific mortality among nuclear workers in belgium (1969-1994). <i>Radiation Protection Dosimetry</i> , 2005, 117, 373-381.   | 0.4 | 21        |
| 63 | Cancer mortality in a cohort of licensed herbicide applicators. <i>International Archives of Occupational and Environmental Health</i> , 2004, 77, 293-295.   | 1.1 | 21        |
| 64 | Short-term effects of increased urine output on male bladder function and lower urinary tract symptoms. <i>Urology</i> , 2004, 64, 499-503.   | 0.5 | 12        |
| 65 | Predictors of outcome in fatigued employees on sick leave. <i>Journal of Psychosomatic Research</i> , 2004, 57, 443-449.  | 1.2 | 34        |
| 66 | Psychosocial Work Characteristics as Risk Factors for Being Injured in an Occupational Accident. <i>Journal of Occupational and Environmental Medicine</i> , 2004, 46, 521-527.   | 0.9 | 95        |
| 67 | Risk of Depression and Anxiety in Employees With Chronic Bronchitis: The Modifying Effect of Cigarette Smoking. <i>Psychosomatic Medicine</i> , 2004, 66, 729-734.  | 1.3 | 35        |
| 68 | Effects of Job Insecurity From a Workplace Closure Threat on Fatigue and Psychological Distress. <i>Journal of Occupational and Environmental Medicine</i> , 2004, 46, 443-449.   | 0.9 | 36        |
| 69 | Predicting the Two-Year Course of Unexplained Fatigue and the Onset of Long-Term Sickness Absence in Fatigued Employees: Results From the Maastricht Cohort Study. <i>Journal of Occupational and Environmental Medicine</i> , 2004, 46, 1041-1047. | 0.9 | 35        |
| 70 | Impact of One Year of Shift Work on Cardiovascular Disease Risk Factors. <i>Journal of Occupational and Environmental Medicine</i> , 2004, 46, 699-706.   | 0.9 | 91        |
| 71 | Direction of shift rotation among three-shift workers in relation to psychological health and work-family conflict. <i>Scandinavian Journal of Work, Environment and Health</i> , 2004, 30, 149-156.  | 1.7 | 105       |
| 72 | The effect of non-random loss to follow-up on group mean estimates in a longitudinal study. <i>European Journal of Epidemiology</i> , 2003, 19, 15-23.  | 2.5 | 13        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Psychological distress and depressed mood in employees with asthma, chronic bronchitis or emphysema: A population-based observational study on prevalence and the relationship with smoking cigarettes. <i>European Journal of Epidemiology</i> , 2003, 19, 147-153.                        | 2.5 | 32        |
| 74 | Health and psychosocial work characteristics of employees who did or did not consult the general practitioner in relation to work. <i>International Archives of Occupational and Environmental Health</i> , 2003, 76, 69-74.  | 1.1 | 5         |
| 75 | Need for recovery from work: evaluating short-term effects of working hours, patterns and schedules. <i>Ergonomics</i> , 2003, 46, 664-680.   | 1.1 | 139       |
| 76 | The association between chronic diseases and fatigue in the working population. <i>Journal of Psychosomatic Research</i> , 2003, 54, 339-344.   | 1.2 | 62        |
| 77 | Common infections and the role of burnout in a Dutch working population. <i>Journal of Psychosomatic Research</i> , 2003, 55, 201-208.  | 1.2 | 70        |
| 78 | Health problems and psychosocial work environment as predictors of long term sickness absence in employees who visited the occupational physician and/or general practitioner in relation to work: a prospective study. <i>Occupational and Environmental Medicine</i> , 2003, 60, 295-300. | 1.3 | 81        |
| 79 | Work schedules and fatigue: a prospective cohort study. <i>Occupational and Environmental Medicine</i> , 2003, 60, 47i-53.  | 1.3 | 75        |
| 80 | Job Insecurity as a Risk Factor for Common Infections and Health Complaints. <i>Journal of Occupational and Environmental Medicine</i> , 2003, 45, 123-129.   | 0.9 | 32        |
| 81 | Authors' response to Commentaries on Outcomes in Occupational Cancer Epidemiologya. <i>International Journal of Epidemiology</i> , 2002, 31, 513-514.   | 0.9 | 0         |
| 82 | Cancer mortality in workers exposed to dieldrin and aldrin: an update. <i>Toxicology and Industrial Health</i> , 2002, 18, 63-70.   | 0.6 | 29        |
| 83 | Job mobility, its determinants, and its effects: Longitudinal data from the Maastricht cohort study.. <i>Journal of Occupational Health Psychology</i> , 2002, 7, 121-129.  | 2.3 | 51        |
| 84 | Fatigue as a predictor of work disability. <i>Occupational and Environmental Medicine</i> , 2002, 59, 712-713.  | 1.3 | 59        |
| 85 | Association between n-3 fatty acid status in blood and electrocardiographic predictors of arrhythmia risk in healthy volunteers. <i>American Journal of Cardiology</i> , 2002, 89, 629-631.   | 0.7 | 35        |
| 86 | Authors' response to Commentaries on Outcomes in Occupational Cancer Epidemiologya. <i>International Journal of Epidemiology</i> , 2002, 31, 513-514.   | 0.9 | 0         |
| 87 | 24-Hour Heart Rate Variability in Shift Workers: Impact of Shift Schedule. <i>Journal of Occupational Health</i> , 2001, 43, 32-38.   | 1.0 | 13        |
| 88 | False positive outcomes and design characteristics in occupational cancer epidemiology studies. <i>International Journal of Epidemiology</i> , 2001, 30, 948-954.   | 0.9 | 42        |
| 89 | Changes in frequency of premature complexes and heart rate variability related to shift work. <i>Occupational and Environmental Medicine</i> , 2001, 58, 678-681.   | 1.3 | 64        |
| 90 | Duration of shiftwork related to body mass index and waist to hip ratio. <i>International Journal of Obesity</i> , 1999, 23, 973-978.   | 1.6 | 178       |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 91 | Exercise training and heart rate variability in older people. <i>Medicine and Science in Sports and Exercise</i> , 1999, 31, 816-821.  | 0.2 | 98        |
| 92 | Exposure to Organic Dusts, Endotoxins, and Microorganisms in the Municipal Waste Industry. <i>International Journal of Occupational and Environmental Health</i> , 1997, 3, 30-36. | 1.2 | 29        |