

Byung Yang Lee

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7240767/byung-yang-lee-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

58
papers

2,444
citations

21
h-index

49
g-index

60
ext. papers

2,695
ext. citations

9.1
avg, IF

4.63
L-index

#	Paper	IF	Citations
58	Colorimetric allergenic fungal spore detection using peptide-modified gold nanoparticles. <i>Sensors and Actuators B: Chemical</i> , 2021 , 327, 128894	8.5	16
57	M13 Virus Triboelectricity and Energy Harvesting. <i>Nano Letters</i> , 2021 , 21, 6851-6858	11.5	1
56	All-solid-state flexible supercapacitor based on nanotube-reinforced polypyrrole hollowed structures.. <i>RSC Advances</i> , 2020 , 10, 41495-41502	3.7	7
55	Surface Assembly Strategy for the Fabrication of MoS ₂ Thin-Film Patterns. <i>International Journal of Precision Engineering and Manufacturing</i> , 2019 , 20, 2215-2220	1.7	1
54	Electric Field Assisted Self-Assembly of Viruses into Colored Thin Films. <i>Nanomaterials</i> , 2019 , 9,	5.4	3
53	Hierarchically structured peptide nanofibers for colorimetric detection of gaseous aldehydes. <i>Sensors and Actuators B: Chemical</i> , 2019 , 282, 868-875	8.5	6
52	Control of Volume-Responsive Properties of Hydrogels through Molybdenum Disulfide Nanosheet Incorporation. <i>Advanced Materials Technologies</i> , 2019 , 4, 1900021	6.8	3
51	Electroluminescent soft elastomer actuators with adjustable luminance and strain. <i>Soft Matter</i> , 2019 , 15, 7996-8000	3.6	2
50	Cellulose Nanocrystal-Based Colored Thin Films for Colorimetric Detection of Aldehyde Gases. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 10353-10361	9.5	42
49	Engineered Phage Matrix Stiffness-Modulating Osteogenic Differentiation. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 4349-4358	9.5	13
48	Modified Floating Electrode-Based Sensors for the Quantitative Monitoring of Drug Effects on Cytokine Levels Related with Inflammatory Bowel Diseases. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 17100-17106	9.5	19
47	Real-time monitoring of microbial activity using hydrogel-hybridized carbon nanotube transistors. <i>Sensors and Actuators B: Chemical</i> , 2018 , 263, 486-492	8.5	7
46	Facile fabrication of self-assembled ZnO nanowire network channels and its gate-controlled UV detection. <i>Nanoscale Research Letters</i> , 2018 , 13, 413	5	10
45	Highly sensitive and flexible strain sensors based on patterned ITO nanoparticle channels. <i>Nanotechnology</i> , 2017 , 28, 495501	3.4	7
44	Highly flexible and transparent dielectric elastomer actuators using silver nanowire and carbon nanotube hybrid electrodes. <i>Soft Matter</i> , 2017 , 13, 6390-6395	3.6	22
43	Biomimetic Materials and Structures for Sensor Applications 2017 , 3-25		1
42	Trapped charge-driven degradation of perovskite solar cells. <i>Nature Communications</i> , 2016 , 7, 13422	17.4	390

41	Carbon and metal nanotube hybrid structures on graphene as efficient electron field emitters. <i>Nanotechnology</i> , 2016 , 27, 275301	3.4	3
40	Synaptic compartmentalization by micropatterned masking of a surface adhesive cue in cultured neurons. <i>Biomaterials</i> , 2016 , 92, 46-56	15.6	10
39	Fully Automated Field-Deployable Bioaerosol Monitoring System Using Carbon Nanotube-Based Biosensors. <i>Environmental Science & Technology</i> , 2016 , 50, 5163-71	10.3	13
38	Real-time selective monitoring of allergenic Aspergillus molds using pentameric antibody-immobilized single-walled carbon nanotube-field effect transistors. <i>RSC Advances</i> , 2015 , 5, 15728-15735	3.7	17
37	Real-time detection of chlorine gas using Ni/Si shell/core nanowires. <i>Nanoscale Research Letters</i> , 2015 , 10, 18	5	7
36	Highly selective ppb-level detection of NH ₃ and NO ₂ gas using patterned porous channels of ITO nanoparticles. <i>Sensors and Actuators B: Chemical</i> , 2015 , 216, 482-487	8.5	17
35	Selective and Sensitive Sensing of Flame Retardant Chemicals Through Phage Display Discovered Recognition Peptide. <i>Nano Letters</i> , 2015 , 15, 7697-703	11.5	12
34	Ruthenium-Incorporated Hydroxyapatites for the Oxidation of Alcohols and Amines Using Molecular Oxygen as an Oxidant. <i>Bulletin of the Korean Chemical Society</i> , 2015 , 36, 1-2	1.2	3
33	Direct-write complementary graphene field effect transistors and junctions via near-field electrospinning. <i>Small</i> , 2014 , 10, 1920-5	11	18
32	Biomimetic virus-based colourimetric sensors. <i>Nature Communications</i> , 2014 , 5, 3043	17.4	171
31	Synergistically enhanced stability of highly flexible silver nanowire/carbon nanotube hybrid transparent electrodes by plasmonic welding. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 10974-80	9.5	71
30	Selective adsorption of metal nanowires on molecularly patterned substrates using surface-to-volume ratio-dependent strategies. <i>Applied Physics Express</i> , 2014 , 7, 115001	2.4	2
29	Field Effect Transistors: Direct-Write Complementary Graphene Field Effect Transistors and Junctions via Near-Field Electrospinning (Small 10/2014). <i>Small</i> , 2014 , 10, 2112-2112	11	
28	Electrical control of kinesin-microtubule motility using a transparent functionalized-graphene substrate. <i>Nanotechnology</i> , 2013 , 24, 195102	3.4	12
27	Plasmon-Exciton Interactions in Hybrid Structures of Au Nanohemispheres and CdS Nanowires for Improved Photoconductive Devices. <i>Journal of Physical Chemistry C</i> , 2013 , 117, 24543-24548	3.8	13
26	Highly selective and sensitive detection of neurotransmitters using receptor-modified single-walled carbon nanotube sensors. <i>Nanotechnology</i> , 2013 , 24, 285501	3.4	32
25	Nanotube-bridged wires with sub-10 nm gaps. <i>Nano Letters</i> , 2012 , 12, 1879-84	11.5	18
24	Virus-based piezoelectric energy generation. <i>Nature Nanotechnology</i> , 2012 , 7, 351-6	28.7	294

23	Reply to comment on 'Metallic nanowire-graphene hybrid nanostructures for highly flexible field emission devices'. <i>Nanotechnology</i> , 2012 , 23, 288002	3.4	2
22	Selective and sensitive TNT sensors using biomimetic polydiacetylene-coated CNT-FETs. <i>ACS Nano</i> , 2011 , 5, 2824-30	16.7	125
21	Universal parameters for carbon nanotube network-based sensors: can nanotube sensors be reproducible?. <i>ACS Nano</i> , 2011 , 5, 4373-9	16.7	58
20	Biomimetic self-templating supramolecular structures. <i>Nature</i> , 2011 , 478, 364-8	50.4	323
19	Metallic nanowire-graphene hybrid nanostructures for highly flexible field emission devices. <i>Nanotechnology</i> , 2011 , 22, 355709	3.4	42
18	Carbon nanotube/metal nano-laminate for enhanced mechanical strength and electrical conductivity. <i>Carbon</i> , 2011 , 49, 2549-2554	10.4	8
17	H ₂ sensing characteristics of SnO ₂ coated single wall carbon nanotube network sensors. <i>Nanotechnology</i> , 2010 , 21, 215501	3.4	50
16	Characterization of Thermo-Mechanical Properties of Carbon-Based Low-Dimensional Material/Metallic Thin-Film Composites from NEMS Structures. <i>ECS Transactions</i> , 2010 , 33, 263-268	1	
15	100 nm scale low-noise sensors based on aligned carbon nanotube networks: overcoming the fundamental limitation of network-based sensors. <i>Nanotechnology</i> , 2010 , 21, 055504	3.4	26
14	Integrated devices based on networks of nanotubes and nanowires. <i>NPG Asia Materials</i> , 2010 , 2, 103-111	10.3	16
13	Biosensor system-on-a-chip including CMOS-based signal processing circuits and 64 carbon nanotube-based sensors for the detection of a neurotransmitter. <i>Lab on A Chip</i> , 2010 , 10, 894-8	7.2	32
12	Alignment strategies for the assembly of nanowires with submicron diameters. <i>Small</i> , 2010 , 6, 1736-40	11	23
11	A Nanoprism Probe for Nano-optical Applications. <i>Advanced Materials</i> , 2009 , 21, 1238-1242	24	10
10	Enhancement of sensitivity and specificity by surface modification of carbon nanotubes in diagnosis of prostate cancer based on carbon nanotube field effect transistors. <i>Biosensors and Bioelectronics</i> , 2009 , 24, 3372-8	11.8	106
9	Direct printing of aligned carbon nanotube patterns for high-performance thin film devices. <i>Applied Physics Letters</i> , 2009 , 94, 053109	3.4	24
8	High-frequency micromechanical resonators from aluminium-carbon nanotube nanolaminates. <i>Nature Materials</i> , 2008 , 7, 459-63	27	38
7	Directed assembly of carbon nanotubes on soft substrates for use as a flexible biosensor array. <i>Nanotechnology</i> , 2008 , 19, 505502	3.4	16
6	Large-scale assembly of silicon nanowire network-based devices using conventional microfabrication facilities. <i>Nano Letters</i> , 2008 , 8, 4523-7	11.5	108

5	Highly sensitive NO ₂ sensor array based on undecorated single-walled carbon nanotube monolayer junctions. <i>Applied Physics Letters</i> , 2008 , 93, 113111	3.4	17
4	Scalable assembly method of vertically-suspended and stretched carbon nanotube network devices for nanoscale electro-mechanical sensing components. <i>Nano Letters</i> , 2008 , 8, 4483-7	11.5	30
3	Ultrasensitive carbon nanotube-based biosensors using antibody-binding fragments. <i>Analytical Biochemistry</i> , 2008 , 381, 193-8	3.1	124
2	Dip-Pen Nanolithography 2006 , 141-174		1
1	Biomimetic virus-based colourimetric sensors		1