

# Poul Videbech

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7241839/publications.pdf>

Version: 2024-02-01

81  
papers

4,819  
citations

147726

31  
h-index

95218

68  
g-index

85  
all docs

85  
docs citations

85  
times ranked

7198  
citing authors

#	ARTICLE	IF	CITATIONS
1	Hippocampal Volume and Depression: A Meta-Analysis of MRI Studies. <i>American Journal of Psychiatry</i> , 2004, 161, 1957-1966.	4.0	1,332
2	PET measurements of brain glucose metabolism and blood flow in major depressive disorder: a critical review. <i>Acta Psychiatrica Scandinavica</i> , 2000, 101, 11-20.	2.2	355
3	Risk factors for developing post-traumatic stress disorder following childbirth: a systematic review. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2012, 91, 1261-1272.	1.3	241
4	MRI findings in patients with affective disorder: a meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 1997, 96, 157-168.	2.2	206
5	Cognitive deficits in major depression. <i>Scandinavian Journal of Psychology</i> , 2002, 43, 239-251.	0.8	205
6	The Danish PET/depression project: clinical symptoms and cerebral blood flow. A regions-of-interest analysis. <i>Acta Psychiatrica Scandinavica</i> , 2002, 106, 35-44.	2.2	139
7	Higher-order social cognition in first-episode major depression. <i>Psychiatry Research</i> , 2014, 216, 37-43.	1.7	108
8	Risk of arrhythmia induced by psychotropic medications: a proposal for clinical management. <i>European Heart Journal</i> , 2014, 35, 1306-1315.	1.0	103
9	Putative Tests of Frontal Lobe Function: A PET-Study of Brain Activation During Stroop's Test and Verbal Fluency. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2002, 24, 534-547.	0.8	97
10	First admission with puerperal psychosis: 7-14 years of follow-up. <i>Acta Psychiatrica Scandinavica</i> , 1995, 91, 167-173.	2.2	92
11	DEMO-II Trial. Aerobic Exercise versus Stretching Exercise in Patients with Major Depression—A Randomised Clinical Trial. <i>PLoS ONE</i> , 2012, 7, e48316.	1.1	92
12	The effect of exercise on hippocampal volume and neurotrophines in patients with major depression—A randomized clinical trial. <i>Journal of Affective Disorders</i> , 2014, 165, 24-30.	2.0	91
13	Depression severity is correlated to the integrity of white matter fiber tracts in late-onset major depression. <i>Psychiatry Research - Neuroimaging</i> , 2010, 184, 38-48.	0.9	86
14	The Danish PET/depression project: PET findings in patients with major depression. <i>Psychological Medicine</i> , 2001, 31, 1147-1158.	2.7	83
15	All-cause mortality among recipients of electroconvulsive therapy. <i>British Journal of Psychiatry</i> , 2007, 190, 435-439.	1.7	79
16	Social cognition and neurocognitive deficits in first-episode schizophrenia. <i>Schizophrenia Research</i> , 2014, 153, 9-17.	1.1	76
17	Localization of white-matter lesions and effect of vascular risk factors in late-onset major depression. <i>Psychological Medicine</i> , 2010, 40, 1389-1399.	2.7	71
18	The Safety of Second-Generation Antipsychotics During Pregnancy: A Clinically Focused Review. <i>CNS Drugs</i> , 2018, 32, 351-366.	2.7	64

#	ARTICLE	IF	CITATIONS
19	Risk, treatment duration, and recurrence risk of postpartum affective disorder in women with no prior psychiatric history: A population-based cohort study. <i>PLoS Medicine</i> , 2017, 14, e1002392.	3.9	64
20	Regional cerebral blood flow distribution in newly diagnosed schizophrenia and schizophreniform disorder. <i>Psychiatry Research</i> , 1994, 53, 57-75.	1.7	56
21	Incidence of chromosome abnormalities in newborn children. Comparison between incidences in 1969?1974 and 1980?1982 in the same area. <i>Human Genetics</i> , 1982, 61, 98-101.	1.8	53
22	Pain thresholds during and after treatment of severe depression with electroconvulsive therapy. <i>European Journal of Pain</i> , 2004, 8, 487-493.	1.4	45
23	Intensive care delirium " effect on memories and health-related quality of life " a follow-up study. <i>Journal of Clinical Nursing</i> , 2014, 23, 634-644.	1.4	42
24	A comparison of capacities for social cognition and metacognition in first episode and prolonged depression. <i>Psychiatry Research</i> , 2014, 220, 883-889.	1.7	41
25	The effect of positive symptoms on social cognition in first-episode schizophrenia is modified by the presence of negative symptoms.. <i>Neuropsychology</i> , 2017, 31, 209-219.	1.0	41
26	The Danish PET/depression project: Performance on Stroop's test linked to white matter lesions in the brain. <i>Psychiatry Research - Neuroimaging</i> , 2004, 130, 117-130.	0.9	39
27	Short Stature in Scandinavian Women: An obstetrical risk factor. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1987, 66, 153-158.	1.3	38
28	Hyper- and Hypomentalyzing in Patients with First-Episode Schizophrenia: fMRI and Behavioral Studies. <i>Schizophrenia Bulletin</i> , 2019, 45, 377-385.	2.3	38
29	Chromosome abnormalities and season of birth. <i>Human Genetics</i> , 1984, 65, 221-231.	1.8	37
30	The Danish PET/depression project: poor verbal fluency performance despite normal prefrontal activation in patients with major depression. <i>Psychiatry Research - Neuroimaging</i> , 2003, 123, 49-63.	0.9	36
31	Screening for Down's syndrome using an iso-risk curve based on maternal age and serum alpha-fetoprotein level. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1987, 94, 636-642.	1.1	33
32	Mortality and secular trend in the incidence of bipolar disorder. <i>Journal of Affective Disorders</i> , 2015, 183, 39-44.	2.0	33
33	Hippocampal volume and serotonin transporter polymorphism in major depressive disorder. <i>Acta Neuropsychiatrica</i> , 2013, 25, 206-214.	1.0	32
34	The course of social cognitive and metacognitive ability in depression: Deficit are only partially normalized after full remission of first episode major depression. <i>British Journal of Clinical Psychology</i> , 2016, 55, 269-286.	1.7	32
35	Magnetic resonance (MR) spectroscopic measurement of $\gamma$ -aminobutyric acid (GABA) in major depression before and after electroconvulsive therapy. <i>Acta Neuropsychiatrica</i> , 2019, 31, 17-26.	1.0	31
36	Neuropsychological deficit in newly diagnosed patients with schizophrenia or schizophreniform disorder. <i>Acta Psychiatrica Scandinavica</i> , 1995, 92, 35-43.	2.2	28

#	ARTICLE	IF	CITATIONS
37	Low-Frequency Repetitive Transcranial Magnetic Stimulation Inferior to Electroconvulsive Therapy in Treating Depression. <i>Journal of ECT</i> , 2011, 27, 26-32.	0.3	28
38	Electronic data processing in the Danish Cytogenetic Central Register and EDP problems of registers in general. <i>Clinical Genetics</i> , 2008, 15, 137-146.	1.0	26
39	Impact of pre-admission depression on mortality following myocardial infarction. <i>British Journal of Psychiatry</i> , 2017, 210, 356-361.	1.7	26
40	Structural brain abnormalities in unselected in-patients with major depression. <i>Acta Psychiatrica Scandinavica</i> , 2001, 103, 282-286.	2.2	24
41	Volume of hippocampal subregions and clinical improvement following electroconvulsive therapy in patients with depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 104, 110048.	2.5	24
42	Bodily symptoms in moderate and severe depression. <i>Nordic Journal of Psychiatry</i> , 2006, 60, 294-298.	0.7	23
43	Symptoms of Posttraumatic Stress after Intensive Care Delirium. <i>BioMed Research International</i> , 2015, 2015, 1-9.	0.9	23
44	Repetitive transcranial magnetic stimulation as add-on antidepressant treatment. The applicability of the method in a clinical setting. <i>Nordic Journal of Psychiatry</i> , 2004, 58, 455-457.	0.7	22
45	The Danish Depression Database. <i>Clinical Epidemiology</i> , 2016, Volume 8, 475-478.	1.5	22
46	Deep sequencing of hepatitis C virus reveals genetic compartmentalization in cerebrospinal fluid from cognitively impaired patients. <i>Liver International</i> , 2016, 36, 1418-1424.	1.9	22
47	Electroconvulsive Therapy. <i>Journal of ECT</i> , 2006, 22, 127-132.	0.3	21
48	Hippocampal visuospatial function and volume in remitted depressed patients: An 8-year follow-up study. <i>Journal of Affective Disorders</i> , 2010, 125, 177-183.	2.0	21
49	Oxygenation differs among white matter hyperintensities, intersected fiber tracts and unaffected white matter. <i>Brain Communications</i> , 2019, 1, fcz033.	1.5	21
50	Hippocampal volume and memory impairment after electroconvulsive therapy in patients with depression. <i>Acta Psychiatrica Scandinavica</i> , 2021, 143, 238-252.	2.2	21
51	Correlations between Stroop task performance and white matter lesion measures in late-onset major depression. <i>Psychiatry Research - Neuroimaging</i> , 2012, 202, 142-149.	0.9	18
52	Reduced cerebral cortical thickness in Non-cirrhotic patients with hepatitis C. <i>Metabolic Brain Disease</i> , 2016, 31, 311-319.	1.4	18
53	Population Screening for Coronary Artery Calcification Does Not Increase Mental Distress and the Use of Psychoactive Medication. <i>Journal of Thoracic Imaging</i> , 2012, 27, 202-206.	0.8	16
54	Cognition and HPA axis reactivity in mildly to moderately depressed outpatients. A case-control study. <i>Nordic Journal of Psychiatry</i> , 2012, 66, 414-421.	0.7	16

#	ARTICLE	IF	CITATIONS
55	Increased fractional anisotropy in cerebellum in obsessive-compulsive disorder. <i>Acta Neuropsychiatrica</i> , 2016, 28, 141-148.	1.0	16
56	Predictors of response to combined wake and light therapy in treatment-resistant inpatients with depression. <i>Chronobiology International</i> , 2018, 35, 1209-1220.	0.9	15
57	[11C]Mirtazapine binding in depressed antidepressant nonresponders studied by PET neuroimaging. <i>Psychopharmacology</i> , 2009, 206, 133-140.	1.5	14
58	White Matter Lesions, Carotid and Coronary Atherosclerosis in Late-Onset Depression and Healthy Controls. <i>Psychosomatics</i> , 2016, 57, 369-377.	2.5	13
59	Elevated dopamine D1 receptor availability in striatum of Göttingen minipigs after electroconvulsive therapy. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2018, 38, 881-887.	2.4	12
60	Experiences of wake and light therapy in patients with depression: A qualitative study. <i>International Journal of Mental Health Nursing</i> , 2017, 26, 170-180.	2.1	11
61	The Danish PET/depression project: cognitive function and regional cerebral blood flow. <i>Acta Psychiatrica Scandinavica</i> , 2003, 108, 32-40.	2.2	10
62	Increased sensitivity to supra-threshold painful stimuli in patients with multiple functional somatic symptoms (MFS). <i>Brain Research Bulletin</i> , 2010, 82, 135-140.	1.4	10
63	Lack of Correlation Between Depression and Coronary Artery Calcification in a Non-Selected Danish Population. <i>Psychosomatics</i> , 2013, 54, 458-465.	2.5	10
64	Escitalopram Ameliorates Hypercortisolemia and Insulin Resistance in Low Birth Weight Men With Limbic Brain Alterations. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 115-124.	1.8	10
65	Physical activity and anomalous bodily experiences in patients with first-episode schizophrenia. <i>Nordic Journal of Psychiatry</i> , 2016, 70, 514-520.	0.7	8
66	Cerebral hemodynamics and capillary dysfunction in late-onset major depressive disorder. <i>Psychiatry Research - Neuroimaging</i> , 2021, 317, 111383.	0.9	8
67	Chromosome abnormalities in newborn children. Aetiological aspects. <i>Hereditas</i> , 2008, 96, 109-117.	0.5	7
68	Electroconvulsive stimulation differentially affects [ <sup>11</sup> C]MDL100,907 binding to cortical and subcortical 5HT <sub>2A</sub> receptors in porcine brain. <i>Journal of Psychopharmacology</i> , 2019, 33, 714-721.	2.0	7
69	Coronary Plaque Volume and Composition Assessed by Computed Tomography Angiography in Patients With Late-Onset Major Depression. <i>Psychosomatics</i> , 2014, 55, 243-251.	2.5	5
70	Long-Term Risk of Developing Dementia After Electroconvulsive Therapy for Affective Disorders. <i>Journal of ECT</i> , 2021, 37, 250-255.	0.3	5
71	Patient-Reported Outcome Measures in Mental Health Clinical Research: A Descriptive Review in Comparison with Clinician-Rated Outcome Measures. <i>International Journal for Quality in Health Care</i> , 2021, , .	0.9	4
72	Evaluating the implementation and use of patient-reported outcome measures in a mental health hospital in Denmark: a qualitative study. <i>International Journal for Quality in Health Care</i> , 2022, 34, ii49-ii58.	0.9	4

#	ARTICLE	IF	CITATIONS
73	Inpatient Volume and Quality of Mental Health Care Among Patients With Unipolar Depression. <i>Psychiatric Services</i> , 2018, 69, 797-803.	1.1	3
74	Low-frequency rTMS inhibits the anti-depressive effect of ECT. A pilot study. <i>Acta Neuropsychiatrica</i> , 2020, 32, 328-338.	1.0	3
75	Gender- and age-related differences in the quality of mental health care among inpatients with unipolar depression: a nationwide study. <i>Nordic Journal of Psychiatry</i> , 2020, 74, 569-576.	0.7	3
76	Inequities in Mental Health Care Quality and Clinical Outcomes Among Inpatients with Depression Within a Tax-Financed Universal Health Care System. <i>Clinical Epidemiology</i> , 0, Volume 14, 803-813.	1.5	3
77	Comment on "œregional cerebral glucose utilization in patients with a range of severities of unipolar depression": <i>Biological Psychiatry</i> , 2002, 52, 1031.	0.7	2
78	Chromosome abnormalities in children, in two Danish counties, born during the period 1967-1978. Clinical data. <i>Hereditas</i> , 2008, 96, 195-210.	0.5	2
79	Chromosome examination of children, in two Danish counties, born during the period 1967-1978. <i>Hereditas</i> , 2009, 94, 129-134.	0.5	1
80	Letter to the Editor: A rejoinder to Grool et al. (). <i>Psychological Medicine</i> , 2011, 41, 446-447.	2.7	1
81	Low-Frequency Right Prefrontal rTMS Inferior to Electroconvulsive Therapy in Treating Depression on a Short Term?. <i>Journal of ECT</i> , 2012, 28, 54-55.	0.3	0