

Poul Videbech

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7241839/poul-videbech-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

80
papers

3,947
citations

29
h-index

62
g-index

85
ext. papers

4,378
ext. citations

4.5
avg, IF

5.59
L-index

#	Paper	IF	Citations
80	Evaluating the implementation and use of patient-reported outcome measures in a mental health hospital in Denmark: a qualitative study.. <i>International Journal for Quality in Health Care</i> , 2022 , 34, ii49-ii58 ^{1.9}		0
79	Long-Term Risk of Developing Dementia After Electroconvulsive Therapy for Affective Disorders. <i>Journal of ECT</i> , 2021 , 37, 250-255	2	1
78	Volume of hippocampal subregions and clinical improvement following electroconvulsive therapy in patients with depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 104, 110048	5.5	13
77	Hippocampal volume and memory impairment after electroconvulsive therapy in patients with depression. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 143, 238-252	6.5	8
76	Patient-Reported Outcome Measures in Mental Health Clinical Research: A Descriptive Review in Comparison with Clinician-Rated Outcome Measures. <i>International Journal for Quality in Health Care</i> , 2021 ,	1.9	1
75	Cerebral hemodynamics and capillary dysfunction in late-onset major depressive disorder. <i>Psychiatry Research - Neuroimaging</i> , 2021 , 317, 111383	2.9	2
74	Gender- and age-related differences in the quality of mental health care among inpatients with unipolar depression: a nationwide study. <i>Nordic Journal of Psychiatry</i> , 2020 , 74, 569-576	2.3	1
73	Low-frequency rTMS inhibits the anti-depressive effect of ECT. A pilot study. <i>Acta Neuropsychiatrica</i> , 2020 , 32, 328-338	3.9	0
72	Electroconvulsive stimulation differentially affects [C]MDL100,907 binding to cortical and subcortical 5HT receptors in porcine brain. <i>Journal of Psychopharmacology</i> , 2019 , 33, 714-721	4.6	4
71	Magnetic resonance (MR) spectroscopic measurement of GABA in major depression before and after electroconvulsive therapy. <i>Acta Neuropsychiatrica</i> , 2019 , 31, 17-26	3.9	17
70	Oxygenation differs among white matter hyperintensities, intersected fiber tracts and unaffected white matter. <i>Brain Communications</i> , 2019 , 1, fcz033	4.5	8
69	Hyper- and Hypometabolizing in Patients with First-Episode Schizophrenia: fMRI and Behavioral Studies. <i>Schizophrenia Bulletin</i> , 2019 , 45, 377-385	1.3	25
68	The Safety of Second-Generation Antipsychotics During Pregnancy: A Clinically Focused Review. <i>CNS Drugs</i> , 2018 , 32, 351-366	6.7	41
67	Elevated dopamine D1 receptor availability in striatum of Göttingen minipigs after electroconvulsive therapy. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2018 , 38, 881-887	7.3	8
66	Escitalopram Ameliorates Hypercortisolemia and Insulin Resistance in Low Birth Weight Men With Limbic Brain Alterations. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 115-124	5.6	7
65	Inpatient Volume and Quality of Mental Health Care Among Patients With Unipolar Depression. <i>Psychiatric Services</i> , 2018 , 69, 797-803	3.3	2
64	Predictors of response to combined wake and light therapy in treatment-resistant inpatients with depression. <i>Chronobiology International</i> , 2018 , 35, 1209-1220	3.6	13

63	Impact of pre-admission depression on mortality following myocardial infarction. <i>British Journal of Psychiatry</i> , 2017 , 210, 356-361	5.4	19
62	The effect of positive symptoms on social cognition in first-episode schizophrenia is modified by the presence of negative symptoms. <i>Neuropsychology</i> , 2017 , 31, 209-219	3.8	29
61	Experiences of wake and light therapy in patients with depression: A qualitative study. <i>International Journal of Mental Health Nursing</i> , 2017 , 26, 170-180	3.8	9
60	Risk, treatment duration, and recurrence risk of postpartum affective disorder in women with no prior psychiatric history: A population-based cohort study. <i>PLoS Medicine</i> , 2017 , 14, e1002392	11.6	51
59	Physical activity and anomalous bodily experiences in patients with first-episode schizophrenia. <i>Nordic Journal of Psychiatry</i> , 2016 , 70, 514-20	2.3	7
58	Deep sequencing of hepatitis C virus reveals genetic compartmentalization in cerebrospinal fluid from cognitively impaired patients. <i>Liver International</i> , 2016 , 36, 1418-24	7.9	14
57	Reduced cerebral cortical thickness in Non-cirrhotic patients with hepatitis C. <i>Metabolic Brain Disease</i> , 2016 , 31, 311-9	3.9	11
56	The Danish Depression Database. <i>Clinical Epidemiology</i> , 2016 , 8, 475-478	5.9	14
55	The course of social cognitive and metacognitive ability in depression: Deficit are only partially normalized after full remission of first episode major depression. <i>British Journal of Clinical Psychology</i> , 2016 , 55, 269-86	3.6	22
54	White Matter Lesions, Carotid and Coronary Atherosclerosis in Late-Onset Depression and Healthy Controls. <i>Psychosomatics</i> , 2016 , 57, 369-77	2.6	10
53	Increased fractional anisotropy in cerebellum in obsessive-compulsive disorder. <i>Acta Neuropsychiatrica</i> , 2016 , 28, 141-8	3.9	11
52	Mortality and secular trend in the incidence of bipolar disorder. <i>Journal of Affective Disorders</i> , 2015 , 183, 39-44	6.6	24
51	Symptoms of Posttraumatic Stress after Intensive Care Delirium. <i>BioMed Research International</i> , 2015 , 2015, 876947	3	15
50	Risk of arrhythmia induced by psychotropic medications: a proposal for clinical management. <i>European Heart Journal</i> , 2014 , 35, 1306-15	9.5	73
49	The effect of exercise on hippocampal volume and neurotrophines in patients with major depression--a randomized clinical trial. <i>Journal of Affective Disorders</i> , 2014 , 165, 24-30	6.6	66
48	Higher-order social cognition in first-episode major depression. <i>Psychiatry Research</i> , 2014 , 216, 37-43	9.9	82
47	Social cognition and neurocognitive deficits in first-episode schizophrenia. <i>Schizophrenia Research</i> , 2014 , 153, 9-17	3.6	60
46	Intensive care delirium - effect on memories and health-related quality of life - a follow-up study. <i>Journal of Clinical Nursing</i> , 2014 , 23, 634-44	3.2	36

45	A comparison of capacities for social cognition and metacognition in first episode and prolonged depression. <i>Psychiatry Research</i> , 2014 , 220, 883-9	9.9	33
44	Coronary plaque volume and composition assessed by computed tomography angiography in patients with late-onset major depression. <i>Psychosomatics</i> , 2014 , 55, 243-51	2.6	4
43	Lack of correlation between depression and coronary artery calcification in a non-selected Danish population. <i>Psychosomatics</i> , 2013 , 54, 458-65	2.6	9
42	Hippocampal volume and serotonin transporter polymorphism in major depressive disorder. <i>Acta Neuropsychiatrica</i> , 2013 , 25, 206-14	3.9	27
41	Correlations between Stroop task performance and white matter lesion measures in late-onset major depression. <i>Psychiatry Research - Neuroimaging</i> , 2012 , 202, 142-9	2.9	17
40	Risk factors for developing post-traumatic stress disorder following childbirth: a systematic review. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2012 , 91, 1261-72	3.8	175
39	Population screening for coronary artery calcification does not increase mental distress and the use of psychoactive medication. <i>Journal of Thoracic Imaging</i> , 2012 , 27, 202-6	5.6	13
38	Cognition and HPA axis reactivity in mildly to moderately depressed outpatients: a case-control study. <i>Nordic Journal of Psychiatry</i> , 2012 , 66, 414-21	2.3	13
37	Low-Frequency Right Prefrontal rTMS Inferior to Electroconvulsive Therapy in Treating Depression on a Short Term?. <i>Journal of ECT</i> , 2012 , 28, 54-55	2	
36	DEMO-II trial. Aerobic exercise versus stretching exercise in patients with major depression-a randomised clinical trial. <i>PLoS ONE</i> , 2012 , 7, e48316	3.7	66
35	Low-frequency repetitive transcranial magnetic stimulation inferior to electroconvulsive therapy in treating depression. <i>Journal of ECT</i> , 2011 , 27, 26-32	2	25
34	Letter to the Editor: A rejoinder to Grool et al. (2010). <i>Psychological Medicine</i> , 2011 , 41, 446-7	6.9	1
33	Localization of white-matter lesions and effect of vascular risk factors in late-onset major depression. <i>Psychological Medicine</i> , 2010 , 40, 1389-99	6.9	62
32	Increased sensitivity to supra-threshold painful stimuli in patients with multiple functional somatic symptoms (MFS). <i>Brain Research Bulletin</i> , 2010 , 82, 135-40	3.9	9
31	Depression severity is correlated to the integrity of white matter fiber tracts in late-onset major depression. <i>Psychiatry Research - Neuroimaging</i> , 2010 , 184, 38-48	2.9	77
30	Hippocampal visuospatial function and volume in remitted depressed patients: an 8-year follow-up study. <i>Journal of Affective Disorders</i> , 2010 , 125, 177-83	6.6	20
29	[11C]Mirtazapine binding in depressed antidepressant nonresponders studied by PET neuroimaging. <i>Psychopharmacology</i> , 2009 , 206, 133-40	4.7	10
28	All-cause mortality among recipients of electroconvulsive therapy: register-based cohort study. <i>British Journal of Psychiatry</i> , 2007 , 190, 435-9	5.4	61

27	Bodily symptoms in moderate and severe depression. <i>Nordic Journal of Psychiatry</i> , 2006 , 60, 294-8	2.3	21
26	Electroconvulsive therapy: predictors and trends in utilization from 1976 to 2000. <i>Journal of ECT</i> , 2006 , 22, 127-32	2	17
25	Repetitive transcranial magnetic stimulation as add-on antidepressant treatment. The applicability of the method in a clinical setting. <i>Nordic Journal of Psychiatry</i> , 2004 , 58, 455-7	2.3	19
24	Hippocampal volume and depression: a meta-analysis of MRI studies. <i>American Journal of Psychiatry</i> , 2004 , 161, 1957-66	11.9	1163
23	The Danish PET/depression project: performance on Stroop's test linked to white matter lesions in the brain. <i>Psychiatry Research - Neuroimaging</i> , 2004 , 130, 117-30	2.9	35
22	Pain thresholds during and after treatment of severe depression with electroconvulsive therapy. <i>European Journal of Pain</i> , 2004 , 8, 487-93	3.7	39
21	The Danish PET/depression project: poor verbal fluency performance despite normal prefrontal activation in patients with major depression. <i>Psychiatry Research - Neuroimaging</i> , 2003 , 123, 49-63	2.9	29
20	The Danish PET/depression project: cognitive function and regional cerebral blood flow. <i>Acta Psychiatrica Scandinavica</i> , 2003 , 108, 32-40	6.5	9
19	The Danish PET/depression project: clinical symptoms and cerebral blood flow. A regions-of-interest analysis. <i>Acta Psychiatrica Scandinavica</i> , 2002 , 106, 35-44	6.5	112
18	Cognitive deficits in major depression. <i>Scandinavian Journal of Psychology</i> , 2002 , 43, 239-51	2.2	188
17	Putative tests of frontal lobe function: a PET-study of brain activation during Stroop's Test and verbal fluency. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2002 , 24, 534-47	2.1	82
16	Comment on "Regional cerebral glucose utilization in patients with a range of severities of unipolar depression". <i>Biological Psychiatry</i> , 2002 , 52, 1031; discussion 1031-2	7.9	2
15	Structural brain abnormalities in unselected in-patients with major depression. <i>Acta Psychiatrica Scandinavica</i> , 2001 , 103, 282-6	6.5	19
14	The Danish PET/depression project: PET findings in patients with major depression. <i>Psychological Medicine</i> , 2001 , 31, 1147-58	6.9	75
13	PET measurements of brain glucose metabolism and blood flow in major depressive disorder: a critical review. <i>Acta Psychiatrica Scandinavica</i> , 2000 , 101, 11-20	6.5	295
12	MRI findings in patients with affective disorder: a meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 1997 , 96, 157-68	6.5	185
11	First admission with puerperal psychosis: 7-14 years of follow-up. <i>Acta Psychiatrica Scandinavica</i> , 1995 , 91, 167-73	6.5	76
10	Neuropsychological deficit in newly diagnosed patients with schizophrenia or schizophreniform disorder. <i>Acta Psychiatrica Scandinavica</i> , 1995 , 92, 35-43	6.5	25

9	Regional cerebral blood flow distribution in newly diagnosed schizophrenia and schizophreniform disorder. <i>Psychiatry Research</i> , 1994 , 53, 57-75	9.9	52
8	Short stature in Scandinavian women. An obstetrical risk factor. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1987 , 66, 153-8	3.8	33
7	Screening for Down's syndrome using an iso-risk curve based on maternal age and serum alpha-fetoprotein level. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1987 , 94, 636-42	3.7	33
6	Chromosome abnormalities and season of birth. <i>Human Genetics</i> , 1984 , 65, 221-31	6.3	32
5	Chromosome abnormalities in newborn children. Aetiological aspects. <i>Hereditas</i> , 1982 , 96, 109-17	2.4	6
4	Chromosome abnormalities in children, in two Danish counties, born during the period 1967-1978: Clinical data. <i>Hereditas</i> , 1982 , 96, 195-210	2.4	2
3	Incidence of chromosome abnormalities in newborn children. Comparison between incidences in 1969-1974 and 1980-1982 in the same area. <i>Human Genetics</i> , 1982 , 61, 98-101	6.3	48
2	Chromosome examination of children, in two Danish counties, born during the period 1967-1978. Epidemiological data. <i>Hereditas</i> , 1981 , 94, 129-34	2.4	1
1	Electronic data processing in the Danish cytogenetic central register and EDP problems of registers in general. <i>Clinical Genetics</i> , 1979 , 15, 137-46	4	22