

# Alan I Faden

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7242229/publications.pdf>

Version: 2024-02-01

154  
papers

13,714  
citations

12303

69  
h-index

23472

111  
g-index

162  
all docs

162  
docs citations

162  
times ranked

14093  
citing authors

#	ARTICLE	IF	CITATIONS
1	Neuroprotection for traumatic brain injury: translational challenges and emerging therapeutic strategies. <i>Trends in Pharmacological Sciences</i> , 2010, 31, 596-604.	4.0	485
2	Progressive Neurodegeneration After Experimental Brain Trauma. <i>Journal of Neuropathology and Experimental Neurology</i> , 2014, 73, 14-29.	0.9	406
3	A potential role for excitotoxins in the pathophysiology of spinal cord injury. <i>Annals of Neurology</i> , 1988, 23, 623-626.	2.8	358
4	Cell cycle inhibition provides neuroprotection and reduces glial proliferation and scar formation after traumatic brain injury. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 8333-8338.	3.3	355
5	Sustained Sensory/Motor and Cognitive Deficits With Neuronal Apoptosis Following Controlled Cortical Impact Brain Injury in the Mouse. <i>Journal of Neurotrauma</i> , 1998, 15, 599-614.	1.7	290
6	Gene profiling in spinal cord injury shows role of cell cycle in neuronal death. <i>Annals of Neurology</i> , 2003, 53, 454-468.	2.8	261
7	Impaired autophagy flux is associated with neuronal cell death after traumatic brain injury. <i>Autophagy</i> , 2014, 10, 2208-2222.	4.3	256
8	Differential Expression of Apoptotic Protease-Activating Factor-1 and Caspase-3 Genes and Susceptibility to Apoptosis during Brain Development and after Traumatic Brain Injury. <i>Journal of Neuroscience</i> , 2001, 21, 7439-7446.	1.7	249
9	Early neuronal expression of tumor necrosis factor- $\alpha$ after experimental brain injury contributes to neurological impairment. <i>Journal of Neuroimmunology</i> , 1999, 95, 115-125.	1.1	248
10	Microglial/Macrophage Polarization Dynamics following Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2016, 33, 1732-1750.	1.7	248
11	Cell Death Mechanisms and Modulation in Traumatic Brain Injury. <i>Neurotherapeutics</i> , 2010, 7, 3-12.	2.1	236
12	Interleukin-10 Improves Outcome and Alters Proinflammatory Cytokine Expression after Experimental Traumatic Brain Injury. <i>Experimental Neurology</i> , 1998, 153, 143-151.	2.0	234
13	Microglial-derived microparticles mediate neuroinflammation after traumatic brain injury. <i>Journal of Neuroinflammation</i> , 2017, 14, 47.	3.1	228
14	Amyloid precursor protein secretases as therapeutic targets for traumatic brain injury. <i>Nature Medicine</i> , 2009, 15, 377-379.	15.2	219
15	Progressive inflammation-mediated neurodegeneration after traumatic brain or spinal cord injury. <i>British Journal of Pharmacology</i> , 2016, 173, 681-691.	2.7	217
16	Traumatic brain injury in aged animals increases lesion size and chronically alters microglial/macrophage classical and alternative activation states. <i>Neurobiology of Aging</i> , 2013, 34, 1397-1411.	1.5	213
17	Repeated Mild Traumatic Brain Injury Causes Chronic Neuroinflammation, Changes in Hippocampal Synaptic Plasticity, and Associated Cognitive Deficits. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2014, 34, 1223-1232.	2.4	207
18	Spinal Cord Injury Causes Brain Inflammation Associated with Cognitive and Affective Changes: Role of Cell Cycle Pathways. <i>Journal of Neuroscience</i> , 2014, 34, 10989-11006.	1.7	201

#	ARTICLE	IF	CITATIONS
19	Chronic Neurodegeneration After Traumatic Brain Injury: Alzheimer Disease, Chronic Traumatic Encephalopathy, or Persistent Neuroinflammation?. <i>Neurotherapeutics</i> , 2015, 12, 143-150.	2.1	199
20	Microglial Depletion with CSF1R Inhibitor During Chronic Phase of Experimental Traumatic Brain Injury Reduces Neurodegeneration and Neurological Deficits. <i>Journal of Neuroscience</i> , 2020, 40, 2960-2974.	1.7	193
21	Selective mGluR5 antagonists MPEP and SIB-1893 decrease NMDA or glutamate-mediated neuronal toxicity through actions that reflect NMDA receptor antagonism. <i>British Journal of Pharmacology</i> , 2000, 131, 1429-1437.	2.7	179
22	Function and Mechanisms of Autophagy in Brain and Spinal Cord Trauma. <i>Antioxidants and Redox Signaling</i> , 2015, 23, 565-577.	2.5	164
23	Metabotropic glutamate receptor 5 activation inhibits microglial associated inflammation and neurotoxicity. <i>Glia</i> , 2009, 57, 550-560.	2.5	157
24	NOX2 drives M1-like microglial/macrophage activation and neurodegeneration following experimental traumatic brain injury. <i>Brain, Behavior, and Immunity</i> , 2016, 58, 291-309.	2.0	152
25	Ceramide-induced neuronal apoptosis is associated with dephosphorylation of Akt, BAD, FKHR, GSK-3 $\beta$ , and induction of the mitochondrial-dependent intrinsic caspase pathway. <i>Molecular and Cellular Neurosciences</i> , 2003, 22, 365-382.	1.0	150
26	Cell cycle activation contributes to post-mitotic cell death and secondary damage after spinal cord injury. <i>Brain</i> , 2007, 130, 2977-2992.	3.7	149
27	Caspase-Dependent Apoptotic Pathways in CNS Injury. <i>Molecular Neurobiology</i> , 2001, 24, 131-144.	1.9	144
28	Delayed mGluR5 activation limits neuroinflammation and neurodegeneration after traumatic brain injury. <i>Journal of Neuroinflammation</i> , 2012, 9, 43.	3.1	144
29	Neuroprotective Strategies for Traumatic Brain Injury: Improving Clinical Translation. <i>International Journal of Molecular Sciences</i> , 2014, 15, 1216-1236.	1.8	143
30	Fluid-percussion-induced traumatic brain injury model in rats. <i>Nature Protocols</i> , 2010, 5, 1552-1563.	5.5	138
31	Downregulation of miR-23a and miR-27a following Experimental Traumatic Brain Injury Induces Neuronal Cell Death through Activation of Proapoptotic Bcl-2 Proteins. <i>Journal of Neuroscience</i> , 2014, 34, 10055-10071.	1.7	129
32	BOK and NOXA Are Essential Mediators of p53-dependent Apoptosis. <i>Journal of Biological Chemistry</i> , 2004, 279, 28367-28374.	1.6	127
33	Late exercise reduces neuroinflammation and cognitive dysfunction after traumatic brain injury. <i>Neurobiology of Disease</i> , 2013, 54, 252-263.	2.1	127
34	Neuroprotection in acute brain injury: an up-to-date review. <i>Critical Care</i> , 2015, 19, 186.	2.5	120
35	Pretreatment with NMDA antagonists limits release of excitatory amino acids following traumatic brain injury. <i>Neuroscience Letters</i> , 1992, 136, 165-168.	1.0	116
36	Effect of Traumatic Brain Injury on Mouse Spatial and Nonspatial Learning in the Barnes Circular Maze. <i>Journal of Neurotrauma</i> , 1998, 15, 1037-1046.	1.7	114

#	ARTICLE	IF	CITATIONS
37	Activation of Metabotropic Glutamate Receptor Subtype mGluR1 Contributes to Post-Traumatic Neuronal Injury. <i>Journal of Neuroscience</i> , 1996, 16, 6012-6020.	1.7	113
38	Metabotropic Glutamate Receptors as Targets for Multipotential Treatment of Neurological Disorders. <i>Neurotherapeutics</i> , 2009, 6, 94-107.	2.1	112
39	Multiple Caspases Are Activated after Traumatic Brain Injury: Evidence for Involvement in Functional Outcome. <i>Journal of Neurotrauma</i> , 2002, 19, 1155-1170.	1.7	111
40	Neuroprotection. <i>Archives of Neurology</i> , 2007, 64, 794.	4.9	110
41	Gene Expression Profile Changes Are Commonly Modulated across Models and Species after Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2003, 20, 907-927.	1.7	109
42	Bidirectional brain-gut interactions and chronic pathological changes after traumatic brain injury in mice. <i>Brain, Behavior, and Immunity</i> , 2017, 66, 56-69.	2.0	109
43	Roscovitine Reduces Neuronal Loss, Glial Activation, and Neurologic Deficits after Brain Trauma. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2008, 28, 1845-1859.	2.4	108
44	Role of the Cell Cycle in the Pathobiology of Central Nervous System Trauma. <i>Cell Cycle</i> , 2005, 4, 1286-1293.	1.3	107
45	Sex Differences in Acute Neuroinflammation after Experimental Traumatic Brain Injury Are Mediated by Infiltrating Myeloid Cells. <i>Journal of Neurotrauma</i> , 2019, 36, 1040-1053.	1.7	105
46	Overexpression of HSP70 attenuates caspase-dependent and caspase-independent pathways and inhibits neuronal apoptosis. <i>Journal of Neurochemistry</i> , 2012, 123, 542-554.	2.1	104
47	PARP-1 Inhibition Attenuates Neuronal Loss, Microglia Activation and Neurological Deficits after Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2014, 31, 758-772.	1.7	103
48	Old age increases microglial senescence, exacerbates secondary neuroinflammation, and worsens neurological outcomes after acute traumatic brain injury in mice. <i>Neurobiology of Aging</i> , 2019, 77, 194-206.	1.5	99
49	Activation of Metabotropic Glutamate Receptor 5 Modulates Microglial Reactivity and Neurotoxicity by Inhibiting NADPH Oxidase. <i>Journal of Biological Chemistry</i> , 2009, 284, 15629-15639.	1.6	96
50	Behavioral Responses of C57BL/6, FVB/N, and 129/SvEMS Mouse Strains to Traumatic Brain Injury: Implications for Gene Targeting Approaches to Neurotrauma. <i>Journal of Neurotrauma</i> , 1999, 16, 377-389.	1.7	95
51	Gene expression profiling of experimental traumatic spinal cord injury as a function of distance from impact site and injury severity. <i>Physiological Genomics</i> , 2005, 22, 368-381.	1.0	95
52	PLA2G4A/cPLA2-mediated lysosomal membrane damage leads to inhibition of autophagy and neurodegeneration after brain trauma. <i>Autophagy</i> , 2020, 16, 466-485.	4.3	95
53	Endoplasmic Reticulum Stress and Disrupted Neurogenesis in the Brain Are Associated with Cognitive Impairment and Depressive-Like Behavior after Spinal Cord Injury. <i>Journal of Neurotrauma</i> , 2016, 33, 1919-1935.	1.7	94
54	Changes in Cellular Bioenergetic State Following Graded Traumatic Brain Injury in Rats: Determination by Phosphorus 31 Magnetic Resonance Spectroscopy. <i>Journal of Neurotrauma</i> , 1988, 5, 315-330.	1.7	92

#	ARTICLE	IF	CITATIONS
55	Neuroprotection and traumatic brain injury: theoretical option or realistic proposition. <i>Current Opinion in Neurology</i> , 2002, 15, 707-712.	1.8	92
56	Ceramide induces neuronal apoptosis through mitogen-activated protein kinases and causes release of multiple mitochondrial proteins. <i>Molecular and Cellular Neurosciences</i> , 2005, 29, 355-371.	1.0	92
57	Role of Cell Cycle Proteins in CNS Injury. <i>Neurochemical Research</i> , 2007, 32, 1799-1807.	1.6	92
58	Comparing the Predictive Value of Multiple Cognitive, Affective, and Motor Tasks after Rodent Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2012, 29, 2475-2489.	1.7	91
59	Neuroprotective effects of novel small peptides in vitro and after brain injury. <i>Neuropharmacology</i> , 2005, 49, 410-424.	2.0	90
60	Isolated spinal cord contusion in rats induces chronic brain neuroinflammation, neurodegeneration, and cognitive impairment. <i>Cell Cycle</i> , 2014, 13, 2446-2458.	1.3	90
61	Delayed microglial depletion after spinal cord injury reduces chronic inflammation and neurodegeneration in the brain and improves neurological recovery in male mice. <i>Theranostics</i> , 2020, 10, 11376-11403.	4.6	88
62	Alterations in Lipid Metabolism, Na <sup>+</sup> ,K <sup>+</sup> -ATPase Activity, and Tissue Water Content of Spinal Cord Following Experimental Traumatic Injury. <i>Journal of Neurochemistry</i> , 1987, 48, 1809-1816.	2.1	84
63	Selective CDK Inhibitor Limits Neuroinflammation and Progressive Neurodegeneration after Brain Trauma. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2012, 32, 137-149.	2.4	82
64	Effect of Impact Trauma on Neurotransmitter and Nonneurotransmitter Amino Acids in Rat Spinal Cord. <i>Journal of Neurochemistry</i> , 1989, 52, 1529-1536.	2.1	80
65	Neuroprotection and traumatic brain injury: theoretical option or realistic proposition. <i>Current Opinion in Neurology</i> , 2002, 15, 707-712.	1.8	79
66	Chronic Alterations in Systemic Immune Function after Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2018, 35, 1419-1436.	1.7	79
67	Activation of mGluR5 and Inhibition of NADPH Oxidase Improves Functional Recovery after Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2013, 30, 403-412.	1.7	78
68	Interferon- $\hat{1}^2$ Plays a Detrimental Role in Experimental Traumatic Brain Injury by Enhancing Neuroinflammation That Drives Chronic Neurodegeneration. <i>Journal of Neuroscience</i> , 2020, 40, 2357-2370.	1.7	78
69	Pharmacological Treatment of Central Nervous System Trauma. <i>Basic and Clinical Pharmacology and Toxicology</i> , 1996, 78, 12-17.	0.0	73
70	Novel Diketopiperazine Enhances Motor and Cognitive Recovery after Traumatic Brain Injury in Rats and Shows Neuroprotection <i>In Vitro</i> and <i>In Vivo</i> . <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2003, 23, 342-354.	2.4	72
71	Expression of two temporally distinct microglia-related gene clusters after spinal cord injury. <i>Glia</i> , 2006, 53, 420-433.	2.5	72
72	Truncated TrkB.T1-Mediated Astrocyte Dysfunction Contributes to Impaired Motor Function and Neuropathic Pain after Spinal Cord Injury. <i>Journal of Neuroscience</i> , 2017, 37, 3956-3971.	1.7	72

#	ARTICLE	IF	CITATIONS
73	Activation of metabotropic glutamate receptor 5 improves recovery after spinal cord injury in rodents. <i>Annals of Neurology</i> , 2009, 66, 63-74.	2.8	71
74	Dissociation of Adenosine Levels from Bioenergetic State in Experimental Brain Trauma: Potential Role in Secondary Injury. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1994, 14, 853-861.	2.4	70
75	TrkB.T1 Contributes to Neuropathic Pain after Spinal Cord Injury through Regulation of Cell Cycle Pathways. <i>Journal of Neuroscience</i> , 2013, 33, 12447-12463.	1.7	70
76	Novel mGluR5 Positive Allosteric Modulator Improves Functional Recovery, Attenuates Neurodegeneration, and Alters Microglial Polarization after Experimental Traumatic Brain Injury. <i>Neurotherapeutics</i> , 2014, 11, 857-869.	2.1	70
77	Neuroprotection for traumatic brain injury. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2015, 127, 343-366.	1.0	68
78	MGLuR5 activation reduces Î²â€œamyloidâ€œ-induced cell death in primary neuronal cultures and attenuates translocation of cytochrome c and apoptosisâ€œinducing factor. <i>Journal of Neurochemistry</i> , 2004, 89, 1528-1536.	2.1	66
79	Delayed inflammatory mRNA and protein expression after spinal cord injury. <i>Journal of Neuroinflammation</i> , 2011, 8, 130.	3.1	66
80	Propofol Limits Microglial Activation after Experimental Brain Trauma through Inhibition of Nicotinamide Adenine Dinucleotide Phosphate Oxidase. <i>Anesthesiology</i> , 2013, 119, 1370-1388.	1.3	66
81	NOX2 deficiency alters macrophage phenotype through an IL-10/STAT3 dependent mechanism: implications for traumatic brain injury. <i>Journal of Neuroinflammation</i> , 2017, 14, 65.	3.1	65
82	Cell Cycle Activation and Spinal Cord Injury. <i>Neurotherapeutics</i> , 2011, 8, 221-228.	2.1	63
83	Chronic Decrease in Wakefulness and Disruption of Sleep-Wake Behavior after Experimental Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2015, 32, 289-296.	1.7	62
84	Spinal cord injury alters microRNA and CD81+ exosome levels in plasma extracellular nanoparticles with neuroinflammatory potential. <i>Brain, Behavior, and Immunity</i> , 2021, 92, 165-183.	2.0	62
85	Inhibition of miR-155 Limits Neuroinflammation and Improves Functional Recovery After Experimental Traumatic Brain Injury in Mice. <i>Neurotherapeutics</i> , 2019, 16, 216-230.	2.1	57
86	CR8, a Novel Inhibitor of CDK, Limits Microglial Activation, Astrocytosis, Neuronal Loss, and Neurologic Dysfunction after Experimental Traumatic Brain Injury. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2014, 34, 502-513.	2.4	56
87	Effects of Hyperglycemia on the Time Course of Changes in Energy Metabolism and pH during Global Cerebral Ischemia and Reperfusion in Rats: Correlation of<sup>1</sup>H and<sup>31</sup>P NMR Spectroscopy with Fatty Acid and Excitatory Amino Acid Levels. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1992, 12, 456-468.	2.4	55
88	Cell Cycle Activation and CNS Injury. <i>Neurotoxicity Research</i> , 2009, 16, 221-237.	1.3	55
89	A combined scoring method to assess behavioral recovery after mouse spinal cord injury. <i>Neuroscience Research</i> , 2010, 67, 117-125.	1.0	55
90	Neuronal and glial mGluR5 modulation prevents stretch-induced enhancement of NMDA receptor current. <i>Pharmacology Biochemistry and Behavior</i> , 2002, 73, 287-298.	1.3	54

#	ARTICLE	IF	CITATIONS
91	Cyclin D1 Gene Ablation Confers Neuroprotection in Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2012, 29, 813-827.	1.7	53
92	Delayed expression of cell cycle proteins contributes to astroglial scar formation and chronic inflammation after rat spinal cord contusion. <i>Journal of Neuroinflammation</i> , 2012, 9, 169.	3.1	53
93	Combined inhibition of cell death induced by apoptosis inducing factor and caspases provides additive neuroprotection in experimental traumatic brain injury. <i>Neurobiology of Disease</i> , 2012, 46, 745-758.	2.1	52
94	Cell cycle inhibition limits development and maintenance of neuropathic pain following spinal cord injury. <i>Pain</i> , 2016, 157, 488-503.	2.0	51
95	Traumatic brain injury causes delayed motor and cognitive impairment in a mutant mouse strain known to exhibit delayed wallerian degeneration. <i>Journal of Neuroscience Research</i> , 1998, 53, 718-727.	1.3	50
96	CR8, a Selective and Potent CDK Inhibitor, Provides Neuroprotection in Experimental Traumatic Brain Injury. <i>Neurotherapeutics</i> , 2012, 9, 405-421.	2.1	49
97	<sup>31</sup> P NMR characterization of graded traumatic brain injury in rats. <i>Magnetic Resonance in Medicine</i> , 1988, 6, 37-48.	1.9	48
98	Inhibition of NOX2 signaling limits pain-related behavior and improves motor function in male mice after spinal cord injury: Participation of IL-10/miR-155 pathways. <i>Brain, Behavior, and Immunity</i> , 2019, 80, 73-87.	2.0	48
99	Function and Mechanisms of Truncated BDNF Receptor TrkB.T1 in Neuropathic Pain. <i>Cells</i> , 2020, 9, 1194.	1.8	47
100	Inhibition of E2F1/CDK1 Pathway Attenuates Neuronal Apoptosis In Vitro and Confers Neuroprotection after Spinal Cord Injury In Vivo. <i>PLoS ONE</i> , 2012, 7, e42129.	1.1	46
101	Effect of Dichloroacetate on Recovery of Brain Lactate, Phosphorus Energy Metabolites, and Glutamate during Reperfusion after Complete Cerebral Ischemia in Rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1992, 12, 1030-1038.	2.4	43
102	Neuroprotective and Nootropic Actions of a Novel Cyclized Dipeptide after Controlled Cortical Impact Injury in Mice. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2003, 23, 355-363.	2.4	43
103	Voluntary Exercise Preconditioning Activates Multiple Antiapoptotic Mechanisms and Improves Neurological Recovery after Experimental Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2015, 32, 1347-1360.	1.7	43
104	Neutral Sphingomyelinase Inhibition Alleviates LPS-Induced Microglia Activation and Neuroinflammation after Experimental Traumatic Brain Injury. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2019, 368, 338-352.	1.3	42
105	Proton extrusion during oxidative burst in microglia exacerbates pathological acidosis following traumatic brain injury. <i>Glia</i> , 2021, 69, 746-764.	2.5	42
106	Delayed cell cycle pathway modulation facilitates recovery after spinal cord injury. <i>Cell Cycle</i> , 2012, 11, 1782-1795.	1.3	41
107	Sustained neuronal and microglial alterations are associated with diverse neurobehavioral dysfunction long after experimental brain injury. <i>Neurobiology of Disease</i> , 2020, 136, 104713.	2.1	41
108	Neuroprotective Effects of Geranylgeranylacetone in Experimental Traumatic Brain Injury. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2013, 33, 1897-1908.	2.4	39

#	ARTICLE	IF	CITATIONS
109	Dementia, Depression, and Associated Brain Inflammatory Mechanisms after Spinal Cord Injury. <i>Cells</i> , 2020, 9, 1420.	1.8	38
110	Metabolic changes in rabbit spinal cord after trauma: Magnetic resonance spectroscopy studies. <i>Annals of Neurology</i> , 1989, 25, 26-31.	2.8	37
111	Cell Cycle Activation Contributes to Increased Neuronal Activity in the Posterior Thalamic Nucleus and Associated Chronic Hyperesthesia after Rat Spinal Cord Contusion. <i>Neurotherapeutics</i> , 2013, 10, 520-538.	2.1	37
112	S100B Inhibition Reduces Behavioral and Pathologic Changes in Experimental Traumatic Brain Injury. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2015, 35, 2010-2020.	2.4	37
113	Metabotropic glutamate receptor-mediated signaling in neuroglia. <i>Environmental Sciences Europe</i> , 2012, 1, 136-150.	2.6	36
114	Novel small peptides with neuroprotective and nootropic properties. <i>Journal of Alzheimer's Disease</i> , 2005, 6, S93-S97.	1.2	35
115	Cell cycle inhibition reduces inflammatory responses, neuronal loss, and cognitive deficits induced by hypobaric exposure following traumatic brain injury. <i>Journal of Neuroinflammation</i> , 2016, 13, 299.	3.1	34
116	Traumatic brain injury: Developmental differences in glutamate receptor response and the impact on treatment. <i>Mental Retardation and Developmental Disabilities Research Reviews</i> , 2001, 7, 235-248.	3.5	33
117	Characterization of inflammatory gene expression and galectin-3 function after spinal cord injury in mice. <i>Brain Research</i> , 2012, 1475, 96-105.	1.1	32
118	Ablation of the transcription factors E2F1-2 limits neuroinflammation and associated neurological deficits after contusive spinal cord injury. <i>Cell Cycle</i> , 2015, 14, 3698-3712.	1.3	32
119	Acute colitis during chronic experimental traumatic brain injury in mice induces dysautonomia and persistent extraintestinal, systemic, and CNS inflammation with exacerbated neurological deficits. <i>Journal of Neuroinflammation</i> , 2021, 18, 24.	3.1	31
120	Exacerbation of Neuronal Cell Death by Activation of Group I Metabotropic Glutamate Receptors: Role of NMDA Receptors and Arachidonic Acid Release. <i>Experimental Neurology</i> , 2001, 169, 449-460.	2.0	29
121	Simulated Aeromedical Evacuation Exacerbates Experimental Brain Injury. <i>Journal of Neurotrauma</i> , 2016, 33, 1292-1302.	1.7	29
122	Inhibition of microRNA-711 limits angiopoietin-1 and Akt changes, tissue damage, and motor dysfunction after contusive spinal cord injury in mice. <i>Cell Death and Disease</i> , 2019, 10, 839.	2.7	24
123	Enhanced Akt/GSK-3 $\beta$ /CREB signaling mediates the anti-inflammatory actions of mGluR5 positive allosteric modulators in microglia and following traumatic brain injury in male mice. <i>Journal of Neurochemistry</i> , 2021, 156, 225-248.	2.1	24
124	<sup>31</sup> P magnetic resonance spectroscopy of traumatic spinal cord injury. <i>Magnetic Resonance in Medicine</i> , 1987, 5, 390-394.	1.9	23
125	MicroRNA-711-induced Downregulation of Angiopoietin-1 Mediates Neuronal Cell Death. <i>Journal of Neurotrauma</i> , 2018, 35, 2462-2481.	1.7	23
126	Inhibition of amyloid precursor protein secretases reduces recovery after spinal cord injury. <i>Brain Research</i> , 2014, 1560, 73-82.	1.1	22



#	ARTICLE	IF	CITATIONS
127	Early or Late Bacterial Lung Infection Increases Mortality After Traumatic Brain Injury in Male Mice and Chronically Impairs Monocyte Innate Immune Function. <i>Critical Care Medicine</i> , 2020, 48, e418-e428.	0.4	22
128	Nonedited <sup>1</sup> H NMR lactate/n-acetyl aspartate ratios and their in vivo determination of lactate concentration in brain. <i>Magnetic Resonance in Medicine</i> , 1988, 7, 95-99.	1.9	21
129	Microglial activation and traumatic brain injury. <i>Annals of Neurology</i> , 2011, 70, 345-346.	2.8	21
130	Acyl-2-aminobenzimidazoles: A novel class of neuroprotective agents targeting mGluR5. <i>Bioorganic and Medicinal Chemistry</i> , 2015, 23, 2211-2220.	1.4	21
131	Positive Allosteric Modulators (PAMs) of Metabotropic Glutamate Receptor 5 (mGluR5) Attenuate Microglial Activation. <i>CNS and Neurological Disorders - Drug Targets</i> , 2014, 13, 558-566.	0.8	19
132	Selective CDK inhibitors: promising candidates for future clinical traumatic brain injury trials. <i>Neural Regeneration Research</i> , 2014, 9, 1578.	1.6	19
133	Comparing effects of CDK inhibition and E2F1/2 ablation on neuronal cell death pathways in vitro and after traumatic brain injury. <i>Cell Death and Disease</i> , 2018, 9, 1121.	2.7	17
134	Down-Regulation of miR-23a-3p Mediates Irradiation-Induced Neuronal Apoptosis. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3695.	1.8	17
135	Bidirectional Brain-Systemic Interactions and Outcomes After TBI. <i>Trends in Neurosciences</i> , 2021, 44, 406-418.	4.2	17
136	Sexual dimorphism in neurological function after SCI is associated with disrupted neuroinflammation in both injured spinal cord and brain. <i>Brain, Behavior, and Immunity</i> , 2022, 101, 1-22.	2.0	17
137	Boc-protected 1-(3-oxocycloalkyl)ureas via a one-step Curtius rearrangement: mechanism and scope. <i>Tetrahedron Letters</i> , 2014, 55, 842-844.	0.7	16
138	Functional and transcriptional profiling of microglial activation during the chronic phase of TBI identifies an age-related driver of poor outcome in old mice. <i>GeroScience</i> , 2022, 44, 1407-1440.	2.1	16
139	Novel Neuroprotective Tripeptides and Dipeptides. <i>Annals of the New York Academy of Sciences</i> , 2005, 1053, 472-481.	1.8	12
140	Cyclopropyl-containing positive allosteric modulators of metabotropic glutamate receptor subtype 5. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015, 25, 2275-2279.	1.0	9
141	Hypoglycemia prevents increase in lactic acidosis during reperfusion after temporary cerebral ischemia in rats. <i>NMR in Biomedicine</i> , 1995, 8, 171-178.	1.6	8
142	Mithramycin selectively attenuates DNA-damage-induced neuronal cell death. <i>Cell Death and Disease</i> , 2020, 11, 587.	2.7	8
143	Irradiation-Induced Upregulation of miR-711 Inhibits DNA Repair and Promotes Neurodegeneration Pathways. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5239.	1.8	7
144	Identification of Novel Neuroprotective Agents Using Pharmacophore Modeling. <i>Chemistry and Biodiversity</i> , 2005, 2, 1564-1570.	1.0	6

#	ARTICLE	IF	CITATIONS
145	Longitudinal Assessment of Sensorimotor Function after Controlled Cortical Impact in Mice: Comparison of Beamwalk, Rotarod, and Automated Gait Analysis Tests. <i>Journal of Neurotrauma</i> , 2020, 37, 2709-2717.	1.7	6
146	Programmed Neuronal Cell Death Mechanisms in CNS Injury. , 2010, , 169-200.		4
147	Estimation of Ligand Efficacies of Metabotropic Glutamate Receptors from Conformational Forces Obtained from Molecular Dynamics Simulations. <i>Journal of Chemical Information and Modeling</i> , 2013, 53, 1337-1349.	2.5	3
148	Putative mGluR4 positive allosteric modulators activate Gi-independent anti-inflammatory mechanisms in microglia. <i>Neurochemistry International</i> , 2020, 138, 104770.	1.9	2
149	Traumatic brain injury causes delayed motor and cognitive impairment in a mutant mouse strain known to exhibit delayed wallerian degeneration. , 1998, 53, 718.		2
150	Neurotherapeutics: Concept, Translation, Transition. <i>Neurotherapeutics</i> , 2014, 11, 1.	2.1	1
151	Traumatic meningeal injury and repair mechanisms. <i>Nature Immunology</i> , 2018, 19, 431-432.	7.0	1
152	<i>Neurotrauma</i> . , 2005, , 95-127.		0
153	Colitis-induced Neurobehavioral Deficits Following Chronic Brain Injury. <i>FASEB Journal</i> , 2018, 32, 921.8.	0.2	0
154	Mechanisms of neural cell death: Implications for development of neuroprotective treatment strategies. <i>Neurotherapeutics</i> , 2004, 1, 5-16.	2.1	0