

Jin-Wei Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7242524/publications.pdf>

Version: 2024-02-01

94
papers

3,430
citations

218677

26
h-index

161849

54
g-index

96
all docs

96
docs citations

96
times ranked

4840
citing authors

#	ARTICLE	IF	CITATIONS
1	Trends in Chronic Kidney Disease in China. <i>New England Journal of Medicine</i> , 2016, 375, 905-906.	27.0	526
2	Prevalence, Awareness, Treatment, and Control of Hypertension in China: Results From a National Survey. <i>American Journal of Hypertension</i> , 2014, 27, 1355-1361.	2.0	335
3	Acute kidney injury in China: a cross-sectional survey. <i>Lancet, The</i> , 2015, 386, 1465-1471.	13.7	319
4	The prevalence, awareness, treatment and control of dyslipidemia among adults in China. <i>Atherosclerosis</i> , 2016, 248, 2-9.	0.8	269
5	Serum Phosphorus and Progression of CKD and Mortality: A Meta-analysis of Cohort Studies. <i>American Journal of Kidney Diseases</i> , 2015, 66, 258-265.	1.9	116
6	Effect of Statins on Kidney Disease Outcomes: A Systematic Review and Meta-analysis. <i>American Journal of Kidney Diseases</i> , 2016, 67, 881-892.	1.9	112
7	Executive summary for the 2015 Annual Data Report of the China Kidney Disease Network (CK-NET). <i>Kidney International</i> , 2019, 95, 501-505.	5.2	103
8	Prevalence of Post-Stroke Cognitive Impairment in China: A Community-Based, Cross-Sectional Study. <i>PLoS ONE</i> , 2015, 10, e0122864.	2.5	91
9	China Kidney Disease Network (CK-NET) 2015 Annual Data Report. <i>Kidney International Supplements</i> , 2019, 9, e1-e81.	14.2	83
10	China Kidney Disease Network (CK-NET) 2016 Annual Data Report. <i>Kidney International Supplements</i> , 2020, 10, e97-e185.	14.2	70
11	Prevalence and risk factors for cardiovascular disease among chronic kidney disease patients: results from the Chinese cohort study of chronic kidney disease (C-STRIDE). <i>BMC Nephrology</i> , 2017, 18, 23.	1.8	58
12	Prevalence and Risk Factors for CKD: A Comparison Between the Adult Populations in China and the United States. <i>Kidney International Reports</i> , 2018, 3, 1135-1143.	0.8	58
13	Neutrophil-to-lymphocyte ratio and incident end-stage renal disease in Chinese patients with chronic kidney disease: results from the Chinese Cohort Study of Chronic Kidney Disease (C-STRIDE). <i>Journal of Translational Medicine</i> , 2019, 17, 86.	4.4	58
14	Executive summary for China Kidney Disease Network (CK-NET) 2016 Annual Data Report. <i>Kidney International</i> , 2020, 98, 1419-1423.	5.2	56
15	Long-Term Exposure to Ambient PM2.5 and Increased Risk of CKD Prevalence in China. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 448-458.	6.1	56
16	Persistent Hematuria and Kidney Disease Progression in IgA Nephropathy: A Cohort Study. <i>American Journal of Kidney Diseases</i> , 2020, 76, 90-99.	1.9	55
17	Association between Ambient Temperature and Blood Pressure and Blood Pressure Regulators: 1831 Hypertensive Patients Followed Up for Three Years. <i>PLoS ONE</i> , 2013, 8, e84522.	2.5	50
18	Community-Acquired Acute Kidney Injury: A Nationwide Survey in China. <i>American Journal of Kidney Diseases</i> , 2017, 69, 647-657.	1.9	49

#	ARTICLE	IF	CITATIONS
19	Disease burden and challenges of chronic kidney disease in North and East Asia. <i>Kidney International</i> , 2018, 94, 22-25.	5.2	43
20	The frequency of ANCA-associated vasculitis in a national database of hospitalized patients in China. <i>Arthritis Research and Therapy</i> , 2018, 20, 226.	3.5	41
21	Estimation of Prevalence of Kidney Disease Treated With Dialysis in China: A Study of Insurance Claims Data. <i>American Journal of Kidney Diseases</i> , 2021, 77, 889-897.e1.	1.9	38
22	Cognitive Changes in Peritoneal Dialysis Patients: A Multicenter Prospective Cohort Study. <i>American Journal of Kidney Diseases</i> , 2018, 72, 691-700.	1.9	37
23	Plasma Galactose-Deficient IgA1 and C3 and CKD Progression in IgA Nephropathy. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019, 14, 1458-1465.	4.5	36
24	Prevalence of Kidney Injury and Associations with Critical Illness and Death in Patients with COVID-19. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2020, 15, 1549-1556.	4.5	35
25	Relationship between menopause and health-related quality of life in middle-aged Chinese women: a cross-sectional study. <i>BMC Women's Health</i> , 2014, 14, 7.	2.0	32
26	Serum uromodulin and progression of kidney disease in patients with chronic kidney disease. <i>Journal of Translational Medicine</i> , 2018, 16, 316.	4.4	32
27	Early versus late acute kidney injury among patients with COVID-19—a multicenter study from Wuhan, China. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 2095-2102.	0.7	30
28	Pregnancy and Kidney Outcomes in Patients With IgA Nephropathy: A Cohort Study. <i>American Journal of Kidney Diseases</i> , 2017, 70, 262-269.	1.9	28
29	China Kidney Disease Network (CK-NET) 2014 Annual Data Report. <i>American Journal of Kidney Diseases</i> , 2017, 69, A4.	1.9	28
30	Primary glomerular nephropathy among hospitalized patients in a national database in China. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 2173-2181.	0.7	26
31	Effects of Hydroxychloroquine on Proteinuria in Immunoglobulin A Nephropathy. <i>American Journal of Nephrology</i> , 2018, 47, 145-152.	3.1	25
32	Drug-Induced Hospital-Acquired Acute Kidney Injury in China: A Multicenter Cross-Sectional Survey. <i>Kidney Diseases (Basel, Switzerland)</i> , 2021, 7, 143-155.	2.5	25
33	Hypertension Control in Adults With CKD in China: Baseline Results From the Chinese Cohort Study of Chronic Kidney Disease (C-STRIDE). <i>American Journal of Hypertension</i> , 2018, 31, 486-494.	2.0	24
34	Reduced Kidney Function, Albuminuria, and Risks for All-cause and Cardiovascular Mortality in China: A Population-based Cohort Study. <i>BMC Nephrology</i> , 2017, 18, 188.	1.8	22
35	Clinical features and CKD-related quality of life in patients with CKD G3a and CKD G3b in China: results from the Chinese Cohort Study of Chronic Kidney Disease (C-STRIDE). <i>BMC Nephrology</i> , 2017, 18, 311.	1.8	21
36	External Validation of International Risk-Prediction Models of IgA Nephropathy in an Asian-Caucasian Cohort. <i>Kidney International Reports</i> , 2020, 5, 1753-1763.	0.8	21

#	ARTICLE	IF	CITATIONS
37	Sleep Disorders and Cognitive Impairment in Peritoneal Dialysis: A Multicenter Prospective Cohort Study. <i>Kidney and Blood Pressure Research</i> , 2019, 44, 1115-1127.	2.0	19
38	Kidney function and cognitive decline in an oldest-old Chinese population. <i>Clinical Interventions in Aging</i> , 2017, Volume 12, 1049-1054.	2.9	17
39	Short-Term Systolic Blood Pressure Variability and Kidney Disease Progression in Patients With Chronic Kidney Disease: Results From C&STRIDE. <i>Journal of the American Heart Association</i> , 2020, 9, e015359.	3.7	17
40	Geriatric nutrition risk index is associated with renal progression, cardiovascular events and all-cause mortality in chronic kidney disease. <i>Journal of Nephrology</i> , 2020, 33, 783-793.	2.0	15
41	Cardiovascular health metrics and all-cause mortality and mortality from major non-communicable chronic diseases among Chinese adult population. <i>International Journal of Cardiology</i> , 2020, 313, 123-128.	1.7	15
42	Clinical features and long-term outcomes of diabetic kidney disease – A prospective cohort study from China. <i>Journal of Diabetes and Its Complications</i> , 2019, 33, 39-45.	2.3	14
43	Mortality risk of chronic kidney disease: A comparison between the adult populations in urban China and the United States. <i>PLoS ONE</i> , 2018, 13, e0193734.	2.5	14
44	Incidence and Risk Factors of in-hospital mortality from AKI after non-cardiovascular operation: A nationwide Survey in China. <i>Scientific Reports</i> , 2017, 7, 13953.	3.3	13
45	Association between serum uric acid level and mortality in China. <i>Chinese Medical Journal</i> , 2021, 134, 2073-2080.	2.3	13
46	Incidence, Development, and Prognosis of Diabetic Kidney Disease in China: Design and Methods. <i>Chinese Medical Journal</i> , 2017, 130, 199-202.	2.3	13
47	Using electronic health record data to establish a chronic kidney disease surveillance system in China: protocol for the China Kidney Disease Network (CK-NET)-Yinzhou Study. <i>BMJ Open</i> , 2019, 9, e030102.	1.9	12
48	Soluble urokinase-type plasminogen activator receptor and incident end-stage renal disease in Chinese patients with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 465-470.	0.7	12
49	Severe Adverse Effects Associated With Corticosteroid Treatment in Patients With IgA Nephropathy. <i>Kidney International Reports</i> , 2017, 2, 603-609.	0.8	11
50	Effect of clinical decision support systems on clinical outcome for acute kidney injury: a systematic review and meta-analysis. <i>BMC Nephrology</i> , 2021, 22, 271.	1.8	11
51	Prevalence and treatment of hypertension in China: impacts of 2017 American College of Cardiology/American Heart Association High Blood Pressure Guideline. <i>Science Bulletin</i> , 2018, 63, 488-493.	9.0	10
52	International Society of Nephrology Global Kidney Health Atlas: structures, organization and services for the management of kidney failure in North and East Asia. <i>Kidney International Supplements</i> , 2021, 11, e77-e85.	14.2	10
53	Long-Term Exposure to Ambient PM2.5, Sunlight, and Obesity: A Nationwide Study in China. <i>Frontiers in Endocrinology</i> , 2021, 12, 790294.	3.5	10
54	Cohort Profile: The Fangshan Cohort Study of Cardiovascular Epidemiology in Beijing, China. <i>Journal of Epidemiology</i> , 2014, 24, 84-93.	2.4	9

#	ARTICLE	IF	CITATIONS
55	Levels of Serum Phosphorus and Cardiovascular Surrogate Markers. <i>Journal of Atherosclerosis and Thrombosis</i> , 2016, 23, 95-104.	2.0	9
56	Joint association of body mass index and central obesity with cardiovascular events and all-cause mortality in prediabetic population: A prospective cohort study. <i>Obesity Research and Clinical Practice</i> , 2019, 13, 453-461.	1.8	9
57	Nocturnal Systolic Hypertension and Adverse Prognosis in Patients with CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021, 16, 356-364.	4.5	9
58	Influence of doctors' perception on the diagnostic status of chronic kidney disease: results from 976 individuals with electronic health records in China. <i>CKJ: Clinical Kidney Journal</i> , 2021, 14, 2428-2436.	2.9	9
59	The level of urinary C4d is associated with disease progression in IgA nephropathy with glomerular crescentic lesions: a cohort study. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, 2119-2127.	0.7	9
60	Association between NIN2 gene polymorphisms and ischemic stroke: a family-based case-control study. <i>Journal of Thrombosis and Thrombolysis</i> , 2014, 38, 470-476.	2.1	8
61	Mineral and Bone Disorder and Its Association with Cardiovascular Parameters in Chinese Patients with Chronic Kidney Disease. <i>Chinese Medical Journal</i> , 2016, 129, 2275-2280.	2.3	8
62	Associations between long-term ambient PM _{2.5} exposure and prevalence of chronic kidney disease in China: a national cross-sectional study. <i>Lancet, The</i> , 2019, 394, S93.	13.7	8
63	<p>Incidence Rates of Four Major Non-Communicable Chronic Diseases in the Chinese Adult Population from 2007 to 2016: A Study Based on a National Commercial Claims Database</p>; <i>Clinical Epidemiology</i> , 2020, Volume 12, 215-222.	3.0	8
64	Anemia among Chinese patients with chronic kidney disease and its association with quality of life - results from the Chinese cohort study of chronic kidney disease (C-STRIDE). <i>BMC Nephrology</i> , 2021, 22, 64.	1.8	8
65	Association Between Body Mass Index Combined with Albumin: creatinine Ratio and All-cause Mortality in Chinese Population. <i>Scientific Reports</i> , 2017, 7, 10878.	3.3	7
66	White-coat hypertension and incident end-stage renal disease in patients with non-dialysis chronic kidney disease: results from the C-STRIDE Study. <i>Journal of Translational Medicine</i> , 2020, 18, 238.	4.4	7
67	Linkage and Association Between Interleukin-6 Gene Polymorphisms and Ischemic Stroke: A Family-Based Study in the Northern Chinese Han Population. <i>Genetic Testing and Molecular Biomarkers</i> , 2014, 18, 761-766.	0.7	6
68	Characteristics and comparison between diabetes mellitus and non-diabetes mellitus among chronic kidney disease patients: A cross-sectional study of the Chinese Cohort Study of Chronic Kidney Disease (C-STRIDE). <i>Oncotarget</i> , 2017, 8, 106324-106332.	1.8	6
69	Dipstick proteinuria and risk of myocardial infarction and all-cause mortality in diabetes or pre-diabetes: a population-based cohort study. <i>Scientific Reports</i> , 2017, 7, 11986.	3.3	5
70	Time-averaged serum uric acid and 10-year incident diabetic kidney disease: A prospective study from China. <i>Journal of Diabetes</i> , 2020, 12, 169-178.	1.8	5
71	Urinary magnesium predicts risk of cardiovascular disease in Chronic Kidney Disease stage 1-4 patients. <i>Clinical Nutrition</i> , 2021, 40, 2394-2400.	5.0	5
72	Impact of diabetes mellitus on short-term prognosis, length of stay, and costs in patients with acute kidney injury: A nationwide survey in China. <i>PLoS ONE</i> , 2021, 16, e0250934.	2.5	5

#	ARTICLE	IF	CITATIONS
73	Metabolic Syndrome without Diabetes or Hypertension Still Necessitates Early Screening for Chronic Kidney Disease: Information from a Chinese National Cross-Sectional Study. PLoS ONE, 2015, 10, e0132220.	2.5	5
74	UMOD Polymorphisms Associated with Kidney Function, Serum Uromodulin and Risk of Mortality among Patients with Chronic Kidney Disease, Results from the C-STRIDE Study. Genes, 2021, 12, 1687.	2.4	5
75	Structure-aware siamese graph neural networks for encounter-level patient similarity learning. Journal of Biomedical Informatics, 2022, 127, 104027.	4.3	5
76	Utilization of antihypertensive drugs among chronic kidney disease patients: Results from the Chinese cohort study of chronic kidney disease (Câ€“STRIDE). Journal of Clinical Hypertension, 2020, 22, 57-64.	2.0	4
77	Clinical significance of single and persistent elevation of serum high-sensitivity C-reactive protein levels for prediction of kidney outcomes in patients with impaired fasting glucose or diabetes mellitus. Journal of Nephrology, 2021, 34, 1179-1188.	2.0	4
78	Reduction in Serum High-Sensitivity C-Reactive Protein Favors Kidney Outcomes in Patients with Impaired Fasting Glucose or Diabetes. Journal of Diabetes Research, 2020, 2020, 1-7.	2.3	4
79	Association between plasma phosphorus and renal outcome: A prospective cohort of patients majorly with glomerulonephritis. Nephrology, 2017, 22, 43-48.	1.6	3
80	Unstably controlled systolic blood pressure trajectories are associated with markers for kidney damage in prediabetic population: results from the INDEED cohort study. Journal of Translational Medicine, 2020, 18, 194.	4.4	3
81	Association of cardiovascular disease with 30-day hospital readmission in Chinese patients receiving maintenance dialysis. Annals of Translational Medicine, 2021, 9, 617-617.	1.7	3
82	Association of left ventricular hypertrophy and functional impairment with cardiovascular outcomes and mortality among patients with chronic kidney disease, results from the Câ€“STRIDE Study. Nephrology, 2021, , .	1.6	3
83	Healthcare resource utilisation for chronic kidney disease and other major non-communicable chronic diseases in China: a cross-sectional study. BMJ Open, 2022, 12, e051888.	1.9	3
84	Prevalence and Correlates of Cardiovascular Calcification and Its Prognostic Effects Among Patients With Chronic Kidney Disease: Results From the C-STRIDE Study. Frontiers in Public Health, 2021, 9, 762370.	2.7	3
85	Longitudinal Follow-Up and Outcomes for Chinese Patients with Stage 1â€“4 Chronic Kidney Disease. Kidney Diseases (Basel, Switzerland), 2022, 8, 72-81.	2.5	2
86	Effects of ambient temperature on hospital admissions for obstructive nephropathy in Wuhan, China: A time-series analysis. Ecotoxicology and Environmental Safety, 2022, 242, 113876.	6.0	2
87	The authors reply. Kidney International, 2019, 95, 233.	5.2	1
88	Ethnicity and Chronic Kidney Disease in China. , 2020, , 167-179.		1
89	Association between diabetes mellitus and health-related quality of life among patients with chronic kidney disease: results from the Chinese Cohort Study of Chronic Kidney Disease (C-STRIDE). Health and Quality of Life Outcomes, 2020, 18, 266.	2.4	1
90	Serum anti-CRP antibodies differentiate etiology and predict relapse in acute tubulointerstitial nephritis. CKJ: Clinical Kidney Journal, 2022, 15, 51-59.	2.9	1

#	ARTICLE	IF	CITATIONS
91	Response to “Hypertension Control Prevalence Estimates Should Account for Age”, American Journal of Hypertension, 2014, 27, 1427-1427.	2.0	0
92	SP359 Anemia among Chinese Patients with Chronic Kidney Disease and Its Association with Quality of Life - Results from the Chinese Cohort Study of Chronic Kidney Disease (C-STRIDE). Nephrology Dialysis Transplantation, 2019, 34, .	0.7	0
93	Two Phenotypes of Acute Kidney Injury Among Patients with COVID-19: A Multicenter Study from Wuhan, China. SSRN Electronic Journal, 0, , .	0.4	0
94	Diagnostic Status of Chronic Kidney Disease in China “ Results from 976,409 Individuals with Electronic Health Records. SSRN Electronic Journal, 0, , .	0.4	0