
Jin-Wei Wang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7242524/publications.pdf Version: 2024-02-01



IN-WEI WANC

#	Article	IF	CITATIONS
1	Serum anti-CRP antibodies differentiate etiology and predict relapse in acute tubulointerstitial nephritis. CKJ: Clinical Kidney Journal, 2022, 15, 51-59.	1.4	1
2	Longitudinal Follow-Up and Outcomes for Chinese Patients with Stage 1–4 Chronic Kidney Disease. Kidney Diseases (Basel, Switzerland), 2022, 8, 72-81.	1.2	2
3	Healthcare resource utilisation for chronic kidney disease and other major non-communicable chronic diseases in China: a cross-sectional study. BMJ Open, 2022, 12, e051888.	0.8	3
4	The level of urinary C4d is associated with disease progression in IgA nephropathy with glomerular crescentic lesions: a cohort study. Nephrology Dialysis Transplantation, 2022, 37, 2119-2127.	0.4	9
5	Structure-aware siamese graph neural networks for encounter-level patient similarity learning. Journal of Biomedical Informatics, 2022, 127, 104027.	2.5	5
6	Effects of ambient temperature on hospital admissions for obstructive nephropathy in Wuhan, China: A time-series analysis. Ecotoxicology and Environmental Safety, 2022, 242, 113876.	2.9	2
7	Clinical significance of single and persistent elevation of serum high-sensitivity C-reactive protein levels for prediction of kidney outcomes in patients with impaired fasting glucose or diabetes mellitus. Journal of Nephrology, 2021, 34, 1179-1188.	0.9	4
8	Drug-Induced Hospital-Acquired Acute Kidney Injury in China: A Multicenter Cross-Sectional Survey. Kidney Diseases (Basel, Switzerland), 2021, 7, 143-155.	1.2	25
9	Urinary magnesium predicts risk of cardiovascular disease in Chronic Kidney Disease stage 1–4 patients. Clinical Nutrition, 2021, 40, 2394-2400.	2.3	5
10	Long-Term Exposure to Ambient PM2.5 and Increased Risk of CKD Prevalence in China. Journal of the American Society of Nephrology: JASN, 2021, 32, 448-458.	3.0	56
11	Nocturnal Systolic Hypertension and Adverse Prognosis in Patients with CKD. Clinical Journal of the American Society of Nephrology: CJASN, 2021, 16, 356-364.	2.2	9
12	Anemia among Chinese patients with chronic kidney disease and its association with quality of life - results from the Chinese cohort study of chronic kidney disease (C-STRIDE). BMC Nephrology, 2021, 22, 64.	0.8	8
13	Association of cardiovascular disease with 30-day hospital readmission in Chinese patients receiving maintenance dialysis. Annals of Translational Medicine, 2021, 9, 617-617.	0.7	3
14	Impact of diabetes mellitus on short-term prognosis, length of stay, and costs in patients with acute kidney injury: A nationwide survey in China. PLoS ONE, 2021, 16, e0250934.	1.1	5
15	International Society of Nephrology Global Kidney Health Atlas: structures, organization and services for the management of kidney failure in North and East Asia. Kidney International Supplements, 2021, 11, e77-e85.	4.6	10
16	Influence of doctors' perception on the diagnostic status of chronic kidney disease: results from 976 409 individuals with electronic health records in China. CKJ: Clinical Kidney Journal, 2021, 14, 2428-2436.	1.4	9
17	Estimation of Prevalence of Kidney Disease Treated With Dialysis in China: A Study of Insurance Claims Data. American Journal of Kidney Diseases, 2021, 77, 889-897.e1.	2.1	38
18	Association between serum uric acid level and mortality in China. Chinese Medical Journal, 2021, 134, 2073-2080.	0.9	13

#	Article	IF	CITATIONS
19	Effect of clinical decision support systems on clinical outcome for acute kidney injury: a systematic review and meta-analysis. BMC Nephrology, 2021, 22, 271.	0.8	11
20	UMOD Polymorphisms Associated with Kidney Function, Serum Uromodulin and Risk of Mortality among Patients with Chronic Kidney Disease, Results from the C-STRIDE Study. Genes, 2021, 12, 1687.	1.0	5
21	Association of left ventricular hypertrophy and functional impairment with cardiovascular outcomes and mortality among patients with chronic kidney disease, results from the C‧TRIDE Study. Nephrology, 2021, , .	0.7	3
22	Long-Term Exposure to Ambient PM2.5, Sunlight, and Obesity: A Nationwide Study in China. Frontiers in Endocrinology, 2021, 12, 790294.	1.5	10
23	Prevalence and Correlates of Cardiovascular Calcification and Its Prognostic Effects Among Patients With Chronic Kidney Disease: Results From the C-STRIDE Study. Frontiers in Public Health, 2021, 9, 762370.	1.3	3
24	Soluble urokinase-type plasminogen activator receptor and incident end-stage renal disease in Chinese patients with chronic kidney disease. Nephrology Dialysis Transplantation, 2020, 35, 465-470.	0.4	12
25	Ethnicity and Chronic Kidney Disease in China. , 2020, , 167-179.		1
26	Timeâ€averaged serum uric acid and 10â€year incident diabetic kidney disease: A prospective study from China. Journal of Diabetes, 2020, 12, 169-178.	0.8	5
27	Utilization of antihypertensive drugs among chronic kidney disease patients: Results from the Chinese cohort study of chronic kidney disease (C‧TRIDE). Journal of Clinical Hypertension, 2020, 22, 57-64.	1.0	4
28	Geriatric nutrition risk index is associated with renal progression, cardiovascular events and all-cause mortality in chronic kidney disease. Journal of Nephrology, 2020, 33, 783-793.	0.9	15
29	Executive summary for China Kidney Disease Network (CK-NET) 2016 Annual Data Report. Kidney International, 2020, 98, 1419-1423.	2.6	56
30	China Kidney Disease Network (CK-NET) 2016 Annual Data Report. Kidney International Supplements, 2020, 10, e97-e185.	4.6	70
31	Early versus late acute kidney injury among patients with COVID-19—a multicenter study from Wuhan, China. Nephrology Dialysis Transplantation, 2020, 35, 2095-2102.	0.4	30
32	Association between diabetes mellitus and health-related quality of life among patients with chronic kidney disease: results from the Chinese Cohort Study of Chronic Kidney Disease (C-STRIDE). Health and Quality of Life Outcomes, 2020, 18, 266.	1.0	1
33	External Validation of International Risk-Prediction Models of IgA Nephropathy in an Asian-Caucasian Cohort. Kidney International Reports, 2020, 5, 1753-1763.	0.4	21
34	Prevalence of Kidney Injury and Associations with Critical Illness and Death in Patients with COVID-19. Clinical Journal of the American Society of Nephrology: CJASN, 2020, 15, 1549-1556.	2.2	35
35	Unstably controlled systolic blood pressure trajectories are associated with markers for kidney damage in prediabetic population: results from the INDEED cohort study. Journal of Translational Medicine, 2020, 18, 194.	1.8	3
36	White-coat hypertension and incident end-stage renal disease in patients with non-dialysis chronic kidney disease: results from the C-STRIDE Study. Journal of Translational Medicine, 2020, 18, 238.	1.8	7

#	Article	IF	CITATIONS
37	Shortâ€Term Systolic Blood Pressure Variability and Kidney Disease Progression in Patients With Chronic Kidney Disease: Results From Câ€STRIDE. Journal of the American Heart Association, 2020, 9, e015359.	1.6	17
38	<p>Incidence Rates of Four Major Non-Communicable Chronic Diseases in the Chinese Adult Population from 2007 to 2016: A Study Based on a National Commercial Claims Database</p> . Clinical Epidemiology, 2020, Volume 12, 215-222.	1.5	8
39	Reduction in Serum High-Sensitivity C-Reactive Protein Favors Kidney Outcomes in Patients with Impaired Fasting Glucose or Diabetes. Journal of Diabetes Research, 2020, 2020, 1-7.	1.0	4
40	Cardiovascular health metrics and all-cause mortality and mortality from major non-communicable chronic diseases among Chinese adult population. International Journal of Cardiology, 2020, 313, 123-128.	0.8	15
41	Persistent Hematuria and Kidney Disease Progression in IgA Nephropathy: A Cohort Study. American Journal of Kidney Diseases, 2020, 76, 90-99.	2.1	55
42	SP359Anemia among Chinese Patients with Chronic Kidney Disease and Its Association with Quality of Life - Results from the Chinese Cohort Study of Chronic Kidney Disease (C-STRIDE). Nephrology Dialysis Transplantation, 2019, 34, .	0.4	0
43	Plasma Galactose-Deficient IgA1 and C3 and CKD Progression in IgA Nephropathy. Clinical Journal of the American Society of Nephrology: CJASN, 2019, 14, 1458-1465.	2.2	36
44	Associations between long-term ambient PM2·5 exposure and prevalence of chronic kidney disease in China: a national cross-sectional study. Lancet, The, 2019, 394, S93.	6.3	8
45	Sleep Disorders and Cognitive Impairment in Peritoneal Dialysis: A Multicenter Prospective Cohort Study. Kidney and Blood Pressure Research, 2019, 44, 1115-1127.	0.9	19
46	Joint association of body mass index and central obesity with cardiovascular events and all-cause mortality in prediabetic population: A prospective cohort study. Obesity Research and Clinical Practice, 2019, 13, 453-461.	0.8	9
47	Neutrophil-to-lymphocyte ratio and incident end-stage renal disease in Chinese patients with chronic kidney disease: results from the Chinese Cohort Study of Chronic Kidney Disease (C-STRIDE). Journal of Translational Medicine, 2019, 17, 86.	1.8	58
48	Executive summary for the 2015 Annual Data Report ofÂthe China Kidney Disease Network (CK-NET). Kidney International, 2019, 95, 501-505.	2.6	103
49	China Kidney Disease Network (CK-NET) 2015 Annual Data Report. Kidney International Supplements, 2019, 9, e1-e81.	4.6	83
50	Using electronic health record data to establish a chronic kidney disease surveillance system in China: protocol for the China Kidney Disease Network (CK-NET)-Yinzhou Study. BMJ Open, 2019, 9, e030102.	0.8	12
51	The authors reply. Kidney International, 2019, 95, 233.	2.6	1
52	Clinical features and long-term outcomes of diabetic kidney disease – A prospective cohort study from China. Journal of Diabetes and Its Complications, 2019, 33, 39-45.	1.2	14
53	Primary glomerular nephropathy among hospitalized patients in a national database in China. Nephrology Dialysis Transplantation, 2018, 33, 2173-2181.	0.4	26
54	Effects of Hydroxychloroquine on Proteinuria in Immunoglobulin A Nephropathy. American Journal of Nephrology, 2018, 47, 145-152.	1.4	25

#	Article	IF	CITATIONS
55	Disease burden and challenges of chronic kidney disease in North and East Asia. Kidney International, 2018, 94, 22-25.	2.6	43
56	Prevalence and treatment of hypertension in China: impacts of 2017 American College of Cardiology/American Heart Association High Blood Pressure Guideline. Science Bulletin, 2018, 63, 488-493.	4.3	10
57	Hypertension Control in Adults With CKD in China: Baseline Results From the Chinese Cohort Study of Chronic Kidney Disease (C-STRIDE). American Journal of Hypertension, 2018, 31, 486-494.	1.0	24
58	Serum uromodulin and progression of kidney disease in patients with chronic kidney disease. Journal of Translational Medicine, 2018, 16, 316.	1.8	32
59	The frequency of ANCA-associated vasculitis in a national database of hospitalized patients in China. Arthritis Research and Therapy, 2018, 20, 226.	1.6	41
60	Prevalence and Risk Factors for CKD: A Comparison Between the Adult Populations in China and the United States. Kidney International Reports, 2018, 3, 1135-1143.	0.4	58
61	Cognitive Changes in Peritoneal Dialysis Patients: A Multicenter Prospective Cohort Study. American Journal of Kidney Diseases, 2018, 72, 691-700.	2.1	37
62	Mortality risk of chronic kidney disease: A comparison between the adult populations in urban China and the United States. PLoS ONE, 2018, 13, e0193734.	1.1	14
63	Association between plasma phosphorus and renal outcome: A prospective cohort of patients majorly with glomerulonephritis. Nephrology, 2017, 22, 43-48.	0.7	3
64	Prevalence and risk factors for cardiovascular disease among chronic kidney disease patients: results from the Chinese cohort study of chronic kidney disease (C-STRIDE). BMC Nephrology, 2017, 18, 23.	0.8	58
65	Community-Acquired Acute Kidney Injury: A Nationwide Survey in China. American Journal of Kidney Diseases, 2017, 69, 647-657.	2.1	49
66	Severe Adverse Effects Associated With Corticosteroid Treatment in Patients With IgA Nephropathy. Kidney International Reports, 2017, 2, 603-609.	0.4	11
67	Pregnancy and Kidney Outcomes in Patients With IgA Nephropathy: A Cohort Study. American Journal of Kidney Diseases, 2017, 70, 262-269.	2.1	28
68	Incidence and Risk Factors of in-hospital mortality from AKI after non-cardiovascular operation: A nationwide Survey in China. Scientific Reports, 2017, 7, 13953.	1.6	13
69	Dipstick proteinuria and risk of myocardial infarction and all-cause mortality in diabetes or pre-diabetes: a population-based cohort study. Scientific Reports, 2017, 7, 11986.	1.6	5
70	Association Between Body Mass Index Combined with Albumin: creatinine Ratio and All-cause Mortality in Chinese Population. Scientific Reports, 2017, 7, 10878.	1.6	7
71	Reduced Kidney Function, Albuminuria, and Risks for All-cause and Cardiovascular Mortality in China: A Population-based Cohort Study. BMC Nephrology, 2017, 18, 188.	0.8	22
72	Clinical features and CKD-related quality of life in patients with CKD G3a and CKD G3b in China: results from the Chinese Cohort Study of Chronic Kidney Disease (C-STRIDE). BMC Nephrology, 2017, 18, 311.	0.8	21

#	Article	IF	CITATIONS
73	Kidney function and cognitive decline in an oldest-old Chinese population. Clinical Interventions in Aging, 2017, Volume 12, 1049-1054.	1.3	17
74	China Kidney Disease Network (CK-NET) 2014 Annual Data Report. American Journal of Kidney Diseases, 2017, 69, A4.	2.1	28
75	Characteristics and comparison between diabetes mellitus and non-diabetes mellitus among chronic kidney disease patients: A cross-sectional study of the Chinese Cohort Study of Chronic Kidney Disease (C-STRIDE). Oncotarget, 2017, 8, 106324-106332.	0.8	6
76	Incidence, Development, and Prognosis of Diabetic Kidney Disease in China: Design and Methods. Chinese Medical Journal, 2017, 130, 199-202.	0.9	13
77	Mineral and Bone Disorder and Its Association with Cardiovascular Parameters in Chinese Patients with Chronic Kidney Disease. Chinese Medical Journal, 2016, 129, 2275-2280.	0.9	8
78	Trends in Chronic Kidney Disease in China. New England Journal of Medicine, 2016, 375, 905-906.	13.9	526
79	Levels of Serum Phosphorus and Cardiovascular Surrogate Markers. Journal of Atherosclerosis and Thrombosis, 2016, 23, 95-104.	0.9	9
80	Effect of Statins on Kidney Disease Outcomes: AÂSystematicÂReview and Meta-analysis. American Journal of Kidney Diseases, 2016, 67, 881-892.	2.1	112
81	The prevalence, awareness, treatment and control of dyslipidemia among adults in China. Atherosclerosis, 2016, 248, 2-9.	0.4	269
82	Prevalence of Post-Stroke Cognitive Impairment in China: A Community-Based, Cross-Sectional Study. PLoS ONE, 2015, 10, e0122864.	1.1	91
83	Serum Phosphorus and Progression of CKD and Mortality: A Meta-analysis of Cohort Studies. American Journal of Kidney Diseases, 2015, 66, 258-265.	2.1	116
84	Acute kidney injury in China: a cross-sectional survey. Lancet, The, 2015, 386, 1465-1471.	6.3	319
85	Metabolic Syndrome without Diabetes or Hypertension Still Necessitates Early Screening for Chronic Kidney Disease: Information from a Chinese National Cross-Sectional Study. PLoS ONE, 2015, 10, e0132220.	1.1	5
86	Response to "Hypertension Control Prevalence Estimates Should Account for Age― American Journal of Hypertension, 2014, 27, 1427-1427.	1.0	0
87	Prevalence, Awareness, Treatment, and Control of Hypertension in China: Results From a National Survey. American Journal of Hypertension, 2014, 27, 1355-1361.	1.0	335
88	Linkage and Association Between Interleukin-6 Gene Polymorphisms and Ischemic Stroke: A Family-Based Study in the Northern Chinese Han Population. Genetic Testing and Molecular Biomarkers, 2014, 18, 761-766.	0.3	6
89	Relationship between menopause and health-related quality of life in middle-aged Chinese women: a cross-sectional study. BMC Women's Health, 2014, 14, 7.	0.8	32
90	Association between NINJ2 gene polymorphisms and ischemic stroke: a family-based case–control study. Journal of Thrombosis and Thrombolysis, 2014, 38, 470-476.	1.0	8

#	Article	IF	CITATIONS
91	Cohort Profile: The Fangshan Cohort Study of Cardiovascular Epidemiology in Beijing, China. Journal of Epidemiology, 2014, 24, 84-93.	1.1	9
92	Association between Ambient Temperature and Blood Pressure and Blood Pressure Regulators: 1831 Hypertensive Patients Followed Up for Three Years. PLoS ONE, 2013, 8, e84522.	1.1	50
93	Two Phenotypes of Acute Kidney Injury Among Patients with COVID-19: A Multicenter Study from Wuhan, China. SSRN Electronic Journal, 0, , .	0.4	0
94	Diagnostic Status of Chronic Kidney Disease in China – Results from 976,409 Individuals with Electronic Health Records. SSRN Electronic Journal, 0, , .	0.4	0