

Sang-Don Park

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7242601/publications.pdf>

Version: 2024-02-01

332
papers

12,434
citations

44069

48
h-index

31849

101
g-index

345
all docs

345
docs citations

345
times ranked

11797
citing authors

#	ARTICLE	IF	CITATIONS
1	Stent thrombosis with drug-eluting and bare-metal stents: evidence from a comprehensive network meta-analysis. <i>Lancet, The</i> , 2012, 379, 1393-1402.	13.7	854
2	Derivation and validation of the predicting bleeding complications in patients undergoing stent implantation and subsequent dual antiplatelet therapy (PRECISE-DAPT) score: a pooled analysis of individual-patient datasets from clinical trials. <i>Lancet, The</i> , 2017, 389, 1025-1034.	13.7	840
3	Six-Month Versus 12-Month Dual Antiplatelet Therapy After Implantation of Drug-Eluting Stents. <i>Circulation</i> , 2012, 125, 505-513.	1.6	555
4	Defining High Bleeding Risk in Patients Undergoing Percutaneous Coronary Intervention. <i>Circulation</i> , 2019, 140, 240-261.	1.6	428
5	Impact of Platelet Reactivity on Clinical Outcomes After Percutaneous Coronary Intervention. <i>Journal of the American College of Cardiology</i> , 2011, 58, 1945-1954.	2.8	383
6	Outcomes in Transcatheter Aortic Valve Replacement for Bicuspid Versus Tricuspid Aortic Valve Stenosis. <i>Journal of the American College of Cardiology</i> , 2017, 69, 2579-2589.	2.8	356
7	Mortality in patients treated with extended duration dual antiplatelet therapy after drug-eluting stent implantation: a pairwise and Bayesian network meta-analysis of randomised trials. <i>Lancet, The</i> , 2015, 385, 2371-2382.	13.7	345
8	Defining high bleeding risk in patients undergoing percutaneous coronary intervention: a consensus document from the Academic Research Consortium for High Bleeding Risk. <i>European Heart Journal</i> , 2019, 40, 2632-2653.	2.2	335
9	Efficacy and Safety of Dual Antiplatelet Therapy After Complex PCI. <i>Journal of the American College of Cardiology</i> , 2016, 68, 1851-1864.	2.8	319
10	Randomized Trial of Stents Versus Bypass Surgery for Left Main Coronary Artery Disease. <i>Journal of the American College of Cardiology</i> , 2015, 65, 2198-2206.	2.8	308
11	Impact of the Everolimus-Eluting Stent on Stent Thrombosis. <i>Journal of the American College of Cardiology</i> , 2011, 58, 1569-1577.	2.8	258
12	Dual Antiplatelet Therapy Duration Based on Ischemic and Bleeding Risks After Coronary Stenting. <i>Journal of the American College of Cardiology</i> , 2019, 73, 741-754.	2.8	218
13	Adenylyl Cyclase-Associated Protein 1 Is a Receptor for Human Resistin and Mediates Inflammatory Actions of Human Monocytes. <i>Cell Metabolism</i> , 2014, 19, 484-497.	16.2	213
14	Predictors and Outcomes of Side Branch Occlusion After Main Vessel Stenting in Coronary Bifurcation Lesions. <i>Journal of the American College of Cardiology</i> , 2013, 62, 1654-1659.	2.8	188
15	Identification of High-Risk Plaques Destined to Cause Acute Coronary Syndrome Using Coronary Computed Tomographic Angiography and Computational Fluid Dynamics. <i>JACC: Cardiovascular Imaging</i> , 2019, 12, 1032-1043.	5.3	188
16	Multicenter Randomized Trial Evaluating the Efficacy of Cilostazol on Ischemic Vascular Complications After Drug-Eluting Stent Implantation for Coronary Heart Disease. <i>Journal of the American College of Cardiology</i> , 2011, 57, 280-289.	2.8	177
17	Transcatheter Aortic Valve Replacement With Early- and New-Generation Devices in Bicuspid Aortic Valve Stenosis. <i>Journal of the American College of Cardiology</i> , 2016, 68, 1195-1205.	2.8	177
18	Short- Versus Long-Term Dual Antiplatelet Therapy After Drug-Eluting Stent Implantation. <i>Journal of the American College of Cardiology</i> , 2015, 65, 1092-1102.	2.8	163

#	ARTICLE	IF	CITATIONS
19	Aspirin versus clopidogrel for chronic maintenance monotherapy after percutaneous coronary intervention (HOST-EXAM): an investigator-initiated, prospective, randomised, open-label, multicentre trial. <i>Lancet, The</i> , 2021, 397, 2487-2496.	13.7	162
20	A Novel Noninvasive Technology for Treatment Planning Using Virtual Coronary Stenting and Computed Tomography-Derived Computed Fractional Flow Reserve. <i>JACC: Cardiovascular Interventions</i> , 2014, 7, 72-78.	2.9	144
21	Edoxaban versus Vitamin K Antagonist for Atrial Fibrillation after TAVR. <i>New England Journal of Medicine</i> , 2021, 385, 2150-2160.	27.0	144
22	Three, six, or twelve months of dual antiplatelet therapy after DES implantation in patients with or without acute coronary syndromes: an individual patient data pairwise and network meta-analysis of six randomized trials and 11,473 patients. <i>European Heart Journal</i> , 2017, 38, ehw627.	2.2	138
23	Global position paper on cardiovascular regenerative medicine. <i>European Heart Journal</i> , 2017, 38, 2532-2546.	2.2	133
24	CD82/KAI1 Maintains the Dormancy of Long-Term Hematopoietic Stem Cells through Interaction with DARC-Expressing Macrophages. <i>Cell Stem Cell</i> , 2016, 18, 508-521.	11.1	130
25	Prasugrel-based de-escalation of dual antiplatelet therapy after percutaneous coronary intervention in patients with acute coronary syndrome (HOST-REDUCE-POLYTECH-ACS): an open-label, multicentre, non-inferiority randomised trial. <i>Lancet, The</i> , 2020, 396, 1079-1089.	13.7	125
26	Stent Thrombosis With Drug-Eluting Stents and Bioresorbable Scaffolds. <i>JACC: Cardiovascular Interventions</i> , 2016, 9, 1203-1212.	2.9	118
27	Bleeding-Related Deaths in Relation to the Duration of Dual-Antiplatelet Therapy After Coronary Stenting. <i>Journal of the American College of Cardiology</i> , 2017, 69, 2011-2022.	2.8	109
28	Racial Differences in Ischaemia/Bleeding Risk Trade-Off during Anti-Platelet Therapy: Individual Patient Level Landmark Meta-Analysis from Seven RCTs. <i>Thrombosis and Haemostasis</i> , 2019, 119, 149-162.	3.4	107
29	Comparison Among Drug-Eluting Balloon, Drug-Eluting Stent, and Plain Balloon Angioplasty for the Treatment of In-Stent Restenosis. <i>JACC: Cardiovascular Interventions</i> , 2015, 8, 382-394.	2.9	97
30	Toll-like receptor mediated inflammation requires FASN-dependent MYD88 palmitoylation. <i>Nature Chemical Biology</i> , 2019, 15, 907-916.	8.0	87
31	A Randomized Comparison of Platinum Chromium-Based Everolimus-Eluting Stents Versus Cobalt Chromium-Based Zotarolimus-Eluting Stents in All-Comers Receiving Percutaneous Coronary Intervention. <i>Journal of the American College of Cardiology</i> , 2014, 63, 2805-2816.	2.8	80
32	Multivessel Percutaneous Coronary Intervention in Patients With ST-Segment Elevation Myocardial Infarction With Cardiogenic Shock. <i>Journal of the American College of Cardiology</i> , 2018, 71, 844-856.	2.8	77
33	M-CSF from Cancer Cells Induces Fatty Acid Synthase and PPAR α Activation in Tumor Myeloid Cells, Leading to Tumor Progression. <i>Cell Reports</i> , 2015, 10, 1614-1625.	6.4	72
34	Comparison of short-term clinical outcomes between ticagrelor versus clopidogrel in patients with acute myocardial infarction undergoing successful revascularization; from Korea Acute Myocardial Infarction Registry. <i>National Institute of Health. International Journal of Cardiology</i> , 2016, 215, 193-200.	1.7	70
35	Current status of cholesterol goal attainment after statin therapy among patients with hypercholesterolemia in Asian countries and region: the Return on Expenditure Achieved for Lipid Therapy in Asia (REALITY-Asia) study. <i>Current Medical Research and Opinion</i> , 2008, 24, 1951-1963.	1.9	69
36	10-Year Outcomes of Stents Versus Coronary Artery Bypass Grafting for Left Main Coronary Artery Disease. <i>Journal of the American College of Cardiology</i> , 2018, 72, 2813-2822.	2.8	69

#	ARTICLE	IF	CITATIONS
37	Clinical Outcomes Following Transcatheter Aortic Valve Replacement in Asian Population. JACC: Cardiovascular Interventions, 2016, 9, 926-933.	2.9	67
38	Integrated Myocardial Perfusion Imaging Diagnostics Improve Detection of Functionally Significant Coronary Artery Stenosis by ¹³ N-ammonia Positron Emission Tomography. Circulation: Cardiovascular Imaging, 2016, 9, .	2.6	67
39	Differential Prognostic Impact of Treatment Strategy Among Patients With Left Main Versus Non-Left Main Bifurcation Lesions Undergoing Percutaneous Coronary Intervention. JACC: Cardiovascular Interventions, 2014, 7, 255-263.	2.9	64
40	Chronic Kidney Disease in the Second-Generation Drug-Eluting Stent Era. JACC: Cardiovascular Interventions, 2016, 9, 2097-2109.	2.9	61
41	Everolimus-Eluting Xience V/Promus Versus Zotarolimus-Eluting Resolute Stents in Patients With Diabetes Mellitus. JACC: Cardiovascular Interventions, 2014, 7, 471-481.	2.9	59
42	Protein-Induced Pluripotent Stem Cells Ameliorate Cognitive Dysfunction and Reduce A β 2 Deposition in a Mouse Model of Alzheimer's Disease. Stem Cells Translational Medicine, 2017, 6, 293-305.	3.3	58
43	Coronary Protection to Prevent Coronary Obstruction During TAVR. JACC: Cardiovascular Interventions, 2020, 13, 739-747.	2.9	58
44	Usefulness of Intravascular Ultrasound Guidance in Percutaneous Coronary Intervention With Second-Generation Drug-Eluting Stents for Chronic Total Occlusions (from the Multicenter) Tj ETQq0 0 0 rgBT /Overclock 10 15 50 457 T	2.9	57
45	Long-Term Clinical Outcomes of Final Kissing Ballooning in Coronary Bifurcation Lesions Treated With the 1-Stent Technique. JACC: Cardiovascular Interventions, 2015, 8, 1297-1307.	2.9	56
46	Clinical impact of admission hyperglycemia on in-hospital mortality in acute myocardial infarction patients. International Journal of Cardiology, 2017, 236, 9-15.	1.7	56
47	Short-Term Versus Long-Term Dual Antiplatelet Therapy After Drug-Eluting Stent Implantation in Elderly Patients. JACC: Cardiovascular Interventions, 2018, 11, 435-443.	2.9	54
48	The Evolving Concept of Dual Antiplatelet Therapy after Percutaneous Coronary Intervention: Focus on Unique Feature of East Asian and "Asian Paradox". Korean Circulation Journal, 2018, 48, 537.	1.9	52
49	Safety and Efficacy of New-Generation Drug-Eluting Stents in Women Undergoing Complex Percutaneous Coronary Artery Revascularization. JACC: Cardiovascular Interventions, 2016, 9, 674-684.	2.9	51
50	Safety and Efficacy of Second-Generation Everolimus-Eluting Xience V Stents Versus Zotarolimus-Eluting Resolute Stents in Real-World Practice. Journal of the American College of Cardiology, 2013, 61, 536-544.	2.8	50
51	Third-Generation P2Y12 Inhibitors in East Asian Acute Myocardial Infarction Patients: A Nationwide Prospective Multicentre Study. Thrombosis and Haemostasis, 2018, 118, 591-600.	3.4	50
52	Short term versus long term dual antiplatelet therapy after implantation of drug eluting stent in patients with or without diabetes: systematic review and meta-analysis of individual participant data from randomised trials. BMJ, The, 2016, 355, i5483.	6.0	48
53	Sulfasalazine induces haem oxygenase-1 via ROS-dependent Nrf2 signalling, leading to control of neointimal hyperplasia. Cardiovascular Research, 2009, 82, 550-560.	3.8	46
54	Effect of fixed-dose combinations of ezetimibe plus rosuvastatin in patients with primary hypercholesterolemia: MRS-CROZE (Multicenter Randomized Study of ROSuvastatin and eZEtimibe). Cardiovascular Therapeutics, 2016, 34, 371-382.	2.5	45

#	ARTICLE	IF	CITATIONS
55	Dipeptidyl Peptidase-4 Inhibitor Increases Vascular Leakage in Retina through VE-cadherin Phosphorylation. Scientific Reports, 2016, 6, 29393.	3.3	44
56	Diabetes-Induced Jagged1 Overexpression in Endothelial Cells Causes Retinal Capillary Regression in a Murine Model of Diabetes Mellitus. Circulation, 2016, 134, 233-247.	1.6	44
57	Catastrophic health expenditure on acute coronary events in Asia: a prospective study. Bulletin of the World Health Organization, 2016, 94, 193-200.	3.3	44
58	Beneficial Effects of Bariatric Surgery on Cardiac Structure and Function in Obesity. Obesity Surgery, 2017, 27, 620-625.	2.1	41
59	MicroRNA-26a induced by hypoxia targets HDAC6 in myogenic differentiation of embryonic stem cells. Nucleic Acids Research, 2015, 43, 2057-2073.	14.5	40
60	High glucose-induced jagged 1 in endothelial cells disturbs notch signaling for angiogenesis: A novel mechanism of diabetic vasculopathy. Journal of Molecular and Cellular Cardiology, 2014, 69, 52-66.	1.9	39
61	Hypoglycemia at Admission in Patients With Acute Myocardial Infarction Predicts a Higher 30-Day Mortality in Patients With Poorly Controlled Type 2 Diabetes Than in Well-Controlled Patients. Diabetes Care, 2014, 37, 2366-2373.	8.6	38
62	Physiological and clinical relevance of anomalous right coronary artery originating from left sinus of Valsalva in adults. Heart, 2016, 102, 114-119.	2.9	38
63	A Phase III, Multicenter, Randomized, Double-blind, Active Comparator Clinical Trial to Compare the Efficacy and Safety of Combination Therapy With Ezetimibe and Rosuvastatin Versus Rosuvastatin Monotherapy in Patients With Hypercholesterolemia: I-ROSETTE (Ildong Rosuvastatin & Ezetimibe) Tj ETQq1 1 ² 0.784314 ³⁷ rgBT /Ove	2.5	37
64	Differential Prognostic Effect Between First- and Second-Generation Drug-Eluting Stents in Coronary Bifurcation Lesions. JACC: Cardiovascular Interventions, 2015, 8, 1318-1331.	2.9	36
65	FOXO1 impairs whereas statin protects endothelial function in diabetes through reciprocal regulation of KrÄ½ppel-like factor 2. Cardiovascular Research, 2013, 97, 143-152.	3.8	35
66	Trial Design Principles for Patients at HighÂBleeding Risk Undergoing PCI. Journal of the American College of Cardiology, 2020, 76, 1468-1483.	2.8	35
67	The impact of residual coronary lesions on clinical outcomes after percutaneous coronary intervention: Residual SYNTAX score after percutaneous coronary intervention in patients from the Efficacy of Xience/Promus versus Cypher in rEducing Late Loss after stENTing (EXCELLENT) registry. American Heart Journal, 2014, 167, 384-392.e5.	2.7	34
68	The Practice Pattern of Percutaneous Coronary Intervention in Korea: Based on Year 2014 Cohort of Korean Percutaneous Coronary Intervention (K-PCI) Registry. Korean Circulation Journal, 2017, 47, 320.	1.9	33
69	Dual Antiplatelet Therapy Duration Determines Outcome After 2- But Not 1-Stent Strategy in Left Main Bifurcation Percutaneous Coronary Intervention. JACC: Cardiovascular Interventions, 2018, 11, 2453-2463.	2.9	33
70	Durable Polymer Versus Biodegradable Polymer Drug-Eluting Stents After Percutaneous Coronary Intervention in Patients with Acute Coronary Syndrome. Circulation, 2021, 143, 1081-1091.	1.6	33
71	Impact of Clinical Presentation (Stable Angina Pectoris vs Unstable Angina Pectoris or) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 11	1.6	32
71	Outcomes in Women Undergoing Percutaneous Coronary Intervention With Drug-Eluting Stents. American Journal of Cardiology, 2015, 116, 845-852.	1.6	32
72	Correlates and Impact of Coronary ArteryÂCalcifications in Women Undergoing Percutaneous Coronary Intervention With Drug-Eluting Stents. JACC: Cardiovascular Interventions, 2016, 9, 1890-1901.	2.9	32

#	ARTICLE	IF	CITATIONS
73	Prognostic Impact of β -Blocker Dose After Acute Myocardial Infarction. <i>Circulation Journal</i> , 2019, 83, 410-417.	1.6	32
74	Effect of Chronic Kidney Disease in Women Undergoing Percutaneous Coronary Intervention With Drug-Eluting Stents. <i>JACC: Cardiovascular Interventions</i> , 2016, 9, 28-38.	2.9	31
75	The Current Status of Percutaneous Coronary Intervention in Korea: Based on Year 2014 Cohort of Korean Percutaneous Coronary Intervention (K-PCI) Registry. <i>Korean Circulation Journal</i> , 2017, 47, 328.	1.9	31
76	Randomised trial to compare a protective effect of Clopidogrel Versus Ticagrelor on coronary Microvascular injury in ST-segment Elevation myocardial infarction (CV-TIME trial). <i>EuroIntervention</i> , 2016, 12, e964-e971.	3.2	31
77	Influence of Second- and Third-Degree Heart Block on 30-Day Outcome Following Acute Myocardial Infarction in the Drug-Eluting Stent Era. <i>American Journal of Cardiology</i> , 2014, 114, 1658-1662.	1.6	30
78	Impact of Optimized Procedure-Related Factors in Drug-Eluting Balloon Angioplasty for Treatment of In-Stent Restenosis. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 969-978.	2.9	30
79	Benefit of Prolonged Dual Antiplatelet Therapy After Implantation of Drug-Eluting Stent for Coronary Bifurcation Lesions. <i>Circulation: Cardiovascular Interventions</i> , 2018, 11, e005849.	3.9	30
80	Prognostic Effects of Treatment Strategies for Left Main Versus Non-Left Main Bifurcation Percutaneous Coronary Intervention With Current-Generation Drug-Eluting Stent. <i>Circulation: Cardiovascular Interventions</i> , 2020, 13, e008543.	3.9	30
81	mHealth Interventions for Lifestyle and Risk Factor Modification in Coronary Heart Disease: Randomized Controlled Trial. <i>JMIR MHealth and UHealth</i> , 2021, 9, e29928.	3.7	30
82	Cigarette Smoking Does Not Enhance Clopidogrel Responsiveness After Adjusting VerifyNow P2Y12 Reaction Unit for the Influence of Hemoglobin Level. <i>JACC: Cardiovascular Interventions</i> , 2016, 9, 1680-1690.	2.9	28
83	Effects of Body Mass Index on Clinical Outcomes in Female Patients Undergoing Percutaneous Coronary Intervention With Drug-Eluting Stents. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 68-76.	2.9	28
84	Comparison of prasugrel versus clopidogrel in Korean patients with acute myocardial infarction undergoing successful revascularization. <i>Journal of Cardiology</i> , 2018, 71, 36-43.	1.9	28
85	Clinical and Echocardiographic Factors Affecting Tricuspid Regurgitation Severity in the Patients with Lone Atrial Fibrillation. <i>Journal of Cardiovascular Imaging</i> , 2015, 23, 136.	0.8	27
86	Hepatocyte Growth Factor Improves the Therapeutic Efficacy of Human Bone Marrow Mesenchymal Stem Cells via RAD51. <i>Molecular Therapy</i> , 2018, 26, 845-859.	8.2	27
87	Effect of beta-blocker therapy in patients with or without left ventricular systolic dysfunction after acute myocardial infarction. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021, 7, 475-482.	3.0	27
88	Rationale, Design, and Baseline Characteristics of the EPICOR Asia Study (Long-term follow-up of antithrombotic management patterns in Acute T2DM / Overlook 10 T)	0.0	26
89	Efficacy and safety of fixed-dose combination therapy with olmesartan medoxomil and rosuvastatin in Korean patients with mild to moderate hypertension and dyslipidemia: an 8-week, multicenter, randomized, double-blind, factorial-design study (OLSTA-D RCT: OLmesartan rosuvastatin from) Tj ETQq1 1 0.784314 rgBT /Overlook 10 T	4.3	26
90	The efficacy and safety of mechanical hemodynamic support in patients undergoing high-risk percutaneous coronary intervention with or without cardiogenic shock: Bayesian approach network meta-analysis of 13 randomized controlled trials. <i>International Journal of Cardiology</i> , 2015, 184, 36-46.	1.7	25

#	ARTICLE	IF	CITATIONS
91	Major Predictors of Long-Term Clinical Outcomes After Percutaneous Coronary Intervention for Coronary Bifurcation Lesions With 2-Stent Strategy. <i>JACC: Cardiovascular Interventions</i> , 2016, 9, 1879-1886.	2.9	25
92	Long-term Safety and Efficacy of New-Generation Drug-Eluting Stents in Women With Acute Myocardial Infarction. <i>JAMA Cardiology</i> , 2017, 2, 855.	6.1	25
93	Intravascular modalityâ€guided versus angiographyâ€guided percutaneous coronary intervention in acute myocardial infarction. <i>Catheterization and Cardiovascular Interventions</i> , 2020, 95, 696-703.	1.7	25
94	Clinical Characteristics and Predictors of In-Hospital Mortality in Patients With Cardiogenic Shock: Results From the RESCUE Registry. <i>Circulation: Heart Failure</i> , 2021, 14, e008141.	3.9	25
95	Renal dysfunction and high levels of hsCRP are additively associated with hard endpoints after percutaneous coronary intervention with drug eluting stents. <i>International Journal of Cardiology</i> , 2011, 149, 174-181.	1.7	24
96	Efficacy of Short-Term High-Dose Statin Pretreatment in Prevention of Contrast-Induced Acute Kidney Injury: Updated Study-Level Meta-Analysis of 13 Randomized Controlled Trials. <i>PLoS ONE</i> , 2014, 9, e111397.	2.5	24
97	Sex-Related Clinical Characteristics and Outcomes of Patients Undergoing Transcatheter Edge-to-Edge Repair for Secondary Mitral Regurgitation. <i>JACC: Cardiovascular Interventions</i> , 2021, 14, 819-827.	2.9	24
98	Efficacy and Safety of Adding Omega-3 Fatty Acids in Statin-treated Patients with Residual Hypertriglyceridemia: ROMANTIC (Rosuvastatin-OMAcor iN residual hyperTriglyCeridemia), a Randomized, Double-blind, and Placebo-controlled Trial. <i>Clinical Therapeutics</i> , 2018, 40, 83-94.	2.5	23
99	Effect of Pitavastatin Compared with Atorvastatin and Rosuvastatin on New-Onset Diabetes Mellitus in Patients With Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2018, 122, 922-928.	1.6	23
100	Long-Distance PCR-based Screening for Large Rearrangements of the LDL Receptor Gene in Korean Patients with Familial Hypercholesterolemia. <i>Clinical Chemistry</i> , 1999, 45, 1424-1430.	3.2	22
101	Human Podoplanin-positive Monocytes and Platelets Enhance Lymphangiogenesis Through the Activation of the Podoplanin/CLEC-2 Axis. <i>Molecular Therapy</i> , 2014, 22, 1518-1529.	8.2	22
102	COMP-Ang1 Potentiates EPC Treatment of Ischemic Brain Injury by Enhancing Angiogenesis Through Activating AKT-mTOR Pathway and Promoting Vascular Migration Through Activating Tie2-FAK Pathway. <i>Experimental Neurobiology</i> , 2015, 24, 55-70.	1.6	22
103	Relation Between Neutrophil-to-Lymphocyte Ratio and Index of Microcirculatory Resistance in Patients With ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2016, 118, 1323-1328.	1.6	22
104	Benefit of statin therapy in patients with coronary spasm-induced acute myocardial infarction. <i>Journal of Cardiology</i> , 2016, 68, 7-12.	1.9	22
105	Comparison of outcomes after treatment of in-stent restenosis using newer generation drug-eluting stents versus drug-eluting balloon: Patient-level pooled analysis of Korean Multicenter in-Stent Restenosis Registry. <i>International Journal of Cardiology</i> , 2017, 230, 181-190.	1.7	22
106	Therapeutic Potential of a Novel Necrosis Inhibitor, 7-Amino-Indole, in Myocardial Ischemiaâ€Reperfusion Injury. <i>Hypertension</i> , 2018, 71, 1143-1155.	2.7	22
107	Effect of Increasing Stent Length on 3-Year Clinical Outcomes in Women Undergoing Percutaneous Coronary Intervention With New-Generation Drug-Eluting Stents. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 53-65.	2.9	22
108	Efficacy and Safety of Fixed-dose Combination Therapy With Telmisartan and Rosuvastatin in Korean Patients With Hypertension and Dyslipidemia: TELSTA-YU (TELmisartan-rosuvaSTatin from YUhan), a Multicenter, Randomized, 4-arm, Double-blind, Placebo-controlled, Phase III Study. <i>Clinical Therapeutics</i> , 2018, 40, 676-691.e1.	2.5	21

#	ARTICLE	IF	CITATIONS
109	Three-Year Patient-Related and Stent-Related Outcomes of Second-Generation Everolimus-Eluting Xience V Stents Versus Zotarolimus-Eluting Resolute Stents in Real-World Practice (from the Tj ETQq1 1 0.784314,rgBT /Overlock 10 T	1.6	20
110	Comprehensive assessment of microcirculation after primary percutaneous intervention in ST-segment elevation myocardial infarction. <i>Coronary Artery Disease</i> , 2016, 27, 34-39.	0.7	20
111	Sarcopenia Index as a Predictor of Clinical Outcomes in Older Patients with Coronary Artery Disease. <i>Journal of Clinical Medicine</i> , 2020, 9, 3121.	2.4	20
112	Thrombus aspiration during primary percutaneous coronary intervention for preserving the index of microcirculatory resistance: a randomised study. <i>EuroIntervention</i> , 2014, 9, 1057-1062.	3.2	20
113	Analysis of mitochondrial DNA deletions in four chambers of failing human heart: hemodynamic stress, age, and disease are important factors. <i>Basic Research in Cardiology</i> , 2000, 95, 163-171.	5.9	19
114	Erythropoietin priming improves the vasculogenic potential of G-CSF mobilized human peripheral blood mononuclear cells. <i>Cardiovascular Research</i> , 2014, 104, 171-182.	3.8	19
115	Comparison of 2-year mortality according to obesity in stabilized patients with type 2 diabetes mellitus after acute myocardial infarction: results from the DIAMOND prospective cohort registry. <i>Cardiovascular Diabetology</i> , 2015, 14, 141.	6.8	19
116	Risk of Early Adverse Events After Clopidogrel Discontinuation in Patients Undergoing Short-Term Dual Antiplatelet Therapy. <i>JACC: Cardiovascular Interventions</i> , 2017, 10, 1621-1630.	2.9	19
117	Trends and Outcomes of Transcatheter Aortic Valve Implantation (TAVI) in Korea: the Results of the First Cohort of Korean TAVI Registry. <i>Korean Circulation Journal</i> , 2018, 48, 382.	1.9	19
118	Differential Prognostic Implications of Vasoactive Inotropic Score for Patients With Acute Myocardial Infarction Complicated by Cardiogenic Shock According to Use of Mechanical Circulatory Support*. <i>Critical Care Medicine</i> , 2021, 49, 770-780.	0.9	19
119	Pre-hospital delay and emergency medical services in acute myocardial infarction. <i>Korean Journal of Internal Medicine</i> , 2020, 35, 119-132.	1.7	19
120	Clinical Outcomes in Patients With Delayed Hospitalization for Non-ST-Segment Elevation Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2022, 79, 311-323.	2.8	19
121	Short-term versus long-term Dual Antiplatelet therapy after drug-eluting stent implantation in women versus men: A sex-specific patient-level pooled analysis of six randomized trials. <i>Catheterization and Cardiovascular Interventions</i> , 2017, 89, 178-189.	1.7	18
122	Effects of Statin Intensity on Clinical Outcome in Acute Myocardial Infarction Patients. <i>Circulation Journal</i> , 2018, 82, 1112-1120.	1.6	18
123	Association between body mass index and 1-year outcome after acute myocardial infarction. <i>PLoS ONE</i> , 2019, 14, e0217525.	2.5	18
124	KAI1(CD82) is a key molecule to control angiogenesis and switch angiogenic milieu to quiescent state. <i>Journal of Hematology and Oncology</i> , 2021, 14, 148.	17.0	18
125	Retinol from hepatic stellate cells via STRA6 induces lipogenesis on hepatocytes during fibrosis. <i>Cell and Bioscience</i> , 2021, 11, 3.	4.8	18
126	Prognostic impact of alkaline phosphatase measured at time of presentation in patients undergoing primary percutaneous coronary intervention for ST-segment elevation myocardial infarction. <i>PLoS ONE</i> , 2017, 12, e0171914.	2.5	18

#	ARTICLE	IF	CITATIONS
127	Comparison of 1-year clinical outcomes between prasugrel and ticagrelor versus clopidogrel in type 2 diabetes patients with acute myocardial infarction underwent successful percutaneous coronary intervention. <i>Medicine (United States)</i> , 2019, 98, e14833.	1.0	17
128	A 4-item PRECISE-DAPT score for dual antiplatelet therapy duration decision-making. <i>American Heart Journal</i> , 2020, 223, 44-47.	2.7	17
129	Activated platelet supernatant can augment the angiogenic potential of human peripheral blood stem cells mobilized from bone marrow by G-CSF. <i>Journal of Molecular and Cellular Cardiology</i> , 2014, 75, 64-75.	1.9	16
130	AKAP6 inhibition impairs myoblast differentiation and muscle regeneration: Positive loop between AKAP6 and myogenin. <i>Scientific Reports</i> , 2015, 5, 16523.	3.3	16
131	A randomized clinical trial comparing long-term clopidogrel vs aspirin monotherapy beyond dual antiplatelet therapy after drug-eluting coronary stent implantation: Design and rationale of the Harmonizing Optimal Strategy for Treatment of coronary artery stenosis-Extended Antiplatelet Monotherapy (HOST-FXAM) trial. <i>American Heart Journal</i> , 2017, 185, 17-25.	2.7	16
132	Development and Validation of an Ischemic and Bleeding Risk Evaluation Tool in East Asian Patients Receiving Percutaneous Coronary Intervention. <i>Thrombosis and Haemostasis</i> , 2019, 119, 1182-1193.	3.4	16
133	Hepatic stellate cell-specific knockout of transcriptional intermediary factor 1 β aggravates liver fibrosis. <i>Journal of Experimental Medicine</i> , 2020, 217, .	8.5	16
134	Usefulness of the Baseline Syntax Score to Predict 3-Year Outcome After Complete Revascularization by Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2016, 118, 641-646.	1.6	15
135	Characteristics and outcomes of medically managed patients with non-ST-segment elevation acute coronary syndromes: Insights from the multinational EPICOR Asia study. <i>International Journal of Cardiology</i> , 2017, 243, 15-20.	1.7	15
136	The Relationship Between J Wave on the Surface Electrocardiography and Ventricular Fibrillation during Acute Myocardial Infarction. <i>Journal of Korean Medical Science</i> , 2014, 29, 685.	2.5	14
137	Predictors for Side Branch Failure During Provisional Strategy of Coronary Intervention for Bifurcation Lesions (from the Korean Bifurcation Registry). <i>American Journal of Cardiology</i> , 2016, 118, 797-803.	1.6	14
138	Predictors and Long-Term Clinical Outcome of Longitudinal Stent Deformation. <i>Circulation: Cardiovascular Interventions</i> , 2017, 10, .	3.9	14
139	Clinical outcomes of dual antiplatelet therapy after implantation of drug-eluting stents in patients with different cardiovascular risk factors. <i>Clinical Research in Cardiology</i> , 2017, 106, 165-173.	3.3	14
140	Angiotensin-Converting Enzyme Inhibitors Provide Better Long-Term Survival Benefits to Patients With AMI Than Angiotensin II Receptor Blockers After Survival Hospital Discharge. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2019, 24, 120-129.	2.0	14
141	The MicroRNA-92a/Sp1/MyoD Axis Regulates Hypoxic Stimulation of Myogenic Lineage Differentiation in Mouse Embryonic Stem Cells. <i>Molecular Therapy</i> , 2020, 28, 142-156.	8.2	14
142	Comparative Study of Efficacy of Dopaminergic Neuron Differentiation between Embryonic Stem Cell and Protein-Based Induced Pluripotent Stem Cell. <i>PLoS ONE</i> , 2014, 9, e85736.	2.5	14
143	Different prognostic factors according to left ventricular systolic function in patients with acute myocardial infarction. <i>International Journal of Cardiology</i> , 2016, 221, 90-96.	1.7	13
144	Bioresorbable Vascular Scaffolds—Are We Facing a Time of Crisis or One of Breakthrough? <i>Circulation Journal</i> , 2017, 81, 1065-1074.	1.6	13

#	ARTICLE	IF	CITATIONS
145	Antithrombotic management and long-term outcomes following percutaneous coronary intervention for acute coronary syndrome in Asia. <i>International Journal of Cardiology</i> , 2020, 310, 16-22.	1.7	13
146	Practical guidance for P2Y12 inhibitors in acute myocardial infarction undergoing percutaneous coronary intervention. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021, 7, 112-124.	3.0	13
147	Relative Impact of Clinical Risk Versus Procedural Risk on Clinical Outcomes After Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Interventions</i> , 2021, 14, e009642.	3.9	13
148	Ethnic Differences in Oral Antithrombotic Therapy. <i>Korean Circulation Journal</i> , 2020, 50, 645.	1.9	13
149	Platelet Function and Genotype after DES Implantation in East Asian Patients: Rationale and Characteristics of the PTRG-DES Consortium. <i>Yonsei Medical Journal</i> , 2022, 63, 413.	2.2	13
150	Harmonizing Optimal Strategy for Treatment of coronary artery diseases â€“ comparison of REDUCtion of prasugrEl dose or POLYmer TECHnology in ACS patients (HOST-REDUCE-POLYTECH-ACS RCT): study protocol for a randomized controlled trial. <i>Trials</i> , 2015, 16, 409.	1.6	12
151	Comparison of the effects of two low-density lipoprotein cholesterol goals for secondary prevention after acute myocardial infarction in real-world practice: â‰¥50% reduction from baseline versus <70mg/dL. <i>International Journal of Cardiology</i> , 2015, 187, 478-485.	1.7	12
152	Results of a 10-Year Experience in Korea Using Drug-Eluting Stents During Percutaneous Coronary Intervention for Acute Myocardial Infarction (from the Korea Acute Myocardial Infarction Registry). <i>American Journal of Cardiology</i> , 2018, 122, 365-373.	1.6	12
153	Chronic total occlusion intervention of the non-infarct-related artery in acute myocardial infarction patients. <i>Coronary Artery Disease</i> , 2018, 29, 495-501.	0.7	12
154	The Predictors of Target Lesion Revascularization and Rate of In-Stent Restenosis in the Second-Generation Drug-Eluting Stent Era. <i>Journal of Interventional Cardiology</i> , 2019, 2019, 1-13.	1.2	12
155	The Proximal Optimization Technique Improves Clinical Outcomes When Treated without Kissing Ballooning in Patients with a Bifurcation Lesion. <i>Korean Circulation Journal</i> , 2019, 49, 485.	1.9	12
156	Treatment Gap in the Management of Hypercholesterolemia in Korea: Return on Expenditure Achieved for Lipid TherapY (REALITY). <i>Korean Circulation Journal</i> , 2006, 36, 593.	1.9	11
157	Prognostic Impact of Combined Contrast-Induced Acute Kidney Injury and Hypoxic Liver Injury in Patients with ST Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention: Results from INTERSTELLAR Registry. <i>PLoS ONE</i> , 2016, 11, e0159416.	2.5	11
158	Relation of Stature to Outcomes in Korean Patients Undergoing Primary Percutaneous Coronary Intervention for Acute ST-Elevation Myocardial Infarction (from the INTERSTELLAR Registry). <i>American Journal of Cardiology</i> , 2016, 118, 177-182.	1.6	11
159	A laboratory association between hemoglobin and VerifyNow P2Y12 reaction unit: A systematic review and meta-analysis. <i>American Heart Journal</i> , 2017, 188, 53-64.	2.7	11
160	Influence of obesity and metabolic syndrome on clinical outcomes of ST-segment elevation myocardial infarction in men undergoing primary percutaneous coronary intervention. <i>Journal of Cardiology</i> , 2018, 72, 328-334.	1.9	11
161	Atorvastatin prevents endothelial dysfunction in high glucose condition through Skp2-mediated degradation of FOXO1 and ICAM-1. <i>Biochemical and Biophysical Research Communications</i> , 2018, 495, 2050-2057.	2.1	11
162	Predictors of high-cost hospitalization in the treatment of acute coronary syndrome in Asia: findings from EPICOR Asia. <i>BMC Cardiovascular Disorders</i> , 2018, 18, 139.	1.7	11

#	ARTICLE	IF	CITATIONS
163	Efficacy and Safety of Triple Therapy With Telmisartan, Amlodipine, and Rosuvastatin in Patients With Dyslipidemia and Hypertension: The Jeil Telmisartan, Amlodipine, and Rosuvastatin Randomized Clinical Trial. <i>Clinical Therapeutics</i> , 2019, 41, 233-248.e9.	2.5	11
164	Immediate and delayed hypersensitivity after intra-arterial injection of iodinated contrast media: a prospective study in patients with coronary angiography. <i>European Radiology</i> , 2019, 29, 5314-5321.	4.5	11
165	Lysophosphatidic Acid Receptor 4 Is Transiently Expressed during Cardiac Differentiation and Critical for Repair of the Damaged Heart. <i>Molecular Therapy</i> , 2021, 29, 1151-1163.	8.2	11
166	2021 Korean Society of Myocardial Infarction Expert Consensus Document on Revascularization for Acute Myocardial Infarction. <i>Korean Circulation Journal</i> , 2021, 51, 289.	1.9	11
167	Risk-Benefit of 1-Year DAPT After DES Implantation in Patients Stratified by Bleeding and Ischemic Risk. <i>Journal of the American College of Cardiology</i> , 2021, 78, 1968-1986.	2.8	11
168	Interaction between platelets and endothelial progenitor cells via LPA-Edg-2 axis is augmented by PPAR- γ activation. <i>Journal of Molecular and Cellular Cardiology</i> , 2016, 97, 266-277.	1.9	10
169	Benefit of Vasodilating β -Blockers in Patients With Acute Myocardial Infarction After Percutaneous Coronary Intervention: Nationwide Multicenter Cohort Study. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	10
170	Prognostic Impact of Left Atrial Minimal Volume on Clinical Outcome in Patients with Non-Obstructive Hypertrophic Cardiomyopathy. <i>International Heart Journal</i> , 2018, 59, 991-995.	1.0	10
171	Identification of Latrophilin-2 as a Novel Cell-Surface Marker for the Cardiomyogenic Lineage and Its Functional Significance in Heart Development. <i>Circulation</i> , 2019, 139, 2910-2912.	1.6	10
172	Gender differences of in-hospital outcomes in patients undergoing percutaneous coronary intervention in the drug-eluting stent era. <i>Medicine (United States)</i> , 2019, 98, e15557.	1.0	10
173	Efficacy and Safety of Long-Term and Short-Term Dual Antiplatelet Therapy: A Meta-Analysis of Comparison between Asians and Non-Asians. <i>Journal of Clinical Medicine</i> , 2020, 9, 652.	2.4	10
174	Left Ventricular Ejection Fraction 1 Year After Acute Myocardial Infarction Identifies the Benefits of the Long-Term Use of β -Blockers. <i>Circulation: Cardiovascular Interventions</i> , 2021, 14, e010159.	3.9	10
175	Adhesion GPCR Latrophilin-2 Specifies Cardiac Lineage Commitment through CDK5, Src, and P38MAPK. <i>Stem Cell Reports</i> , 2021, 16, 868-882.	4.8	10
176	Endothelin-1 enhances the regenerative capability of human bone marrow-derived mesenchymal stem cells in a sciatic nerve injury mouse model. <i>Biomaterials</i> , 2021, 275, 120980.	11.4	10
177	E-Ras improves the efficiency of reprogramming by facilitating cell cycle progression through JNK- Sp1 pathway. <i>Stem Cell Research</i> , 2015, 15, 481-494.	0.7	9
178	Clinical and Angiographic Predictors of Microvascular Dysfunction in ST-Segment Elevation Myocardial Infarction. <i>Yonsei Medical Journal</i> , 2015, 56, 1235.	2.2	9
179	Efficacy and Tolerability of Telmisartan/Amlodipine + Hydrochlorothiazide Versus Telmisartan/Amlodipine Combination Therapy for Essential Hypertension Uncontrolled With Telmisartan/Amlodipine: The Phase III, Multicenter, Randomized, Double-blind TAHYTI Study. <i>Clinical Therapeutics</i> , 2018, 40, 50-63.e3.	2.5	9
180	Efficacy and safety of dual antiplatelet therapy after coronary stenting in patients with chronic kidney disease. <i>American Heart Journal</i> , 2018, 197, 103-112.	2.7	9

#	ARTICLE	IF	CITATIONS
181	Better Prognosis After Complete Revascularization Using Contemporary Coronary Stents in Patients With Chronic Kidney Disease. <i>Circulation: Cardiovascular Interventions</i> , 2019, 12, e007907.	3.9	9
182	Association between pulse pressure at discharge and clinical outcomes in patients with acute myocardial infarction: From the KAMIRâ€“Koreanâ€“NIH registry. <i>Journal of Clinical Hypertension</i> , 2019, 21, 774-785.	2.0	9
183	Radial Versus Femoral Access With or Without Vascular Closure Device in Patients With Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2019, 123, 742-749.	1.6	9
184	HLA DR Genome Editing with TALENs in Human iPSCs Produced Immune-Tolerant Dendritic Cells. <i>Stem Cells International</i> , 2021, 2021, 1-14.	2.5	9
185	Prasugrel Dose De-escalation Therapy After Complex Percutaneous Coronary Intervention in Patients With Acute Coronary Syndrome. <i>JAMA Cardiology</i> , 2022, 7, 418.	6.1	9
186	Comparing the effect of clopidogrel versus ticagrelor on coronary microvascular dysfunction in acute coronary syndrome patients (TIME trial): study protocol for a randomized controlled trial. <i>Trials</i> , 2014, 15, 151.	1.6	8
187	The Contemporary Use of Angiography and Revascularization Among Patients With Nonâ€“<sc>ST</sc>â€“Segment Elevation Myocardial Infarction in the United States Compared With South Korea. <i>Clinical Cardiology</i> , 2015, 38, 708-714.	1.8	8
188	Relationship between J Waves and Vagal Activity in Patients Who Do Not Have Structural Heart Disease. <i>Annals of Noninvasive Electrocardiology</i> , 2015, 20, 464-473.	1.1	8
189	Epicardial Artery Stenosis with a High Index of Microcirculatory Resistance Is Frequently Functionally Insignificant as Estimated by Fractional Flow Reserve (FFR). <i>Internal Medicine</i> , 2016, 55, 97-103.	0.7	8
190	Comparison of Clinical Outcomes Between Ticagrelor and Prasugrel in Patients With ST-Segment Elevation Myocardial Infarctionâ€“â€“Results From the Korea Acute Myocardial Infarction Registry-National Institutes of Health â€“. <i>Circulation Journal</i> , 2018, 82, 1866-1873.	1.6	8
191	Addition of routine blood biomarkers to TIMI risk score improves predictive performance of 1-year mortality in patients with ST-segment elevation myocardial infarction. <i>BMC Cardiovascular Disorders</i> , 2020, 20, 486.	1.7	8
192	Clinical Implication of â€“Obesity Paradoxâ€™ in Elderly Patients With Acute Myocardial Infarction. <i>Heart Lung and Circulation</i> , 2021, 30, 481-488.	0.4	8
193	Neutrophil-to-Lymphocyte Ratio at Emergency Room Predicts Mechanical Complications of ST-segment Elevation Myocardial Infarction. <i>Journal of Korean Medical Science</i> , 2021, 36, e131.	2.5	8
194	Procedural optimization of <sc>drugâ€“coated</sc> balloons in the treatment of coronary artery disease. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 98, E43-E52.	1.7	8
195	Direct conversion of adult human fibroblasts into functional endothelial cells using defined factors. <i>Biomaterials</i> , 2021, 272, 120781.	11.4	8
196	Benefit of Extended Dual Antiplatelet Therapy Duration in Acute Coronary Syndrome Patients Treated with Drug Eluting Stents for Coronary Bifurcation Lesions (from the BIFURCAT Registry). <i>American Journal of Cardiology</i> , 2021, 156, 16-23.	1.6	8
197	SYNTAX Score and SYNTAX Score II Can Predict the Clinical Outcomes of Patients with Left Main and/or 3-Vessel Disease Undergoing Percutaneous Coronary Intervention in the Contemporary Cobalt-Chromium Everolimus-Eluting Stent Era. <i>Korean Circulation Journal</i> , 2020, 50, 22.	1.9	8
198	Comparison of short-term clinical outcomes between Resolute Onyx zotarolimus-eluting stents and everolimus-eluting stent in patients with acute myocardial infarction: Results from the Korea Acute Myocardial infarction Registry (KAMIR). <i>Cardiology Journal</i> , 2019, 26, 469-476.	1.2	8

#	ARTICLE	IF	CITATIONS
199	Three novel small deletion mutations of the LDL receptor gene in Korean patients with familial hypercholesterolemia. <i>Clinical Genetics</i> , 1999, 55, 325-331.	2.0	7
200	Infective Endocarditis Associated with Transcatheter Aortic Valve Replacement: Potential Importance of Local Trauma for a Deadly Nidus. <i>Journal of Cardiovascular Imaging</i> , 2014, 22, 134.	0.8	7
201	Prognostic Impact of Combined Dysglycemia and Hypoxic Liver Injury on Admission in Patients With ST-Segment Elevation Myocardial Infarction Who Underwent Primary Percutaneous Coronary Intervention (from the INTERSTELLAR Cohort). <i>American Journal of Cardiology</i> , 2017, 119, 1179-1185.	1.6	7
202	Identification of Adult Mesodermal Progenitor Cells and Hierarchy in Atherosclerotic Vascular Calcification. <i>Stem Cells</i> , 2018, 36, 1075-1096.	3.2	7
203	Quantified degree of eccentricity of aortic valve calcification predicts risk of paravalvular regurgitation and response to balloon post-dilation after self-expandable transcatheter aortic valve replacement. <i>International Journal of Cardiology</i> , 2018, 259, 60-68.	1.7	7
204	COMP-Angiopoietin-1 accelerates muscle regeneration through N-cadherin activation. <i>Scientific Reports</i> , 2018, 8, 12323.	3.3	7
205	Endothelin-1 Augments Therapeutic Potency of Human Mesenchymal Stem Cells via CDH2 and VEGF Signaling. <i>Molecular Therapy - Methods and Clinical Development</i> , 2019, 13, 503-511.	4.1	7
206	Current Key Issues in Transcatheter Aortic Valve Replacement Undergoing a Paradigm Shift. <i>Circulation Journal</i> , 2019, 83, 952-962.	1.6	7
207	Ezetimibe and Rosuvastatin Combination Treatment Can Reduce the Dose of Rosuvastatin Without Compromising Its Lipid-lowering Efficacy. <i>Clinical Therapeutics</i> , 2019, 41, 2571-2592.	2.5	7
208	Efficacy and safety of co-administered telmisartan/amlodipine and rosuvastatin in subjects with hypertension and dyslipidemia. <i>Journal of Clinical Hypertension</i> , 2020, 22, 1835-1845.	2.0	7
209	Safety and Efficacy of Second-Generation Drug-Eluting Stents in Real-World Practice: Insights from the Multicenter Grand-DES Registry. <i>Journal of Interventional Cardiology</i> , 2020, 2020, 1-9.	1.2	7
210	Complete Revascularization of Multivessel Coronary Artery Disease Does Not Improve Clinical Outcome in ST-Segment Elevation Myocardial Infarction Patients with Reduced Left Ventricular Ejection Fraction. <i>Journal of Clinical Medicine</i> , 2020, 9, 232.	2.4	7
211	Prognostic impact of the combination of serum transaminase and alkaline phosphatase determined in the emergency room in patients with ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention. <i>PLoS ONE</i> , 2020, 15, e0233286.	2.5	7
212	Prasugrel-based De-Escalation of Dual Antiplatelet Therapy After Percutaneous Coronary Intervention in Patients With STEMI. <i>Korean Circulation Journal</i> , 2022, 52, 304.	1.9	7
213	Effect of Wire Jailing at Side Branch in 1-Stent Strategy for Coronary Bifurcation Lesions. <i>JACC: Cardiovascular Interventions</i> , 2022, 15, 443-455.	2.9	7
214	Development of a Rabbit Model for a Preclinical Comparison of Coronary Stent Types In-Vivo. <i>Korean Circulation Journal</i> , 2013, 43, 713.	1.9	6
215	Role of Zscan4 in secondary murine iPSC derivation mediated by protein extracts of ESC or iPSC. <i>Biomaterials</i> , 2015, 59, 102-115.	11.4	6
216	Impact of smoking status on clinical outcomes after successful chronic total occlusion intervention: Korean national registry of CTO intervention. <i>Catheterization and Cardiovascular Interventions</i> , 2016, 87, 1050-1062.	1.7	6

#	ARTICLE	IF	CITATIONS
217	Prognostic Implications of Newly Developed T-Wave Inversion After Primary Percutaneous Coronary Intervention in Patients With ST-Segment Elevation Myocardial Infarction. American Journal of Cardiology, 2017, 119, 515-519.	1.6	6
218	The Effect of Cilostazol on the Angiographic Outcome of Drug-Eluting Coronary Stents Angiographic Analysis of the CILON-T (Influence of Cilostazol-Based Triple Antiplatelet Therapy ON Ischemi) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 702 853-860.	1.6	6
219	Optimal Timing of Percutaneous Coronary Intervention in Patients With Non-ST-Segment Elevation Myocardial Infarction Complicated by Acute Decompensated Heart Failure (from the Korea Acute) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 702 1285-1292.	1.6	6
220	Impact of Diabetes Mellitus in Women Undergoing Percutaneous Coronary Intervention With Drug-Eluting Stents. Circulation: Cardiovascular Interventions, 2019, 12, e007734.	3.9	6
221	Intravascular ultrasound or optical coherence tomography-defined anatomic severity and hemodynamic severity assessed by coronary physiologic indices. Revista Espanola De Cardiologia (English Ed), 2020, 73, 812-821.	0.6	6
222	Mechanical and Pharmacological Revascularization Strategies for Prevention of Microvascular Dysfunction in ST-Segment Elevation Myocardial Infarction: Analysis from Index of Microcirculatory Resistance Registry Data. Journal of Interventional Cardiology, 2020, 2020, 1-12.	1.2	6
223	Efficacy and Tolerability of Pitavastatin Versus Pitavastatin/Fenofibrate in High-risk Korean Patients with Mixed Dyslipidemia: A Multicenter, Randomized, Double-blinded, Parallel, Therapeutic Confirmatory Clinical Trial. Clinical Therapeutics, 2020, 42, 2021-2035.e3.	2.5	6
224	Two-year outcomes post-discharge in Asian patients with acute coronary syndrome: Findings from the EPICOR Asia study. International Journal of Cardiology, 2020, 315, 1-8.	1.7	6
225	Long-term antithrombotic management patterns in Asian patients with acute coronary syndrome: 2-year observations from the EPICOR Asia study. Clinical Cardiology, 2020, 43, 999-1008.	1.8	6
226	Progression of ascending aortopathy may not occur after transcatheter aortic valve replacement in severe bicuspid aortic stenosis. Korean Journal of Internal Medicine, 2021, 36, 332-341.	1.7	6
227	Plant callus-derived shikimic acid regenerates human skin through converting human dermal fibroblasts into multipotent skin-derived precursor cells. Stem Cell Research and Therapy, 2021, 12, 346.	5.5	6
228	Gata6 in pluripotent stem cells enhance the potential to differentiate into cardiomyocytes. BMB Reports, 2018, 51, 85-91.	2.4	6
229	Clinical impacts of high-sensitivity C-reactive protein reduction for secondary prevention in Asian patients with one-year survivor after acute myocardial infarction. International Journal of Cardiology, 2015, 193, 20-22.	1.7	5
230	Comparison of Outcomes After Percutaneous Coronary Intervention for Chronic Total Occlusion Using Everolimus- Versus Sirolimus- Versus Paclitaxel-Eluting Stents (from the Korean National) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 702 1050-1060.	1.6	5
231	Duration of clopidogrel-based dual antiplatelet therapy and clinical outcomes after endeavor sprint zotarolimus-eluting stent implantation in patients presenting with acute coronary syndrome. European Journal of Internal Medicine, 2015, 26, 521-527.	2.2	5
232	Comparison of dual antiplatelet therapy prescribed as one-pill versus two-pill regimen. Thrombosis and Haemostasis, 2016, 116, 78-86.	3.4	5
233	Impact of low high-density lipoprotein-cholesterol level on 2-year clinical outcomes after acute myocardial infarction in patients with diabetes mellitus. Lipids in Health and Disease, 2016, 15, 197.	3.0	5
234	Comparison of the planned one-stent and elective two-stent techniques in patients with coronary bifurcation lesions with or without acute coronary syndrome from the COBIS II Registry. Catheterization and Cardiovascular Interventions, 2018, 92, 1050-1060.	1.7	5

#	ARTICLE	IF	CITATIONS
235	Complete Versus Culprit-Only Revascularization for ST-Segment Elevation Myocardial Infarction and Multivessel Disease in the 2nd Generation Drug-Eluting Stent Era: Data from the INTERSTELLAR Registry. Korean Circulation Journal, 2018, 48, 989.	1.9	5
236	A new risk score for ventricular tachyarrhythmia in acute myocardial infarction with preserved left ventricular ejection fraction. Journal of Cardiology, 2018, 72, 420-426.	1.9	5
237	The natural course of nonculprit coronary artery lesions; analysis by serial quantitative coronary angiography. BMC Cardiovascular Disorders, 2018, 18, 130.	1.7	5
238	Effect of Side Branch Predilation in Coronary Bifurcation Stenting With the Provisional Approachâ€• Results From the COBIS (Coronary Bifurcation Stenting) II Registry â€•. Circulation Journal, 2018, 82, 1293-1301.	1.6	5
239	Randomized Prospective Comparison of Everolimus-Eluting vs. Sirolimus-Eluting Stents in Patients Undergoing Percutaneous Coronary Interventionâ€• 3-Year Clinical Outcomes of the EXCELLENT Randomized Trial â€•. Circulation Journal, 2018, 82, 1566-1574.	1.6	5
240	Comparison of Two-Year Outcomes of Acute Myocardial Infarction Caused by Coronary Artery Spasm Versus that Caused by Coronary Atherosclerosis. American Journal of Cardiology, 2019, 124, 1493-1500.	1.6	5
241	Optimal Oversizing Index Depending on Valve Type and Leakage-Proof Function for Preventing Paravalvular Leakage after Transcatheter Aortic Valve Implantation. Journal of Clinical Medicine, 2020, 9, 3936.	2.4	5
242	Immediate Compared With Delayed Percutaneous Coronary Intervention for Patients With ST-Segmentâ€•Elevation Myocardial Infarction Presenting â‰¥12 Hours After Symptom Onset Is Not Associated With Improved Clinical Outcome. Circulation: Cardiovascular Interventions, 2021, 14, e009863.	3.9	5
243	Comparison of 2-Stenting Strategies Depending on Sequence or Technique for Bifurcation Lesions in the Second-Generation Drug-Eluting Stent Eraâ€• Analysis From the COBIS (Coronary Bifurcation) Tj ETQq1 1 0iZ84314 rgBT /Over		
244	Comparison of inâ€•hospital outcomes of patients with vs. without ischaemic cardiomyopathy undergoing venoâ€•arterialâ€•extracorporeal membrane oxygenation. ESC Heart Failure, 2021, 8, 3308-3315.	3.1	5
245	Impact of statin usage patterns on outcomes after percutaneous coronary intervention in acute myocardial infarction: Korea Working Group on Myocardial Infarction registry (KorMI) study. Journal of Geriatric Cardiology, 2014, 11, 93-9.	0.2	5
246	Angiopoietin-1 Protects Endothelial Cells From Hypoxia-Induced Apoptosis via Inhibition of Phosphatase and Tensin Homologue Deleted From Chromosome Ten. Korean Circulation Journal, 2009, 39, 57.	1.9	4
247	Twoâ€•Year Safety and Efficacy of Biodegradable Polymer Drugâ€•Eluting Stent Versus Secondâ€•Generation Durable Polymer Drugâ€•Eluting Stent in Patients With Acute Myocardial Infarction: Data from the Korea Acute Myocardial Infarction Registry (<sc>KAMIR</sc>). Clinical Cardiology, 2016, 39, 276-284.	1.8	4
248	Study protocol for a randomised controlled trial: harmonising optimal strategy for treatment of coronary artery stenosis â€• coronary intervention with next-generation drug-eluting stent platforms and abbreviated dual antiplatelet therapy (HOST-IDEA) trial. BMJ Open, 2017, 7, e016617.	1.9	4
249	Predictors of candesartan's effect on vascular reactivity in patients with coronary artery disease. Cardiovascular Therapeutics, 2017, 35, e12291.	2.5	4
250	Preoperative Serum Alkaline Phosphatase and Clinical Outcome of Off-Pump Coronary Artery Bypass Surgery. Circulation Journal, 2017, 81, 799-805.	1.6	4
251	Treatment Strategy for STEMI With Bifurcation Culprit Lesion Undergoing Primary PCI: The COBIS II Registry. Revista Espanola De Cardiologia (English Ed), 2018, 71, 811-819.	0.6	4
252	NFATc1+CD31+CD45â€• circulating multipotent stem cells derived from human endocardium and their therapeutic potential. Biomaterials, 2020, 232, 119674.	11.4	4

#	ARTICLE	IF	CITATIONS
253	Validation of the diagnostic performance of HeartMedi V.1.0™, a novel CT-derived fractional flow reserve measurement, for patients with coronary artery disease: a study protocol. <i>BMJ Open</i> , 2020, 10, e037780.	1.9	4
254	De-escalation of Prasugrel Results in Higher Percentage of Patients within Optimal Range of Platelet Reactivity: Analysis from the HOST-REDUCE-POLYTECH-ACS Trial. <i>Thrombosis and Haemostasis</i> , 2022, 122, 160-162.	3.4	4
255	Discovery of chemerin as the new chemoattractant of human mesenchymal stem cells. <i>Cell and Bioscience</i> , 2021, 11, 120.	4.8	4
256	Differential Factors for Predicting Outcomes in Left Main versus Non-Left Main Coronary Bifurcation Stenting. <i>Journal of Clinical Medicine</i> , 2021, 10, 3024.	2.4	4
257	Incidence and Predictors of Stent Thrombosis in Patients Treated with Stents for Coronary Bifurcation Narrowing (From the BIFURCAT Registry). <i>American Journal of Cardiology</i> , 2021, 156, 24-31.	1.6	4
258	Ivabradine-Induced Torsade de Pointes in Patients with Heart Failure Reduced Ejection Fraction. <i>International Heart Journal</i> , 2020, 61, 1044-1048.	1.0	4
259	Imprinted gene Zinc finger protein 127 is a novel regulator of master pluripotency transcription factor, Oct4. <i>BMB Reports</i> , 2018, 51, 242-248.	2.4	4
260	Cardiovascular Regeneration via Stem Cells and Direct Reprogramming: A Review. <i>Korean Circulation Journal</i> , 2022, 52, 341-353.	1.9	4
261	Impact of Left Ventricular Ejection Fraction on Procedural and Long-Term Outcomes of Bifurcation Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2022, 172, 18-25.	1.6	4
262	Effect of Hypercholesterolemia on Macrophage Infiltration After Balloon Injury to Rabbit Iliac Artery. <i>Japanese Circulation Journal</i> , 2001, 65, 117-122.	1.0	3
263	Assessment of Intermediate Coronary Stenosis in Koreans Using the Fractional Flow Reserve. <i>Korean Circulation Journal</i> , 2008, 38, 468.	1.9	3
264	Study design of the influence of Serotonin inhibition on patients with RENal impairment or diabetes undergoing drug-eluting stent implantation (SERENADE) study: A multicenter, open-label, prospective, randomized study. <i>Contemporary Clinical Trials</i> , 2015, 43, 20-24.	1.8	3
265	Priming mobilized peripheral blood mononuclear cells with the activated platelet supernatant enhances the efficacy of cell therapy for myocardial infarction of rats. <i>Cardiovascular Therapeutics</i> , 2016, 34, 245-253.	2.5	3
266	Outcome of Triple Antiplatelet Therapy Including Cilostazol in Elderly Patients with ST-Elevation Myocardial Infarction who Underwent Primary Percutaneous Coronary Intervention: Results from the INTERSTELLAR Registry. <i>Drugs and Aging</i> , 2017, 34, 467-477.	2.7	3
267	Usefulness of Calculation of Cardiovascular Risk Factors to Predict Outcomes in Patients With Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2019, 124, 857-863.	1.6	3
268	Clinical Implications of Bifurcation Angles in Left Main Bifurcation Intervention Using a Two-Stent Technique. <i>Journal of Interventional Cardiology</i> , 2020, 2020, 1-12.	1.2	3
269	Optimal Dose and Type of β -blockers in Patients With Acute Coronary Syndrome Undergoing Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2020, 137, 12-19.	1.6	3
270	Multicenter experience with percutaneous coronary intervention for chronic total occlusion in Korean population: analysis of the Korean nationwide multicenter chronic total occlusion registry. <i>Coronary Artery Disease</i> , 2020, 31, 319-326.	0.7	3

#	ARTICLE	IF	CITATIONS
271	Safety and Efficacy of Glycoprotein IIb/IIIa Inhibitors in Patients With Acute Myocardial Infarction in the Presence of Intracoronary Thrombus: An Analysis From the Grand Drug-eluting Stent Registry. <i>Clinical Therapeutics</i> , 2020, 42, 954-958.e6.	2.5	3
272	Benefit of a staged in-hospital revascularization strategy in hemodynamically stable patients with ST-segment elevation myocardial infarction and multivessel disease: Analyses by risk stratification. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 97, 1151-1159.	1.7	3
273	Cardiovascular Outcomes Comparison of Dipeptidyl Peptidase-4 Inhibitors versus Sulfonylurea as Add-on Therapy for Type 2 Diabetes Mellitus: a Meta-Analysis. <i>Journal of Lipid and Atherosclerosis</i> , 2021, 10, 210.	3.5	3
274	Effects of Asian dust-derived particulate matter on ST-elevation myocardial infarction: retrospective, time series study. <i>BMC Public Health</i> , 2021, 21, 68.	2.9	3
275	Long-term efficacy of vasodilating β -blocker in patients with acute myocardial infarction: nationwide multicenter prospective registry. <i>Korean Journal of Internal Medicine</i> , 2021, 36, S62-S71.	1.7	3
276	Incremental age-related one-year MACCE after acute myocardial infarction in the drug-eluting stent era (from KAMIR-NIH registry). <i>Journal of Geriatric Cardiology</i> , 2018, 15, 574-584.	0.2	3
277	Optimal low-density lipoprotein cholesterol target level in Korean acute myocardial infarction patients (<70Âmg/dL vs. <55Âmg/dL): Based on Korea acute myocardial infarction registry-National Institute of Health. <i>International Journal of Cardiology</i> , 2022, 351, 15-22.	1.7	3
278	Three-Dimensional Contrast Echocardiography in Assessing Left Ventricular Diverticulum. <i>Echocardiography</i> , 2012, 29, E230-2.	0.9	2
279	Comparison of a drug-eluting balloon first and then bare metal stent with a drug-eluting stent for treatment of de novo lesions: study protocol of a randomized controlled trial. <i>Trials</i> , 2013, 14, 38.	1.6	2
280	Clinical Outcomes in Patients with Deferred Coronary Lesions according to Disease Severity Assessed by Fractional Flow Reserve. <i>Journal of Korean Medical Science</i> , 2016, 31, 1929.	2.5	2
281	KAI1(CD82)-DARC(CD234) axis in the stem cell niche. <i>Cell Cycle</i> , 2016, 15, 1945-1947.	2.6	2
282	Farewell to Drug-Eluting Balloons for In-Stent Restenosis?. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 992-994.	2.9	2
283	Long-Term Comparison of Platinum Chromium Everolimus-Eluting Stent vs. Cobalt Chromium Zotarolimus-Eluting Stentâ€™s 3-Year Outcomes From the HOSTâ€™ASSURE Randomized Clinical Trial â€™. <i>Circulation Journal</i> , 2019, 83, 1489-1497.	1.6	2
284	Impact of Intensive Glucose Control in Patients with Diabetes Mellitus Undergoing Percutaneous Coronary Intervention: 3-Year Clinical Outcomes. <i>Journal of Clinical Medicine</i> , 2020, 9, 2464.	2.4	2
285	One-year clinical outcomes of coronary chronic total occlusion intervention in patients with acute coronary syndrome versus stable angina: from the Korean chronic total occlusion registry. <i>Coronary Artery Disease</i> , 2020, 31, 430-437.	0.7	2
286	Prognostic value of novel neutrophil-to-hemoglobin and lymphocyte score in patients with acute myocardial infarction. <i>European Journal of Inflammation</i> , 2021, 19, 205873922110390.	0.5	2
287	Sex-related impact on clinical outcomes of patients treated with drug-eluting stents according to clinical presentation: Patient-level pooled analysis from the GRAND-DES registry. <i>Cardiology Journal</i> , 2021, , .	1.2	2
288	Clinical Implication of Hypoxic Liver Injury for Predicting Hypoxic Hepatitis and In-Hospital Mortality in ST Elevation Myocardial Infarction Patients. <i>Yonsei Medical Journal</i> , 2021, 62, 877.	2.2	2

#	ARTICLE	IF	CITATIONS
289	Derivation and validation of a combined in-hospital mortality and bleeding risk model in acute myocardial infarction. <i>IJC Heart and Vasculature</i> , 2021, 33, 100732.	1.1	2
290	Time Course and Risk Factors of New-Onset Complete Atrioventricular Block After Transcatheter Aortic Valve Implantation. <i>International Heart Journal</i> , 2021, 62, 988-996.	1.0	2
291	Forkhead Factor, FOXO3a, Induces Apoptosis of Endothelial Cells Through Activation of Matrix Metalloproteinases. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008, 28, 302-308.	2.4	2
292	Gender differences in clinical outcomes of acute myocardial infarction undergoing percutaneous coronary intervention: insights from the KAMIR-NIH Registry. <i>Journal of Geriatric Cardiology</i> , 2020, 17, 680-693.	0.2	2
293	Correction to: Cardiovascular Outcomes Comparison of Dipeptidyl Peptidase-4 Inhibitors Versus Sulfonylurea as Add-on Therapy for Type 2 Diabetes Mellitus: A Meta-Analysis. <i>Journal of Lipid and Atherosclerosis</i> , 2022, 11, 89.	3.5	2
294	The G Protein-Coupled Receptor Latrophilin-2, A Marker for Heart Development, Induces Myocardial Repair After Infarction. <i>Stem Cells Translational Medicine</i> , 2022, 11, 332-342.	3.3	2
295	The Clinical Impact of β -Blocker Therapy on Patients With Chronic Coronary Artery Disease After Percutaneous Coronary Intervention. <i>Korean Circulation Journal</i> , 2022, 52, 544.	1.9	2
296	Angiographic complete revascularization versus incomplete revascularization in patients with diabetes mellitus. <i>Cardiovascular Diabetology</i> , 2022, 21, 56.	6.8	2
297	Prognostic Impact of Plasma Glucose on Patients With Cardiogenic Shock With or Without Diabetes Mellitus from the SMART RESCUE Trial. <i>American Journal of Cardiology</i> , 2022, 175, 145-151.	1.6	2
298	Strategy to Prime the Host and Cells to Augment Therapeutic Efficacy of Progenitor Cells for Patients with Myocardial Infarction. <i>Frontiers in Cardiovascular Medicine</i> , 2016, 3, 46.	2.4	1
299	Differential effect of side branch intervention on long-term clinical outcomes according to side branch stenosis after main vessel stenting: Results from the COBIS (Coronary Bifurcation Stenting) Registry II. <i>International Journal of Cardiology</i> , 2016, 221, 471-477.	1.7	1
300	Treatment for in-stent restenosis using drug-eluting balloon: Importance of procedural optimization rather than device itself. <i>International Journal of Cardiology</i> , 2017, 242, 5.	1.7	1
301	Door-to-balloon time and cardiac mortality in acute myocardial infarction by total occlusion of the left circumflex artery. <i>Coronary Artery Disease</i> , 2018, 29, 409-415.	0.7	1
302	Immediate multivessel intervention versus culprit-vessel intervention only in patients with ST-elevation myocardial infarction and multivessel coronary disease. <i>Coronary Artery Disease</i> , 2019, 30, 95-102.	0.7	1
303	An analysis of vascular properties using pulse wave analysis in patients with vasovagal syncope. <i>Clinical Cardiology</i> , 2020, 43, 781-788.	1.8	1
304	Assessment of the Efficacy of Lowering LDL Cholesterol with Rosuvastatin 10 mg in Four Korean Statin Benefit Groups as per ACC/AHA Guidelines (NewStaR4G). <i>Journal of Clinical Medicine</i> , 2020, 9, 916.	2.4	1
305	Variation in treatment strategy for non-ST segment elevation myocardial infarction: A multilevel methodological approach. <i>International Journal of Cardiology</i> , 2021, 328, 35-39.	1.7	1
306	Clinical Outcomes of Ticagrelor in Korean Patients with Acute Myocardial Infarction without High Bleeding Risk. <i>Journal of Korean Medical Science</i> , 2021, 36, e268.	2.5	1

#	ARTICLE	IF	CITATIONS
307	The validation of the dual antiplatelet therapy score in East Asians receiving percutaneous coronary intervention with exclusively second generation drug-eluting stents. Catheterization and Cardiovascular Interventions, 2021, 98, E332-E341.	1.7	1
308	Association of Side-Branch Treatment and Patient Factors in Left Anterior Descending Artery True Bifurcation Lesions: Analysis from the GRAND-DES Pooled Registry. Journal of Interventional Cardiology, 2020, 2020, 1-9.	1.2	1
309	Acute ST-elevation myocardial infarction due to prosthetic valve endocarditis after transcatheter aortic valve implantation. Korean Journal of Internal Medicine, 2020, 35, 1020-1021.	1.7	1
310	The current status and outcomes of in-hospital P2Y12 receptor inhibitor switching in Korean patients with acute myocardial infarction. Korean Journal of Internal Medicine, 2022, , .	1.7	1
311	Effect of Hypercholesterolemia on the Sequential Changes of Apoptosis and Proliferation after Balloon Injury to Rabbit Iliac Artery. Sunhwan'gi, 2000, 30, 383.	0.3	0
312	Response to Letter Regarding Article, "Stent Thrombosis with Everolimus-Eluting Stents: Meta-Analysis of Comparative Randomized Controlled Trials". Circulation: Cardiovascular Interventions, 2012, 5, .	3.9	0
313	Comparison of Angiographic Outcomes of Side Branch Ostium at Bifurcation Coronary Lesion between Two-stent and One-stent Techniques. Journal of Korean Medical Science, 2015, 30, 889.	2.5	0
314	Effects of celecoxib on vascular changes after coronary intervention: A serial volumetric intravascular ultrasound analysis from the mini-COREA randomized clinical trial. International Journal of Cardiology, 2016, 202, 240-243.	1.7	0
315	Shedding light on the DARC knight as a guardian of hematopoietic stem cell quiescence. Stem Cell Investigation, 2017, 4, 8-8.	3.0	0
316	Where Are the Secrets of Increased Thrombosis and Aneurysm Formation With the Current Bioresorbable Vascular Scaffolds Hidden? Reply. Circulation Journal, 2018, 82, 609-610.	1.6	0
317	The selection of β -blocker after successful reperfusion in patients with ST-elevation myocardial infarction. Perfusion (United Kingdom), 2020, 35, 338-347.	1.0	0
318	Optimal strategy for side branch treatment in patients with left main coronary bifurcation lesions. Revista Espanola De Cardiologia (English Ed), 2021, 74, 691-699.	0.6	0
319	Multivessel versus IRA-only PCI in patients with NSTEMI and severe left ventricular systolic dysfunction. PLoS ONE, 2021, 16, e0258525.	2.5	0
320	Percutaneous Treatment of Unprotected Left Main Disease With Thin-Strut Durable-Polymer or Early Generation Thicker-Strutted and Coated Bioabsorbable-Polymer Drug-Eluting Stents in a Large-Scale Registry. Cardiovascular Revascularization Medicine, 2021, 32, 43-49.	0.8	0
321	A Randomized, Double-Blind, Non-Inferiority Clinical Trial for Safety and Efficacy of Candesartan Cilexetil Compared with Enalapril Maleate in Patients with Essential Hypertension. Journal of the Korean Society for Clinical Pharmacology and Therapeutics, 2003, 11, 48.	0.1	0
322	Bioresorbable Vascular Scaffolds: Is the Light Fading at the End of the Tunnel? Reply. Circulation Journal, 2018, 82, 2928.	1.6	0
323	Aspirin versus clopidogrel after percutaneous coronary intervention "Authors' reply. Lancet, The, 2021, 398, 1685-1686.	13.7	0
324	Direct Conversion of Cell Fate and Induced Endothelial Cells. Circulation Journal, 2021, , .	1.6	0

#	ARTICLE	IF	CITATIONS
325	Coronary vasospasm-induced syncope with dynamic changes of regional wall motion abnormalities confirmed real-time: a case report. European Heart Journal - Case Reports, 2020, 4, 1-5.	0.6	0
326	Assessment of optimal renin-angiotensin-system inhibition strategy in Asian patients with STEMI after primary myocardial revascularization. Reviews in Cardiovascular Medicine, 2022, 23, 1.	1.4	0
327	Impact of Systemic Inflammatory Response Syndrome on Clinical, Echocardiographic, and Computed Tomographic Outcomes Among Patients Undergoing Transcatheter Aortic Valve Implantation. Frontiers in Cardiovascular Medicine, 2021, 8, 746774.	2.4	0
328	Enhanced Generation of Human Induced Pluripotent Stem Cells from Peripheral Blood and Using Their Mesoderm Differentiation Ability to Regenerate Infarcted Myocardium. Stem Cells International, 2022, 2022, 1-19.	2.5	0
329	Title is missing!. , 2020, 15, e0233286.		0
330	Title is missing!. , 2020, 15, e0233286.		0
331	Title is missing!. , 2020, 15, e0233286.		0
332	Title is missing!. , 2020, 15, e0233286.		0