

Sang-Don Park

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7242601/publications.pdf>

Version: 2024-02-01

332
papers

12,434
citations

44042

48
h-index

31818

101
g-index

345
all docs

345
docs citations

345
times ranked

11797
citing authors

#	ARTICLE	IF	CITATIONS
1	De-escalation of Prasugrel Results in Higher Percentage of Patients within Optimal Range of Platelet Reactivity: Analysis from the HOST-REDUCE-POLYTECH-ACS Trial. <i>Thrombosis and Haemostasis</i> , 2022, 122, 160-162.	1.8	4
2	Correction to: "Cardiovascular Outcomes Comparison of Dipeptidyl Peptidase-4 Inhibitors Versus Sulfonylurea as Add-on Therapy for Type 2 Diabetes Mellitus: A Meta-Analysis" <i>Journal of Lipid and Atherosclerosis</i> , 2022, 11, 89.	1.1	2
3	Assessment of optimal renin-angiotensin-system inhibition strategy in Asian patients with STEMI after primary myocardial revascularization. <i>Reviews in Cardiovascular Medicine</i> , 2022, 23, 1.	0.5	0
4	The current status and outcomes of in-hospital P2Y12 receptor inhibitor switching in Korean patients with acute myocardial infarction. <i>Korean Journal of Internal Medicine</i> , 2022, , .	0.7	1
5	Prasugrel-based De-Escalation of Dual Antiplatelet Therapy After Percutaneous Coronary Intervention in Patients With STEMI. <i>Korean Circulation Journal</i> , 2022, 52, 304.	0.7	7
6	Clinical Outcomes in Patients With Delayed Hospitalization for Non-ST-Segment Elevation Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2022, 79, 311-323.	1.2	19
7	Enhanced Generation of Human Induced Pluripotent Stem Cells from Peripheral Blood and Using Their Mesoderm Differentiation Ability to Regenerate Infarcted Myocardium. <i>Stem Cells International</i> , 2022, 2022, 1-19.	1.2	0
8	Cardiovascular Regeneration via Stem Cells and Direct Reprogramming: A Review. <i>Korean Circulation Journal</i> , 2022, 52, 341-353.	0.7	4
9	Effect of Wire Jailing at Side Branch in 1-Stent Strategy for Coronary Bifurcation Lesions. <i>JACC: Cardiovascular Interventions</i> , 2022, 15, 443-455.	1.1	7
10	Prasugrel Dose De-escalation Therapy After Complex Percutaneous Coronary Intervention in Patients With Acute Coronary Syndrome. <i>JAMA Cardiology</i> , 2022, 7, 418.	3.0	9
11	Impact of Left Ventricular Ejection Fraction on Procedural and Long-Term Outcomes of Bifurcation Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2022, 172, 18-25.	0.7	4
12	The G Protein-Coupled Receptor Latrophilin-2, A Marker for Heart Development, Induces Myocardial Repair After Infarction. <i>Stem Cells Translational Medicine</i> , 2022, 11, 332-342.	1.6	2
13	Optimal low-density lipoprotein cholesterol target level in Korean acute myocardial infarction patients (<70 mg/dL vs. <55 mg/dL): Based on Korea acute myocardial infarction registry-National Institute of Health. <i>International Journal of Cardiology</i> , 2022, 351, 15-22.	0.8	3
14	The Clinical Impact of Î²-Blocker Therapy on Patients With Chronic Coronary Artery Disease After Percutaneous Coronary Intervention. <i>Korean Circulation Journal</i> , 2022, 52, 544.	0.7	2
15	Angiographic complete revascularization versus incomplete revascularization in patients with diabetes mellitus. <i>Cardiovascular Diabetology</i> , 2022, 21, 56.	2.7	2
16	Platelet Function and Genotype after DES Implantation in East Asian Patients: Rationale and Characteristics of the PTRG-DES Consortium. <i>Yonsei Medical Journal</i> , 2022, 63, 413.	0.9	13
17	Prognostic Impact of Plasma Glucose on Patients With Cardiogenic Shock With or Without Diabetes Mellitus from the SMART RESCUE Trial. <i>American Journal of Cardiology</i> , 2022, 175, 145-151.	0.7	2
18	Optimal strategy for side branch treatment in patients with left main coronary bifurcation lesions. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2021, 74, 691-699.	0.4	0

#	ARTICLE	IF	CITATIONS
19	Effect of beta-blocker therapy in patients with or without left ventricular systolic dysfunction after acute myocardial infarction. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021, 7, 475-482.	1.4	27
20	Benefit of a staged in-hospital revascularization strategy in hemodynamically stable patients with ST-segment elevation myocardial infarction and multivessel disease: Analyses by risk stratification. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 97, 1151-1159.	0.7	3
21	Practical guidance for P2Y12 inhibitors in acute myocardial infarction undergoing percutaneous coronary intervention. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021, 7, 112-124.	1.4	13
22	Lysophosphatidic Acid Receptor 4 Is Transiently Expressed during Cardiac Differentiation and Critical for Repair of the Damaged Heart. <i>Molecular Therapy</i> , 2021, 29, 1151-1163.	3.7	11
23	Durable Polymer Versus Biodegradable Polymer Drug-Eluting Stents After Percutaneous Coronary Intervention in Patients with Acute Coronary Syndrome. <i>Circulation</i> , 2021, 143, 1081-1091.	1.6	33
24	Variation in treatment strategy for non-ST segment elevation myocardial infarction: A multilevel methodological approach. <i>International Journal of Cardiology</i> , 2021, 328, 35-39.	0.8	1
25	Clinical Implication of "Obesity Paradox"™ in Elderly Patients With Acute Myocardial Infarction. <i>Heart Lung and Circulation</i> , 2021, 30, 481-488.	0.2	8
26	Prognostic value of novel neutrophil-to-hemoglobin and lymphocyte score in patients with acute myocardial infarction. <i>European Journal of Inflammation</i> , 2021, 19, 205873922110390.	0.2	2
27	Neutrophil-to-Lymphocyte Ratio at Emergency Room Predicts Mechanical Complications of ST-segment Elevation Myocardial Infarction. <i>Journal of Korean Medical Science</i> , 2021, 36, e131.	1.1	8
28	Sex-related impact on clinical outcomes of patients treated with drug-eluting stents according to clinical presentation: Patient-level pooled analysis from the GRAND-DES registry. <i>Cardiology Journal</i> , 2021, , .	0.5	2
29	Clinical Implication of Hypoxic Liver Injury for Predicting Hypoxic Hepatitis and In-Hospital Mortality in ST Elevation Myocardial Infarction Patients. <i>Yonsei Medical Journal</i> , 2021, 62, 877.	0.9	2
30	Cardiovascular Outcomes Comparison of Dipeptidyl Peptidase-4 Inhibitors versus Sulfonylurea as Add-on Therapy for Type 2 Diabetes Mellitus: a Meta-Analysis. <i>Journal of Lipid and Atherosclerosis</i> , 2021, 10, 210.	1.1	3
31	2021 Korean Society of Myocardial Infarction Expert Consensus Document on Revascularization for Acute Myocardial Infarction. <i>Korean Circulation Journal</i> , 2021, 51, 289.	0.7	11
32	Effects of Asian dust-derived particulate matter on ST-elevation myocardial infarction: retrospective, time series study. <i>BMC Public Health</i> , 2021, 21, 68.	1.2	3
33	Procedural optimization of <sc>drug-coated</sc> balloons in the treatment of coronary artery disease. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 98, E43-E52.	0.7	8
34	Clinical Outcomes of Ticagrelor in Korean Patients with Acute Myocardial Infarction without High Bleeding Risk. <i>Journal of Korean Medical Science</i> , 2021, 36, e268.	1.1	1
35	Relative Impact of Clinical Risk Versus Procedural Risk on Clinical Outcomes After Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Interventions</i> , 2021, 14, e009642.	1.4	13
36	Differential Prognostic Implications of Vasoactive Inotropic Score for Patients With Acute Myocardial Infarction Complicated by Cardiogenic Shock According to Use of Mechanical Circulatory Support*. <i>Critical Care Medicine</i> , 2021, 49, 770-780.	0.4	19

#	ARTICLE	IF	CITATIONS
37	Progression of ascending aortopathy may not occur after transcatheter aortic valve replacement in severe bicuspid aortic stenosis. Korean Journal of Internal Medicine, 2021, 36, 332-341.	0.7	6
38	Long-term efficacy of vasodilating β -blocker in patients with acute myocardial infarction: nationwide multicenter prospective registry. Korean Journal of Internal Medicine, 2021, 36, S62-S71.	0.7	3
39	Derivation and validation of a combined in-hospital mortality and bleeding risk model in acute myocardial infarction. IJC Heart and Vasculature, 2021, 33, 100732.	0.6	2
40	Left Ventricular Ejection Fraction 1 Year After Acute Myocardial Infarction Identifies the Benefits of the Long-Term Use of β -Blockers. Circulation: Cardiovascular Interventions, 2021, 14, e010159.	1.4	10
41	The validation of the dual antiplatelet therapy score in East Asians receiving percutaneous coronary intervention with exclusively second generation drug-eluting stents. Catheterization and Cardiovascular Interventions, 2021, 98, E332-E341.	0.7	1
42	Sex-Related Clinical Characteristics and Outcomes of Patients Undergoing Transcatheter Edge-to-Edge Repair for Secondary Mitral Regurgitation. JACC: Cardiovascular Interventions, 2021, 14, 819-827.	1.1	24
43	Adhesion GPCR Latrophilin-2 Specifies Cardiac Lineage Commitment through CDK5, Src, and P38MAPK. Stem Cell Reports, 2021, 16, 868-882.	2.3	10
44	HLA DR Genome Editing with TALENs in Human iPSCs Produced Immune-Tolerant Dendritic Cells. Stem Cells International, 2021, 2021, 1-14.	1.2	9
45	Immediate Compared With Delayed Percutaneous Coronary Intervention for Patients With ST-Segmentâ€Elevation Myocardial Infarction Presenting \geq 12 Hours After Symptom Onset Is Not Associated With Improved Clinical Outcome. Circulation: Cardiovascular Interventions, 2021, 14, e009863.	1.4	5
46	Direct conversion of adult human fibroblasts into functional endothelial cells using defined factors. Biomaterials, 2021, 272, 120781.	5.7	8
47	Comparison of 2-Stenting Strategies Depending on Sequence or Technique for Bifurcation Lesions in the Second-Generation Drug-Eluting Stent Eraâ€E Analysis From the COBIS (Coronary Bifurcation) Tj ETQq1 1 00784314 rgBT /Ove		
48	Clinical Characteristics and Predictors of In-Hospital Mortality in Patients With Cardiogenic Shock: Results From the RESCUE Registry. Circulation: Heart Failure, 2021, 14, e008141.	1.6	25
49	Comparison of inâ€Ehospital outcomes of patients with vs. without ischaemic cardiomyopathy undergoing venoâ€Earterialâ€Eextracorporeal membrane oxygenation. ESC Heart Failure, 2021, 8, 3308-3315.	1.4	5
50	Plant callus-derived shikimic acid regenerates human skin through converting human dermal fibroblasts into multipotent skin-derived precursor cells. Stem Cell Research and Therapy, 2021, 12, 346.	2.4	6
51	Aspirin versus clopidogrel for chronic maintenance monotherapy after percutaneous coronary intervention (HOST-EXAM): an investigator-initiated, prospective, randomised, open-label, multicentre trial. Lancet, The, 2021, 397, 2487-2496.	6.3	162
52	Discovery of chemerin as the new chemoattractant of human mesenchymal stem cells. Cell and Bioscience, 2021, 11, 120.	2.1	4
53	Differential Factors for Predicting Outcomes in Left Main versus Non-Left Main Coronary Bifurcation Stenting. Journal of Clinical Medicine, 2021, 10, 3024.	1.0	4
54	Endothelin-1 enhances the regenerative capability of human bone marrow-derived mesenchymal stem cells in a sciatic nerve injury mouse model. Biomaterials, 2021, 275, 120980.	5.7	10

#	ARTICLE	IF	CITATIONS
55	Edoxaban versus Vitamin K Antagonist for Atrial Fibrillation after TAVR. <i>New England Journal of Medicine</i> , 2021, 385, 2150-2160.	13.9	144
56	Time Course and Risk Factors of New-Onset Complete Atrioventricular Block After Transcatheter Aortic Valve Implantation. <i>International Heart Journal</i> , 2021, 62, 988-996.	0.5	2
57	KAI1(CD82) is a key molecule to control angiogenesis and switch angiogenic milieu to quiescent state. <i>Journal of Hematology and Oncology</i> , 2021, 14, 148.	6.9	18
58	mHealth Interventions for Lifestyle and Risk Factor Modification in Coronary Heart Disease: Randomized Controlled Trial. <i>JMIR MHealth and UHealth</i> , 2021, 9, e29928.	1.8	30
59	Benefit of Extended Dual Antiplatelet Therapy Duration in Acute Coronary Syndrome Patients Treated with Drug Eluting Stents for Coronary Bifurcation Lesions (from the BIFURCAT Registry). <i>American Journal of Cardiology</i> , 2021, 156, 16-23.	0.7	8
60	Incidence and Predictors of Stent Thrombosis in Patients Treated with Stents for Coronary Bifurcation Narrowing (From the BIFURCAT Registry). <i>American Journal of Cardiology</i> , 2021, 156, 24-31.	0.7	4
61	Retinol from hepatic stellate cells via STRA6 induces lipogenesis on hepatocytes during fibrosis. <i>Cell and Bioscience</i> , 2021, 11, 3.	2.1	18
62	Multivessel versus IRA-only PCI in patients with NSTEMI and severe left ventricular systolic dysfunction. <i>PLoS ONE</i> , 2021, 16, e0258525.	1.1	0
63	Percutaneous Treatment of Unprotected Left Main Disease With Thin-Strut Durable-Polymer or Early Generation Thicker-Strutted and Coated Bioabsorbable-Polymer Drug-Eluting Stents in a Large-Scale Registry. <i>Cardiovascular Revascularization Medicine</i> , 2021, 32, 43-49.	0.3	0
64	Aspirin versus clopidogrel after percutaneous coronary intervention – Authors' reply. <i>Lancet</i> , The, 2021, 398, 1685-1686.	6.3	0
65	Risk-Benefit of 1-Year DAPT After DES Implantation in Patients Stratified by Bleeding and Ischemic Risk. <i>Journal of the American College of Cardiology</i> , 2021, 78, 1968-1986.	1.2	11
66	Direct Conversion of Cell Fate and Induced Endothelial Cells. <i>Circulation Journal</i> , 2021, , .	0.7	0
67	Impact of Systemic Inflammatory Response Syndrome on Clinical, Echocardiographic, and Computed Tomographic Outcomes Among Patients Undergoing Transcatheter Aortic Valve Implantation. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 746774.	1.1	0
68	Intravascular modality-guided versus angiography-guided percutaneous coronary intervention in acute myocardial infarction. <i>Catheterization and Cardiovascular Interventions</i> , 2020, 95, 696-703.	0.7	25
69	The MicroRNA-92a/Sp1/MyoD Axis Regulates Hypoxic Stimulation of Myogenic Lineage Differentiation in Mouse Embryonic Stem Cells. <i>Molecular Therapy</i> , 2020, 28, 142-156.	3.7	14
70	The selection of Î²-blocker after successful reperfusion in patients with ST-elevation myocardial infarction. <i>Perfusion (United Kingdom)</i> , 2020, 35, 338-347.	0.5	0
71	NFATc1+CD31+CD45 ⁺ circulating multipotent stem cells derived from human endocardium and their therapeutic potential. <i>Biomaterials</i> , 2020, 232, 119674.	5.7	4
72	Intravascular ultrasound or optical coherence tomography-defined anatomic severity and hemodynamic severity assessed by coronary physiologic indices. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2020, 73, 812-821.	0.4	6

#	ARTICLE	IF	CITATIONS
73	Validation of the diagnostic performance of HeartMedi V.1.0™, a novel CT-derived fractional flow reserve measurement, for patients with coronary artery disease: a study protocol. <i>BMJ Open</i> , 2020, 10, e037780.	0.8	4
74	Mechanical and Pharmacological Revascularization Strategies for Prevention of Microvascular Dysfunction in ST-Segment Elevation Myocardial Infarction: Analysis from Index of Microcirculatory Resistance Registry Data. <i>Journal of Interventional Cardiology</i> , 2020, 2020, 1-12.	0.5	6
75	Addition of routine blood biomarkers to TIMI risk score improves predictive performance of 1-year mortality in patients with ST-segment elevation myocardial infarction. <i>BMC Cardiovascular Disorders</i> , 2020, 20, 486.	0.7	8
76	A 4-item PRECISE-DAPT score for dual antiplatelet therapy duration decision-making. <i>American Heart Journal</i> , 2020, 223, 44-47.	1.2	17
77	Clinical Implications of Bifurcation Angles in Left Main Bifurcation Intervention Using a Two-Stent Technique. <i>Journal of Interventional Cardiology</i> , 2020, 2020, 1-12.	0.5	3
78	Optimal Dose and Type of β -blockers in Patients With Acute Coronary Syndrome Undergoing Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2020, 137, 12-19.	0.7	3
79	Hepatic stellate cell-specific knockout of transcriptional intermediary factor 1 β aggravates liver fibrosis. <i>Journal of Experimental Medicine</i> , 2020, 217, .	4.2	16
80	Prasugrel-based de-escalation of dual antiplatelet therapy after percutaneous coronary intervention in patients with acute coronary syndrome (HOST-REDUCE-POLYTECH-ACS): an open-label, multicentre, non-inferiority randomised trial. <i>Lancet</i> , The, 2020, 396, 1079-1089.	6.3	125
81	Impact of Intensive Glucose Control in Patients with Diabetes Mellitus Undergoing Percutaneous Coronary Intervention: 3-Year Clinical Outcomes. <i>Journal of Clinical Medicine</i> , 2020, 9, 2464.	1.0	2
82	Efficacy and safety of co-administered telmisartan/amlodipine and rosuvastatin in subjects with hypertension and dyslipidemia. <i>Journal of Clinical Hypertension</i> , 2020, 22, 1835-1845.	1.0	7
83	Trial Design Principles for Patients at High Bleeding Risk Undergoing PCI. <i>Journal of the American College of Cardiology</i> , 2020, 76, 1468-1483.	1.2	35
84	Efficacy and Tolerability of Pitavastatin Versus Pitavastatin/Fenofibrate in High-risk Korean Patients with Mixed Dyslipidemia: A Multicenter, Randomized, Double-blinded, Parallel, Therapeutic Confirmatory Clinical Trial. <i>Clinical Therapeutics</i> , 2020, 42, 2021-2035.e3.	1.1	6
85	Optimal Oversizing Index Depending on Valve Type and Leakage-Proof Function for Preventing Paravalvular Leakage after Transcatheter Aortic Valve Implantation. <i>Journal of Clinical Medicine</i> , 2020, 9, 3936.	1.0	5
86	Two-year outcomes post-discharge in Asian patients with acute coronary syndrome: Findings from the EPICOR Asia study. <i>International Journal of Cardiology</i> , 2020, 315, 1-8.	0.8	6
87	Multicenter experience with percutaneous coronary intervention for chronic total occlusion in Korean population: analysis of the Korean nationwide multicenter chronic total occlusion registry. <i>Coronary Artery Disease</i> , 2020, 31, 319-326.	0.3	3
88	An analysis of vascular properties using pulse wave analysis in patients with vasovagal syncope. <i>Clinical Cardiology</i> , 2020, 43, 781-788.	0.7	1
89	Safety and Efficacy of Second-Generation Drug-Eluting Stents in Real-World Practice: Insights from the Multicenter Grand-DES Registry. <i>Journal of Interventional Cardiology</i> , 2020, 2020, 1-9.	0.5	7
90	Antithrombotic management and long-term outcomes following percutaneous coronary intervention for acute coronary syndrome in Asia. <i>International Journal of Cardiology</i> , 2020, 310, 16-22.	0.8	13

#	ARTICLE	IF	CITATIONS
91	Efficacy and Safety of Long-Term and Short-Term Dual Antiplatelet Therapy: A Meta-Analysis of Comparison between Asians and Non-Asians. <i>Journal of Clinical Medicine</i> , 2020, 9, 652.	1.0	10
92	One-year clinical outcomes of coronary chronic total occlusion intervention in patients with acute coronary syndrome versus stable angina: from the Korean chronic total occlusion registry. <i>Coronary Artery Disease</i> , 2020, 31, 430-437.	0.3	2
93	Long-term antithrombotic management patterns in Asian patients with acute coronary syndrome: 2-year observations from the EPICOR Asia study. <i>Clinical Cardiology</i> , 2020, 43, 999-1008.	0.7	6
94	Prognostic Effects of Treatment Strategies for Left Main Versus Non-Left Main Bifurcation Percutaneous Coronary Intervention With Current-Generation Drug-Eluting Stent. <i>Circulation: Cardiovascular Interventions</i> , 2020, 13, e008543.	1.4	30
95	Coronary Protection to Prevent Coronary Obstruction During TAVR. <i>JACC: Cardiovascular Interventions</i> , 2020, 13, 739-747.	1.1	58
96	Complete Revascularization of Multivessel Coronary Artery Disease Does Not Improve Clinical Outcome in ST-Segment Elevation Myocardial Infarction Patients with Reduced Left Ventricular Ejection Fraction. <i>Journal of Clinical Medicine</i> , 2020, 9, 232.	1.0	7
97	Safety and Efficacy of Glycoprotein IIb/IIIa Inhibitors in Patients With Acute Myocardial Infarction in the Presence of Intracoronary Thrombus: An Analysis From the Grand Drug-eluting Stent Registry. <i>Clinical Therapeutics</i> , 2020, 42, 954-958.e6.	1.1	3
98	Assessment of the Efficacy of Lowering LDL Cholesterol with Rosuvastatin 10 mg in Four Korean Statin Benefit Groups as per ACC/AHA Guidelines (NewStar4G). <i>Journal of Clinical Medicine</i> , 2020, 9, 916.	1.0	1
99	Prognostic impact of the combination of serum transaminase and alkaline phosphatase determined in the emergency room in patients with ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention. <i>PLoS ONE</i> , 2020, 15, e0233286.	1.1	7
100	Ivabradine-Induced Torsade de Pointes in Patients with Heart Failure Reduced Ejection Fraction. <i>International Heart Journal</i> , 2020, 61, 1044-1048.	0.5	4
101	Sarcopenia Index as a Predictor of Clinical Outcomes in Older Patients with Coronary Artery Disease. <i>Journal of Clinical Medicine</i> , 2020, 9, 3121.	1.0	20
102	Pre-hospital delay and emergency medical services in acute myocardial infarction. <i>Korean Journal of Internal Medicine</i> , 2020, 35, 119-132.	0.7	19
103	SYNTAX Score and SYNTAX Score II Can Predict the Clinical Outcomes of Patients with Left Main and/or 3-Vessel Disease Undergoing Percutaneous Coronary Intervention in the Contemporary Cobalt-Chromium Everolimus-Eluting Stent Era. <i>Korean Circulation Journal</i> , 2020, 50, 22.	0.7	8
104	Ethnic Differences in Oral Antithrombotic Therapy. <i>Korean Circulation Journal</i> , 2020, 50, 645.	0.7	13
105	Association of Side-Branch Treatment and Patient Factors in Left Anterior Descending Artery True Bifurcation Lesions: Analysis from the GRAND-DES Pooled Registry. <i>Journal of Interventional Cardiology</i> , 2020, 2020, 1-9.	0.5	1
106	Acute ST-elevation myocardial infarction due to prosthetic valve endocarditis after transcatheter aortic valve implantation. <i>Korean Journal of Internal Medicine</i> , 2020, 35, 1020-1021.	0.7	1
107	Coronary vasospasm-induced syncope with dynamic changes of regional wall motion abnormalities confirmed real-time: a case report. <i>European Heart Journal - Case Reports</i> , 2020, 4, 1-5.	0.3	0
108	Gender differences in clinical outcomes of acute myocardial infarction undergoing percutaneous coronary intervention: insights from the KAMIR-NIH Registry. <i>Journal of Geriatric Cardiology</i> , 2020, 17, 680-693.	0.2	2

#	ARTICLE	IF	CITATIONS
109	Title is missing!. , 2020, 15, e0233286.		0
110	Title is missing!. , 2020, 15, e0233286.		0
111	Title is missing!. , 2020, 15, e0233286.		0
112	Title is missing!. , 2020, 15, e0233286.		0
113	Angiotensin-Converting Enzyme Inhibitors Provide Better Long-Term Survival Benefits to Patients With AMI Than Angiotensin II Receptor Blockers After Survival Hospital Discharge. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2019, 24, 120-129.	1.0	14
114	Impact of Diabetes Mellitus in Women Undergoing Percutaneous Coronary Intervention With Drug-Eluting Stents. <i>Circulation: Cardiovascular Interventions</i> , 2019, 12, e007734.	1.4	6
115	Toll-like receptor mediated inflammation requires FASN-dependent MYD88 palmitoylation. <i>Nature Chemical Biology</i> , 2019, 15, 907-916.	3.9	87
116	Better Prognosis After Complete Revascularization Using Contemporary Coronary Stents in Patients With Chronic Kidney Disease. <i>Circulation: Cardiovascular Interventions</i> , 2019, 12, e007907.	1.4	9
117	The Predictors of Target Lesion Revascularization and Rate of In-Stent Restenosis in the Second-Generation Drug-Eluting Stent Era. <i>Journal of Interventional Cardiology</i> , 2019, 2019, 1-13.	0.5	12
118	Comparison of Two-Year Outcomes of Acute Myocardial Infarction Caused by Coronary Artery Spasm Versus that Caused by Coronary Atherosclerosis. <i>American Journal of Cardiology</i> , 2019, 124, 1493-1500.	0.7	5
119	Efficacy and Safety of Triple Therapy With Telmisartan, Amlodipine, and Rosuvastatin in Patients With Dyslipidemia and Hypertension: The Jeil Telmisartan, Amlodipine, and Rosuvastatin Randomized Clinical Trial. <i>Clinical Therapeutics</i> , 2019, 41, 233-248.e9.	1.1	11
120	Identification of Latrophilin-2 as a Novel Cell-Surface Marker for the Cardiomyogenic Lineage and Its Functional Significance in Heart Development. <i>Circulation</i> , 2019, 139, 2910-2912.	1.6	10
121	Usefulness of Calculation of Cardiovascular Risk Factors to Predict Outcomes in Patients With Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2019, 124, 857-863.	0.7	3
122	Long-Term Comparison of Platinum Chromium Everolimus-Eluting Stent vs. Cobalt Chromium Zotarolimus-Eluting Stentâ€• 3-Year Outcomes From the HOSTâ€•ASSURE Randomized Clinical Trial â€•. <i>Circulation Journal</i> , 2019, 83, 1489-1497.	0.7	2
123	Endothelin-1 Augments Therapeutic Potency of Human Mesenchymal Stem Cells via CDH2 and VEGF Signaling. <i>Molecular Therapy - Methods and Clinical Development</i> , 2019, 13, 503-511.	1.8	7
124	Association between body mass index and 1-year outcome after acute myocardial infarction. <i>PLoS ONE</i> , 2019, 14, e0217525.	1.1	18
125	Defining high bleeding risk in patients undergoing percutaneous coronary intervention: a consensus document from the Academic Research Consortium for High Bleeding Risk. <i>European Heart Journal</i> , 2019, 40, 2632-2653.	1.0	335
126	Defining High Bleeding Risk in Patients Undergoing Percutaneous Coronary Intervention. <i>Circulation</i> , 2019, 140, 240-261.	1.6	428

#	ARTICLE	IF	CITATIONS
127	Development and Validation of an Ischemic and Bleeding Risk Evaluation Tool in East Asian Patients Receiving Percutaneous Coronary Intervention. <i>Thrombosis and Haemostasis</i> , 2019, 119, 1182-1193.	1.8	16
128	Association between pulse pressure at discharge and clinical outcomes in patients with acute myocardial infarction: From the KAMIR—Korean—NIH registry. <i>Journal of Clinical Hypertension</i> , 2019, 21, 774-785.	1.0	9
129	Current Key Issues in Transcatheter Aortic Valve Replacement Undergoing a Paradigm Shift. <i>Circulation Journal</i> , 2019, 83, 952-962.	0.7	7
130	Immediate and delayed hypersensitivity after intra-arterial injection of iodinated contrast media: a prospective study in patients with coronary angiography. <i>European Radiology</i> , 2019, 29, 5314-5321.	2.3	11
131	Dual Antiplatelet Therapy Duration Based—on Ischemic and Bleeding Risks After Coronary—Stenting. <i>Journal of the American College of Cardiology</i> , 2019, 73, 741-754.	1.2	218
132	Ezetimibe and Rosuvastatin Combination Treatment Can Reduce the Dose of Rosuvastatin Without Compromising Its Lipid-lowering Efficacy. <i>Clinical Therapeutics</i> , 2019, 41, 2571-2592.	1.1	7
133	Immediate multivessel intervention versus culprit-vessel intervention only in patients with ST-elevation myocardial infarction and multivessel coronary disease. <i>Coronary Artery Disease</i> , 2019, 30, 95-102.	0.3	1
134	Gender differences of in-hospital outcomes in patients undergoing percutaneous coronary intervention in the drug-eluting stent era. <i>Medicine (United States)</i> , 2019, 98, e15557.	0.4	10
135	Comparison of 1-year clinical outcomes between prasugrel and ticagrelor versus clopidogrel in type 2 diabetes patients with acute myocardial infarction underwent successful percutaneous coronary intervention. <i>Medicine (United States)</i> , 2019, 98, e14833.	0.4	17
136	Racial Differences in Ischaemia/Bleeding Risk Trade-Off during Anti-Platelet Therapy: Individual Patient Level Landmark Meta-Analysis from Seven RCTs. <i>Thrombosis and Haemostasis</i> , 2019, 119, 149-162.	1.8	107
137	Radial Versus Femoral Access With or Without Vascular Closure Device in Patients With Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2019, 123, 742-749.	0.7	9
138	Prognostic Impact of β -Blocker Dose After Acute Myocardial Infarction. <i>Circulation Journal</i> , 2019, 83, 410-417.	0.7	32
139	Identification of High-Risk Plaques Destined to Cause Acute Coronary Syndrome Using Coronary Computed Tomographic Angiography and Computational Fluid—Dynamics. <i>JACC: Cardiovascular Imaging</i> , 2019, 12, 1032-1043.	2.3	188
140	The Proximal Optimization Technique Improves Clinical Outcomes When Treated without Kissing Ballooning in Patients with a Bifurcation Lesion. <i>Korean Circulation Journal</i> , 2019, 49, 485.	0.7	12
141	Comparison of short-term clinical outcomes between Resolute Onyx zotarolimus-eluting stents and everolimus-eluting stent in patients with acute myocardial infarction: Results from the Korea Acute Myocardial infarction Registry (KAMIR). <i>Cardiology Journal</i> , 2019, 26, 469-476.	0.5	8
142	Treatment Strategy for STEMI With Bifurcation Culprit Lesion Undergoing Primary PCI: The COBIS II Registry. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2018, 71, 811-819.	0.4	4
143	Identification of Adult Mesodermal Progenitor Cells and Hierarchy in Atherosclerotic Vascular Calcification. <i>Stem Cells</i> , 2018, 36, 1075-1096.	1.4	7
144	Optimal Timing of Percutaneous Coronary Intervention in Patients With Non—ST-Segment Elevation Myocardial Infarction Complicated by Acute Decompensated Heart Failure (from the Korea Acute) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i> <i>Cardiology</i> , 2018, 121, 1285-1292.	0.7	6

#	ARTICLE	IF	CITATIONS
145	Effects of Statin Intensity on Clinical Outcome in Acute Myocardial Infarction Patients. <i>Circulation Journal</i> , 2018, 82, 1112-1120.	0.7	18
146	Therapeutic Potential of a Novel Necrosis Inhibitor, 7-Amino-Indole, in Myocardial Ischemia-Induced Reperfusion Injury. <i>Hypertension</i> , 2018, 71, 1143-1155.	1.3	22
147	Efficacy and Safety of Fixed-dose Combination Therapy With Telmisartan and Rosuvastatin in Korean Patients With Hypertension and Dyslipidemia: TELSTA-YU (TELmisartan-rosuvaSTATin from YUhan), a Multicenter, Randomized, 4-arm, Double-blind, Placebo-controlled, Phase III Study. <i>Clinical Therapeutics</i> , 2018, 40, 676-691.e1.	1.1	21
148	Comparison of the planned one-stent and elective two-stent techniques in patients with coronary bifurcation lesions with or without acute coronary syndrome from the COBIS II Registry. <i>Catheterization and Cardiovascular Interventions</i> , 2018, 92, 1050-1060.	0.7	5
149	Multivessel Percutaneous Coronary Intervention in Patients With ST-Segment Elevation Myocardial Infarction With Cardiogenic Shock. <i>Journal of the American College of Cardiology</i> , 2018, 71, 844-856.	1.2	77
150	Short-Term Versus Long-Term Dual Antiplatelet Therapy After Drug-Eluting Stent Implantation in Elderly Patients. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 435-443.	1.1	54
151	Effects of Body Mass Index on Clinical Outcomes in Female Patients Undergoing Percutaneous Coronary Intervention With Drug-Eluting Stents. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 68-76.	1.1	28
152	Quantified degree of eccentricity of aortic valve calcification predicts risk of paravalvular regurgitation and response to balloon post-dilation after self-expandable transcatheter aortic valve replacement. <i>International Journal of Cardiology</i> , 2018, 259, 60-68.	0.8	7
153	Effect of Increasing Stent Length on 3-Year Clinical Outcomes in Women Undergoing Percutaneous Coronary Intervention With New-Generation Drug-Eluting Stents. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 53-65.	1.1	22
154	Hepatocyte Growth Factor Improves the Therapeutic Efficacy of Human Bone Marrow Mesenchymal Stem Cells via RAD51. <i>Molecular Therapy</i> , 2018, 26, 845-859.	3.7	27
155	Efficacy and Tolerability of Telmisartan/Amlodipine + Hydrochlorothiazide Versus Telmisartan/Amlodipine Combination Therapy for Essential Hypertension Uncontrolled With Telmisartan/Amlodipine: The Phase III, Multicenter, Randomized, Double-blind TAHYTI Study. <i>Clinical Therapeutics</i> , 2018, 40, 50-63.e3.	1.1	9
156	Influence of obesity and metabolic syndrome on clinical outcomes of ST-segment elevation myocardial infarction in men undergoing primary percutaneous coronary intervention. <i>Journal of Cardiology</i> , 2018, 72, 328-334.	0.8	11
157	Results of a 10-Year Experience in Korea Using Drug-Eluting Stents During Percutaneous Coronary Intervention for Acute Myocardial Infarction (from the Korea Acute Myocardial Infarction Registry). <i>American Journal of Cardiology</i> , 2018, 122, 365-373.	0.7	12
158	Chronic total occlusion intervention of the non-infarct-related artery in acute myocardial infarction patients. <i>Coronary Artery Disease</i> , 2018, 29, 495-501.	0.3	12
159	A Phase III, Multicenter, Randomized, Double-blind, Active Comparator Clinical Trial to Compare the Efficacy and Safety of Combination Therapy With Ezetimibe and Rosuvastatin Versus Rosuvastatin Monotherapy in Patients With Hypercholesterolemia: I-ROSETTE (Ildong Rosuvastatin & Ezetimibe) Tj ETQq1 11-784314rgBT /Ove	1.1	37
160	Door-to-balloon time and cardiac mortality in acute myocardial infarction by total occlusion of the left circumflex artery. <i>Coronary Artery Disease</i> , 2018, 29, 409-415.	0.3	1
161	Third-Generation P2Y12 Inhibitors in East Asian Acute Myocardial Infarction Patients: A Nationwide Prospective Multicentre Study. <i>Thrombosis and Haemostasis</i> , 2018, 118, 591-600.	1.8	50
162	Comparison of prasugrel versus clopidogrel in Korean patients with acute myocardial infarction undergoing successful revascularization. <i>Journal of Cardiology</i> , 2018, 71, 36-43.	0.8	28

#	ARTICLE	IF	CITATIONS
163	Efficacy and Safety of Adding Omega-3 Fatty Acids in Statin-treated Patients with Residual Hypertriglyceridemia: ROMANTIC (Rosuvastatin-OMacor iN residual hyperTrlglyCeridemia), a Randomized, Double-blind, and Placebo-controlled Trial. <i>Clinical Therapeutics</i> , 2018, 40, 83-94.	1.1	23
164	Efficacy and safety of dual antiplatelet therapy after coronary stenting in patients with chronic kidney disease. <i>American Heart Journal</i> , 2018, 197, 103-112.	1.2	9
165	Atorvastatin prevents endothelial dysfunction in high glucose condition through Skp2-mediated degradation of FOXO1 and ICAM-1. <i>Biochemical and Biophysical Research Communications</i> , 2018, 495, 2050-2057.	1.0	11
166	Where Are the Secrets of Increased Thrombosis and Aneurysm Formation With the Current Bioresorbable Vascular Scaffolds Hidden?â€• Reply â€•. <i>Circulation Journal</i> , 2018, 82, 609-610.	0.7	0
167	Dual Antiplatelet Therapy Duration Determines Outcome After 2- But Not 1-Stent Strategy in Left Main Bifurcation Percutaneous Coronary Intervention. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 2453-2463.	1.1	33
168	Complete Versus Culprit-Only Revascularization for ST-Segment Elevation Myocardial Infarction and Multivessel Disease in the 2nd Generation Drug-Eluting Stent Era: Data from the INTERSTELLAR Registry. <i>Korean Circulation Journal</i> , 2018, 48, 989.	0.7	5
169	10-Year Outcomes of Stents Versus Coronary Artery Bypass Grafting for Left Main Coronary Artery Disease. <i>Journal of the American College of Cardiology</i> , 2018, 72, 2813-2822.	1.2	69
170	The Evolving Concept of Dual Antiplatelet Therapy after Percutaneous Coronary Intervention: Focus on Unique Feature of East Asian and â€œAsian Paradoxâ€•. <i>Korean Circulation Journal</i> , 2018, 48, 537.	0.7	52
171	Trends and Outcomes of Transcatheter Aortic Valve Implantation (TAVI) in Korea: the Results of the First Cohort of Korean TAVI Registry. <i>Korean Circulation Journal</i> , 2018, 48, 382.	0.7	19
172	Prognostic Impact of Left Atrial Minimal Volume on Clinical Outcome in Patients with Non-Obstructive Hypertrophic Cardiomyopathy. <i>International Heart Journal</i> , 2018, 59, 991-995.	0.5	10
173	Impact of Optimized Procedure-Related Factors in Drug-Eluting Balloon Angioplasty for Treatment of In-Stent Restenosis. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 969-978.	1.1	30
174	Farewell to Drug-Eluting Balloons for In-Stent Restenosis?. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 992-994.	1.1	2
175	A new risk score for ventricular tachyarrhythmia in acute myocardial infarction with preserved left ventricular ejection fraction. <i>Journal of Cardiology</i> , 2018, 72, 420-426.	0.8	5
176	Effect of Pitavastatin Compared with Atorvastatin and Rosuvastatin on New-Onset Diabetes Mellitus in Patients With Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2018, 122, 922-928.	0.7	23
177	Predictors of high-cost hospitalization in the treatment of acute coronary syndrome in Asia: findings from EPICOR Asia. <i>BMC Cardiovascular Disorders</i> , 2018, 18, 139.	0.7	11
178	The natural course of nonculprit coronary artery lesions; analysis by serial quantitative coronary angiography. <i>BMC Cardiovascular Disorders</i> , 2018, 18, 130.	0.7	5
179	Benefit of Prolonged Dual Antiplatelet Therapy After Implantation of Drug-Eluting Stent for Coronary Bifurcation Lesions. <i>Circulation: Cardiovascular Interventions</i> , 2018, 11, e005849.	1.4	30
180	Comparison of Clinical Outcomes Between Ticagrelor and Prasugrel in Patients With ST-Segment Elevation Myocardial Infarctionâ€• Results From the Korea Acute Myocardial Infarction Registry-National Institutes of Health â€•. <i>Circulation Journal</i> , 2018, 82, 1866-1873.	0.7	8

#	ARTICLE	IF	CITATIONS
181	Effect of Side Branch Predilation in Coronary Bifurcation Stenting With the Provisional Approachâ€”Results From the COBIS (Coronary Bifurcation Stenting) II Registry â€”. Circulation Journal, 2018, 82, 1293-1301.	0.7	5
182	COMP-Angiopoietin-1 accelerates muscle regeneration through N-cadherin activation. Scientific Reports, 2018, 8, 12323.	1.6	7
183	Randomized Prospective Comparison of Everolimus-Eluting vs. Sirolimus-Eluting Stents in Patients Undergoing Percutaneous Coronary Interventionâ€”3-Year Clinical Outcomes of the EXCELLENT Randomized Trial â€”. Circulation Journal, 2018, 82, 1566-1574.	0.7	5
184	<i>Gata6</i> in pluripotent stem cells enhance the potential to differentiate into cardiomyocytes. BMB Reports, 2018, 51, 85-91.	1.1	6
185	Imprinted gene Zinc finger protein 127 is a novel regulator of master pluripotency transcription factor, Oct4. BMB Reports, 2018, 51, 242-248.	1.1	4
186	Bioresorbable Vascular Scaffolds: Is the Light Fading at the End of the Tunnel?â€”Reply â€”. Circulation Journal, 2018, 82, 2928.	0.7	0
187	Incremental age-related one-year MACCE after acute myocardial infarction in the drug-eluting stent era (from KAMIR-NIH registry). Journal of Geriatric Cardiology, 2018, 15, 574-584.	0.2	3
188	Clinical impact of admission hyperglycemia on in-hospital mortality in acute myocardial infarction patients. International Journal of Cardiology, 2017, 236, 9-15.	0.8	56
189	Three, six, or twelve months of dual antiplatelet therapy after DES implantation in patients with or without acute coronary syndromes: an individual patient data pairwise and network meta-analysis of six randomized trials and 11â€”473 patients. European Heart Journal, 2017, 38, ehw627.	1.0	138
190	Prognostic Impact of Combined Dysglycemia and Hypoxic Liver Injury on Admission in Patients With ST-Segment Elevation Myocardial Infarction Who Underwent Primary Percutaneous Coronary Intervention (from the INTERSTELLAR Cohort). American Journal of Cardiology, 2017, 119, 1179-1185.	0.7	7
191	Derivation and validation of the predicting bleeding complications in patients undergoing stent implantation and subsequent dual antiplatelet therapy (PRECISE-DAPT) score: a pooled analysis of individual-patient datasets from clinical trials. Lancet, The, 2017, 389, 1025-1034.	6.3	840
192	Bleeding-Related Deaths in Relation to the Duration of Dual-Antiplatelet Therapy After Coronary Stenting. Journal of the American College of Cardiology, 2017, 69, 2011-2022.	1.2	109
193	Outcome of Triple Antiplatelet Therapy Including Cilostazol in Elderly Patients with ST-Elevation Myocardial Infarction who Underwent Primary Percutaneous Coronary Intervention: Results from the INTERSTELLAR Registry. Drugs and Aging, 2017, 34, 467-477.	1.3	3
194	Treatment for in-stent restenosis using drug-eluting balloon: Importance of procedural optimization rather than device itself. International Journal of Cardiology, 2017, 242, 5.	0.8	1
195	A laboratory association between hemoglobin and VerifyNow P2Y12 reaction unit: A systematic review and meta-analysis. American Heart Journal, 2017, 188, 53-64.	1.2	11
196	Outcomes in Transcatheter Aortic Valve Replacement for Bicuspid Versus Tricuspid Aortic Valve Stenosis. Journal of the American College of Cardiology, 2017, 69, 2579-2589.	1.2	356
197	Comparison of outcomes after treatment of in-stent restenosis using newer generation drug-eluting stents versus drug-eluting balloon: Patient-level pooled analysis of Korean Multicenter in-Stent Restenosis Registry. International Journal of Cardiology, 2017, 230, 181-190.	0.8	22
198	A randomized clinical trial comparing long-term clopidogrel vs aspirin monotherapy beyond dual antiplatelet therapy after drug-eluting coronary stent implantation: Design and rationale of the Harmonizing Optimal Strategy for Treatment of coronary artery stenosis-Extended Antiplatelet Monotherapy (HOST-EXAM) trial. American Heart Journal, 2017, 185, 17-25.	1.2	16

#	ARTICLE	IF	CITATIONS
199	Benefit of Vasodilating β -Blockers in Patients With Acute Myocardial Infarction After Percutaneous Coronary Intervention: Nationwide Multicenter Cohort Study. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	10
200	Study protocol for a randomised controlled trial: harmonising optimal strategy for treatment of coronary artery stenosis – coronary intervention with next-generation drug-eluting stent platforms and abbreviated dual antiplatelet therapy (HOST-IDEA) trial. <i>BMJ Open</i> , 2017, 7, e016617.	0.8	4
201	Risk of Early Adverse Events After Clopidogrel Discontinuation in Patients Undergoing Short-Term Dual Antiplatelet Therapy. <i>JACC: Cardiovascular Interventions</i> , 2017, 10, 1621-1630.	1.1	19
202	Characteristics and outcomes of medically managed patients with non-ST-segment elevation acute coronary syndromes: Insights from the multinational EPICOR Asia study. <i>International Journal of Cardiology</i> , 2017, 243, 15-20.	0.8	15
203	Predictors of candesartan's effect on vascular reactivity in patients with coronary artery disease. <i>Cardiovascular Therapeutics</i> , 2017, 35, e12291.	1.1	4
204	Predictors and Long-Term Clinical Outcome of Longitudinal Stent Deformation. <i>Circulation: Cardiovascular Interventions</i> , 2017, 10, .	1.4	14
205	Long-term Safety and Efficacy of New-Generation Drug-Eluting Stents in Women With Acute Myocardial Infarction. <i>JAMA Cardiology</i> , 2017, 2, 855.	3.0	25
206	Beneficial Effects of Bariatric Surgery on Cardiac Structure and Function in Obesity. <i>Obesity Surgery</i> , 2017, 27, 620-625.	1.1	41
207	Protein-Induced Pluripotent Stem Cells Ameliorate Cognitive Dysfunction and Reduce β Deposition in a Mouse Model of Alzheimer's Disease. <i>Stem Cells Translational Medicine</i> , 2017, 6, 293-305.	1.6	58
208	Short-term versus long-term Dual Antiplatelet therapy after drug-eluting stent implantation in women versus men: A sex-specific patient-level pooled analysis of six randomized trials. <i>Catheterization and Cardiovascular Interventions</i> , 2017, 89, 178-189.	0.7	18
209	Prognostic Implications of Newly Developed T-Wave Inversion After Primary Percutaneous Coronary Intervention in Patients With ST-Segment Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , 2017, 119, 515-519.	0.7	6
210	Clinical outcomes of dual antiplatelet therapy after implantation of drug-eluting stents in patients with different cardiovascular risk factors. <i>Clinical Research in Cardiology</i> , 2017, 106, 165-173.	1.5	14
211	Preoperative Serum Alkaline Phosphatase and Clinical Outcome of Off-Pump Coronary Artery Bypass Surgery. <i>Circulation Journal</i> , 2017, 81, 799-805.	0.7	4
212	The Current Status of Percutaneous Coronary Intervention in Korea: Based on Year 2014 Cohort of Korean Percutaneous Coronary Intervention (K-PCI) Registry. <i>Korean Circulation Journal</i> , 2017, 47, 328.	0.7	31
213	Global position paper on cardiovascular regenerative medicine. <i>European Heart Journal</i> , 2017, 38, 2532-2546.	1.0	133
214	The Effect of Cilostazol on the Angiographic Outcome of Drug-Eluting Coronary Stents Angiographic Analysis of the CILON-T (Influence of Cilostazol-Based Triple Antiplatelet Therapy ON Ischemi) Tj ETQq0 0 0 rgBT / Overlock 10 Tf 50 142 853-860.	0.5	6
215	The Practice Pattern of Percutaneous Coronary Intervention in Korea: Based on Year 2014 Cohort of Korean Percutaneous Coronary Intervention (K-PCI) Registry. <i>Korean Circulation Journal</i> , 2017, 47, 320.	0.7	33
216	Shedding light on the DARC knight as a guardian of hematopoietic stem cell quiescence. <i>Stem Cell Investigation</i> , 2017, 4, 8-8.	1.3	0

#	ARTICLE	IF	CITATIONS
217	Bioresorbable Vascular Scaffolds—Are We Facing a Time of Crisis or One of Breakthrough? <i>Circulation Journal</i> , 2017, 81, 1065-1074.	0.7	13
218	Prognostic impact of alkaline phosphatase measured at time of presentation in patients undergoing primary percutaneous coronary intervention for ST-segment elevation myocardial infarction. <i>PLoS ONE</i> , 2017, 12, e0171914.	1.1	18
219	Efficacy and safety of fixed-dose combination therapy with olmesartan medoxomil and rosuvastatin in Korean patients with mild to moderate hypertension and dyslipidemia: an 8-week, multicenter, randomized, double-blind, factorial-design study (OLSTA-D RCT: Olmesartan rosuvastatin from Tj ETQq1 1 0.784314 rgBT /Overlock	2.0	26
220	Clinical Outcomes in Patients with Deferred Coronary Lesions according to Disease Severity Assessed by Fractional Flow Reserve. <i>Journal of Korean Medical Science</i> , 2016, 31, 1929.	1.1	2
221	Strategy to Prime the Host and Cells to Augment Therapeutic Efficacy of Progenitor Cells for Patients with Myocardial Infarction. <i>Frontiers in Cardiovascular Medicine</i> , 2016, 3, 46.	1.1	1
222	Prognostic Impact of Combined Contrast-Induced Acute Kidney Injury and Hypoxic Liver Injury in Patients with ST Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention: Results from INTERSTELLAR Registry. <i>PLoS ONE</i> , 2016, 11, e0159416.	1.1	11
223	Comparison of dual antiplatelet therapy prescribed as one-pill versus two-pill regimen. <i>Thrombosis and Haemostasis</i> , 2016, 116, 78-86.	1.8	5
224	Priming mobilized peripheral blood mononuclear cells with the activated platelet supernatant enhances the efficacy of cell therapy for myocardial infarction of rats. <i>Cardiovascular Therapeutics</i> , 2016, 34, 245-253.	1.1	3
225	Epicardial Artery Stenosis with a High Index of Microcirculatory Resistance Is Frequently Functionally Insignificant as Estimated by Fractional Flow Reserve (FFR). <i>Internal Medicine</i> , 2016, 55, 97-103.	0.3	8
226	Dipeptidyl Peptidase-4 Inhibitor Increases Vascular Leakage in Retina through VE-cadherin Phosphorylation. <i>Scientific Reports</i> , 2016, 6, 29393.	1.6	44
227	Safety and Efficacy of New-Generation Drug-Eluting Stents in Women Undergoing Complex Percutaneous Coronary Artery Revascularization. <i>JACC: Cardiovascular Interventions</i> , 2016, 9, 674-684.	1.1	51
228	Comprehensive assessment of microcirculation after primary percutaneous intervention in ST-segment elevation myocardial infarction. <i>Coronary Artery Disease</i> , 2016, 27, 34-39.	0.3	20
229	Relation of Stature to Outcomes in Korean Patients Undergoing Primary Percutaneous Coronary Intervention for Acute ST-Elevation Myocardial Infarction (from the INTERSTELLAR Registry). <i>American Journal of Cardiology</i> , 2016, 118, 177-182.	0.7	11
230	Comparison of short-term clinical outcomes between ticagrelor versus clopidogrel in patients with acute myocardial infarction undergoing successful revascularization; from Korea Acute Myocardial Infarction Registry—National Institute of Health. <i>International Journal of Cardiology</i> , 2016, 215, 193-200.	0.8	70
231	Clinical Outcomes Following Transcatheter Aortic Valve Replacement in Asian Population. <i>JACC: Cardiovascular Interventions</i> , 2016, 9, 926-933.	1.1	67
232	Transcatheter Aortic Valve Replacement With Early- and New-Generation Devices in Bicuspid Aortic Valve Stenosis. <i>Journal of the American College of Cardiology</i> , 2016, 68, 1195-1205.	1.2	177
233	Efficacy and Safety of Dual Antiplatelet Therapy After Complex PCI. <i>Journal of the American College of Cardiology</i> , 2016, 68, 1851-1864.	1.2	319
234	Integrated Myocardial Perfusion Imaging Diagnostics Improve Detection of Functionally Significant Coronary Artery Stenosis by ¹³ N-ammonia Positron Emission Tomography. <i>Circulation: Cardiovascular Imaging</i> , 2016, 9, .	1.3	67

#	ARTICLE	IF	CITATIONS
235	Chronic Kidney Disease in the Second-Generation Drug-Eluting Stent Era. <i>JACC: Cardiovascular Interventions</i> , 2016, 9, 2097-2109.	1.1	61
236	Differential effect of side branch intervention on long-term clinical outcomes according to side branch stenosis after main vessel stenting: Results from the COBIS (Coronary Bifurcation Stenting) Registry II. <i>International Journal of Cardiology</i> , 2016, 221, 471-477.	0.8	1
237	Usefulness of the Baseline Syntax Score to Predict 3-Year Outcome After Complete Revascularization by Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2016, 118, 641-646.	0.7	15
238	Effect of fixed-dose combinations of ezetimibe plus rosuvastatin in patients with primary hypercholesterolemia: MRS-ROZE (Multicenter Randomized Study of ROsuvastatin and eZEtimibe). <i>Cardiovascular Therapeutics</i> , 2016, 34, 371-382.	1.1	45
239	Two-Year Safety and Efficacy of Biodegradable Polymer Drug-Eluting Stent Versus Second-Generation Durable Polymer Drug-Eluting Stent in Patients With Acute Myocardial Infarction: Data from the Korea Acute Myocardial Infarction Registry (<scp>KAMIR</scp>). <i>Clinical Cardiology</i> , 2016, 39, 276-284.	0.7	4
240	Relation Between Neutrophil-to-Lymphocyte Ratio and Index of Microcirculatory Resistance in Patients With ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2016, 118, 1323-1328.	0.7	22
241	Cigarette Smoking Does Not Enhance Clopidogrel Responsiveness After Adjusting VerifyNow P2Y12 Reaction Unit for the Influence of Hemoglobin Level. <i>JACC: Cardiovascular Interventions</i> , 2016, 9, 1680-1690.	1.1	28
242	Interaction between platelets and endothelial progenitor cells via LPA-Edg-2 axis is augmented by PPAR- γ activation. <i>Journal of Molecular and Cellular Cardiology</i> , 2016, 97, 266-277.	0.9	10
243	Correlates and Impact of Coronary Artery Calcifications in Women Undergoing Percutaneous Coronary Intervention With Drug-Eluting Stents. <i>JACC: Cardiovascular Interventions</i> , 2016, 9, 1890-1901.	1.1	32
244	Major Predictors of Long-Term Clinical Outcomes After Percutaneous Coronary Intervention for Coronary Bifurcation Lesions With 2-Stent Strategy. <i>JACC: Cardiovascular Interventions</i> , 2016, 9, 1879-1886.	1.1	25
245	Different prognostic factors according to left ventricular systolic function in patients with acute myocardial infarction. <i>International Journal of Cardiology</i> , 2016, 221, 90-96.	0.8	13
246	Diabetes-Induced Jagged1 Overexpression in Endothelial Cells Causes Retinal Capillary Regression in a Murine Model of Diabetes Mellitus. <i>Circulation</i> , 2016, 134, 233-247.	1.6	44
247	Short term versus long term dual antiplatelet therapy after implantation of drug eluting stent in patients with or without diabetes: systematic review and meta-analysis of individual participant data from randomised trials. <i>BMJ, The</i> , 2016, 355, i5483.	3.0	48
248	Impact of low high-density lipoprotein-cholesterol level on 2-year clinical outcomes after acute myocardial infarction in patients with diabetes mellitus. <i>Lipids in Health and Disease</i> , 2016, 15, 197.	1.2	5
249	KAI1(CD82)-DARC(CD234) axis in the stem cell niche. <i>Cell Cycle</i> , 2016, 15, 1945-1947.	1.3	2
250	Stent Thrombosis With Drug-Eluting Stents and Bioresorbable Scaffolds. <i>JACC: Cardiovascular Interventions</i> , 2016, 9, 1203-1212.	1.1	118
251	Predictors for Side Branch Failure During Provisional Strategy of Coronary Intervention for Bifurcation Lesions (from the Korean Bifurcation Registry). <i>American Journal of Cardiology</i> , 2016, 118, 797-803.	0.7	14
252	Impact of smoking status on clinical outcomes after successful chronic total occlusion intervention: Korean national registry of CTO intervention. <i>Catheterization and Cardiovascular Interventions</i> , 2016, 87, 1050-1062.	0.7	6

#	ARTICLE	IF	CITATIONS
253	Effect of Chronic Kidney Disease in Women Undergoing Percutaneous Coronary Intervention With Drug-Eluting Stents. <i>JACC: Cardiovascular Interventions</i> , 2016, 9, 28-38.	1.1	31
254	Benefit of statin therapy in patients with coronary spasm-induced acute myocardial infarction. <i>Journal of Cardiology</i> , 2016, 68, 7-12.	0.8	22
255	Effects of celecoxib on vascular changes after coronary intervention: A serial volumetric intravascular ultrasound analysis from the mini-COREA randomized clinical trial. <i>International Journal of Cardiology</i> , 2016, 202, 240-243.	0.8	0
256	CD82/KAI1 Maintains the Dormancy of Long-Term Hematopoietic Stem Cells through Interaction with DARC-Expressing Macrophages. <i>Cell Stem Cell</i> , 2016, 18, 508-521.	5.2	130
257	Physiological and clinical relevance of anomalous right coronary artery originating from left sinus of Valsalva in adults. <i>Heart</i> , 2016, 102, 114-119.	1.2	38
258	Catastrophic health expenditure on acute coronary events in Asia: a prospective study. <i>Bulletin of the World Health Organization</i> , 2016, 94, 193-200.	1.5	44
259	Randomised trial to compare a protective effect of Clopidogrel Versus Ticagrelor on coronary Microvascular injury in ST-segment Elevation myocardial infarction (CV-TIME trial). <i>EuroIntervention</i> , 2016, 12, e964-e971.	1.4	31
260	The Contemporary Use of Angiography and Revascularization Among Patients With Non-ST-Segment Elevation Myocardial Infarction in the United States Compared With South Korea. <i>Clinical Cardiology</i> , 2015, 38, 708-714.	0.7	8
261	Rationale, Design, and Baseline Characteristics of the EPICOR Asia Study (Long-term follow-up of antithrombotic management patterns In Acute) Tj ETQq1 1 00784314 rgbT /Ove	1.1	14
262	AKAP6 inhibition impairs myoblast differentiation and muscle regeneration: Positive loop between AKAP6 and myogenin. <i>Scientific Reports</i> , 2015, 5, 16523.	1.6	16
263	E-Ras improves the efficiency of reprogramming by facilitating cell cycle progression through JNK-Sp1 pathway. <i>Stem Cell Research</i> , 2015, 15, 481-494.	0.3	9
264	Comparison of 2-year mortality according to obesity in stabilized patients with type 2 diabetes mellitus after acute myocardial infarction: results from the DIAMOND prospective cohort registry. <i>Cardiovascular Diabetology</i> , 2015, 14, 141.	2.7	19
265	Harmonizing Optimal Strategy for Treatment of coronary artery diseases – comparison of REDUction of prasugrel dose or POLYmer TECHNOlogy in ACS patients (HOST-REDUCE-POLYTECH-ACS RCT): study protocol for a randomized controlled trial. <i>Trials</i> , 2015, 16, 409.	0.7	12
266	Relationship between J Waves and Vagal Activity in Patients Who Do Not Have Structural Heart Disease. <i>Annals of Noninvasive Electrocardiology</i> , 2015, 20, 464-473.	0.5	8
267	Clinical and Angiographic Predictors of Microvascular Dysfunction in ST-Segment Elevation Myocardial Infarction. <i>Yonsei Medical Journal</i> , 2015, 56, 1235.	0.9	9
268	COMP-Ang1 Potentiates EPC Treatment of Ischemic Brain Injury by Enhancing Angiogenesis Through Activating AKT-mTOR Pathway and Promoting Vascular Migration Through Activating Tie2-FAK Pathway. <i>Experimental Neurobiology</i> , 2015, 24, 55-70.	0.7	22
269	Clinical and Echocardiographic Factors Affecting Tricuspid Regurgitation Severity in the Patients with Lone Atrial Fibrillation. <i>Journal of Cardiovascular Imaging</i> , 2015, 23, 136.	0.8	27
270	Comparison of Angiographic Outcomes of Side Branch Ostium at Bifurcation Coronary Lesion between Two-stent and One-stent Techniques. <i>Journal of Korean Medical Science</i> , 2015, 30, 889.	1.1	0

#	ARTICLE	IF	CITATIONS
271	Role of Zscan4 in secondary murine iPSC derivation mediated by protein extracts of ESC or iPSC. <i>Biomaterials</i> , 2015, 59, 102-115.	5.7	6
272	Clinical impacts of high-sensitivity C-reactive protein reduction for secondary prevention in Asian patients with one-year survivor after acute myocardial infarction. <i>International Journal of Cardiology</i> , 2015, 193, 20-22.	0.8	5
273	M-CSF from Cancer Cells Induces Fatty Acid Synthase and PPAR α Activation in Tumor Myeloid Cells, Leading to Tumor Progression. <i>Cell Reports</i> , 2015, 10, 1614-1625.	2.9	72
274	The efficacy and safety of mechanical hemodynamic support in patients undergoing high-risk percutaneous coronary intervention with or without cardiogenic shock: Bayesian approach network meta-analysis of 13 randomized controlled trials. <i>International Journal of Cardiology</i> , 2015, 184, 36-46.	0.8	25
275	MicroRNA-26a induced by hypoxia targets HDAC6 in myogenic differentiation of embryonic stem cells. <i>Nucleic Acids Research</i> , 2015, 43, 2057-2073.	6.5	40
276	Study design of the influence of Serotonin inhibition on patients with RENAL impairment or diabetes undergoing drug-eluting stent implantation (SERENADE) study: A multicenter, open-label, prospective, randomized study. <i>Contemporary Clinical Trials</i> , 2015, 43, 20-24.	0.8	3
277	Impact of Clinical Presentation (Stable Angina Pectoris vs Unstable Angina Pectoris or) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 51 Outcomes in Women Undergoing Percutaneous Coronary Intervention With Drug-Eluting Stents. <i>American Journal of Cardiology</i> , 2015, 116, 845-852.	0.7	32
278	Comparison of Outcomes After Percutaneous Coronary Intervention for Chronic Total Occlusion Using Everolimus- Versus Sirolimus- Versus Paclitaxel-Eluting Stents (from the Korean National) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 45	0.7	32
279	Mortality in patients treated with extended duration dual antiplatelet therapy after drug-eluting stent implantation: a pairwise and Bayesian network meta-analysis of randomised trials. <i>Lancet</i> , The, 2015, 385, 2371-2382.	6.3	345
280	Randomized Trial of Stents Versus Bypass Surgery for Left Main Coronary Artery Disease. <i>Journal of the American College of Cardiology</i> , 2015, 65, 2198-2206.	1.2	308
281	Short- Versus Long-Term Dual Antiplatelet Therapy After Drug-Eluting Stent Implantation. <i>Journal of the American College of Cardiology</i> , 2015, 65, 1092-1102.	1.2	163
282	Comparison of the effects of two low-density lipoprotein cholesterol goals for secondary prevention after acute myocardial infarction in real-world practice: a 50% reduction from baseline versus <70mg/dL. <i>International Journal of Cardiology</i> , 2015, 187, 478-485.	0.8	12
283	Comparison Among Drug-Eluting Balloon, Drug-Eluting Stent, and Plain Balloon Angioplasty for the Treatment of In-Stent Restenosis. <i>JACC: Cardiovascular Interventions</i> , 2015, 8, 382-394.	1.1	97
284	Duration of clopidogrel-based dual antiplatelet therapy and clinical outcomes after endeavor sprint zotarolimus-eluting stent implantation in patients presenting with acute coronary syndrome. <i>European Journal of Internal Medicine</i> , 2015, 26, 521-527.	1.0	5
285	Long-Term Clinical Outcomes of Final Kissing Ballooning in Coronary Bifurcation Lesions Treated With the 1-Stent Technique. <i>JACC: Cardiovascular Interventions</i> , 2015, 8, 1297-1307.	1.1	56
286	Differential Prognostic Effect Between First- and Second-Generation Drug-Eluting Stents in Coronary Bifurcation Lesions. <i>JACC: Cardiovascular Interventions</i> , 2015, 8, 1318-1331.	1.1	36
287	Infective Endocarditis Associated with Transcatheter Aortic Valve Replacement: Potential Importance of Local Trauma for a Deadly Nidus. <i>Journal of Cardiovascular Imaging</i> , 2014, 22, 134.	0.8	7
288	The Relationship Between J Wave on the Surface Electrocardiography and Ventricular Fibrillation during Acute Myocardial Infarction. <i>Journal of Korean Medical Science</i> , 2014, 29, 685.	1.1	14

#	ARTICLE	IF	CITATIONS
289	Erythropoietin priming improves the vasculogenic potential of G-CSF mobilized human peripheral blood mononuclear cells. <i>Cardiovascular Research</i> , 2014, 104, 171-182.	1.8	19
290	Human Podoplanin-positive Monocytes and Platelets Enhance Lymphangiogenesis Through the Activation of the Podoplanin/CLEC-2 Axis. <i>Molecular Therapy</i> , 2014, 22, 1518-1529.	3.7	22
291	A Randomized Comparison of Platinum Chromium-Based Everolimus-Eluting Stents Versus Cobalt Chromium-Based Zotarolimus-Eluting Stents in All-Corers Receiving Percutaneous Coronary Intervention. <i>Journal of the American College of Cardiology</i> , 2014, 63, 2805-2816.	1.2	80
292	A Novel Noninvasive Technology for Treatment Planning Using Virtual Coronary Stenting and Computed Tomography-Derived Computed Fractional Flow Reserve. <i>JACC: Cardiovascular Interventions</i> , 2014, 7, 72-78.	1.1	144
293	Differential Prognostic Impact of Treatment Strategy Among Patients With Left Main Versus Non-Left Main Bifurcation Lesions Undergoing Percutaneous Coronary Intervention. <i>JACC: Cardiovascular Interventions</i> , 2014, 7, 255-263.	1.1	64
294	High glucose-induced jagged 1 in endothelial cells disturbs notch signaling for angiogenesis: A novel mechanism of diabetic vasculopathy. <i>Journal of Molecular and Cellular Cardiology</i> , 2014, 69, 52-66.	0.9	39
295	Influence of Second- and Third-Degree Heart Block on 30-Day Outcome Following Acute Myocardial Infarction in the Drug-Eluting Stent Era. <i>American Journal of Cardiology</i> , 2014, 114, 1658-1662.	0.7	30
296	Hypoglycemia at Admission in Patients With Acute Myocardial Infarction Predicts a Higher 30-Day Mortality in Patients With Poorly Controlled Type 2 Diabetes Than in Well-Controlled Patients. <i>Diabetes Care</i> , 2014, 37, 2366-2373.	4.3	38
297	Adenylyl Cyclase-Associated Protein 1 Is a Receptor for Human Resistin and Mediates Inflammatory Actions of Human Monocytes. <i>Cell Metabolism</i> , 2014, 19, 484-497.	7.2	213
298	Activated platelet supernatant can augment the angiogenic potential of human peripheral blood stem cells mobilized from bone marrow by G-CSF. <i>Journal of Molecular and Cellular Cardiology</i> , 2014, 75, 64-75.	0.9	16
299	Comparing the effect of clopidogrel versus ticagrelor on coronary microvascular dysfunction in acute coronary syndrome patients (TIME trial): study protocol for a randomized controlled trial. <i>Trials</i> , 2014, 15, 151.	0.7	8
300	Three-Year Patient-Related and Stent-Related Outcomes of Second-Generation Everolimus-Eluting Xience V Stents Versus Zotarolimus-Eluting Resolute Stents in Real-World Practice (from the Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 302 2014, 114, 1329-1338.	0.7	20
301	The impact of residual coronary lesions on clinical outcomes after percutaneous coronary intervention: Residual SYNTAX score after percutaneous coronary intervention in patients from the Efficacy of Xience/Promus versus Cypher in rEducing Late Loss after stENTing (EXCELLENT) registry. <i>American Heart Journal</i> , 2014, 167, 384-392.e5.	1.2	34
302	Everolimus-Eluting Xience V/Promus Versus Zotarolimus-Eluting Resolute Stents in Patients With Diabetes Mellitus. <i>JACC: Cardiovascular Interventions</i> , 2014, 7, 471-481.	1.1	59
303	Usefulness of Intravascular Ultrasound Guidance in Percutaneous Coronary Intervention With Second-Generation Drug-Eluting Stents for Chronic Total Occlusions (from the Multicenter) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 302 2014, 114, 1329-1338.	0.7	20
304	Efficacy of Short-Term High-Dose Statin Pretreatment in Prevention of Contrast-Induced Acute Kidney Injury: Updated Study-Level Meta-Analysis of 13 Randomized Controlled Trials. <i>PLoS ONE</i> , 2014, 9, e111397.	1.1	24
305	Comparative Study of Efficacy of Dopaminergic Neuron Differentiation between Embryonic Stem Cell and Protein-Based Induced Pluripotent Stem Cell. <i>PLoS ONE</i> , 2014, 9, e85736.	1.1	14
306	Thrombus aspiration during primary percutaneous coronary intervention for preserving the index of microcirculatory resistance: a randomised study. <i>EuroIntervention</i> , 2014, 9, 1057-1062.	1.4	20

#	ARTICLE	IF	CITATIONS
307	Impact of statin usage patterns on outcomes after percutaneous coronary intervention in acute myocardial infarction: Korea Working Group on Myocardial Infarction registry (KorMI) study. <i>Journal of Geriatric Cardiology</i> , 2014, 11, 93-9.	0.2	5
308	Comparison of a drug-eluting balloon first and then bare metal stent with a drug-eluting stent for treatment of de novo lesions: study protocol of a randomized controlled trial. <i>Trials</i> , 2013, 14, 38.	0.7	2
309	Safety and Efficacy of Second-Generation Everolimus-Eluting Xience V Stents Versus Zotarolimus-Eluting Resolute Stents in Real-World Practice. <i>Journal of the American College of Cardiology</i> , 2013, 61, 536-544.	1.2	50
310	Predictors and Outcomes of Side Branch Occlusion After Main Vessel Stenting in Coronary Bifurcation Lesions. <i>Journal of the American College of Cardiology</i> , 2013, 62, 1654-1659.	1.2	188
311	FOXO1 impairs whereas statin protects endothelial function in diabetes through reciprocal regulation of KrÄ¼ppel-like factor 2. <i>Cardiovascular Research</i> , 2013, 97, 143-152.	1.8	35
312	Development of a Rabbit Model for a Preclinical Comparison of Coronary Stent Types<i>In-Vivo</i>. <i>Korean Circulation Journal</i> , 2013, 43, 713.	0.7	6
313	Response to Letter Regarding Article, "Stent Thrombosis with Everolimus-Eluting Stents: Meta-Analysis of Comparative Randomized Controlled Trials" Circulation: Cardiovascular Interventions, 2012, 5, .	1.4	0
314	Stent thrombosis with drug-eluting and bare-metal stents: evidence from a comprehensive network meta-analysis. <i>Lancet, The</i> , 2012, 379, 1393-1402.	6.3	854
315	Six-Month Versus 12-Month Dual Antiplatelet Therapy After Implantation of Drug-Eluting Stents. <i>Circulation</i> , 2012, 125, 505-513.	1.6	555
316	Threeâ€Dimensional Contrast Echocardiography in Assessing Left Ventricular Diverticulum. <i>Echocardiography</i> , 2012, 29, E230-2.	0.3	2
317	Multicenter Randomized Trial Evaluating the Efficacy of Cilostazol on Ischemic Vascular Complications After Drug-Eluting Stent Implantation for Coronary Heart Disease. <i>Journal of the American College of Cardiology</i> , 2011, 57, 280-289.	1.2	177
318	Impact of the Everolimus-Eluting Stent on Stent Thrombosis. <i>Journal of the American College of Cardiology</i> , 2011, 58, 1569-1577.	1.2	258
319	Impact of Platelet Reactivity on Clinical Outcomes After Percutaneous Coronary Intervention. <i>Journal of the American College of Cardiology</i> , 2011, 58, 1945-1954.	1.2	383
320	Renal dysfunction and high levels of hsCRP are additively associated with hard endpoints after percutaneous coronary intervention with drug eluting stents. <i>International Journal of Cardiology</i> , 2011, 149, 174-181.	0.8	24
321	Angiopoietin-1 Protects Endothelial Cells From Hypoxia-Induced Apoptosis via Inhibition of Phosphatase and Tensin Homologue Deleted From Chromosome Ten. <i>Korean Circulation Journal</i> , 2009, 39, 57.	0.7	4
322	Sulfasalazine induces haem oxygenase-1 via ROS-dependent Nrf2 signalling, leading to control of neointimal hyperplasia. <i>Cardiovascular Research</i> , 2009, 82, 550-560.	1.8	46
323	Current status of cholesterol goal attainment after statin therapy among patients with hypercholesterolemia in Asian countries and region: the Return on Expenditure Achieved for Lipid Therapy in Asia (REALITY-Asia) study. <i>Current Medical Research and Opinion</i> , 2008, 24, 1951-1963.	0.9	69
324	Assessment of Intermediate Coronary Stenosis in Koreans Using the Fractional Flow Reserve. <i>Korean Circulation Journal</i> , 2008, 38, 468.	0.7	3

#	ARTICLE	IF	CITATIONS
325	Forkhead Factor, FOXO3a, Induces Apoptosis of Endothelial Cells Through Activation of Matrix Metalloproteinases. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008, 28, 302-308.	1.1	2
326	Treatment Gap in the Management of Hypercholesterolemia in Korea: Return on Expenditure Achieved for Lipid Therapy (REALITY). <i>Korean Circulation Journal</i> , 2006, 36, 593.	0.7	11
327	A Randomized, Double-Blind, Non-Inferiority Clinical Trial for Safety and Efficacy of Candesartan Cilexetil Compared with Enalapril Maleate in Patients with Essential Hypertension. <i>Journal of the Korean Society for Clinical Pharmacology and Therapeutics</i> , 2003, 11, 48.	0.1	0
328	Effect of Hypercholesterolemia on Macrophage Infiltration After Balloon Injury to Rabbit Iliac Artery. <i>Japanese Circulation Journal</i> , 2001, 65, 117-122.	1.0	3
329	Analysis of mitochondrial DNA deletions in four chambers of failing human heart: hemodynamic stress, age, and disease are important factors. <i>Basic Research in Cardiology</i> , 2000, 95, 163-171.	2.5	19
330	Effect of Hypercholesterolemia on the Sequential Changes of Apoptosis and Proliferation after Balloon Injury to Rabbit Iliac Artery. <i>Sunhwan'gi</i> , 2000, 30, 383.	0.3	0
331	Long-Distance PCR-based Screening for Large Rearrangements of the LDL Receptor Gene in Korean Patients with Familial Hypercholesterolemia. <i>Clinical Chemistry</i> , 1999, 45, 1424-1430.	1.5	22
332	Three novel small deletion mutations of the LDL receptor gene in Korean patients with familial hypercholesterolemia. <i>Clinical Genetics</i> , 1999, 55, 325-331.	1.0	7