

Marcin Sawicki

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7242711/publications.pdf>

Version: 2024-02-01

36
papers

329
citations

933447

10
h-index

888059

17
g-index

38
all docs

38
docs citations

38
times ranked

359
citing authors

#	ARTICLE	IF	CITATIONS
1	Computed Tomographic Angiography and Perfusion in the Diagnosis of Brain Death. <i>Transplantation Proceedings</i> , 2010, 42, 3941-3946.	0.6	38
2	Dynamic evaluation of stasis filling phenomenon with computed tomography in diagnosis of brain death. <i>Neuroradiology</i> , 2013, 55, 1061-1069.	2.2	36
3	Computed tomographic angiography criteria in the diagnosis of brain death—comparison of sensitivity and interobserver reliability of different evaluation scales. <i>Neuroradiology</i> , 2014, 56, 609-620.	2.2	32
4	Massive Upper Gastrointestinal Bleeding from a Splenic Artery Pseudoaneurysm Caused by a Penetrating Gastric Ulcer: Case Report and Review of Literature. <i>Polski Przegląd Radiologii I Medycyny Nuklearnej</i> , 2015, 80, 384-387.	1.0	27
5	Serum Interleukin-23 in Polish Patients with Systemic Lupus Erythematosus: Association with Lupus Nephritis, Obesity, and Peripheral Vascular Disease. <i>Mediators of Inflammation</i> , 2017, 2017, 1-9.	3.0	25
6	Computed Tomography Perfusion is a Useful Adjunct to Computed Tomography Angiography in the Diagnosis of Brain Death. <i>Clinical Neuroradiology</i> , 2019, 29, 101-108.	1.9	25
7	CT Angiography in the Diagnosis of Brain Death. <i>Polski Przegląd Radiologii I Medycyny Nuklearnej</i> , 2014, 79, 417-421.	1.0	20
8	Phase II Feasibility Study on the Combination of Two Different Regional Treatment Approaches in Patients with Colorectal “Liver-Only” Metastases: Hepatic Interstitial Brachytherapy Plus Regional Chemotherapy. <i>CardioVascular and Interventional Radiology</i> , 2009, 32, 937-945.	2.0	18
9	Thrombotic Complications of Tunneled Central Lines in Children With Malignancy. <i>Journal of Pediatric Hematology/Oncology</i> , 2010, 32, 88-92.	0.6	15
10	Original Protocol Using Computed Tomographic Angiography for Diagnosis of Brain Death: A Better Alternative to Standard Two-Phase Technique?. <i>Annals of Transplantation</i> , 2015, 20, 449-460.	0.9	11
11	Unusual Movements, “Spontaneous” Breathing, and Unclear Cerebral Vessels Sonography in a Brain-Dead Patient: A Case Report. <i>Transplantation Proceedings</i> , 2007, 39, 2707-2708.	0.6	10
12	Comparison of Two Apnea Test Methods, Oxygen Insufflation and Continuous Positive Airway Pressure During Diagnosis of Brain Death: Final Report. <i>Neurocritical Care</i> , 2019, 30, 348-354.	2.4	10
13	Implementation of Computed Tomography Angiography (CTA) and Computed Tomography Perfusion (CTP) in Polish Guidelines for Determination of Cerebral Circulatory Arrest (CCA) during Brain Death/Death by Neurological Criteria (BD/DNC) Diagnosis Procedure. <i>Journal of Clinical Medicine</i> , 2021, 10, 4237.	2.4	7
14	Accuracy of Computed Tomographic Perfusion in Diagnosis of Brain Death: A Prospective Cohort Study. <i>Medical Science Monitor</i> , 2018, 24, 2777-2785.	1.1	7
15	Pulmonary Benign Metastasizing Leiomyoma from the Uterine Leiomyoma: A Case Report. <i>Polski Przegląd Radiologii I Medycyny Nuklearnej</i> , 2015, 80, 107-110.	1.0	7
16	Diagnostic Value of Artificial Intelligence-Based Software in Detection of Large Vessel Occlusion in Acute Ischemic Stroke. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 10017.	2.5	7
17	CIMT does not identify early vascular changes in childhood acute lymphoblastic leukemia survivors. <i>Advances in Clinical and Experimental Medicine</i> , 2020, 29, 243-249.	1.4	6
18	Early outcomes and periprocedural complications of transarterial embolization of brain arteriovenous malformations with Onyx 18. <i>Neurologia I Neurochirurgia Polska</i> , 2017, 51, 277-285.	1.2	4

#	ARTICLE	IF	CITATIONS
19	Apnea testing using the oxygen insufflation method for diagnosis of brain death may compromise pulmonary function. <i>Journal of Critical Care</i> , 2018, 44, 175-178.	2.2	4
20	Diagnostic value of non-enhanced computed tomography in identifying location of ruptured cerebral aneurysm in patients with aneurysmal subarachnoid haemorrhage. <i>Neurologia i Neurochirurgia Polska</i> , 2020, 54, 47-53.	1.2	4
21	Doppler sonography measurements of renal vascular resistance in autosomal-dominant polycystic kidney disease. <i>Medical Science Monitor</i> , 2009, 15, MT101-4.	1.1	4
22	Ventilator-Delivered Continuous Positive Airway Pressure for Apnea Test in the Diagnosis of Brain Death in Patient With Extremely Poor Baseline Lung Function—Case Report. <i>Transplantation Proceedings</i> , 2016, 48, 2471-2472.	0.6	3
23	Invitation to participate in a multi-center study for validation of cerebral computed tomography angiography and computed tomography perfusion in the determination of cerebral circulatory arrest during brain death/death by neurological criteria diagnosis procedure in paediatric population below 12 years of age. <i>Anaesthesiology Intensive Therapy</i> , 2021, 53, 97-102.	1.0	2
24	Atypical Pupil Reactions in Brain Dead Patients. <i>Brain Sciences</i> , 2021, 11, 1194.	2.3	2
25	Subtotal Cerebral Circulatory Arrest With Preserved Breathing Activity: A Case Report. <i>Transplantation Proceedings</i> , 2016, 48, 282-284.	0.6	1
26	Brain Death Imaging. , 2014, , 1-33.		1
27	Solitary retroperitoneal neurofibroma: not as small as it seems. <i>Polish Archives of Internal Medicine</i> , 2017, 127, 701-702.	0.4	1
28	Evolution of Hypodensity on Non-Contrast CT in Correlation with Collaterals in Anterior Circulation Stroke with Successful Endovascular Reperfusion. <i>Journal of Clinical Medicine</i> , 2022, 11, 446.	2.4	1
29	Value of high resistance index - HRI calculated from Doppler spectrum of popliteal arteries in patients with systemic lupus erythematosus (SLE). <i>Medical Science Monitor</i> , 2004, 10 Suppl 3, 58-62.	1.1	1
30	271. The Evaluation of Atherosclerotic Changes in Systemic Lupus Erythematosus Patients: The Diagnostic and Prognostic Value of Selected Noninvasive Imaging Techniques. <i>Rheumatology</i> , 2014, 53, i160-i161.	1.9	0
31	A3.13 The high resistance index values are decreased in systemic lupus erythematosus patients risk factors and clinical association. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, A46.2-A47.	0.9	0
32	03.03 Serum interleukin 23 in polish patients with systemic lupus erythematosus association with obesity and peripheral vascular disease. , 2017, , .		0
33	Potential Pitfalls in Application of CT Angiography for the Diagnosis of Brain Death. <i>Transplantation</i> , 2017, 101, S4.	1.0	0
34	Final Report of the Polish Multicentre Study for Evaluation of Computed Tomographic Angiography in the Diagnosis of Brain Death. <i>Transplantation</i> , 2017, 101, S3.	1.0	0
35	Arterial spin labeling in neonatal magnetic resonance imaging first experience and new observations. <i>Polish Journal of Radiology</i> , 2021, 86, 415-424.	0.9	0
36	Significance of aneurysm wall enhancement on high-resolution vessel wall magnetic resonance imaging in clinical management of patients with intracranial aneurysms. <i>Neurologia i Neurochirurgia Polska</i> , 2020, 54, 518-523.	1.2	0