

# Lars W Chatrou

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7243577/publications.pdf>

Version: 2024-02-01

63

papers

3,279

citations

236925

25

h-index

155660

55

g-index

67

all docs

67

docs citations

67

times ranked

2919

citing authors

#	ARTICLE	IF	CITATIONS
1	The evolutionary history of the Caribbean magnolias (Magnoliaceae): Testing species delimitations and biogeographical hypotheses using molecular data. <i>Molecular Phylogenetics and Evolution</i> , 2022, 167, 107359.	2.7	9
2	Chromosome-level reference genome of the soursop ( <i>Annona muricata</i> ): A new resource for Magnoliid research and tropical pomology. <i>Molecular Ecology Resources</i> , 2021, 21, 1608-1619.	4.8	18
3	Palynological characterization of the Southeast Asian woody climbers <i>Decalobanthus</i> Ooststr. (Convolvulaceae). <i>Grana</i> , 2021, 60, 356-369.	0.8	1
4	New combinations in <i>Decalobanthus</i> (Convolvulaceae). <i>Kew Bulletin</i> , 2020, 75, 1.	0.9	2
5	(2786) Proposal to change the conserved type of <i>Ipomoea</i> , nom. cons. ( <i>Convolvulaceae</i> ). <i>Taxon</i> , 2020, 69, 1369-1371.	0.7	8
6	Which frugivory-related traits facilitated historical long-distance dispersal in the custard apple family (Annonaceae)? <i>Journal of Biogeography</i> , 2019, 46, 1874-1888.	3.0	28
7	Twelve new and exciting Annonaceae from the Neotropics. <i>PhytoKeys</i> , 2019, 126, 25-69.	1.0	8
8	Parallel diversifications of <i>Crematosperma</i> and <i>Mosannonia</i> (Annonaceae), tropical rainforest trees tracking Neogene upheaval of South America. <i>Royal Society Open Science</i> , 2018, 5, 171561.	2.4	15
9	A linear sequence to facilitate curation of herbarium specimens of Annonaceae. <i>Kew Bulletin</i> , 2018, 73, 39.	0.9	17
10	Floral evolution by simplification in <i>Monanthotaxis</i> (Annonaceae) and hypotheses for pollination system shifts. <i>Scientific Reports</i> , 2018, 8, 12066.	3.3	2
11	A taxonomic revision of the Neotropical genus <i>Crematosperma</i> (Annonaceae), including five new species. <i>PhytoKeys</i> , 2018, 112, 1-141.	1.0	3
12	Cutting up the climbers: Evidence for extensive polyphyly in <i>Friesodielsia</i> (Annonaceae) necessitates generic realignment across the tribe Uvarieae. <i>Taxon</i> , 2017, 66, 3-19.	0.7	33
13	Correlated evolutionary rates across genomic compartments in Annonaceae. <i>Molecular Phylogenetics and Evolution</i> , 2017, 114, 63-72.	2.7	13
14	Extended molecular phylogenetics and revised systematics of Malagasy scincine lizards. <i>Molecular Phylogenetics and Evolution</i> , 2017, 107, 466-472.	2.7	9
15	<i>Xylopia annoniflora</i> (Annonaceae): a new species from central Amazonia. <i>Phytotaxa</i> , 2017, 317, 130.	0.3	0
16	Anatolian origins and diversification of <i>Aethionema</i> , the sister lineage of the core Brassicaceae. <i>American Journal of Botany</i> , 2017, 104, 1042-1054.	1.7	40
17	Large-scale phylogenetic analysis of <i>Amorphophallus</i> (Araceae) derived from nuclear and plastid sequences reveals new subgeneric delineation. <i>Botanical Journal of the Linnean Society</i> , 2017, 184, 32-45.	1.6	27
18	A nonet of novel species of <i>Monanthotaxis</i> (Annonaceae) from around Africa. <i>PhytoKeys</i> , 2016, 69, 71-103.	1.0	13

#	ARTICLE	IF	CITATIONS
19	&lt;p class="HeadingRunIn"&gt;&lt;strong&gt;Characterization of &lt;em&gt;Hubera&lt;/em&gt; (Annonaceae), a new genus segregated from &lt;em&gt;Polyalthia&lt;/em&gt; and allied to &lt;em&gt;Miliusa&lt;/em&gt;&lt;/strong&gt;&lt;/p&gt;. <i>Phytotaxa</i> , 2015, 69, 33.	0.3	43
20	Recently evolved diversity and convergent radiations of rainforest mahoganies (Meliaceae) shed new light on the origins of rainforest hyperdiversity. <i>New Phytologist</i> , 2015, 207, 327-339.	7.3	114
21	Huberantha, a replacement name for Hubera (Annonaceae: Malmeoideae: Miliuseae). <i>Kew Bulletin</i> , 2015, 70, 1.	0.9	21
22	The historical origins of palaeotropical intercontinental disjunctions in the pantropical flowering plant family Annonaceae. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2015, 17, 1-16.	2.7	58
23	Ephedranthus dimerus (Annonaceae), a new species from the Atlantic Forest of Brazil, with a key to the species of Ephedranthus. <i>Brittonia</i> , 2014, 66, 70-74.	0.2	6
24	A plastid DNA phylogeny of tribe Miliuseae: Insights into relationships and character evolution in one of the most recalcitrant major clades of Annonaceae. <i>American Journal of Botany</i> , 2014, 101, 691-709.	1.7	42
25	Phylogenetics, ancestral state reconstruction, and a new infrafamilial classification of the pantropical Ochnaceae (Medusagynaceae, Ochnaceae s.str., Quiinaceae) based on five DNA regions. <i>Molecular Phylogenetics and Evolution</i> , 2014, 78, 199-214.	2.7	36
26	A new species of Monanthotaxis from Gabon with a unique inflorescence type for Annonaceae. <i>Phytotaxa</i> , 2014, 186, 106.	0.3	10
27	A decade of uncertainty: Resolving the phylogenetic position of Diclinanona (Annonaceae), including taxonomic notes and a key to the species. <i>Taxon</i> , 2014, 63, 1244-1252.	0.7	9
28	Annonaceae substitution rates: a codon model perspective. <i>Revista Brasileira De Fruticultura</i> , 2014, 36, 108-117.	0.5	1
29	Taxonomic novelties in the genus Campylospermum (Ochnaceae). <i>Blumea: Journal of Plant Taxonomy and Plant Geography</i> , 2013, 58, 1-7.	0.2	6
30	Phylogeny of Miliusa (Magnoliales: Annonaceae: Malmeoideae: Miliuseae), with descriptions of two new species from Malesia – Corrigendum. <i>European Journal of Taxonomy</i> , 2013, , .	0.6	0
31	A plastid DNA phylogeny of <i>Dasymaschalon</i> (Annonaceae) and allied genera: Evidence for generic non-monophly and the parallel evolutionary loss of inner petals. <i>Taxon</i> , 2012, 61, 545-558.	0.7	19
32	Radiations and key innovations in an early branching angiosperm lineage (Annonaceae; Magnoliales). <i>Botanical Journal of the Linnean Society</i> , 2012, 169, 117-134.	1.6	34
33	A new subfamilial and tribal classification of the pantropical flowering plant family Annonaceae informed by molecular phylogenetics. <i>Botanical Journal of the Linnean Society</i> , 2012, 169, 5-40.	1.6	222
34	The natural history of Annonaceae. <i>Botanical Journal of the Linnean Society</i> , 2012, 169, 1-4.	1.6	27
35	(2029) Proposal to conserve the name <i>Meiogyne</i> against <i>Fitzalania</i> (Annonaceae). <i>Taxon</i> , 2011, 60, 1522-1523.	0.7	9
36	Early evolutionary history of the flowering plant family Annonaceae: steady diversification and boreotropical geodispersal. <i>Journal of Biogeography</i> , 2011, 38, 664-680.	3.0	184

#	ARTICLE	IF	CITATIONS
37	Little ecological divergence associated with speciation in two African rain forest tree genera. BMC Evolutionary Biology, 2011, 11, 296.	3.2	54
38	Revision of the African Genus <i>Hexalobus</i> (Annonaceae). Systematic Botany, 2011, 36, 33-48.	0.5	17
39	Distribution of orbicules in Annonaceae mirrors evolutionary trend in angiosperms. Plant Ecology and Evolution, 2010, 143, 199-211.	0.7	20
40	Insights into the Influence of Priors in Posterior Mapping of Discrete Morphological Characters: A Case Study in Annonaceae. PLoS ONE, 2010, 5, e10473.	2.5	9
41	Spatio-temporal dynamism of hotspots enhances plant diversity. Journal of Biogeography, 2009, 36, 1628-1629.	3.0	4
42	Flanking regions of monomorphic microsatellite loci provide a new source of data for plant species-level phylogenetics. Molecular Phylogenetics and Evolution, 2009, 53, 726-733.	2.7	36
43	Molecular phylogenetics reveal multiple tertiary vicariance origins of the African rain forest trees. BMC Biology, 2008, 6, 54.	3.8	151
44	Evolution of syncarpy and other morphological characters in African Annonaceae: A posterior mapping approach. Molecular Phylogenetics and Evolution, 2008, 47, 302-318.	2.7	65
45	Diversification of myco-heterotrophic angiosperms: evidence from Burmanniaceae. BMC Evolutionary Biology, 2008, 8, 178.	3.2	58
46	Assessment of age and greenness of herbarium specimens as predictors for successful extraction and amplification of DNA. Blumea: Journal of Plant Taxonomy and Plant Geography, 2008, 53, 407-428.	0.2	61
47	Ancient paralogy in the cpDNA <i>trnL</i> region in Annonaceae: implications for plant molecular systematics. American Journal of Botany, 2007, 94, 1003-1016.	1.7	46
48	Classification of a large and widespread genus of Neotropical trees, <i>Guatteria</i> (Annonaceae) and its three satellite genera <i>Guatteriella</i> , <i>Guatteriopsis</i> and <i>Heteropetalum</i> . Taxon, 2007, 56, 757-774.	0.7	49
49	A rapid diversification of rainforest trees ( <i>Guatteria</i> ; Annonaceae) following dispersal from Central into South America. Molecular Phylogenetics and Evolution, 2007, 44, 399-411.	2.7	102
50	Seven Taxonomic Discoveries in Annonaceae from South-Eastern Central America. Blumea: Journal of Plant Taxonomy and Plant Geography, 2006, 51, 199-220.	0.2	8
51	'Andean-centred' genera in the short-branch clade of Annonaceae: testing biogeographical hypotheses using phylogeny reconstruction and molecular dating. Journal of Biogeography, 2006, 33, 31-46.	3.0	123
52	Three New Rarely Collected or Endangered Species of Annonaceae from Venezuela. Blumea: Journal of Plant Taxonomy and Plant Geography, 2005, 50, 33-40.	0.2	6
53	Phylogenetic Analyses of Basal Angiosperms Based on Nine Plastid, Mitochondrial, and Nuclear Genes. International Journal of Plant Sciences, 2005, 166, 815-842.	1.3	162
54	Identifying clades in Asian Annonaceae: monophyletic genera in the polyphyletic Miliuseae. American Journal of Botany, 2004, 91, 590-600.	1.7	73

#	ARTICLE	IF	CITATIONS
55	Phylogenetic analysis of Magnoliales and Myristicaceae based on multiple data sets: implications for character evolution. <i>Botanical Journal of the Linnean Society</i> , 2003, 142, 125-186.	1.6	128
56	Angiosperm phylogeny based on <i>&lt;011&gt;mat</i><i>K</i> sequence information. <i>American Journal of Botany</i> , 2003, 90, 1758-1776.	1.7	437
57	Myristicineae, a new suborder within Magnoliales. <i>Taxon</i> , 2003, 52, 277-279.	0.7	4
58	Molecular phylogenetics of Caryophyllales based on nuclear 18S rDNA and plastid <i>rbc</i><i>L</i>, <i>atp</i><i>B</i> and <i>mat</i><i>K</i> DNA sequences. <i>American Journal of Botany</i> , 2002, 89, 132-144.	1.7	520
59	Studies in Annonaceae XXXVI. The Duguetia Alliance: Where the Ways Part. <i>Annals of the Missouri Botanical Garden</i> , 2000, 87, 234.	1.3	19
60	THE ANNONACEAE AND THE ANNONACEAE PROJECT: A BRIEF OVERVIEW OF THE STATE OF AFFAIRS. <i>Acta Horticulturae</i> , 1999, , 43-58.	0.2	11
61	Studies in Annonaceae XXXIII. A Revision of Fusaea (Baill.) Saff.. <i>Brittonia</i> , 1999, 51, 181.	0.2	13
62	Studies in Annonaceae. XXVIII. Macromorphological variation of recent invaders in northern Central America: the case of Malmea (Annonaceae). <i>American Journal of Botany</i> , 1997, 84, 861-869.	1.7	8
63	Studies in Annonaceae XXXII. A Peculiar New Species of Malmea (Annonaceae) from Panama and Colombia. <i>Novon</i> , 1997, 7, 346.	0.3	4