
Nae-Yuh Wang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/724403/publications.pdf Version: 2024-02-01



NAE-YUH MANC

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Heart Disease and Stroke Statistics—2021 Update. Circulation, 2021, 143, e254-e743. | 1.6 | 3,444 |
| 2 | Spoken Language Development in Children Following Cochlear Implantation. JAMA - Journal of the American Medical Association, 2010, 303, 1498. | 7.4 | 851 |
| 3 | Comparative Effectiveness of Weight-Loss Interventions in Clinical Practice. New England Journal of Medicine, 2011, 365, 1959-1968. | 27.0 | 666 |
| 4 | The Acceptability of Treatment for Depression Among African-American, Hispanic, and White Primary Care Patients. Medical Care, 2003, 41, 479-489. | 2.4 | 594 |
| 5 | Depression Is a Risk Factor for Coronary Artery Disease in Men. Archives of Internal Medicine, 1998, 158, 1422. | 3.8 | 502 |
| 6 | A Behavioral Weight-Loss Intervention in Persons with Serious Mental Illness. New England Journal of Medicine, 2013, 368, 1594-1602. | 27.0 | 452 |
| 7 | Smoking, Smoking Cessation, and Risk for Type 2 Diabetes Mellitus. Annals of Internal Medicine, 2010, 152, 10. | 3.9 | 303 |
| 8 | Body mass index in young men and the risk of subsequent knee and hip osteoarthritis11Access the "Journal Club―discussion of this paper at http://www.elsevier.com/locate/ajmselect/. American Journal of Medicine, 1999, 107, 542-548. | 1.5 | 224 |
| 9 | Lifestyle Interventions Reduce Coronary Heart Disease Risk. Circulation, 2009, 119, 2026-2031. | 1.6 | 216 |
| 10 | Cross-Sectional and Prospective Study of Lung Function in Adults With Type 2 Diabetes. Diabetes Care, 2008, 31, 741-746. | 8.6 | 209 |
| 11 | Body Mass Index and Risk of Incident Hypertension Over the Life Course. Circulation, 2012, 126, 2983-2989. | 1.6 | 209 |
| 12 | Differential Susceptibility to Hypertension Is Due to Selection during the Out-of-Africa Expansion. PLoS Genetics, 2005, 1, e82. | 3.5 | 208 |
| 13 | Predicting behavior problems in deaf and hearing children: The influences of language, attention, and parent–child communication. Development and Psychopathology, 2009, 21, 373-392. | 2.3 | 199 |
| 14 | Are physicians' attitudes of respect accurately perceived by patients and associated with more positive communication behaviors?. Patient Education and Counseling, 2006, 62, 347-354. | 2.2 | 187 |
| 15 | Primary Care Patients' Involvement in Decision-Making Is Associated With Improvement in Depression. Medical Care, 2006, 44, 398-405. | 2.4 | 179 |
| 16 | Early Sign Language Exposure and Cochlear Implantation Benefits. Pediatrics, 2017, 140, . | 2.1 | 165 |
| 17 | Influence of implantation age on school-age language performance in pediatric cochlear implant users. International Journal of Audiology, 2013, 52, 219-229. | 1.7 | 159 |
| 18 | The Effects of a Nurse Case Manager and a Community Health Worker Team on Diabetic Control, Emergency Department Visits, and Hospitalizations Among Urban African Americans With Type 2 Diabetes Mellitus. Archives of Internal Medicine, 2009, 169, 1788-94. | 3.8 | 152 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Predictive Models for Cochlear Implantation in Elderly Candidates. JAMA Otolaryngology, 2005, 131, 1049. | 1.2 | 145 |
| 20 | Vital Capacity as a Predictor of Incident Type 2 Diabetes: The Atherosclerosis Risk in Communities study. Diabetes Care, 2005, 28, 1472-1479. | 8.6 | 135 |
| 21 | Anger in Young Men and Subsequent Premature Cardiovascular Disease. Archives of Internal Medicine, 2002, 162, 901. | 3.8 | 122 |
| 22 | Beliefs and Attitudes Associated With the Intention to Not Accept the Diagnosis of Depression Among Young Adults. Annals of Family Medicine, 2005, 3, 38-46. | 1.9 | 119 |
| 23 | Coffee Intake and Risk of Hypertension. Archives of Internal Medicine, 2002, 162, 657. | 3.8 | 114 |
| 24 | Association of Childhood Socioeconomic Status With Subsequent Coronary Heart Disease in Physicians. Archives of Internal Medicine, 2006, 166, 2356. | 3.8 | 112 |
| 25 | Effect of Depth of Sedation in Older Patients Undergoing Hip Fracture Repair on Postoperative Delirium. JAMA Surgery, 2018, 153, 987. | 4.3 | 108 |
| 26 | Blood Pressure Change and Risk of Hypertension Associated With Parental Hypertension <subtitle>The Johns Hopkins Precursors Study</subtitle> . Archives of Internal Medicine, 2008, 168, 643. | 3.8 | 107 |
| 27 | Effect of Problem-Solving-Based Diabetes Self-Management Training on Diabetes Control in a Low Income Patient Sample. Journal of General Internal Medicine, 2011, 26, 972-978. | 2.6 | 96 |
| 28 | Title is missing!. Medical Care, 2003, 41, 479-489. | 2.4 | 95 |
| 29 | Body Weight Patterns From 20 to 49 Years of Age and Subsequent Risk for Diabetes Mellitus. Archives of Internal Medicine, 1999, 159, 957. | 3.8 | 93 |
| 30 | Gestational Diabetes and Subsequent Growth Patterns of Offspring: The National Collaborative Perinatal Project. Maternal and Child Health Journal, 2012, 16, 125-132. | 1.5 | 93 |
| 31 | Medical Specialty and the Incidence of Divorce. New England Journal of Medicine, 1997, 336, 800-803. | 27.0 | 89 |
| 32 | Childhood Development after Cochlear Implantation (CDaCI) study: Design and baseline characteristics. Cochlear Implants International, 2007, 8, 92-112. | 1.2 | 87 |
| 33 | Speech Recognition at 1-Year Follow-Up in the Childhood Development after Cochlear Implantation Study: Methods and Preliminary Findings. Audiology and Neuro-Otology, 2006, 11, 259-268. | 1.3 | 85 |
| 34 | Attitudes and illness factors associated with low perceived need for depression treatment among young adults. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 746-754. | 3.1 | 84 |
| 35 | Sex differences in the JAK2V617F allele burden in chronic myeloproliferative disorders. Haematologica, 2010, 95, 1090-1097. | 3.5 | 79 |
| 36 | Mild vs Severe Pulmonary Hypertension Before Heart Transplantation: Different Effects on Posttransplantation Pulmonary Hypertension and Mortality. Journal of Heart and Lung Transplantation, 2005, 24, 998-1007. | 0.6 | 78 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | The Psychosocial Work Environment of Physicians. Journal of Occupational and Environmental Medicine, 1995, 37, 1151-1159. | 1.7 | 77 |
| 38 | Public Attitudes Toward Incentives for Organ Donation: A National Study of Different Racial/Ethnic and Income Groups. American Journal of Transplantation, 2006, 6, 2774-2785. | 4.7 | 73 |
| 39 | A Prospective Study of the Associations Between Treated Diabetes and Cancer Outcomes. Diabetes Care, 2012, 35, 113-118. | 8.6 | 69 |
| 40 | Tracking Development of Speech Recognition. Otology and Neurotology, 2008, 29, 240-245. | 1.3 | 68 |
| 41 | A randomized controlled trial of the effects of nurse case manager and community health worker team interventions in urban African-Americans with type 2 diabetes. Contemporary Clinical Trials, 2004, 25, 53-66. | 1.9 | 66 |
| 42 | Maternal risk factors for abnormal placental growth: The national collaborative perinatal project. BMC Pregnancy and Childbirth, 2008, 8, 44. | 2.4 | 66 |
| 43 | Black-White Disparities in Overweight and Obesity Trends by Educational Attainment in the United States, 1997–2008. Journal of Obesity, 2013, 2013, 1-9. | 2.7 | 66 |
| 44 | Perceived Transparency and Fairness of the Organ Allocation System and Willingness to Donate Organs: A National Study. American Journal of Transplantation, 2007, 7, 1778-1787. | 4.7 | 65 |
| 45 | Serum Levels of the Immune Activation Marker Neopterin Change With Age and Gender and Are Modified by Race, BMI, and Percentage of Body Fat. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2010, 65A, 858-865. | 3.6 | 65 |
| 46 | Physical Functioning, Depression, and Preferences for Treatment at the End of Life: The Johns Hopkins Precursors Study. Journal of the American Geriatrics Society, 2004, 52, 577-582. | 2.6 | 64 |
| 47 | Polysomnogram changes in marijuana users who report sleep disturbances during prior abstinence. Sleep Medicine, 2010, 11, 882-889. | 1.6 | 63 |
| 48 | Body-Mass Index and All-Cause Mortality in US Adults With and Without Diabetes. Journal of General Internal Medicine, 2014, 29, 25-33. | 2.6 | 63 |
| 49 | Stability of Preferences for End-of-Life Treatment After 3 Years of Follow-up. Archives of Internal Medicine, 2008, 168, 2125. | 3.8 | 61 |
| 50 | Association between Intraoperative Blood Pressure and Postoperative Delirium in Elderly Hip Fracture Patients. PLoS ONE, 2015, 10, e0123892. | 2.5 | 61 |
| 51 | Real-time PCR assays compared to culture-based approaches for identification of aerobic bacteria in chronic wounds. Clinical Microbiology and Infection, 2010, 16, 1762-1769. | 6.0 | 59 |
| 52 | Implementing and Evaluating a Multicomponent Inpatient Diabetes Management Program: Putting Research into Practice. Joint Commission Journal on Quality and Patient Safety, 2012, 38, 195-AP4. | 0.7 | 59 |
| 53 | Life-Sustaining Treatments: What Do Physicians Want and Do They Express Their Wishes to Others?. Journal of the American Geriatrics Society, 2003, 51, 961-969. | 2.6 | 58 |
| 54 | Language development after cochlear implantation: an epigenetic model. Journal of Neurodevelopmental Disorders, 2011, 3, 388-404. | 3.1 | 58 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Effect of a Comprehensive Cardiovascular Risk Reduction Intervention in Persons With Serious Mental Illness. JAMA Network Open, 2020, 3, e207247. | 5.9 | 58 |
| 56 | Suicide Compared to Other Causes of Mortality in Physicians. Suicide and Life-Threatening Behavior, 2005, 35, 146-153. | 1.9 | 57 |
| 57 | Primary care patients with depression are less accepting of treatment than those seen by mental health specialists. Journal of General Internal Medicine, 2003, 18, 991-1000. | 2.6 | 55 |
| 58 | A Systematic Review and Meta-analysis of the Effectiveness and Toxicities of Lutetium-177–labeled Prostate-specific Membrane Antigen–targeted Radioligand Therapy in Metastatic Castration-Resistant Prostate Cancer. European Urology, 2021, 80, 82-94. | 1.9 | 53 |
| 59 | Serial Audiometry in a Clinical Trial of AIED Treatment. Otology and Neurotology, 2005, 26, 908-917. | 1.3 | 52 |
| 60 | Language and Behavioral Outcomes in Children With Developmental Disabilities Using Cochlear Implants. Otology and Neurotology, 2012, 33, 751-760. | 1.3 | 51 |
| 61 | Coffee intake and coronary heart disease. Annals of Epidemiology, 1994, 4, 425-433. | 1.9 | 50 |
| 62 | A Dietary Intervention in Urban African Americans. American Journal of Preventive Medicine, 2016, 50, 87-95. | 3.0 | 50 |
| 63 | Comparative Effectiveness of Standard versus Patient entered Collaborative Care Interventions for Depression among African Americans in Primary Care Settings: The BRIDGE Study. Health Services Research, 2013, 48, 150-174. | 2.0 | 49 |
| 64 | Age-Dependent Cost-Utility of Pediatric Cochlear Implantation. Ear and Hearing, 2013, 34, 402-412. | 2.1 | 49 |
| 65 | Effect of Exercise on Blood Pressure in Type 2 Diabetes: A Randomized Controlled Trial. Journal of General Internal Medicine, 2012, 27, 1453-1459. | 2.6 | 48 |
| 66 | Decreased exercise blood pressure in older adults after exercise training: contributions of increased fitness and decreased fatness. British Journal of Sports Medicine, 2008, 43, 52-56. | 6.7 | 47 |
| 67 | Depth of sedation as an interventional target to reduce postoperative delirium: mortality and functional outcomes of the Strategy to Reduce the Incidence of Postoperative Delirium in Elderly Patients randomised clinical trial. British Journal of Anaesthesia, 2019, 122, 480-489. | 3.4 | 47 |
| 68 | Cancer Incidence after Childhood Nasopharyngeal Radium Irradiation: A Follow-up Study in Washington County, Maryland. American Journal of Epidemiology, 2001, 153, 749-756. | 3.4 | 46 |
| 69 | PaTH: towards a learning health system in the Mid-Atlantic region. Journal of the American Medical Informatics Association: JAMIA, 2014, 21, 633-636. | 4.4 | 46 |
| 70 | The Association of Preoperative Frailty and Postoperative Delirium: A Meta-analysis. Anesthesia and Analgesia, 2021, 133, 314-323. | 2.2 | 45 |
| 71 | Assessment of health-related quality of life 6Âyears after childhood cochlear implantation. Quality of Life Research, 2014, 23, 719-731. | 3.1 | 40 |
| 72 | Assessing the Use of Speech and Language Measures in Relation to Parental Perceptions of Development After Early Cochlear Implantation. Otology and Neurotology, 2008, 29, 208-213. | 1.3 | 37 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Do Platelet-Derived Microparticles Play a Role in Depression, Inflammation, and Acute Coronary Syndrome?. Psychosomatics, 2014, 55, 252-260. | 2.5 | 37 |
| 74 | Blood Pressure in Young Adulthood and the Risk of Type 2 Diabetes in Middle Age. Diabetes Care, 2003, 26, 1110-1115. | 8.6 | 35 |
| 75 | Effect of DECIDE (Decision-making Education for Choices In Diabetes Everyday) Program Delivery Modalities on Clinical and Behavioral Outcomes in Urban African Americans With Type 2 Diabetes: A Randomized Trial. Diabetes Care, 2016, 39, 2149-2157. | 8.6 | 35 |
| 76 | Surgical Factors in Pediatric Cochlear Implantation and Their Early Effects on Electrode Activation and Functional Outcomes. Otology and Neurotology, 2008, 29, 502-508. | 1.3 | 34 |
| 77 | Randomized trial of achieving healthy lifestyles in psychiatric rehabilitation: the ACHIEVE trial. BMC Psychiatry, 2010, 10, 108. | 2.6 | 34 |
| 78 | Timing of Cochlear Implantation and Parents' Global Ratings of Children's Health and Development. Otology and Neurotology, 2012, 33, 545-552. | 1.3 | 34 |
| 79 | Postoperative ventricular function and cardiac enzymes after on-pump versus off-pump CABG surgery. American Journal of Cardiology, 2002, 89, 1107-1110. | 1.6 | 32 |
| 80 | A Prospective Longitudinal Study of U.S. Children Unable to Achieve Open-Set Speech Recognition 5 Years After Cochlear Implantation. Otology and Neurotology, 2015, 36, 985-992. | 1.3 | 32 |
| 81 | Satisfaction with primary care provider involvement is associated with greater weight loss: Results from the practice-based POWER trial. Patient Education and Counseling, 2015, 98, 1099-1105. | 2.2 | 32 |
| 82 | The TALKS study to improve communication, logistical, and financial barriers to live donor kidney transplantation in African Americans: protocol of a randomized clinical trial. BMC Nephrology, 2015, 16, 160. | 1.8 | 31 |
| 83 | Patterns of decline in naming and semantic knowledge in primary progressive aphasia. Aphasiology, 2018, 32, 1010-1030. | 2.2 | 31 |
| 84 | Effectiveness of informational decision aids and a live donor financial assistance program on pursuit of live kidney transplants in African American hemodialysis patients. BMC Nephrology, 2018, 19, 107. | 1.8 | 31 |
| 85 | Alcohol Consumption and Domain-Specific Cognitive Function in Older Adults: Longitudinal Data From the Johns Hopkins Precursors Study. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2011, 66B, 39-47. | 3.9 | 30 |
| 86 | Measuring and explaining racial and ethnic differences in willingness to donate live kidneys in the United States. Clinical Transplantation, 2013, 27, 673-683. | 1.6 | 30 |
| 87 | Comparisons of IQ in Children With and Without Cochlear Implants: Longitudinal Findings and Associations With Language. Ear and Hearing, 2018, 39, 1187-1198. | 2.1 | 30 |
| 88 | Randomized trial of hormone therapy in women after coronary bypass surgery. Atherosclerosis, 2006, 189, 375-386. | 0.8 | 29 |
| 89 | Improving urban African Americans' blood pressure control through multi-level interventions in the Achieving Blood Pressure Control Together (ACT) study: A randomized clinical trial. Contemporary Clinical Trials, 2014, 38, 370-382. | 1.8 | 29 |
| 90 | The Prevalence and Specificity of Depression Diagnosis in a Clinic-Based Population of Adults With Type 2 Diabetes Mellitus. Psychosomatics, 2017, 58, 28-37. | 2.5 | 29 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Temperament as a potential predictor of mortality: Evidence from a 41-year prospective study. Journal of Behavioral Medicine, 1994, 17, 111-126. | 2.1 | 28 |
| 92 | Improvements in visual attention in deaf infants and toddlers after cochlear implantation. Audiological Medicine, 2007, 5, 242-249. | 0.4 | 28 |
| 93 | Dialyzed venom skin tests for identifying yellow jacket-allergic patients not detected using standard venom. Annals of Allergy, Asthma and Immunology, 2009, 102, 47-50. | 1.0 | 28 |
| 94 | Body-mass index and mortality risk in US Blacks compared to Whites. Obesity, 2014, 22, 842-851. | 3.0 | 28 |
| 95 | Joint Models for a Primary Endpoint and Multiple Longitudinal Covariate Processes. Biometrics, 2007, 63, 1068-1078. | 1.4 | 27 |
| 96 | Hospice Care and Resource Utilization in Medicare Beneficiaries With Heart Failure. Medical Care, 2011, 49, 985-991. | 2.4 | 26 |
| 97 | Symbolic Play and Novel Noun Learning in Deaf and Hearing Children: Longitudinal Effects of Access to Sound on Early Precursors of Language. PLoS ONE, 2016, 11, e0155964. | 2.5 | 25 |
| 98 | Patient-reported outcomes in the practice-based opportunities for weight reduction (POWER) trial. Quality of Life Research, 2013, 22, 2389-2398. | 3.1 | 24 |
| 99 | Gross placental measures and childhood growth. Journal of Maternal-Fetal and Neonatal Medicine, 2009, 22, 13-23. | 1.5 | 22 |
| 100 | Prelinguistic Communication and Subsequent Language Acquisition in Children With Cochlear Implants. JAMA Otolaryngology, 2004, 130, 619. | 1.2 | 21 |
| 101 | Creating a Transdisciplinary Research Center to Reduce Cardiovascular Health Disparities in Baltimore, Maryland: Lessons Learned. American Journal of Public Health, 2013, 103, e26-e38. | 2.7 | 21 |
| 102 | Which Patients Discharged to Home-Based Outpatient Parenteral Antimicrobial Therapy Are at High Risk of Adverse Outcomes?. Open Forum Infectious Diseases, 2020, 7, ofaa178. | 0.9 | 21 |
| 103 | Longitudinal Accuracy of Web-Based Self-Reported Weights: Results From the Hopkins POWER Trial. Journal of Medical Internet Research, 2014, 16, e173. | 4.3 | 21 |
| 104 | Managed care organizational complexity and access to high-quality mental health services: Perspective of U.S. primary care physicians. General Hospital Psychiatry, 2003, 25, 149-157. | 2.4 | 20 |
| 105 | Electric Charge Requirements of Pediatric Cochlear Implant Recipients Enrolled in the Childhood Development After Cochlear Implantation Study. Otology and Neurotology, 2008, 29, 143-148. | 1.3 | 20 |
| 106 | Defining Wound Microbial Flora: Molecular Microbiology Opening New Horizons. Archives of Dermatology, 2009, 145, 1193-5. | 1.4 | 20 |
| 107 | Better Respiratory Education and Treatment Help Empower (BREATHE) study: Methodology and baseline characteristics of a randomized controlled trial testing a transitional care program to improve patient-centered care delivery among chronic obstructive pulmonary disease patients. Contemporary Clinical Trials, 2017, 62, 159-167. | 1.8 | 20 |
| 108 | Hypertension Self-management in Socially Disadvantaged African Americans: the Achieving Blood Pressure Control Together (ACT) Randomized Comparative Effectiveness Trial. Journal of General Internal Medicine, 2020, 35, 142-152. | 2.6 | 20 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Jackknife Empirical Likelihood Test for Equality of Two High Dimensional Means. Statistica Sinica, 2013, 23, 25-50. | 0.3 | 20 |
| 110 | Patient Satisfaction, Preventive Services, and Emergency Room Use among African-Americans with Type 2 Diabetes. Disease Management: DM, 2005, 8, 361-371. | 1.0 | 19 |
| 111 | Willingness of the <scp>U</scp> nited <scp>S</scp> tates general public to participate in kidney paired donation. Clinical Transplantation, 2012, 26, 714-721. | 1.6 | 19 |
| 112 | Abnormal CSF amyloid-β42 and tau levels in hip fracture patients without dementia. PLoS ONE, 2018, 13, e0204695. | 2.5 | 19 |
| 113 | Hearing Norton Sound: mixed methods protocol of a community randomised trial to address childhood hearing loss in rural Alaska. BMJ Open, 2019, 9, e023081. | 1.9 | 19 |
| 114 | Hearing Norton Sound: a community randomised trial protocol to address childhood hearing loss in rural Alaska. BMJ Open, 2019, 9, e023078. | 1.9 | 19 |
| 115 | Prevention and regression of megamitochondria and steatosis by blocking mitochondrial fusion in the liver. IScience, 2022, 25, 103996. | 4.1 | 19 |
| 116 | Mobile health school screening and telemedicine referral to improve access to specialty care in rural Alaska: a cluster- randomised controlled trial. The Lancet Global Health, 2022, 10, e1023-e1033. | 6.3 | 19 |
| 117 | Finger photoplethysmography during the Valsalva maneuver reflects left ventricular filling pressure. American Journal of Physiology - Heart and Circulatory Physiology, 2012, 302, H2043-H2047. | 3.2 | 17 |
| 118 | Youthful precursors of midlife social support Journal of Personality and Social Psychology, 1998, 74, 1329-1336. | 2.8 | 16 |
| 119 | Design considerations of a randomized controlled trial of sedation level during hip fracture repair surgery: a strategy to reduce the incidence of postoperative delirium in elderly patients. Clinical Trials, 2017, 14, 299-307. | 1.6 | 16 |
| 120 | Need for Cardiovascular Risk Reduction in Persons With Serious Mental Illness: Design of a Comprehensive Intervention. Frontiers in Psychiatry, 2018, 9, 786. | 2.6 | 16 |
| 121 | Association of Depressive Symptoms With Postoperative Delirium and CSF Biomarkers for Alzheimer's Disease Among Hip Fracture Patients. American Journal of Geriatric Psychiatry, 2021, 29, 1212-1221. | 1.2 | 16 |
| 122 | Childhood Development after Cochlear Implantation (CDaCI) study: Design and baseline characteristics. Cochlear Implants International, 2007, 8, 92-116. | 1.2 | 16 |
| 123 | Compliance With American Academy of Pediatrics and American Public Health Association Illness Exclusion Guidelines for Child Care Centers in Maryland: Who Follows Them and When?. Pediatrics, 2006, 118, e1369-e1380. | 2.1 | 15 |
| 124 | Measuring communicative performance with the FAPCI instrument: Preliminary results from normal hearing and cochlear implanted children. International Journal of Pediatric Otorhinolaryngology, 2011, 75, 549-553. | 1.0 | 14 |
| 125 | Hearing Norton Sound: community involvement in the design of a mixed methods community randomized trial in 15 Alaska Native communities. Research Involvement and Engagement, 2020, 6, 67. | 2.9 | 14 |
| 126 | Lifetime Weight Patterns in Male Physicians: The Effects of Cohort and Selective Survival*. Obesity, 2006, 14, 902-908. | 3.0 | 13 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Effects of Behavioral Weight Loss and Metformin on IGFs in Cancer Survivors: A Randomized Trial. Journal of Clinical Endocrinology and Metabolism, 2021, 106, e4179-e4191. | 3.6 | 13 |
| 128 | A cluster randomized trial of standard quality improvement versus patient-centered interventions to enhance depression care for African Americans in the primary care setting: study protocol NCT00243425. Implementation Science, 2010, 5, 18. | 6.9 | 12 |
| 129 | Randomized comparison of two interventions to enhance understanding during the informed consent process for research. Clinical Trials, 2021, 18, 466-476. | 1.6 | 12 |
| 130 | Reliability of Alcohol Recall After 15 Years and 23 Years of Follow-Up in the Johns Hopkins Precursors Study. Journal of Studies on Alcohol and Drugs, 2010, 71, 143-149. | 1.0 | 11 |
| 131 | Donor designation: racial and ethnic differences in US nondesignators' preferred methods for disclosing intent to donate organs. Transplant International, 2011, 24, 999-1007. | 1.6 | 11 |
| 132 | Perceived helpfulness of the individual components of a behavioural weight loss program: results from the Hopkins POWER Trial. Obesity Science and Practice, 2015, 1, 23-32. | 1.9 | 11 |
| 133 | Feasibility and acceptability of a remotelyâ€delivered behavioural health coaching intervention to limit gestational weight gain. Obesity Science and Practice, 2020, 6, 484-493. | 1.9 | 11 |
| 134 | The RICH LIFE Project: A cluster randomized pragmatic trial comparing the effectiveness of health system only vs. health system Plus a collaborative/stepped care intervention to reduce hypertension disparities. American Heart Journal, 2020, 226, 94-113. | 2.7 | 11 |
| 135 | The Impact of International Medical Graduate Status on Primary Care Physicians' Choice of Specialist. Medical Care, 2004, 42, 747-755. | 2.4 | 10 |
| 136 | A cost analysis of implementing a behavioral weight loss intervention in community mental health settings: Results from the ACHIEVE trial. Obesity, 2017, 25, 1006-1013. | 3.0 | 9 |
| 137 | Soluble Markers of Antibody Secreting Cell Function as Predictors of Infection Risk in Rheumatoid Arthritis. Journal of Immunology Research, 2019, 2019, 1-10. | 2.2 | 9 |
| 138 | Kidney Function Modifies the Effect of Intraoperative Opioid Dosage on Postoperative Delirium. Journal of the American Geriatrics Society, 2021, 69, 191-196. | 2.6 | 9 |
| 139 | Temporal Trends in Stroke Thrombolysis in the US by Race and Ethnicity, 2009-2018. JAMA - Journal of the American Medical Association, 2021, 326, 1741. | 7.4 | 9 |
| 140 | A finger photoplethysmography waveform during the valsalva maneuver detects changes in left heart filling pressure after hemodialysis. BMC Nephrology, 2015, 16, 138. | 1.8 | 8 |
| 141 | Usefulness of a Noninvasive Device to Identify Elevated Left Ventricular Filling Pressure Using Finger Photoplethysmography During a Valsalva Maneuver. American Journal of Cardiology, 2017, 119, 1053-1060. | 1.6 | 8 |
| 142 | Cardiorespiratory benefits of group exercise among adults with serious mental illness. Psychiatry Research, 2017, 256, 85-87. | 3.3 | 8 |
| 143 | Association Between Adiponectin and Tumor Necrosis Factor-Alpha Levels at Eight to Fourteen Weeks Gestation and Maternal Clucose Tolerance: The Parity, Inflammation, and Diabetes Study. Journal of Women's Health, 2013, 22, 259-266. | 3.3 | 7 |
| 144 | Gender differences in platelet brain derived neurotrophic factor in patients with cardiovascular disease and depression. Journal of Psychiatric Research, 2016, 78, 72-77. | 3.1 | 7 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | A Model for Advancing Scale-Up of Complex Interventions for Vulnerable Populations: the ALACRITY Center for Health and Longevity in Mental Illness. Journal of General Internal Medicine, 2021, 36, 500-505. | 2.6 | 7 |
| 146 | Geographic and Regional Variability in Racial and Ethnic Disparities in Stroke Thrombolysis in the United States. Stroke, 2021, 52, e782-e787. | 2.0 | 7 |
| 147 | Role of PCP referral and weight loss in the Hopkins POWER trial. Preventive Medicine Reports, 2015, 2, 968-972. | 1.8 | 5 |
| 148 | Surgical procedure and postoperative delirium in geriatric hip fracture patients. European Journal of Anaesthesiology, 2016, 33, 230-231. | 1.7 | 5 |
| 149 | Effect of a Behavioral Weight Loss Intervention in People With Serious Mental Illness and Diabetes. Diabetes Care, 2019, 42, 804-809. | 8.6 | 5 |
| 150 | Predictors of Non-home Discharge after Cytoreductive Surgery and Hyperthermic Intraperitoneal Chemotherapy. Journal of Surgical Research, 2020, 255, 475-485. | 1.6 | 5 |
| 151 | Physical Activity Levels and Screen Time among Youth with Overweight/Obesity Using Mental Health Services. International Journal of Environmental Research and Public Health, 2022, 19, 2261. | 2.6 | 5 |
| 152 | Representativeness in Studies of Early Cochlear Implantation. American Annals of the Deaf, 2012, 157, 249-250. | 0.2 | 4 |
| 153 | Willingness to pay for continued delivery of a lifestyle-based weight loss program: The Hopkins POWER trial. Obesity, 2015, 23, 282-285. | 3.0 | 4 |
| 154 | Cost of behavioral weight loss programs implemented in clinical practice: The POWER trial at Johns Hopkins. Translational Behavioral Medicine, 2020, 10, 103-113. | 2.4 | 4 |
| 155 | Adapting the Comprehensive Unit Safety Program (CUSP) implementation strategy to increase delivery of evidence-based cardiovascular risk factor care in community mental health organizations: protocol for a pilot study. Implementation Science Communications, 2021, 2, 26. | 2.2 | 4 |
| 156 | 6.4 TRIAL OF INTEGRATED TOBACCO SMOKING CESSATION, EXERCISE AND WEIGHT MANAGEMENT IN PERSONS WITH SERIOUS MENTAL ILLNESS. Schizophrenia Bulletin, 2019, 45, S96-S97. | 4.3 | 3 |
| 157 | Effects of a behavioural weight loss intervention in people with serious mental illness: Subgroup analyses from the ACHIEVE trial. Obesity Research and Clinical Practice, 2019, 13, 205-210. | 1.8 | 3 |
| 158 | Agent-based modeling for implementation research: An application to tobacco smoking cessation for persons with serious mental illness. Implementation Research and Practice, 2021, 2, 263348952110106. | 1.9 | 3 |
| 159 | Changing patterns of use of implantable cardiac monitors from 2011 to 2018 for a large commercially-insured U.S. population. Medicine (United States), 2021, 100, e28356. | 1.0 | 3 |
| 160 | From efficacy to effectiveness: lessons learned from the Practice-Based Opportunities for Weight Reduction (POWER) trial. Journal of Comparative Effectiveness Research, 2012, 1, 213-216. | 1.4 | 2 |
| 161 | Team-Based Health Information Exchange Use Increased Mammography Documentation and Referral in an Academic Primary Care Practice: An Interrupted Time Series. Journal of General Internal Medicine, 2018, 33, 710-714. | 2.6 | 2 |
| 162 | Healthy for Two/Healthy for You: Design and methods for a pragmatic randomized clinical trial to limit gestational weight gain and prevent obesity in the prenatal care setting. Contemporary Clinical Trials, 2022, 113, 106647. | 1.8 | 2 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Abstract 16363: An 18-month Smoking Cessation Intervention Incorporating Pharmacotherapy and Behavioral Counseling Improves Tobacco Abstinence Rates in Adult Smokers With Serious Mental Illness (smi) in Community Mental Health Settings: Results of a Randomized Clinical Trial. Circulation, 2020, 142, . | 1.6 | 2 |
| 164 | Determining Predictors of Weight Loss in a Behavioral Intervention: A Case Study in the Use of Lasso Regression. Frontiers in Psychiatry, 2021, 12, 707707. | 2.6 | 2 |
| 165 | Edmonton frailty scale score predicts postoperative delirium: a retrospective cohort analysis. BMC Geriatrics, 2022, 22, . | 2.7 | 2 |
| 166 | Effect of baseline cognitive impairment on association between predicted propofol effect site concentration and Bispectral index or sedation score. BMC Anesthesiology, 2020, 20, 129. | 1.8 | 1 |
| 167 | Title : Delirium Detection Methodologies: Implications for Outcome Measurement in Clinical Trials in Postoperative Delirium. International Journal of Geriatric Psychiatry, 2022, 37, . | 2.7 | 1 |
| 168 | Implementing an EMR–Based Referral for Smoking Quitline Services with Additional Provider Education, a Cluster-Randomized Trial. Journal of General Internal Medicine, 2022, 37, 2438-2445. | 2.6 | 1 |
| 169 | EXERCISE TRAINING REDUCES HEPATIC FAT IN TYPE 2 DIABETES. Journal of Cardiopulmonary Rehabilitation and Prevention, 2008, 28, 269. | 2.1 | 0 |
| 170 | EXERCISE TRAINING REVERSES LEFT VENTRICULAR DIASTOLIC DYSFUNCTION IN TYPE 2 DIABETES. Journal of Cardiopulmonary Rehabilitation and Prevention, 2008, 28, 271. | 2.1 | 0 |
| 171 | [O1–10–05]: PREOPERATIVE CSF BIOMARKERS OF ALZHEIMER'S DISEASE IN A HIP FRACTURE POPULATION: AGEâ€ÐEPENDENT ASSOCIATION WITH UNDERLYING COGNITIVE FUNCTION. Alzheimer's and Dementia, 2017, 13, P216. | 0.8 | 0 |
| 172 | Postoperative Delirium—Amplifying the Confusion—Reply. JAMA Surgery, 2019, 154, 366. | 4.3 | 0 |
| 173 | 27.2 COMPREHENSIVE CARDIOVASCULAR RISK REDUCTION TRIAL IN PERSONS WITH SERIOUS MENTAL ILLNESS. Schizophrenia Bulletin, 2019, 45, S134-S134. | 4.3 | 0 |
| 174 | Abstract P130: Association between Weight Loss Program Attendance and Weight Loss among Adults with Serious Mental Illness. Circulation, 2014, 129, . | 1.6 | 0 |
| 175 | Abstract 011: Comprehensive Cardiovascular Risk Reduction Trial in Persons With Serious Mental Illness (IDEAL Trial). Circulation, 2019, 139, . | 1.6 | 0 |
| 176 | Abstract P143: Late Success in Weight Loss Trials: Do Participants Start Losing Weight After 6 Months?. Circulation, 2019, 139, . | 1.6 | 0 |