Anders Troelsen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7244406/publications.pdf

Version: 2024-02-01

174 papers 5,959 citations

94433 37 h-index 91884 69 g-index

185 all docs 185
docs citations

185 times ranked 4954 citing authors

#	Article	IF	Citations
1	Knee replacement. Lancet, The, 2018, 392, 1672-1682.	13.7	449
2	Prevalence of Malformations of the Hip Joint and Their Relationship to Sex, Groin Pain, and Risk of Osteoarthritis. Journal of Bone and Joint Surgery - Series A, 2010, 92, 1162-1169.	3.0	344
3	Why still in hospital after fast-track hip and knee arthroplasty?. Monthly Notices of the Royal Astronomical Society: Letters, 2011, 82, 679-684.	3.3	332
4	Increasing incidence of acute Achilles tendon rupture and a noticeable decline in surgical treatment from 1994 to 2013. A nationwide registry study of 33,160 patients. Knee Surgery, Sports Traumatology, Arthroscopy, 2016, 24, 3730-3737.	4.2	238
5	What is the optimal alignment of the tibial and femoral components in knee arthroplasty?. Monthly Notices of the Royal Astronomical Society: Letters, 2014, 85, 480-487.	3.3	190
6	A Review of Current Fixation Use and Registry Outcomes in Total Hip Arthroplasty: The Uncemented Paradox. Clinical Orthopaedics and Related Research, 2013, 471, 2052-2059.	1.5	172
7	Acetabular cup position and risk of dislocation in primary total hip arthroplasty. Monthly Notices of the Royal Astronomical Society: Letters, 2017, 88, 10-17.	3.3	163
8	Time to Surgery Is Associated with Thirty-Day and Ninety-Day Mortality After Proximal Femoral Fracture. Journal of Bone and Joint Surgery - Series A, 2015, 97, 1333-1339.	3.0	160
9	Medium-Term Outcome of Periacetabular Osteotomy and Predictors of Conversion to Total Hip Replacement. Journal of Bone and Joint Surgery - Series A, 2009, 91, 2169-2179.	3.0	156
10	Chronic infections in hip arthroplasties: comparing risk of reinfection following one-stage and two-stage revision: a systematic review and meta-analysis. Clinical Epidemiology, 2012, 4, 57.	3.0	137
11	What Factors Predict Failure 4 to 12 Years After Periacetabular Osteotomy?. Clinical Orthopaedics and Related Research, 2012, 470, 2978-2987.	1.5	120
12	Combined Intra-Articular and Intravenous Tranexamic Acid Reduces Blood Loss in Total Knee Arthroplasty. Journal of Bone and Joint Surgery - Series A, 2016, 98, 835-841.	3.0	106
13	Nonoperative Dynamic Treatment of Acute Achilles Tendon Rupture: The Influence of Early Weight-Bearing on Clinical Outcome. Journal of Bone and Joint Surgery - Series A, 2014, 96, 1497-1503.	3.0	100
14	Good validity and reliability of the forgotten joint score in evaluating the outcome of total knee arthroplasty. Monthly Notices of the Royal Astronomical Society: Letters, 2016, 87, 280-285.	3.3	95
15	What is the role of clinical tests and ultrasound in acetabular labral tear diagnostics?. Monthly Notices of the Royal Astronomical Society: Letters, 2009, 80, 314-318.	3.3	94
16	Weightbearing Anteroposterior Pelvic Radiographs are Recommended in DDH Assessment. Clinical Orthopaedics and Related Research, 2008, 466, 813-819.	1.5	77
17	Complications and readmissions following outpatient total hip and knee arthroplasty: a prospective 2-center study with matched controls. Monthly Notices of the Royal Astronomical Society: Letters, 2019, 90, 281-285.	3.3	64
18	Traditions and myths in hip and knee arthroplasty. Monthly Notices of the Royal Astronomical Society: Letters, 2014, 85, 548-555.	3.3	61

#	Article	IF	CITATIONS
19	Predictors of not regaining basic mobility after hip fracture surgery. Disability and Rehabilitation, 2015, 37, 1739-1744.	1.8	61
20	High incidence of acute and recurrent patellar dislocations: a retrospective nationwide epidemiological study involving 24.154 primary dislocations. Knee Surgery, Sports Traumatology, Arthroscopy, 2018, 26, 1204-1209.	4.2	61
21	Patient Acceptable Symptom State at 1 and 3 Years After Total Knee Arthroplasty. Journal of Bone and Joint Surgery - Series A, 2019, 101, 995-1003.	3.0	60
22	Minimal important change values for the Oxford Knee Score and the Forgotten Joint Score at 1 year after total knee replacement. Monthly Notices of the Royal Astronomical Society: Letters, 2018, 89, 541-547.	3.3	59
23	Functional rehabilitation of patients with acute Achilles tendon rupture: a meta-analysis of current evidence. Knee Surgery, Sports Traumatology, Arthroscopy, 2016, 24, 1852-1859.	4.2	58
24	Validity and Reliability of the Achilles Tendon Total Rupture Score. Journal of Foot and Ankle Surgery, 2013, 52, 736-739.	1.0	57
25	The role of the acetabular labrum in hip dysplasia. Monthly Notices of the Royal Astronomical Society: Letters, 2013, 84, 60-64.	3.3	53
26	Periprosthetic Vancouver type B1 and C fractures treated by locking-plate osteosynthesis. Monthly Notices of the Royal Astronomical Society: Letters, 2012, 83, 648-652.	3.3	50
27	Do patients care about higher flexion in total knee arthroplasty? A randomized, controlled, double-blinded trial. BMC Musculoskeletal Disorders, 2013, 14, 127.	1.9	45
28	Total Knee Arthroplasty in Younger Patients Evaluated by Alternative Outcome Measures. Journal of Arthroplasty, 2014, 29, 912-917.	3.1	45
29	Acceptable Success Rate in Patients With Periprosthetic Knee Joint Infection Treated With Debridement, Antibiotics, and Implant Retention. Journal of Arthroplasty, 2019, 34, 365-368.	3.1	45
30	Time-driven activity-based cost of outpatient total hip and knee arthroplasty in different set-ups. Monthly Notices of the Royal Astronomical Society: Letters, 2018, 89, 515-521.	3.3	44
31	Validation of a novel ultrasound measurement of achilles tendon length. Knee Surgery, Sports Traumatology, Arthroscopy, 2015, 23, 3398-3406.	4.2	43
32	Comparison of the minimally invasive and ilioinguinal approaches for periacetabular osteotomy 263 single-surgeon procedures in well-defined study groups. Monthly Notices of the Royal Astronomical Society: Letters, 2008, 79, 777-784.	3.3	42
33	Circumferential wires as a supplement to intramedullary nailing in unstable trochanteric hip fractures. Monthly Notices of the Royal Astronomical Society: Letters, 2012, 83, 240-243.	3.3	42
34	Has the Use of Fixation Techniques in THA Changed in This Decade? The Uncemented Paradox Revisited. Clinical Orthopaedics and Related Research, 2020, 478, 697-704.	1.5	42
35	Surgical advances in periacetabular osteotomy for treatment of hip dysplasia in adults. Monthly Notices of the Royal Astronomical Society: Letters, 2009, 80, 1-33.	3.3	41
36	Assessing the utility of deep neural networks in predicting postoperative surgical complications: a retrospective study. The Lancet Digital Health, 2021, 3, e471-e485.	12.3	41

#	Article	IF	Citations
37	Removal of restrictions following primary THA with posterolateral approach does not increase the risk of early dislocation. Monthly Notices of the Royal Astronomical Society: Letters, 2015, 86, 463-468.	3.3	40
38	Locking plate osteosynthesis of clavicle fractures: complication and reoperation rates in one hundred and five consecutive cases. International Orthopaedics, 2013, 37, 689-692.	1.9	39
39	Changes in Patient Satisfaction Following Total Joint Arthroplasty. Journal of Arthroplasty, 2020, 35, 32-38.	3.1	39
40	Treatment of Acute Achilles Tendon Rupture in Scandinavia Does Not Adhere to Evidence-based Guidelines: A Cross-sectional Questionnaire-based Study of 138 Departments. Journal of Foot and Ankle Surgery, 2013, 52, 629-633.	1.0	37
41	Efficacy of early controlled motion of the ankle compared with immobilisation in non-operative treatment of patients with an acute Achilles tendon rupture: an assessor-blinded, randomised controlled trial. British Journal of Sports Medicine, 2020, 54, 719-724.	6.7	37
42	Postoperative complications: an observational study of trends in the United States from 2012 to 2018. BMC Surgery, 2021, 21, 393.	1.3	37
43	Predictors associated with nonunion and symptomatic malunion following non-operative treatment of displaced midshaft clavicle fractures—a systematic review of the literature. International Orthopaedics, 2014, 38, 2543-2549.	1.9	36
44	Cementless One-Stage Revision in Chronic Periprosthetic Hip Joint Infection. Ninety-One Percent Infection Free Survival in 56 Patients at Minimum 2-Year Follow-Up. Journal of Arthroplasty, 2018, 33, 1160-1165.e1.	3.1	36
45	The next critical role of orthopedic registries. Monthly Notices of the Royal Astronomical Society: Letters, 2015, 86, 3-4.	3.3	35
46	Assessment of hip dysplasia and osteoarthritis: Variability of different methods. Acta Radiologica, 2010, 51, 187-193.	1.1	34
47	Similar postoperative patient-reported outcome in both second generation patellofemoral arthroplasty and total knee arthroplasty for treatment of isolated patellofemoral osteoarthritis: a systematic review. Knee Surgery, Sports Traumatology, Arthroscopy, 2019, 27, 2226-2237.	4.2	34
48	Three Year RSA Evaluation of Vitamin E Diffused Highly Cross-linked Polyethylene Liners and Cup Stability. Journal of Arthroplasty, 2015, 30, 1260-1264.	3.1	32
49	No effect of fibrin sealant on drain output or functional recovery following simultaneous bilateral total knee arthroplasty. Monthly Notices of the Royal Astronomical Society: Letters, 2013, 84, 153-158.	3.3	31
50	Achilles tendon Total Rupture Score at 3Âmonths can predict patients' ability to return to sport 1Âyear after injury. Knee Surgery, Sports Traumatology, Arthroscopy, 2016, 24, 1365-1371.	4.2	31
51	High-dose steroids in high pain responders undergoing total knee arthroplasty: a randomised double-blind trial. British Journal of Anaesthesia, 2022, 128, 150-158.	3.4	31
52	Risk factors for the need of hip arthroscopy following periacetabular osteotomy. Journal of Hip Preservation Surgery, 2015, 2, hnv053.	1.3	30
53	Standardised test protocol (Constant Score) for evaluation of functionality in patients with shoulder disorders. Danish Medical Journal, 2013, 60, A4608.	0.5	30
54	Five-Year Experience of Vitamin E–Diffused Highly Cross-Linked Polyethylene Wear in Total Hip Arthroplasty Assessed by Radiostereometric Analysis. Journal of Arthroplasty, 2016, 31, 1251-1255.	3.1	29

#	Article	IF	CITATIONS
55	Is Cup Positioning Challenged in Hips Previously Treated With Periacetabular Osteotomy?. Journal of Arthroplasty, 2014, 29, 763-768.	3.1	28
56	Medial Overhang of the Tibial Component Is Associated With Higher Risk of Inferior Knee Injury and Osteoarthritis Outcome Score Pain After Knee Replacement. Journal of Arthroplasty, 2018, 33, 1394-1398.	3.1	28
57	Low Risk of Thromboembolic Events After Routine Administration of Tranexamic Acid in Hip and Knee Arthroplasty. Journal of Arthroplasty, 2017, 32, 1298-1303.	3.1	27
58	Osteosynthesis with Parallel Implants in the Treatment of Femoral Neck Fractures:. Journal of Bone and Joint Surgery - Series A, 2018, 100, 1682-1690.	3.0	27
59	Patients report inferior quality of care for knee osteoarthritis prior to assessment for knee replacement surgery – a cross-sectional study of 517 patients in Denmark. Monthly Notices of the Royal Astronomical Society: Letters, 2020, 91, 82-87.	3.3	27
60	The Patient Acceptable Symptom State for the Harris Hip Score Following Total Hip Arthroplasty: Validated Thresholds at 3-Month, 1-, 3-, 5-, and 7-Year Follow-Up. Journal of Arthroplasty, 2020, 35, 145-152.e2.	3.1	27
61	Patient-acceptable symptom state for the Oxford Hip Score and Forgotten Joint Score at 3 months, 1 year, and 2 years following total hip arthroplasty: a registry-based study of 597 cases. Monthly Notices of the Royal Astronomical Society: Letters, 2020, 91, 372-377.	3.3	27
62	Nonoperative, Dynamic Treatment of Acute Achilles Tendon Rupture: Influence of Early Weightbearing on Biomechanical Properties of the Plantar Flexor Muscle–Tendon Complex—A Blinded, Randomized, Controlled Trial. Journal of Foot and Ankle Surgery, 2015, 54, 220-226.	1.0	26
63	Cranial acetabular retroversion is common in developmental dysplasia of the hip as assessed by the weight bearing position. Monthly Notices of the Royal Astronomical Society: Letters, 2010, 81, 436-441.	3.3	25
64	Thirteen-Year Evaluation of Highly Cross-Linked Polyethylene Articulating With Either 28-mm or 36-mm Femoral Heads Using Radiostereometric Analysis and Computerized Tomography. Journal of Arthroplasty, 2016, 31, 269-276.	3.1	25
65	Overtreatment of displaced midshaft clavicle fractures. Monthly Notices of the Royal Astronomical Society: Letters, 2016, 87, 541-545.	3.3	25
66	Which Preoperative Factors are Associated with Not Attaining Acceptable Levels of Pain and Function After TKA? Findings from an International Multicenter Study. Clinical Orthopaedics and Related Research, 2020, 478, 1019-1028.	1.5	25
67	Do Rerevision Rates Differ After First-time Revision of Primary THA With a Cemented and Cementless Femoral Component?. Clinical Orthopaedics and Related Research, 2015, 473, 3391-3398.	1.5	23
68	3-Year Follow-up of a Long-Term Registry-Based Multicentre Study on Vitamin E Diffused Polyethylene in Total Hip Replacement. HIP International, 2016, 26, 97-103.	1.7	23
69	Risk profile of patients developing nonunion of the clavicle and outcome of treatment—analysis of fifty five nonunions in seven hundred and twenty nine consecutive fractures. International Orthopaedics, 2016, 40, 587-593.	1.9	23
70	Which Oxford Knee Score level represents a satisfactory symptom state after undergoing a total knee replacement?. Monthly Notices of the Royal Astronomical Society: Letters, 2021, 92, 85-90.	3.3	23
71	Cam deformity and hip degeneration are common after fixation of a slipped capital femoral epiphysis. Monthly Notices of the Royal Astronomical Society: Letters, 2014, 85, 585-591.	3.3	22
72	Does bony hip morphology affect the outcome of treatment for patients with adductor-related groin pain? Outcome 10â€years after baseline assessment. British Journal of Sports Medicine, 2014, 48, 1240-1244.	6.7	22

#	Article	IF	Citations
73	Medial unicompartmental knee arthroplasty: increasingly uniform patient demographics despite differences in surgical volume and usage—a descriptive study of 8,501 cases from the Danish Knee Arthroplasty Registry. Monthly Notices of the Royal Astronomical Society: Letters, 2019, 90, 354-359.	3.3	22
74	Chronic Periprosthetic Hip Joint Infection. A Retrospective, Observational Study on the Treatment Strategy and Prognosis in 130 Non-Selected Patients. PLoS ONE, 2016, 11, e0163457.	2.5	22
75	Low manipulation prevalence following fast-track total knee arthroplasty. Monthly Notices of the Royal Astronomical Society: Letters, 2015, 86, 86-91.	3.3	21
76	Outpatient total hip or knee arthroplasty in ambulatory surgery center versus arthroplasty ward: a randomized controlled trial. Monthly Notices of the Royal Astronomical Society: Letters, 2020, 91, 42-47.	3.3	21
77	Risk of reoperation within 12 months following osteosynthesis of a displaced femoral neck fracture is linked mainly to initial fracture displacement while risk of death may be linked to bone quality: a cohort study from Danish Fracture Database. Monthly Notices of the Royal Astronomical Society: Letters. 2020. 91. 1-75.	3.3	21
78	Length of Stay and 90-Day Readmission/Complication Rates in Unicompartmental Versus Total Knee Arthroplasty. Journal of Bone and Joint Surgery - Series A, 2021, 103, 1063-1071.	3.0	21
79	Rare SLC13A1 variants associate with intervertebral disc disorder highlighting role of sulfate in disc pathology. Nature Communications, 2022, 13, 634.	12.8	21
80	Periacetabular Osteotomy: Sporting, Social and Sexual Activity 9-12 Years Post Surgery. HIP International, 2014, 24, 27-31.	1.7	20
81	Can Surgeons Reduce the Risk for Dislocation After Primary Total Hip Arthroplasty Performed Using the Posterolateral Approach?. Journal of Arthroplasty, 2017, 32, 3141-3146.	3.1	20
82	20-year trends of distal femoral, patellar, and proximal tibial fractures: a Danish nationwide cohort study of 60,823 patients. Monthly Notices of the Royal Astronomical Society: Letters, 2020, 91, 109-114.	3.3	20
83	Cartilage Thickness in the Hip Measured by MRI and Stereology Before and After Periacetabular Osteotomy. Clinical Orthopaedics and Related Research, 2010, 468, 1884-1890.	1.5	19
84	No Effect of a Bipolar Sealer on Total Blood Loss or Blood Transfusion in Nonseptic Revision Knee Arthroplasty—A Prospective Study With Matched Retrospective Controls. Journal of Arthroplasty, 2017, 32, 177-182.	3.1	19
85	Unicompartmental knee arthroplasty undertaken using a fast-track protocol. Bone and Joint Journal, 2020, 102-B, 1167-1175.	4.4	19
86	Surgical apgar score predicts early complication in transfemoral amputees: Retrospective study of 170 major amputations. World Journal of Orthopedics, 2016, 7, 832.	1.8	19
87	Knee awareness and functionality after simultaneous bilateral <i>vs</i> unilateral total knee arthroplasty. World Journal of Orthopedics, 2016, 7, 195.	1.8	19
88	Does knee awareness differ between different knee arthroplasty prostheses? A matched, case-control, cross-sectional study. BMC Musculoskeletal Disorders, 2016, 17, 141.	1.9	18
89	The Prevalence of Predisposing Deformity in Osteoarthritic Hip Joints. HIP International, 2011, 21, 537-541.	1.7	17
90	Lacking evidence for performance of implants used for proximal femoral fractures – A systematic review. Injury, 2016, 47, 586-594.	1.7	17

#	Article	IF	Citations
91	Tissue Adhesive for Wound Closure Reduces Immediate Postoperative Wound Dressing Changes After Primary TKA: A Randomized Controlled Study in Simultaneous Bilateral TKA. Clinical Orthopaedics and Related Research, 2019, 477, 2032-2038.	1.5	16
92	Reliable Angle Assessment During Periacetabular Osteotomy with a Novel Device. Clinical Orthopaedics and Related Research, 2008, 466, 1169-1176.	1.5	15
93	Stable Fixation of a Cementless, Proximally Coated, Double Wedged, Double Tapered Femoral Stem in Total Hip Arthroplasty: A 5-Year Radiostereometric Analysis. Journal of Arthroplasty, 2016, 31, 1267-1274.	3.1	15
94	Efficacy of pre-operative quadriceps strength training on knee-extensor strength before and shortly following total knee arthroplasty: protocol for a randomized, dose-response trial (The QUADX-1) Tj ETQq0 0 0 rg	gBT1 /:0 verl	ock1 5 0 Tf 50 (
95	High inter-rater reliability, agreement, and convergent validity of Constant score in patients with clavicle fractures. Journal of Shoulder and Elbow Surgery, 2016, 25, 1577-1582.	2.6	14
96	Acetabular Dysplasia and Surgical Approaches Other Than Direct Anterior Increases Risk for Malpositioning of the Acetabular Component in Total Hip Arthroplasty. Journal of Arthroplasty, 2016, 31, 835-841.	3.1	14
97	Severe Functional Debilitations After Complications Associated With Acute Achilles Tendon Rupture With 9ÂYears of Follow-Up. Journal of Foot and Ankle Surgery, 2017, 56, 440-444.	1.0	14
98	No association between surgical delay and mortality following distal femoral fractures. A study from the danish fracture database collaborators. Injury, 2017, 48, 2833-2837.	1.7	14
99	Clavicle fractures may be conservatively treated with acceptable results - a systematic review. Danish Medical Journal, 2012, 59, A4457.	0.5	14
100	Can Introduction of an Uncemented, Hydroxyapatite Coated Hemiarthroplasty for Displaced Femoral Neck Fractures be Recommended?. HIP International, 2010, 20, 109-114.	1.7	13
101	Morbidity and mortality after bilateral simultaneous total knee arthroplasty in a fast-track setting. Monthly Notices of the Royal Astronomical Society: Letters, 2016, 87, 286-290.	3.3	13
102	Neither operative nor nonoperative approach is superior for treating displaced midshaft clavicle fractures: a partially blinded randomized controlled clinical trial. Bone and Joint Journal, 2021, 103-B, 762-768.	4.4	13
103	Weight affects survival of primary total knee arthroplasty: study based on the Danish Knee Arthroplasty Register with 67,810 patients and a median follow-up time of 5 years. Monthly Notices of the Royal Astronomical Society: Letters, 2019, 90, 60-66.	3.3	12
104	Clinical outcome of bi-unicompartmental knee arthroplasty for both medial and lateral femorotibial arthritis: a systematic reviewâ€"is there proof of concept?. Archives of Orthopaedic and Trauma Surgery, 2020, 140, 1503-1513.	2.4	12
105	Tourniquets do not increase the total blood loss or re-amputation risk in transtibial amputations. World Journal of Orthopedics, 2017, 8, 62.	1.8	12
106	Population pharmacokinetics of ropivacaine used for local infiltration anaesthesia during primary total unilateral and simultaneous bilateral knee arthroplasty. British Journal of Anaesthesia, 2021, 126, 872-880.	3.4	11
107	Does the use of the largest possible metal head increase the wear of vitamin E-doped cross-linked polyethylene? Two-year results from a randomized controlled trial. Bone and Joint Journal, 2021, 103-B, 1206-1214.	4.4	11
108	Assessment of adult hip dysplasia and the outcome of surgical treatment. Danish Medical Journal, 2012, 59, B4450.	0.5	11

#	Article	IF	CITATIONS
109	Optimized medial unicompartmental knee arthroplasty outcome: learning from 20 years of propensity score matched registry data. Monthly Notices of the Royal Astronomical Society: Letters, 2022, 93, 390-396.	3.3	11
110	Implementing, Adapting, and Validating an Evidence-Based Algorithm for Hip Fracture Surgery. Journal of Orthopaedic Trauma, 2014, 28, e21-e26.	1.4	10
111	Do Hip Prosthesis Related Infection Codes in Administrative Discharge Registers Correctly Classify Periprosthetic Hip Joint Infection?. HIP International, 2015, 25, 568-573.	1.7	10
112	Fast-track pathway for reduction of dislocated hip arthroplasty reduces surgical delay and length of stay. Monthly Notices of the Royal Astronomical Society: Letters, 2015, 86, 335-338.	3. 3	10
113	The risk of manipulation under anesthesia due to unsatisfactory knee flexion after fast-track total knee arthroplasty. Knee, 2015, 22, 419-423.	1.6	10
114	Efficacy of early controlled motion of the ankle compared with no motion after non-operative treatment of an acute Achilles tendon rupture: study protocol for a randomized controlled trial. Trials, 2016, 17, 564.	1.6	10
115	Hip malformation is a very common finding in young patients scheduled for total hip arthroplasty. Archives of Orthopaedic and Trauma Surgery, 2018, 138, 581-589.	2.4	10
116	Risk of Deep Vein Thrombosis After Acute Achilles Tendon Rupture: A Secondary Analysis of a Randomized Controlled Trial Comparing Early Controlled Motion of the Ankle Versus Immobilization. Orthopaedic Journal of Sports Medicine, 2020, 8, 232596712091590.	1.7	10
117	Are functional outcomes and early pain affected by discharge on the day of surgery following total hip and knee arthroplasty?. Monthly Notices of the Royal Astronomical Society: Letters, 2021, 92, 62-66.	3 . 3	10
118	Harris Hip Score and SF-36 following metal-on-metal total hip arthroplasty and hip resurfacing - a randomized controlled trial with 5-years follow up including 75 patients. BMC Musculoskeletal Disorders, 2021, 22, 781.	1.9	10
119	Comparing surgical strategies for end-stage anteromedial osteoarthritis. Bone & Joint Open, 2022, 3, 441-447.	2.6	10
120	Regional Differences Between US and Europe in Radiological Osteoarthritis and Self Assessed Quality of Life in Patients Undergoing Total Hip Arthroplasty Surgery. Journal of Arthroplasty, 2014, 29, 2078-2083.	3.1	9
121	Does post-operative knee awareness differ between knees in bilateral simultaneous total knee arthroplasty? Predictors of high or low knee awareness. Knee Surgery, Sports Traumatology, Arthroscopy, 2016, 24, 3352-3358.	4.2	9
122	Persistent morbidity after Medial Patellofemoral Ligament Reconstruction — A registry study with an eight-year follow-up on a nationwide cohort from 1996 to 2014. Knee, 2019, 26, 20-25.	1.6	9
123	Incidence of surgical interventions for metastatic bone disease in the extremities: a population-based cohort study. Acta OncolÃ ³ gica, 2019, 58, 456-462.	1.8	9
124	Knee Fracture Increases TKA Risk After Initial Fracture Treatment and Throughout Life. Clinical Orthopaedics and Related Research, 2020, 478, 2036-2044.	1.5	9
125	Are There Differences in Micromotion on Radiostereometric Analysis Between Bicruciate and Cruciate-retaining Designs in TKA? A Randomized Controlled Trial. Clinical Orthopaedics and Related Research, 2020, 478, 2045-2053.	1.5	9
126	Why are patients still in hospital after fast-track, unilateral unicompartmental knee arthroplasty. Monthly Notices of the Royal Astronomical Society: Letters, 2020, 91, 433-438.	3.3	9

#	Article	IF	CITATIONS
127	Categorization of changes in the Oxford Knee Score after total knee replacement: an interpretive tool developed from a data set of 46,094 replacements. Journal of Clinical Epidemiology, 2021, 132, 18-25.	5.0	9
128	External Validation of Achieving the Patient Acceptable Symptom State for the EuroQol-5 Dimension 1 Year After Total Hip Arthroplasty. Journal of Bone and Joint Surgery - Series A, 2021, 103, e5.	3.0	9
129	Varying but reduced use of postoperative mobilization restrictions after primary total hip arthroplasty in Nordic countries: a questionnaire-based study. Monthly Notices of the Royal Astronomical Society: Letters, 2019, 90, 143-147.	3.3	8
130	Opinions among Danish knee surgeons about indications to perform total knee replacement showed considerable variation. Danish Medical Journal, 2012, 59, A4490.	0.5	8
131	A genome-wide meta-analysis identifies 50 genetic loci associated with carpal tunnel syndrome. Nature Communications, 2022, 13, 1598.	12.8	8
132	Outcome of An Uncemented Hydroxyapatite Coated Hemiarthroplasty for Displaced Femoral Neck Fractures: A Clinical and Radiographic 2-Year Follow-Up Study. HIP International, 2012, 22, 574-579.	1.7	7
133	Regional differences between the US, Scandinavia, and South Korea in patient demographics and patient-reported outcomes for primary total knee arthroplasty. Archives of Orthopaedic and Trauma Surgery, 2020, 140, 93-108.	2.4	7
134	Total Blood Loss After Transfemoral Amputations Is Twice the Intraoperative Loss: An Observational Cohort Study of 81 Nontraumatic Amputations. Geriatric Orthopaedic Surgery and Rehabilitation, 2017, 8, 123-127.	1.4	6
135	Preoperative highâ€dose Steroids in Total Knee and Hip Arthroplasty – Protocols for three randomized controlled trials. Acta Anaesthesiologica Scandinavica, 2020, 64, 1350-1356.	1.6	6
136	Do Knee Osteoarthritis Patterns Affect Patient-Reported Outcomes in Total Knee Arthroplasty? Results From an International Multicenter Prospective Study With 3-Year Follow-Up. Journal of Arthroplasty, 2021, 36, 507-513.	3.1	6
137	Influence of body mass index and age on day-of-surgery discharge, prolonged admission, and 90-day readmission after fast-track unicompartmental knee arthroplasty. Monthly Notices of the Royal Astronomical Society: Letters, 2021, 92, 722-727.	3.3	6
138	Knee-extensor strength, symptoms, and need for surgery after two, four, or six exercise sessions/week using a home-based one-exercise program: a randomized dose–response trial of knee-extensor resistance exercise in patients eligible for knee replacement (the QUADX-1 trial). Osteoarthritis and Cartilage, 2022, 30, 973-986.	1,3	6
139	Interpretation threshold values for the Oxford Knee Score in patients undergoing unicompartmental knee arthroplasty. Monthly Notices of the Royal Astronomical Society: Letters, 0, 93, 634-642.	3.3	6
140	Alternative Outcome Measures in Young Total Hip Arthroplasty Patients: A Prospective Cohort Study. HIP International, 2015, 25, 152-159.	1.7	5
141	Patients with anteromedial osteoarthritis achieve the greatest improvement in patient reported outcome after total knee arthroplasty. Archives of Orthopaedic and Trauma Surgery, 2020, 140, 517-525.	2.4	5
142	Perceived facilitators and barriers among physical therapists and orthopedic surgeons to pre-operative home-based exercise with one exercise-only in patients eligible for knee replacement: A qualitative interview study nested in the QUADX-1 trial. PLoS ONE, 2020, 15, e0241175.	2.5	5
143	Treatment of osteoarthritis with autologous, micro-fragmented adipose tissue: a study protocol for a randomized controlled trial. Trials, 2021, 22, 748.	1.6	5
144	A Novel Method for Assessment of Polyethylene Liner Wear in Radiopaque Tantalum Acetabular Cups: Clinical Validation in Patients Enrolled in a Randomized Controlled Trial. Journal of Arthroplasty, 2015, 30, 2354-2359.	3.1	4

#	Article	IF	CITATIONS
145	Avoidable 30-day mortality analysis and failure to rescue in dysvascular lower extremity amputees. Monthly Notices of the Royal Astronomical Society: Letters, 2018, 89, 246-250.	3.3	4
146	Improved Patient-Reported Quality of Life and Hip Function After Cementless 1-Stage Revision of Chronic Periprosthetic Hip Joint Infection. Journal of Arthroplasty, 2019, 34, 2763-2769.e1.	3.1	4
147	No difference in whole-blood metal ions between 32-mm and 36- to 44-mm femoral heads in metal-on-polyethylene total hip arthroplasty: a 2-year report from a randomised control trial. HIP International, 2023, 33, 184-192.	1.7	4
148	Does ethnicity and education influence preoperative disability and expectations in patients undergoing total knee arthroplasty?. World Journal of Orthopedics, 2018, 9, 220-228.	1.8	4
149	Higher rate of compensation after surgical treatment versus conservative treatment for acute Achilles tendon rupture. Danish Medical Journal, 2015, 62, A5046.	0.5	4
150	The problem is not necessarily the data, it is the interpretation. Bone and Joint Journal, 2019, 101-B, 1177-1178.	4.4	3
151	Introduction of a New Treatment Algorithm Reduces the Number of Periprosthetic Femoral Fractures After Primary Total Hip Arthroplasty in Elderly Females. Journal of Arthroplasty, 2020, 35, 3613-3620.	3.1	3
152	The Use of Porous Titanium Coating and the Largest Possible Head Do Not Affect Early Cup Fixation. JBJS Open Access, 2020, 5, e20.00107-e20.00107.	1.5	3
153	The Copenhagen Achilles Length Measurement performed at time of acute Achilles tendon rupture is correlated to tendon elongation after one year Journal of Foot and Ankle Surgery, 2022, , .	1.0	3
154	Opioid and Analgesic Use Before and After Revision Knee Arthroplasty for the Indications "Pain Without Loosening―Versus "Aseptic Loosening―– A Danish Nationwide Study. Journal of Arthroplasty, 2022, 37, 1618-1625.e3.	3.1	3
155	No increase in postoperative contacts with the healthcare system following outpatient total hip and knee arthroplasty. Monthly Notices of the Royal Astronomical Society: Letters, 2021, 92, 557-561.	3.3	2
156	What is the effect of supervised rehabilitation regime vs. self-management instruction following unicompartmental knee arthroplasty? $\hat{a} \in \hat{a}$ a pilot study in two cohorts. Journal of Experimental Orthopaedics, 2021, 8, 38.	1.8	2
157	Patient-reported outcomes of 7133 distal femoral, patellar, and proximal tibial fracture patients: A national cross-sectional study with one-, three-, and five-year follow-up. Knee, 2020, 27, 1310-1324.	1.6	2
158	Surgical Treatment of Metastatic Bone Disease in the Appendicular Skeleton: A Population-Based Study. Cancers, 2022, 14, 1258.	3.7	2
159	Prosthesis survival after revision knee arthroplasty for "pain without loosening―versus "aseptic loosening― a Danish nationwide study. Monthly Notices of the Royal Astronomical Society: Letters, 2021, , 1-7.	3.3	2
160	Safety of vitamin E-infused highwall liners for routine use in primary total hip arthroplasty: single centre, short-term follow-up of 1221 cases. HIP International, 2020, , 112070002096964.	1.7	1
161	Does cup position differ between trabecular metal and titanium cups? A radiographic propensity score matched study of 300 hips. Monthly Notices of the Royal Astronomical Society: Letters, 2020, 91, 682-686.	3.3	1
162	Early clinical outcome and learning curve following unilateral primary total knee arthroplasty after introduction of a novel total knee arthroplasty system. World Journal of Orthopedics, 2020, 11, 431-441.	1.8	1

#	Article	IF	CITATIONS
163	Preoperative Severe Acute Respiratory Syndrome Coronavirus 2ÂPolymerase Chain Reaction Test at Between 48 and 72ÂHours Preoperatively is Safe for Patients Undergoing Primary and Revision Hip and Knee Arthroplasty: A Multicentre International Study. Journal of Arthroplasty, 2022, , .	3.1	1
164	Clinical Faceoff: Where Are We Going With Femoral Stem Fixation in THA?. Clinical Orthopaedics and Related Research, 2016, 474, 2349-2353.	1.5	0
165	13â€Deep vein thrombosis after acute achilles tendon rupture. An RCT comparing early controlled motion of the ankle with no motion. , 2019, , .		0
166	14â€Individual treatment selection for acute achilles tendon rupture based on the copenhagen achilles length measurements (CALM). , 2019, , .		0
167	Sensitivity and specificity of post-operative interference gap assessment on plain radiographs after cementless primary THA. Clinical Imaging, 2019, 54, 103-107.	1.5	0
168	Advances in PAO Surgery: The Minimally Invasive Approach. , 2012, , 189-199.		0
169	Disentangling treatment pathways for knee osteoarthritis: a study protocol for the TREATright study including a prospective cohort study, a qualitative study and a cost-effectiveness study. BMJ Open, 2021, 11, e048411.	1.9	0
170	Title is missing!. , 2020, 15, e0241175.		0
171	Title is missing!. , 2020, 15, e0241175.		0
172	Title is missing!. , 2020, 15, e0241175.		0
173	Title is missing!. , 2020, 15, e0241175.		0
174	Surgical treatment of displaced isolated lateral malleolar fractures: incidence of adverse events requiring revision: a retrospective cohort study. Journal of Orthopaedic Surgery and Research, 2022, 17, 252.	2.3	0